


MEDICAL LIBRARY

(MINISTRY OF HEALTH.)



6
1/1
MEDICAL LIBRARY

Ann: Report
Births, Deaths
(is of 1875).

lent Reminder Rel-d



22500766891


No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be re-borrowed for a further period upon written request provided it is not required by another officer.



Digitized by the Internet Archive
in 2021 with funding from
Wellcome Library



30
6

TWENTY-FIRST
DETAILED ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
OF
BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

[ABSTRACTS OF 1875.]


Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.

1879.

[C.—2494.] Price 1s. 7d.



WELLCOME INSTITUTE LIBRARY	
Coll.	welMOMec
Call	SCV
No.	WA

REPORT.

TO THE

RIGHT HON^{BLE}. R. ASSHETON CROSS, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, *October 20, 1879.*

SIR,

In conformity with the requirements of the seventh section of the Scottish Registration Act, 17 & 18 Vict. cap. 80, I had the honour, on the 17th April 1876, to submit to you the usual General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1875, along with some explanation and commentary.

On the same date, my Eleventh Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 & 27 Vict. cap. 108.

I have now the honour to submit the Detailed Annual Report, together with the relative Tables, regarding the Births, Deaths, and Marriages registered in Scotland during the same year (1875).

There is reason to believe that the process of Registration is in Scotland conducted with due efficiency, and that very few events indeed escape record; so that the details of this Report will bear strict comparison with those furnished by the other divisions of the United Kingdom.

During 1875 the Marriage-rate was considerably above the average rate of the ten years 1865-1874. The Birth-rate too was well sustained. The Death-rate was very high, a circumstance attributable not to any unusual mortality from the preventable diseases of the Zymotic class, but obviously to the destructive influence of diseases of the Respiratory System mainly induced by inclement weather.

In the present Report I have included two valuable communications relative to the subjects of Density and Proximity of Population, kindly furnished by Dr William Farr of London, and by Professor P. G. Tait of Edinburgh. The accuracy of the formulae connecting Density and Proximity being very clearly demonstrated in these communications, will henceforth require no vindication.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Robertson to the Registrar-General,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855-1875 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Density and Proximity of Population, with Illustrative Tables,	x
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1875,	xvi
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1875,	xvii
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1875,	xvi
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1875,	xviii

BIRTHS.

Births in 1875, and their Proportion to the Population, with relative Tables,	xv
Tables showing particulars relative to the Births during each of the years 1855 to 1875 inclusive,	xix
Number and Proportion of Twins and Triplets,	xx

MARRIAGES.

Number of Marriages in 1875, and their Proportion to the Population,	xx
Influence of Density of Population on the Marriages,	xx
Proportion of Legitimate Children to the Marriages in Scotland and England and in Sweden,	xxi
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1875, and 1855-1875, with relative Tables,	xxv
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xxvii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xxvii
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xxvi & xxvii

	Page
DEATHS.	
Number of Deaths in Scotland in 1875, and their Proportion to the Population, . . .	xxvii
Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1875, with relative Tables,	xxviii
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1865-1875,	xxix
Series of Tables of the Deaths at different Ages in Scotland, and its Five Great Groups of Districts, during the year 1875,	xxx
Mortality of Female lower than that of the Male,	xxxii
High Mortality in Towns at every period of life, as compared with that of the Rural Districts,	xxxiii
Causes of Death in 1875, with relative Tables,	xxxiv
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables,	xxxv
Particulars relative to Vaccination in Scotland, with relative Tables,	xlii
Smallpox Deaths in Scotland for twenty-one years,	xliv
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths,	xlii & xlvii
The Nineteen most fatal Diseases in England and Scotland in 1875,	xlvi

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1875.

Weather, Weekly and Monthly, and its Influence on the Mortality,	li
Table showing the Meteorology of Scotland during each month of the year 1875, together with the Monthly and Daily Number of Births, Deaths, and Marriages,	liii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland during each Month of the year 1875,	liv
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1875,	lv
Influence of Season, etc., on the Mortality at different Ages,	lv

APPENDIX.

Vaccinations in the several Counties of Scotland during the year 1875,	lix
--	-----

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1875, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1861 and 1871, the Excess of Births over Deaths, and the Area in Square Miles of each County,	1
Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1875, also of the Illegitimate Births in every Registration District,	2-23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1875; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks,	24
---	----

	PAGE
Table of the Civil Condition of the parties who married in 1875 ; distinguishing the Marriages of Bachelors with Spinsters ; Bachelors with Widows ; Widowers with Spinsters ; and Widowers with Widows ; giving the particulars as to the Age of each Sex	25
Table of the Ages of all Males who married in Scotland and its Counties in 1875, . . .	26
Table of the Ages of all Females who married in Scotland and its Counties in 1875 . . .	28

DEATHS.

Table of the Ages of all persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1875, together with the Populations in 1861 and 1871,	30
Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1875, together with the Male Populations in 1861 and 1871,	32
Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1875, together with the Female Populations in 1861 and 1871,	34
Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1875,	36
Do. Males,	38
Do. Females,	40
Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular-Rural Districts of Scotland in 1875,	42
Do. Males,	44
Do. Females,	46
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1875,	48-51
Do. Males,	52-55
Do. Females,	56-59
Summary Table of the Causes of Death in both Sexes in each of the Principal Towns of Scotland in 1875,	60
Do. Males,	62
Do. Females,	64
Summary Table of the Causes of Death in both Sexes in each of the Large Towns of Scotland in 1875,	66
Do. Males,	68
Do. Females,	70
Summary Table of the Causes of Death in both Sexes in each of the Small Town Districts of the Counties of Scotland in 1875,	72-75
Do. Males,	76-79
Do. Females,	80-83
Summary Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland in 1875,	84-87
Do. Males,	88-91
Do. Females,	92-95
Summary Table of the Causes of Death in both Sexes, and in Males and Females in the Insular-Rural Districts of Scotland in 1875,	96
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life,	98-101
Do. Males,	102-105
Do. Females,	106-109
Table of the Causes of Death in both Sexes in the Principal Town Districts of Scotland at different Periods of Life,	110-113
Do. Males,	114-117
Do. Females,	118-121

	Page
Table of the Causes of Death in both Sexes in the Large Town Districts of Scotland at different Periods of Life,	122-125
Do. Males,	126-129
Do. Females,	130-133
Table of the Causes of Death in both Sexes in the Small Town Districts of Scotland at different Periods of Life,	134-137
Do. Males,	138-141
Do. Females,	142-145
Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland at different Periods of Life,	146-149
Do. Males,	150-153
Do. Females,	154-157
Table of the Causes of Death in both Sexes in the Insular-Rural Districts of Scotland at different Periods of Life,	158-161
Do. Males,	162-165
Do. Females,	166-169
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life,	170-173
Do. Males,	174-177
Do. Females,	178-181
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life,	182-185
Do. Males,	186-189
Do. Females,	190-193
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life,	194-197
Do. Males,	198-201
Do. Females,	202-205
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life,	206-209
Do. Males,	210-213
Do. Females,	214-217
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life,	218-221
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life,	222-225
Table of the Causes of Death in both Sexes in Leith at different Periods of Life,	226-229
Table of the Causes of Death in both Sexes in Perth at different Periods of Life,	230-233
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1875, in each of the Groups of Districts, Divisions, and Counties of Scotland,	234
—	
Constitution of the Compound Districts,	235
List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated,	236
Index to Districts,	237

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

DURING the year 1875 the condition of Scotland in regard to its most important productions and industries was not more favourable than it had been during the previous year. It might naturally have been expected that the rather depressed state of trade, and the correspondingly contracted means of the labouring classes, would lead to some notable diminution in the marriage-rate, if not in the birth-rate, throughout the country. There had not, indeed, been such an amount of commercial distress as to justify any serious apprehension that the general death-rate would be affected as in times of famine; but the malign influence of the exceptionally inclement December of 1874 might have been expected to extend over the death-returns of at least the first few weeks of the succeeding year. In point of fact, the frequency of marriages in 1875 seems to have undergone no remarkable diminution. It even exceeded decidedly the ten years' average, although it was certainly lower than the marriage-rates of 1872-3-4. The general birth-rate of the country was well main-

TABLE I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1875, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS.	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3·4481	2·2183	0·7132	9·5
1872	3,399,225	118,765	10,927	75,794	25,641	42,971	3·4939	2·2298	0·7543	9·2
1873	3,430,923	119,700	10,925	76,946	26,748	42,754	3·4889	2·2427	0·7796	9·1
1874	3,462,916	123,711	10,991	80,720	26,390	42,991	3·5725	2·3310	0·7621	8·9
1875	3,495,214	123,578	10,786	81,767	25,974	41,811	3·5356	2·3394	0·7431	8·73

tained, and, indeed, has only once been higher since the year 1865. The death-rate has not been so high since 1864, and, of course, far exceeded the average rate of the last ten years.

POPULATION.

In estimating the whole population of Scotland to the middle of the year, it is assumed that the numbers of males and of females were correctly ascertained at the census enumerations of 1861 and 1871, that the rate of increase for each sex between these periods is known, and that it has remained unaltered up to the middle of the year 1875. No separate allowance is made for the effects of emigration and immigration, which are included, along with the varying circumstances of birth-rate and death-rate, in the difference of numbers revealed by each successive census.

According to the mode of computation here used, it seems fair to estimate that at the middle of 1875 the whole population of Scotland consisted of 1,673,105 males and 1,822,109 females, or 3,495,214 persons. In these Reports it has been found very convenient to consider the population of the whole country as distributed over Five Groups of Registration Districts, the constitution of which has been frequently explained. The number of inhabitants allocated to each group, and the expected annual increase or decrease of such numbers, were originally determined, with no small labour, from Census data. Table II., as usual, presents an estimate of the population of each of these districts; but it is to be regretted that certain changes made by authority upon the registration areas of Glasgow and of Edinburgh, and which only came into operation at 1st January 1875, materially affect its probable accuracy. About 17,000 persons, hitherto treated in these Reports as inhabitants of Small Towns, are now treated as inhabitants of Glasgow; and nearly 3500 persons have been removed from the registration area of Edinburgh to the group of Mainland-Rural Districts. In the Registrar-General's 21st Annual Report, published on 17th April 1876, mention was made of the disturbance of our population estimates, caused by such changes as have just been instanced. It is necessary again to allude to them in this place, and to explain that this department is in no degree responsible for the statistical inconvenience created by these alterations of registration areas.

TABLE II.—Population of Scotland, in its Five New Groups of Districts, by the Censuses of 1861 and 1871, and estimated to the middle of 1875.

FIVE NEW GROUPS OF DISTRICTS.	CENSUS 1861.			CENSUS 1871.			Estimated to 30th June 1875.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns }	407,839	477,116	884,955	502,021	566,535	1,068,556	554,721	616,507	1,171,228
Large Towns }	129,933	144,448	274,381	160,176	174,081	334,257	165,532	178,108	343,640
Small Towns }	335,356	369,024	704,380	371,118	404,969	776,087	381,028	415,569	796,597
Mainland-Rural }	513,554	548,239	1,061,793	508,787	540,327	1,049,114	511,654	542,064	1,053,718
Insular-Rural }	63,166	73,619	136,785	61,041	70,963	132,004	60,170	69,861	130,031
SCOTLAND .	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,673,105	1,822,109	3,495,214

DENSITY AND PROXIMITY OF POPULATION.

The following Tables, marked A, B, and C, were published in last Detailed Annual Report, and are now reprinted for the convenience of such readers as may wish to refer to reliable data regarding the density and proximity of population, at the period of last Census, in the several districts of the Eight Principal Towns of Scotland, or in any of the

TABLE A.—Areas of Registration Districts of Principal Towns, and Density of their Population, at Census 1871.

TOWNS.	Acres.	Square Miles.	Census 1871. Population.	Persons per Square Mile.	Acres to each Person.	Proximity in Yards.
GLASGOW—						
Bridgeton	621	·970	31,154	32,118	0·020	10·4
Camlachie	553	·864	32,676	37,819	0·017	9·7
Dennistoun	1081	1·689	31,024	18,368	0·035	14·0
Calton	268	·419	43,654	104,186	0·006	5·8
Blackfriars	212	·331	54,602	164,961	0·004	4·6
St Rollox	722	1·128	38,383	34,027	0·019	10·2
Blythswood	388	·606	44,310	73,119	0·009	6·9
Milton	250	·391	38,223	97,757	0·007	6·0
Kelvin	566	·884	32,516	36,783	0·017	9·8
Anderston	500	·781	40,178	51,444	0·012	8·3
Hutchesontown	298	·466	29,717	63,770	0·010	7·4
Gorbals	209	·327	43,212	132,147	0·005	5·2
Tradeston	257	·402	22,340	55,572	0·011	8·0
Kinning Park	108	·169	9,857	58,325	0·011	7·8
Whole Area	6033	9·427	491,846	52,174	0·012	8·3
EDINBURGH—						
St George	1116	1·744	55,049	31,565	0·020	10·6
St Andrew	931	1·455	39,781	27,341	0·024	11·4
Canongate	625	·977	33,183	33,964	0·019	10·3
(Do. without Landward)	(218)	(·340)	...	(97,597)	(0·007)	(6·1)
St Giles	325	·508	31,960	62,913	0·010	7·5
(Do. without Meadows, &c.)	(231)	(·361)	...	(88,532)	(0·007)	(6·4)
Newington	1183	1·849	41,079	22,217	0·029	12·7
Whole Area	4180	6·533	201,052	30,775	0·021	10·8
DUNDEE—						
St Peter	629	·983	22,894	23,290	0·027	12·4
St Mary	490	·766	23,582	30,786	0·021	10·8
St Clement	301	·470	25,090	53,383	0·002	8·2
St Andrew	892	1·393	38,082	27,338	0·023	11·4
Lochee	1096	1·713	11,076	6,466	0·098	23·5
Whole Area	3408	5·325	120,724	22,671	0·028	12·6
ABERDEEN—						
St Nicholas	879	1·374	47,077	34,263	0·019	10·2
Old Machar (burghal)	4932	7·706	41,104	5,334	0·120	25·9
Whole Area	5811	9·080	88,181	9,712	0·066	19·2
GREENOCK	1509	2·358	59,794	25,358	0·025	11·9
PAISLEY—						
City Parishes	882	1·378	31,910	23,157	0·028	12·4
Part of Abbey	2611	4·080	16,348	4,007	0·163	29·9
Whole Area	3493	5·458	48,258	8,842	0·073	20·1
LEITH	1440	2·250	46,434	20,637	0·031	13·2
PERTH	4336	6·775	26,382	3,894	0·164	30·3
EIGHT PRINCIPAL TOWNS	30210	47·206	1,082,671	22,935	0·0279	12·5

thirty-three counties of which the country consists. The area now stated for Glasgow is that deduced from the Ordnance Survey. The acreage of its several districts as indicated by the planimeter has been slightly adjusted so as to make up the total of 6033 Acres. In regard to Table B, it is necessary to state that the formula for its construction, explained in its heading, is derived from the formula $p = \frac{2^{\frac{1}{2}}}{3^{\frac{1}{2}}} \times \frac{1760}{D^{\frac{1}{2}}}$, originally published by Dr Farr.

NOTE.

In letters that have reached the Registrar-General some doubts have been expressed as to the accuracy of the formula connecting Density with Proximity. Dr Farr has most kindly communicated to the Statistical Superintendent the following full account of the mathematical reasoning which originally led him to the establishment of the formula, and which may be regarded as a demonstration of its accuracy :—

“ DENSITY AND PROXIMITY.

“ The density of the population is determined by dividing the population of the country or district by the area. Prony calls this the specific population. It may be described thus :

$$d = \frac{P}{A}, \text{ where } P \text{ represents the population and } A \text{ the area.}$$

“ It is assumed that the population is evenly distributed over the area.

“ Now, let a be the area to each person ; then $a = \frac{A}{P}$; it is the reciprocal of d , or $a = \frac{1}{d} = \frac{A}{P}$. This a may be called the *areality*.

“ Now, upon the same hypothesis of even distribution over the area, what is the *proximity* of person to person ?

TABLE B.—Proximity and Density. In constructing this Table, p is successively assumed=1, 2, 3, &c. The log. c is=3.2767474, being the log. of $\left(\frac{\sqrt{2}}{4\sqrt{3}} \times 1760\right)$, and of course constant. The formula for constructing the Table is :—log. $d = 2 (\log. c - \log. p)$.

p	d	p	d	p	d	p	d
Proximity in Yards.	Density of Population per Sq. Mile.	Proximity in Yards.	Density of Population per Sq. Mile.	Proximity in Yards.	Density of Population per Sq. Mile.	Proximity in Yards.	Density of Population per Sq. Mile.
1	3576800	26	5291	51	1375	76	619
2	894200	27	4906	52	1323	77	603
3	397422	28	4562	53	1273	78	588
4	223550	29	4253	54	1227	79	573
5	143072	30	3974	55	1182	80	559
6	99356	31	3722	56	1141	85	495
7	72996	32	3493	57	1101	90	442
8	55888	33	3284	58	1063	95	396
9	44156	34	3094	59	1028	100	358
10	35768	35	2920	60	994	150	159
11	29560	36	2760	61	961	200	89
12	24839	37	2613	62	931	300	40
13	21165	38	2477	63	901	400	22
14	18249	39	2352	64	873	500	14
15	15897	40	2236	65	847	600	10
16	13972	41	2128	66	821	700	7
17	12376	42	2028	67	797	800	6
18	11039	43	1934	68	774	900	4
19	9908	44	1848	69	751	1000	3.6
20	8942	45	1766	70	730	1100	3.0
21	8111	46	1690	71	710	1250	2.3
22	7390	47	1619	72	690	1500	1.6
23	6761	48	1553	73	671	1760	1.2
24	6210	49	1490	74	653	1891	1.0
25	5723	50	1431	75	636	2000	0.9

“In England the areality (in 1878) is 7267 square yards to each person ; for the population is 24,854,397, and the area is 58,311 square miles, or 180,625,029,640 square yards. So areality, or $a=7267$ square yards. If areality is 7267 *square* yards, then proximity is 91.604 *linear* yards.

“Any other unit might be taken to express the proximity and the areality. But if the areality is expressed in square miles, the proximity must be expressed in linear miles ; if in square yards in linear yards ; if in square metres in linear metres. The yard or the metre is the most convenient unit by which to express the proximity.

PROXIMITY.

“To explain its derivation from the given *areality*. All the persons of the population may be conceived as in the centre of plots of ground in equal hexagonal forms ; then if the area of the hexagon is known the mean distance from person to person is known. The proximity is a function of the areality.




TABLE C.—Showing, for each County in Scotland, the Population at Census 1871; the Births and Deaths during the Ten Years, 1866–1875; the Annual Birth-rate and Death-rate per 1000 of Census Population; the Area in Square Miles; the Density of the Population per Square Mile; and the Proximity of Person to Person expressed in yards, on the hypothesis of uniform distribution of Population over Area.

No.	COUNTIES.	Popula- tion at Census 1871.	Births in Ten Years 1866–1875.	Deaths in Ten Years 1866–1875.	Annual Births to 1000 Living.	Annual Deaths to 1000 Living.	Area in Square Miles.	Density or Persons per Square Mile.	Proximity in Yards.
	SCOTLAND . . .	3,360,018	1,173,683	749,829	34.93	22.32	30,532.0	110	180
1	Shetland . . .	31,608	7,640	4,726	24.17	14.95	935.5	67	231
2	Orkney . . .	31,274	7,854	4,759	25.11	15.22			
3	Caithness . . .	41,011	11,299	6,423	27.55	15.66	701.4	58	248
4	Sutherland . . .	23,298	5,104	3,622	21.91	15.55	2093.2	11	570
5	Ross and Cromarty . . .	82,093	21,122	13,348	25.73	16.26	3150.6	26	371
6	Inverness . . .	84,258	22,586	14,857	26.81	17.63	4255.5	20	423
7	Nairn . . .	8,372	2,366	1,576	28.26	18.83	199.9	42	292
8	Elgin (or Moray) . . .	44,549	13,310	7,658	29.88	17.19	488.0	91	198
9	Banff . . .	58,883	18,639	9,657	31.65	16.40	646.5	91	198
10	Aberdeen . . .	246,298	83,271	43,995	33.81	17.86	1972.0	125	169
11	Kincardine . . .	35,097	11,113	5,626	31.66	16.03	387.9	90	199
12	Forfar . . .	240,049	85,265	56,262	35.52	23.43	890.4	270	115
13	Perth . . .	128,550	35,718	25,266	27.79	19.66	2569.8	50	267
14	Fife . . .	160,924	53,456	30,943	33.22	19.23	513.2	314	107
15	Kinross . . .	7,918	2,103	1,346	26.56	17.00	77.8	102	187
16	Clackmannan . . .	22,235	7,699	4,579	34.63	20.59	49.8	446	90
17	Stirling . . .	93,345	35,257	20,863	37.77	22.35	466.5	200	134
18	Dumbarton . . .	61,116	22,081	13,907	36.13	22.76	269.8	227	126
19	Argyll . . .	79,661	20,755	14,599	26.05	18.33	3254.9	25	378
20	Bute . . .	16,966	4,059	3,945	23.92	23.25	225.0	75	218
21	Renfrew . . .	195,305	74,989	51,242	38.39	26.40	253.8	770	68
22	Ayr . . .	200,908	77,104	45,184	38.38	22.49	1148.8	175	142
23	Lanark . . .	787,005	324,514	220,413	41.23	28.01	888.9	885	64
24	Linlithgow . . .	41,379	17,450	8,815	42.17	21.30	126.7	327	105
25	Edinburgh . . .	328,138	112,532	78,162	34.29	23.82	367.1	894	63
26	Haddington . . .	37,755	11,794	7,170	31.24	18.99	279.9	135	163
27	Berwick . . .	36,382	11,013	5,937	30.27	16.32	464.3	78	217
28	Peebles . . .	12,218	3,889	1,982	31.83	16.22	356.0	34	324
29	Selkirk . . .	19,651	6,277	3,342	31.94	17.01	260.2	76	217
30	Roxburgh . . .	48,241	16,381	9,285	33.96	19.25	669.5	72	223
31	Dumfries . . .	74,842	22,780	15,169	30.44	20.27	1103.0	68	229
32	Kirkcudbright . . .	42,087	12,764	7,892	30.33	18.75	953.7	44	285
33	Wigtown . . .	38,602	11,499	7,279	29.79	18.86	512.4	75	218

“Strike a circle with radius r , then inscribe therein a hexagon H_1 with the side r in the usual way ; construct six similar hexagons on the six sides. The line AA' from the centre A of H_1 to the centre A' of H_2 represents the proximity p ; $AA' = AC + CA'$ where $AC = CA'$.

“And as $AC = r \cos 30^\circ$, $p = 2r \cos 30^\circ$,

Now $BC = r \sin 30^\circ$; and $BD = 2r \sin 30^\circ$,

And $r = \frac{p}{2 \cos 30^\circ} = \frac{p}{2 \times \frac{\sqrt{3}}{2}} = \frac{p}{\sqrt{3}}$. (Equation I.)

“The area of the triangle ABD is $BD \times \frac{AC}{2} = 2r^2 \sin 30^\circ \cdot \frac{\cos 30^\circ}{2} = r^2 \sin 30^\circ \cdot \cos 30^\circ$; but there are six similar triangles in the hexagon (H_1), the area of which is therefore—

$$a = 6r^2 \sin 30^\circ \cdot \cos 30^\circ.$$

But $r \sin 30^\circ = \frac{1}{2}r$: and $r \cos 30^\circ = \frac{\sqrt{3}}{2}r$; $p = 2r \cos 30^\circ = 2 \cdot \frac{\sqrt{3}}{2}r = \sqrt{3}r \therefore r = \frac{p}{\sqrt{3}}$.

“By substituting for r its equivalent $\frac{p}{\sqrt{3}}$ in equation 1, we have instead of

$$a = 6r^2 \sin 30^\circ \cdot \cos 30^\circ = 6 \cdot \frac{1}{2} \cdot \frac{\sqrt{3}}{2}r^2; a = \frac{6p^2}{3} \cdot \frac{1}{2} \cdot \frac{\sqrt{3}}{2} = \frac{\sqrt{3}}{2}p^2.$$

And $p^2 = \frac{2}{\sqrt{3}}a = \frac{2}{3^{\frac{1}{2}}}a$: taking the square root of both sides, $p = \frac{2^{\frac{1}{2}}}{3^{\frac{1}{4}}}a^{\frac{1}{2}} = \left(\frac{4}{3}\right)^{\frac{1}{4}}a^{\frac{1}{2}}$.

“Thus, putting $\frac{2^{\frac{1}{2}}}{3^{\frac{1}{4}}} = \left(\frac{4}{3}\right)^{\frac{1}{4}} = c$, which is a *constant*, and is equal to the square root of 2 divided by the fourth root of 3, or to the fourth root of 4 divided by the fourth root of 3, the formula is reduced to the simplest form: $p = ca^{\frac{1}{2}} =$ proximity when areality (a) is given ; and $a = \left(\frac{p}{c}\right)^2 =$ areality when p is given.

“Thus the proximities vary as the square roots of the arealities ; the arealities as the squares of the proximities ; precisely as the areas of circles vary as the squares of their radii.

“By logarithms—

$$\lambda c = \frac{\lambda 4 - \lambda 3}{4} = 0.312347; \text{ and } c = 1.07457$$

$$\lambda p = \frac{\lambda a}{2} + \lambda c$$

$$\lambda a = 2(\lambda p - \lambda c).$$

“To determine the proximity of houses on the hypothesis that they are all distributed evenly over the surface of the country, the house areality is deduced by dividing by the number of houses the area expressed in square units.

“Let the *house-areality* be expressed by a' , and if there are 5 persons to a house, as

$$a = \frac{A}{P} \text{ and } P = 5H; \text{ then } a' = 5a.$$

“The proximity of the houses (p') is thus determined from the proximity of the population by substituting a' for a in the previous formula.

$$\text{And } p' = a'^{\frac{1}{2}}c = (5a)^{\frac{1}{2}}c = 5^{\frac{1}{2}}a^{\frac{1}{2}}c = 5^{\frac{1}{2}}p.$$

“And generally, to obtain the proximity of houses from the proximity of population (p), multiply the latter by the square root of the mean number of persons to a house—say $n \therefore n^{\frac{1}{2}}p = p'$.

The following independent and original demonstration of the truth of the formula the Statistical Superintendent owes to the kindness of Professor Tait. In regard to this demonstration it is right to explain, that it was communicated before Professor Tait was made aware of the process followed by Dr Farr in establishing the formula :—

“Taking a hexagonal distribution, let $n+1$ be the number of points on each side (including both ends), then

$$\text{Whole number of points} = 1 + 6 \frac{n \overline{n+1}}{1 \cdot 2}.$$

“But those at the corners (6) belong each to only two triangles *in* the hexagon and to four external ones. They count therefore only as $\frac{2}{6} \times 6$. Those on the sides but not at corners ($6(n-1)$) belong to as many outer as inner triangles, and therefore count only as $3(n-1)$. Hence, subtracting $3(n-1)$ and $\frac{4}{6} \times 6$ from the above number, we have

$$\text{Virtual number of points} = 1 + 3n \overline{n+1} - 3 \overline{n-1} - 4 = 3n^2.$$

“Also, the number of triangles in the hexagon is evidently $6n^2$.

Thus,
$$\frac{\text{No. of points}}{\text{No. of triangles}} = \frac{3n^2}{6n^2} = \frac{1}{2}.$$

“But the area of one triangle, if l be the length of side, is $\frac{l^2}{4} \sqrt{3}$.

Thus,
$$\frac{\text{No of points}}{\text{Area of hexagon}} = \frac{1}{l^2 \frac{\sqrt{3}}{2}}.$$

This is the reciprocal of the ‘mean area to each person,’ what Farr calls a .

Hence
$$a = l^2 \frac{\sqrt{3}}{2}, \text{ or } l = \frac{2^{\frac{1}{2}}}{3^{\frac{1}{4}}} a^{\frac{1}{2}}.$$

“Hence it appears that l is what Farr calls p or proximity.

“This method is rigorous even when $n=1$, so that it applies to any form of area.”

In an additional note Professor Tait writes :—

“Still better, and I don’t think to be farther improved.

“Take *one* equilateral triangle. Its three corners count each for $\frac{1}{6}$ th only, *being common to other five triangles*.

“Hence $\frac{\text{points}}{\text{triangles}} = \frac{\frac{1}{6} \cdot 3}{1} = \frac{1}{2}$ and the same holds good for any number of such triangles grouped together.”

BIRTHS.

During 1875 there were registered in Scotland 123,578 Births, being within 133 of the number recorded in 1874. There were consequently 354 births for every ten thousand of estimated population; or, in other words, the birth-rate was 3.54 per cent. This ample proportion has been only once exceeded since the year 1865.

It must be noted by the reader that still-births are not registered in Scotland, and that consequently we can present no reliable approximation to the relative frequency of live-births and still-births among the inhabitants of this country. Another consequence of the absence of information regarding still-births is, that it is impossible to ascertain accurately the number of females who annually give birth to children at the full time, and hence to estimate the mortality due to the process of parturition in various circumstances.

There were 14,638 births in the Large Towns, and the birth-rate in this registration group was consequently 4·26 per 100 of estimated population. There were 43,621 births in the Eight Principal Towns, and the birth-rate in this group was consequently 3·724 per cent., being somewhat lower than the average rate of the last ten years, which was 3·848 per cent. In the Small Towns, the 28,926 registered births were

TABLE III.—Births, Deaths, and Marriages in the Five New Groups of Districts in Scotland, 1855-1875.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	9542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	28059	16478	5545	32157	18093	6063	3558	2084	639
1873	41500	30008	10594	14033	9306	3140	28841	17357	6130	31963	18098	6291	3363	2177	593
1874	42631	32124	10574	15189	10026	3051	29557	17560	5695	32877	18816	6443	3457	2194	627
1875	43621	30983	10670	14638	9802	2995	28926	18285	5594	33104	20303	6160	3289	2394	555

Principal Towns above 25,000 inhabitants. Large Towns above 10,000 and under 25,000 inhabitants. The Small Towns from 3000 to 10,000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10,000 of population.

TABLE IV.—Percentage of Births, Deaths, and Marriages in the Five New Groups of Districts of Scotland, to the Population during each of the Years 1855-1875.

YEARS.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·684	0·531	2·192	1·298	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3·062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2·040	0·634	3·052	1·689	0·546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·833	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·354	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3·545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2·524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·767	2·927	0·915	3·751	2·403	0·791	3·408	2·083	0·653	3·130	1·638	0·559	2·847	1·391	0·455
1872	3·809	2·760	0·953	3·887	2·609	0·866	3·581	2·103	0·708	3·070	1·727	0·579	2·707	1·586	0·486
1873	3·722	2·692	0·950	4·039	2·679	0·904	3·657	2·193	0·775	3·056	1·730	0·601	2·568	1·662	0·453
1874	3·752	2·827	0·931	4·287	2·830	0·861	3·709	2·204	0·715	3·146	1·801	0·617	2·649	1·681	0·480
1875	3·724	2·645	0·911	4·260	2·852	0·872	3·631	2·295	0·702	3·142	1·927	0·585	2·529	1·841	0·427

equivalent to a birth-rate of 3·631 per cent. In the Mainland-Rural Districts there were 33,104 births, being at the rate of 3·142 per cent. In the Insular-Rural Districts there were only 3289 births, and the birth-rate was 2·529 per cent., being the lowest rate recorded there since the year 1855.

Of the 123,578 births recorded in all Scotland, 10,786, or 8·73 per cent., were illegitimate. Reference to the last column of Table I. will show that the rate of illegitimacy has of late years been decreasing, and that so low a rate as that observed in 1875 has not been recorded in any year since 1857. In Tables Va and VI. full details are given regarding the amount of illegitimacy in each of the Eight Principal Towns, and likewise in each of the registration groups, geographical divisions, and counties of Scotland. In the Occasional Table Vb, the percentage of illegitimate children to the estimated numbers of unmarried and widowed

TABLE Va.—Number of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1875, and their Proportion to the Estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Esti- mated Popula- tion, 1875.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Mar- riages.	Per cent. to Pop.
Glasgow .	534,564	20,825	3·90	1746	8·4	15,384	2·88	4961	0·928
Edinburgh .	211,626	6,749	3·19	576	8·5	5,044	2·38	2046	0·967
Dundee .	135,401	5,284	3·90	554	10·5	3,305	2·44	1234	0·911
Aberdeen .	94,846	3,339	3·52	444	13·3	2,011	2·12	712	0·751
Greenock .	68,074	2,761	4·06	155	5·6	2,180	3·20	568	0·834
Paisley .	48,598	1,792	3·69	137	7·6	1,364	2·81	464	0·955
Leith .	51,614	2,005	3·88	111	5·5	1,060	2·05	474	0·918
Perth .	26,505	866	3·27	84	9·7	635	2·40	211	0·796

OCCASIONAL TABLE Vb.—Showing the state of Illegitimacy in all Scotland, in the Five New Groups of Registration Districts, in each of the Principal Towns, and in two Counties during 1875.

LOCALITIES.	Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1875.	Number of Illegitimate Children born during 1875.	Percentage of Illegitimate Children to the Unmarried and Widowed Women aged 15-45.	Percentage of Illegitimacy in Total Births.
Ali Scotland . . .	469,203	10,786	2·30	8·73
Principal Towns . . .	169,413	3,807	2·25	8·7
Large Towns . . .	45,101	1,007	2·23	6·9
Small Towns . . .	100,231	2,319	2·31	8·0
Mainland-Rural . . .	135,178	3,437	2·54	10·4
Insular-Rural . . .	19,280	216	1·12	6·6
Glasgow . . .	72,081	1,746	2·42	8·4
Edinburgh . . .	35,928	576	1·60	8·5
Dundee . . .	23,451	554	2·36	10·5
Aberdeen . . .	13,957	444	3·18	13·3
Greenock . . .	7,283	155	2·13	5·6
Paisley . . .	7,201	137	1·90	7·6
Leith . . .	5,677	111	1·96	5·5
Perth . . .	3,823	84	2·20	9·7
County Banff . . .	7,815	302	3·86	16·24
County Wigtown . . .	5,488	206	3·75	17·56

women living in each locality, at ages between 15 and 45, is so exhibited as to be readily contrasted with the percentage of illegitimates in the total births.

Of the 123,578 live-births registered in Scotland in 1875, 63,432 were males and 60,146 females. For every hundred female births there

TABLE VI.—Number of Births, Deaths, and Marriages in 1875, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population Estimated to middle of year 1875.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per cent to Pop.	No.	Per cent to Births	No.	Per cent to Pop.	No.	Per cent to Pop.
SCOTLAND		3,495,214	123578	3·5356	10786	8·73	81767	2·3394	25974	0·7431
1. PRINCIPAL TOWN DISTS. .		1,171,228	43621	3·724	3807	8·73	30983	2·645	10670	0·911
2. LARGE TOWN DISTRICTS .		343,640	14638	4·260	1007	6·88	9802	2·852	2995	0·872
3. SMALL TOWN DISTRICTS .		796,597	28926	3·631	2319	8·02	18285	2·295	5594	0·702
4. MAINLAND-RURAL DISTS.		1,053,718	33104	3·142	3437	10·38	20303	1·927	6160	0·585
5. INSULAR-RURAL DISTS. .		130,031	3289	2·529	216	6·57	2394	1·841	555	0·427
DIVISIONS.										
I.	NORTHERN	125,849	3069	2·439	238	7·75	2261	1·797	616	0·489
II.	NORTH-WESTERN	165,973	4181	2·519	278	6·65	3297	1·986	734	0·442
III.	NORTH-EASTERN	404,101	13001	3·217	1916	14·74	6964	1·723	2489	0·616
IV.	EAST-MIDLAND	575,009	19345	3·364	1816	9·39	12294	2·138	4214	0·733
V.	WEST-MIDLAND	254,511	8534	3·353	566	6·63	6041	2·374	1641	0·645
VI.	SOUTH-WESTERN	1,264,483	52654	4·164	3747	7·12	35305	2·792	10977	0·868
VII.	SOUTH-EASTERN	504,091	16656	3·304	1358	8·15	11069	2·196	4008	0·795
VIII.	SOUTHERN	201,197	6138	3·051	867	14·13	4536	2·255	1295	0·644
COUNTIES.										
1	Shetland	31,582	676	2·140	33	4·88	486	1·539	146	0·462
2	Orkney	30,809	750	2·434	60	8·00	560	1·818	166	0·539
3	Caithness	40,516	1096	2·705	109	9·95	800	1·975	200	0·494
4	Sutherland	22,942	547	2·384	36	6·58	415	1·809	104	0·453
5	Ross and Cromarty . . .	81,951	1935	2·361	85	4·39	1697	2·071	314	0·383
6	Inverness	84,022	2246	2·673	193	8·59	1600	1·904	420	0·500
7	Nairn	8,383	238	2·839	24	10·08	171	2·040	42	0·501
8	Elgin	44,653	1290	2·889	199	15·42	758	1·697	226	0·506
9	Banff	59,989	1859	3·099	302	16·24	975	1·625	349	0·582
10	Aberdeen	255,845	8536	3·336	1231	14·42	4436	1·734	1648	0·644
11	Kincardine	35,231	1078	3·060	160	14·84	624	1·771	224	0·636
12	Forfar	254,917	9134	3·583	947	10·37	5641	2·213	2081	0·816
13	Perth	126,299	3517	2·785	335	9·53	2600	2·059	788	0·624
14	Fife	163,078	5649	3·464	457	8·09	3417	2·095	1127	0·691
15	Kinross	7,576	191	2·521	16	8·38	156	2·059	44	0·581
16	Clackmannan	23,139	854	3·691	61	7·14	480	2·074	174	0·752
17	Stirling	95,403	3745	3·925	261	6·97	2350	2·463	738	0·774
18	Dumbarton	64,161	2432	3·790	132	5·43	1638	2·553	451	0·703
19	Argyll	77,740	1936	2·490	145	7·49	1609	2·070	358	0·461
20	Bute	17,207	421	2·493	28	6·65	444	2·580	94	0·546
21	Renfrew	207,185	7860	3·794	514	6·54	5840	2·819	1721	0·831
22	Ayr	201,168	8233	4·093	628	7·63	5006	2·488	1558	0·774
23	Lanark	856,130	36561	4·270	2605	7·13	24459	2·857	7698	0·899
24	Linlithgow	42,303	1552	3·669	123	8·57	852	2·016	263	0·622
25	Edinburgh	352,981	11724	3·321	930	7·93	8194	2·321	3092	0·876
26	Haddington	37,806	1146	3·031	88	7·68	701	1·854	235	0·622
27	Berwick	36,339	1026	2·825	117	11·40	665	1·830	179	0·493
28	Peebles	12,614	404	3·203	39	9·65	240	1·903	81	0·642
29	Selkirk	22,048	804	3·647	61	7·59	416	1·887	158	0·717
30	Roxburgh	47,688	1597	3·349	169	10·58	1082	2·269	327	0·686
31	Dumfries	74,396	2147	2·886	308	14·35	1762	2·368	471	0·633
32	Kirkcudbright	41,837	1221	2·918	184	15·07	868	2·075	246	0·588
33	Wigtown	37,276	1173	3·147	206	17·56	824	2·211	251	0·673

were 105·5 males; and the preponderance of male births was rather higher among the illegitimate than among the legitimate.

TABLE VII.—Births in Scotland, 1855–1875; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year; and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLT BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107·0	106·7	110·3	87
1872	61293	57472	55641	52197	5652	5275	1383	11	106·6	106·6	107·1	85
1873	61467	58233	55925	52850	5542	5383	1410	15	105·5	105·6	103·0	84
1874	63602	60109	57960	54760	5642	5349	1512	13	105·8	105·8	105·5	81
1875	63432	60146	57886	54906	5546	5240	1477	9	105·5	105·4	105·8	83

TABLE VIII.—Births, 1875. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the number of Twin and Triplet Births.

FIVE GROUPS OF DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Towns	22362	21259	43621	20440	19374	39814	1922	1885	3807	516	5
Large Towns	7538	7100	14638	6978	6653	13631	560	447	1007	163	1
Small Towns	14892	14034	28926	13681	12926	26607	1211	1108	2319	360	2
Mainland-Rural	16937	16167	33104	15201	14466	29667	1736	1701	3437	387	1
Insular-Rural	1703	1586	3289	1586	1487	3073	117	99	216	51	—
SCOTLAND . . .	63432	60146	123578	57886	54906	112792	5546	5240	10786	1477	9

TABLE IX.—Proportion of Births in 1875. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bare Twins and Triplets in Scotland, and its Five Groups of Districts in 1875.

FIVE GROUPS OF DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3·724	8·73	105·2	105·5	102·0	84	8619
Large Towns	4·260	6·88	106·2	104·9	125·2	89	14475
Small Towns	3·631	8·02	106·8	105·8	109·2	78	14281
Mainland-Rural	3·142	10·38	104·8	105·1	102·0	85	32716
Insular-Rural	2·529	6·57	107·4	106·7	118·2	63	—
SCOTLAND . . .	3·5356	8·73	105·5	105·4	105·8	83	13565

In England there were registered in 1875, for every hundred female births, 104·3 males; but among the illegitimate births alone there were 106·7 males to every hundred females.

In Holland, for every hundred legitimate female births there were registered 106·4 males; but for each hundred illegitimate female births, the males were only 102·2.

In Austria, for every hundred live legitimate female births there were 105·8 males; but among the illegitimate births the rate of females to males was as 100 to 107. It is rather remarkable that these proportions are precisely the same as those recorded in Austria in 1874.

In Sweden, for every hundred live legitimate female births there were 104·8 males; but for every hundred illegitimate females born there were 108·8 males.

The twin births in Scotland during 1875 were 1477, and there were likewise 9 instances of triplet births. Hence it is computed that one of every 83 mothers of live children gave birth to twins, and that one in 13,565 of such mothers bore triplets.

MARRIAGES.

In the Report of the Registrar-General for England, dated 18th June 1877, and referring to the year 1875, the following passage occurs at page vii.

“I have given the births, deaths, and marriages for the United Kingdom, and the several rates which differ somewhat from the rates of England, chiefly in consequence of the defects of the marriage registers of Ireland and Scotland, where the registration of marriage is not enforced as it is in England.” At page cxv. of the same Report and in Table XLVIII., the proportion of marriages to 1000 persons living in the year 1875 is stated as 8·40 in England and Wales, and as 7·43 in Scotland; and it is this difference in proportion for which the Registrar-General accounts by a presumed less effective enforcement of the registration of marriages in the latter country. No doubt the laws which regulate Registration of Marriage are not the same in Scotland as in England; but their stringency is certainly not less rigid on this side of the Tweed, where there is reason to believe that a marriage hardly ever escapes registration. For the dif-

TABLE X.—Marriages, 1875. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

RELIGIOUS DENOMINATIONS.		Number of Marriages.						Proportion in every 100 Marriages.					
		SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
Regular Marriages.	Established Church .	11587	3734	1331	2667	3608	247	44·61	35·00	44·44	47·68	58·57	44·51
	Free Church . . .	5889	2316	615	1144	1593	221	22·67	21·71	20·53	20·45	25·86	39·82
	United Presb. Church	3443	1514	409	872	622	26	13·26	14·19	13·66	15·59	10·10	4·68
	Roman Catholic Ch. .	2254	1358	340	405	126	25	8·68	12·73	11·35	7·24	2·05	4·50
	Episcopal Church . .	658	414	79	107	57	1	2·53	3·88	2·64	1·91	0·93	0·19
	Other Denominations	1899	1108	212	396	148	35	7·31	10·38	7·08	7·08	2·40	6·30
	Denomin. not stated	9	5	—	—	4	—	0·03	0·05	0·00	0·00	0·06	0·00
	Irregular Marriages .	235	221	9	3	2	—	0·91	2·06	·30	0·05	0·03	0·00
Total Marriages .		25974	10670	2995	5594	6160	555	100·00	100·00	100·00	100·00	100·00	100·00

ference in proportion which exists an explanation other than that suggested by the Registrar-General must be sought, and is not far to seek. It is impossible to doubt that any great difference in the density of two populations is necessarily connected with considerable difference between their marriage-rates. It is not contended that great density of aggregation accounts *per se* for a high marriage-rate, but in this country such density almost certainly implies the existence of great industrial centres, of commercial prosperity, and of other social conditions which lead to frequency of marriages. When, therefore, we find that, on an average, 410·6 persons exist on every square mile of England, and only 114·5 on each square mile of Scottish soil, we need feel no surprise that marriage should be more frequent among the inhabitants of the richer and denser, than among those of the poorer and more sparsely peopled country.

In various Reports issued from this Department it has been stated that the average fertility of marriages is considerably higher in Scotland than in England. The foundation for this statement is, that the average annual legitimate births divided by the average annual number of marriages, give a somewhat higher quotient in Scotland than in England. It has been objected, however, that the Scotch law of marriage, which gives peculiar facilities for the legitimisation of children “*per subsequens matrimonium*,” causes the number of legitimate children to be overstated, or, what is equivalent, causes the marriages to be understated, in our national register. Neither objection is, however, well founded. There is no reason to doubt that in Scotland, and likewise in England, a certain number of people live in a state of concubinage. As regards Scotland it is clear, that the offspring of such “*mésalliances*” cannot figure in our statistics as legitimate. If born out of wedlock,

TABLE XI.—Marriages, 1855–1875. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1875.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Percentage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	23855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105
1872	25641	0·7543	11794	5661	3312	2461	579	1681	5	148
1873	26748	0·7796	12187	5806	3596	2451	648	1853	10	197
1874	26390	0·7621	11820	5922	3586	2267	643	1923	13	216
1875	25974	0·7431	11587	5889	3443	2254	658	1899	9	235

such offspring is necessarily registered as illegitimate. When in any way, regular or irregular, the state of concubinage ceases, and the connexion becomes matrimonial, the offspring born in concubinage is not necessarily legitimised, but in order that it may be so in any particular case, formal application for a correction of the original entry of a birth is permissible. But such correction when made does not affect the statistics of births, in which the terms “legitimate” and “illegitimate” of the tabular statements are strictly equivalent to “originally registered in wedlock,” and “originally registered out of wedlock.”

Again, it is quite certain that marriage hardly ever escapes registration in Scotland, and that within a week of its consummation or celebration. Be the process regular or irregular, if it be a marriage in legal acceptance, registration follows as a matter of course.

Hence the mode in which the average fertility of marriages is estimated, namely, by dividing the average number of registered legitimate births by the average number of marriages in a year is, as accurate here as in England; and if the ages at which nuptial contracts are entered into were the same in the two countries, the method of computing the fertility would be sufficiently precise.

The total number of marriages recorded in all Scotland in 1875 was 25,974, being 416 fewer than were registered in the year immediately preceding. The marriage-rate for 1875 was consequently 7431 for every hundred of estimated population. This rate is lower than that deduced from the experience of the last three years, but decidedly surpasses the mean rate of the last ten years, which was only 7236 per cent.

As usual the marriage-rate was highest in the Eight Principal Towns, where Table IV. informs us that it was 91·1 for every ten thousand in-

TABLE XII.—Proportion of Marriages, 1855–1875. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1875.

YEARS.	PERCENTAGE of REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57
1873	45·56	21·71	13·44	9·16	2·42	6·93	0·04	0·74
1874	44·79	22·44	13·59	8·59	2·44	7·29	0·05	0·81
1875	44·61	22·67	13·26	8·68	2·53	7·31	0·03	0·91

The number of marriages registered during the year was 25,974, and the number of live legitimate births during the year was 112,792, whence it appears that for every marriage there were fully 4·34 births. In England the marriages registered in 1875 were 201,212, and the live legitimate births were 809,794; hence the proportion of births to each marriage was 4·02 to 1. This proportion is, as usual, considerably lower than that furnished by the experience of Scotland. It has been customary in these Detailed Reports to contrast the numbers furnished by the statistics of Sweden with those recorded in this country. In 1875 there were 30,762 marriages in Sweden, and 122,077 live legitimate births were registered. Hence there were 3·97 births for each marriage. In the new series of the “Statistique de France,” tom v., 1875, page xxiii. and page xxix.,

TABLE XV.—Marriages, 1855–1875. Number and Proportion of Men and Women in Scotland at each Quinquennial Period of Age who contracted Marriage during the Years 1855–1875.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each age to Total Marriages.	Number who married at each Age.	Percentage at each age to Total Marriages.
15—20 years	14302	3·00	61148	12·84
20—25	182951	38·43	216852	45·55
25—30	141364	29·69	114063	23·96
30—35	59696	12·54	41654	8·75
35—40	31103	6·53	21391	4·49
40—45	18660	3·92	11068	2·32
45—50	11803	2·48	5448	1·14
50 and above	15579	3·27	3368	0·71
Not stated	625	0·14	1091	0·24
TOTAL	476083	100·00	476083	100·00

TABLE XVI.—Marriages in Scotland, 1855–1875. Numbers.

YEARS.	Number who Married						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837

is stated that the marriages of 1875 were 300,427, and the legitimate births 884,009. There were consequently only 2·94 legitimate births for each marriage. Even were the 66,876 illegitimate births which occurred in France during 1875 taken into the computation, the marriages would be to the total live births, as 1 to 3·16. It is obvious from the above figures that there must exist in France in the social condition of those who contract marriage, some peculiarities by which the small fertility of such unions may be accounted for. At one time it might have been permissible to suspect that many births escaped registration, or that statistical methods were at fault, but for the last few years, at least, there seems no reason to entertain a doubt, either as to the adequacy of the methods that have been applied to the collection of the vital statistics of France, or as to the energy with which the officials of Government employ them. The existence of a passport system and of a law of conscription among the inhabitants of France probably tends to increase the accuracy with which its vital statistics can be arranged. Without attempting to explain why marriages should be less prolific in France than in England, Scotland, or Sweden, we cannot refrain from noting that such is the fact beyond all question at the present time, and that a general impression prevails that it has been the fact for at least half a century. In Tables X., XI., and XII., will be found the usual details as to the number of marriages celebrated in Scotland, and in each of its groups of registration districts in 1875, and in each of the twenty years immediately preceding. From Table XII., it appears that of the whole marriages registered 44·61 per cent. were celebrated by ministers of the Established Church of Scotland; 22·67 per cent. by ministers of the Free Church; 13·26 by ministers of the United Presbyterian Church; 8·68 by priests of the Romish Church;

TABLE XVII.—Marriages in Scotland, 1855–1875. Proportions.

YEARS.	Percentage who Married						Percentage who signed				Proportion in every 100 Marriages between			
	Under 21 years		Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·52	57·60	59·48	42·40	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·05	80·42	9·95	19·58	85·10	2·54	8·74	3·24
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·35	3·47
1873	8·33	22·91	43·26	59·58	56·74	40·42	90·38	81·33	9·62	18·67	84·89	3·05	8·88	3·18
1874	8·25	22·73	43·29	59·40	56·71	40·60	90·90	82·01	9·10	17·99	84·47	3·18	8·83	3·24
1875	8·10	22·44	42·58	58·72	57·42	41·28	91·40	83·09	8·60	16·91	84·23	3·31	9·06	3·22

2·53 per cent. according to the practice of the Church of England; 7·31 per cent. according to the rites of various other denominations super-

TABLE XVIII.—MARRIAGES, 1875. Percentage of Men and Women who signed by Writing or by Mark, of persons under 21 years of age, and of Marriages between Persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1875.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
		Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
SCOTLAND.		91·40	83·09	8·60	16·91	8·10	22·44	84·23	3·31	9·06	3·22
GROUPS.											
PRINCIPAL TOWNS		90·43	79·88	9·57	20·12	8·71	24·22	82·16	4·45	9·15	4·20
LARGE TOWNS		90·32	81·50	9·68	18·50	7·95	22·34	81·90	3·31	10·75	4·04
SMALL TOWNS		90·63	82·61	9·37	17·39	9·74	21·95	85·29	3·18	8·28	2·95
MAINLAND-RURAL		95·31	91·30	4·69	8·70	6·18	19·37	88·07	1·59	8·51	1·49
INSULAR-RURAL		80·18	67·03	19·82	32·97	1·80	9·91	83·06	1·80	12·25	1·98
DIVISIONS											
I.	NORTHERN	94·64	87·66	5·36	12·34	3·08	14·61	88·47	1·30	7·63	2·27
II.	NORTH-WESTERN	76·70	62·67	23·30	37·33	1·09	11·45	85·01	0·54	12·54	1·50
III.	NORTH-EASTERN	97·71	92·69	2·29	7·31	6·55	20·33	88·67	1·85	7·55	1·89
IV.	EAST-MIDLAND	95·42	88·40	4·58	11·60	8·50	18·68	85·15	2·52	9·61	2·66
V.	WEST-MIDLAND	89·58	82·14	10·42	17·86	7·43	20·05	85·37	3·05	7·86	2·99
VI.	SOUTH-WESTERN	87·47	75·51	12·53	24·49	9·82	27·04	82·08	4·46	9·05	4·29
VII.	SOUTH-EASTERN	95·56	92·09	4·44	7·91	6·79	20·93	84·33	3·37	9·02	2·87
VIII.	SOUTHERN	95·75	94·29	4·25	5·71	6·41	17·45	86·64	1·62	9·96	1·39
COUNTIES.											
1	Shetland	92·47	78·08	7·53	21·92	0·00	8·90	89·04	0·68	6·16	2·74
2	Orkney	97·59	98·80	2·41	1·20	6·02	16·27	85·54	1·81	10·84	1·81
3	Caithness	97·00	92·00	3·00	8·00	3·50	19·50	89·50	1·00	7·00	2·50
4	Sutherland	88·46	75·00	11·54	25·00	1·92	10·58	90·39	1·92	5·77	1·92
5	Ross & Cromarty	72·61	60·83	27·39	39·17	0·06	10·83	84·71	0·32	12·74	1·91
6	Inverness	79·76	64·05	20·24	35·95	1·43	11·90	85·24	0·71	12·38	1·19
7	Nairn	88·09	76·19	11·91	23·81	4·76	11·91	85·71	2·38	11·91	0·00
8	Elgin	96·90	90·71	3·10	9·29	3·98	14·60	91·59	1·33	7·08	0·00
9	Banff	95·13	86·53	4·87	13·47	8·31	18·91	87·39	1·15	8·31	3·15
10	Aberdeen	98·60	94·60	1·40	5·40	6·55	21·66	89·20	1·94	6·74	2·06
11	Kincardine	97·77	93·30	2·23	6·70	6·70	20·09	84·37	2·68	12·06	0·89
12	Forfar	93·27	83·28	6·73	16·72	10·23	20·81	83·86	2·93	9·75	3·46
13	Perth	98·35	94·29	1·65	5·71	4·95	14·59	85·28	2·28	10·66	1·65
14	Fife	96·98	93·35	3·02	6·65	7·98	17·04	86·51	1·70	9·40	2·22
15	Kinross	100·00	100·00	0·00	0·00	2·27	11·36	86·37	2·27	9·09	2·27
16	Clackmannan	96·55	87·93	3·45	12·07	8·62	24·14	90·81	4·02	4·60	0·57
17	Stirling	91·73	85·09	8·27	14·91	9·08	22·49	83·60	4·20	7·99	2·85
18	Dumbarton	86·25	78·71	13·75	21·29	7·54	23·95	88·47	2·22	6·65	2·66
19	Argyle	89·11	79·05	10·89	20·95	4·19	12·57	86·03	1·40	8·94	3·07
20	Bute	90·43	87·23	9·57	12·77	6·38	10·64	81·91	4·26	8·51	5·32
21	Renfrew	86·52	72·81	13·48	27·19	9·35	24·81	82·28	4·65	9·35	3·66
22	Ayr	89·79	80·55	10·21	19·45	11·10	27·21	81·32	2·89	11·36	4·11
23	Lanark	87·20	75·10	12·80	24·90	9·66	27·50	82·19	4·74	8·51	4·47
24	Linlithgow	92·02	87·83	7·98	12·17	9·89	31·94	83·65	4·18	8·74	1·90
25	Edinburgh	95·73	92·34	4·27	7·66	6·53	20·38	83·64	3·65	9·28	3·33
26	Haddington	91·91	85·53	8·09	14·47	6·38	20·43	88·08	1·70	8·09	1·70
27	Berwick	100·00	96·09	0·00	3·91	6·14	15·08	90·50	1·68	7·82	0·00
28	Peebles	97·53	97·53	2·47	2·47	3·70	22·22	85·18	0·00	13·58	1·24
29	Selkirk	97·47	96·84	2·53	3·16	9·49	20·25	86·08	2·53	10·12	1·27
30	Roxburgh	98·17	95·11	1·83	4·89	5·81	17·74	90·22	0·61	7·03	2·14
31	Dumfries	98·09	96·82	1·91	3·18	6·16	16·77	84·71	2·12	12·53	0·64
32	Kirkcudbright	94·31	94·72	5·69	5·28	6·50	15·45	85·77	0·81	10·57	2·44
33	Wigtown	89·64	88·05	10·36	11·95	7·57	20·32	86·46	2·79	8·37	0·79
EDINBURGH		96·24	92·96	3·76	7·04	5·91	9·26	82·11	4·06	10·17	3·62
GLASGOW		86·94	73·59	13·06	26·41	9·25	26·47	81·27	5·18	8·59	4·92

fluous to ennumerate; 0·03 per cent. by ministers of denominations not specified to the Registrars; and 0·91 per cent. without the proclamation of banns, or in an irregular manner.

By summing the second column of Table XII. and then dividing by 21, it is found that of every hundred marriages that take place in Scotland, 45·151 are celebrated by ministers of the Established Church; and on letting the eye run down along the successive figures of the column it is apparent that the annual variations from the above mean proportion have been very trifling.

Of the 25,974 men whose marriages in Scotland were registered in 1875, 2103, or very nearly 8·1 per cent., had not reached the age of 21 years. The ages of 7 men who married were not recorded. Of the females who married during the year, the ages were unstated in 6 instances; 34 were 60 years old or more; 5829, or 22·44 per cent., had not reached the age of 21 years; while two girls under 15 years of age were married in the Small Towns.

In 21,877 instances, or in 84·23 per cent. of all marriages, bachelors espoused spinsters; in 2353 instances, or in 9·06 per cent., widowers married spinsters; in 860 cases, being 3·31 per cent. of all marriages, bachelors married widows; and in 837 instances, being 3·22 per cent. of all marriages, widowers married widows. In Table XVIII. the attempt is made to convey some idea of the state of elementary education in different parts of Scotland, by recording the percentage of males and of females who in each group, division, and country of the kingdom, on the occasion of their marriage signed the register in writing, or adhibited a *mark*. Although on comparing Table XVIII. with similar statements that have been made in these Detailed Reports in former years, the accomplishment of writing seems to have been making decided progress in the whole of Scotland, and in most of its counties, it must be confessed that in 1875 there still were localities where it had been little cultivated by persons who had arrived at the ages at which marriages are contracted. In five counties—Ross and Cromarty, Inverness, Dumbarton, Renfrew, and Lanark—more than 12 per cent. of the males who were married in 1875 signed the register by mark; while in no less than seventeen counties, the brides appear to have been driven by ignorance or excess of modesty to make virtual confession that their signature in writing need not be pressed for. Another generation must probably elapse before the attestation of a man's marriage by his written signature becomes the general rule, and the use of a *mark*, even by a female, a rare exception in Scotland; but in the meantime a gradual improvement will no doubt, year by year, manifest itself in the successive issues of Table XVIII., due to the circumstance that a very large number of children now compulsorily educated will hereafter be promoted from the schools and constitute the marrying population of the country.

DEATHS.

During 1875 there were registered in Scotland 81,767 Deaths, being at the rate of 234 for every ten thousand of estimated population. The average annual rate, deduced from the returns of the ten years immediately preceding, was 222·3, and the rate for 1874 was 233·1. There was no abatement of the mortality recorded in the Detailed Annual Report for 1874; on the contrary, the deaths were in 1875 even more frequent. A higher rate of mortality has during the last twenty-one years

been only once recorded in Scotland, namely in 1864, when it amounted to 235·8 for every ten thousand inhabitants.

In England the death-rate of 1875 was 228 per ten thousand of population. This exceeds, by 5 per ten thousand, the average death-rate of the ten years immediately preceding. It would from these numbers appear that during 1875 the state of the public health was still decidedly more satisfactory in England than in Scotland, bnt that the difference

TABLE XIX.—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855–1875.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	30626	31378	11189	11517	2972	2982	4963	5052	10681	10975	821	852
1856	29418	29111	11155	11099	2703	2671	4785	4757	9855	9607	920	977
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	972
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31126	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1114
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13300	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929
1872	37939	37355	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076
1873	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157
1874	40678	40042	16245	15879	5079	4947	8852	8708	9419	9397	1083	1111
1875	40323	41444	15272	15711	4984	4818	9026	9259	9925	10378	1116	1278

TABLE XX.—Percentage of Male and Female Deaths to the Population in Scotland, and its Five Groups of Districts, during each of the Years 1855–1875.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·863				
1857	2·161	1·958	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924				
1862	2·260	2·087	2·931	2·603	2·675	2·384	2·231	2·085				
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114				
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·291	2·152	3·069	2·802	2·486	2·326	2·127	2·042	1·676	1·602	1·486	1·310
1872	2·337	2·132	2·949	2·593	2·654	2·379	2·268	2·034	1·746	1·709	1·658	1·523
1873	2·381	2·117	2·895	2·510	2·855	2·511	2·343	2·056	1·803	1·661	1·684	1·654
1874	2·456	2·216	3·025	2·651	2·979	2·691	2·322	2·096	1·857	1·747	1·794	1·584
1875	2·410	2·275	2·753	2·548	3·011	2·705	2·369	2·228	1·940	1·915	1·855	1·829

between the rates of mortality in the two countries had been more marked in 1874 than in the year at present under review.

The registered deaths in the five groups of registration districts into which in these Reports Scotland is for statistical convenience regarded as divided, were as follows:—In the Eight Principal Towns there were

TABLE XXI.—Town Deaths, 1865–1875. Annual Number of Deaths in the Eight Principal Towns of Scotland.

TOWNS.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.
Glasgow . . .	13914	12829	12578	13832	15648	13955	15790	14053	14499	15845	15384
Edinburgh . . .	4858	4813	4765	4781	5406	4715	5447	5484	4578	5011	5044
Dundee . . .	3000	3130	2952	2917	3564	3185	3336	3491	3281	4170	3305
Aberdeen . . .	1981	2324	1824	2029	1787	1927	1997	2119	2120	2066	2011
Greenock . . .	1675	1488	1433	1658	1750	1674	1772	1697	2220	1690	2180
Paisley . . .	1410	1345	1335	1221	1449	1352	1453	1430	1589	1388	1364
Leith . . .	948	924	1064	973	1169	1059	1081	1338	1084	1254	1060
Perth . . .	729	613	569	626	694	641	550	587	637	700	635

TABLE XXII.—Proportion of Town Deaths, 1865–1875. Annual Percentage of Deaths to the Population in each of the Principal Towns in Scotland.

TOWNS.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	Mean Annual Mortality.	1875.
Glasgow .	3·25	2·93	2·82	3·04	3·37	2·96	3·29	2·87	2·91	3·12	3·056	2·88
Edinburgh	2·65	2·58	2·52	2·48	2·77	2·38	2·70	2·67	2·20	2·37	2·532	2·38
Dundee .	2·91	2·95	2·71	2·60	3·09	2·69	2·75	2·80	2·56	3·16	2·822	2·44
Aberdeen	2·48	2·86	2·20	2·41	2·09	2·21	2·26	2·35	2·31	2·22	2·339	2·12
Greenock	3·34	2·88	2·69	3·01	3·09	2·87	2·94	2·73	3·47	2·56	2·958	3·20
Paisley .	2·95	2·81	2·78	2·54	3·01	2·80	3·01	2·96	3·28	2·86	2·900	2·81
Leith . .	2·36	2·24	2·51	2·24	2·63	2·32	2·31	2·79	2·21	2·49	2·410	2·05
Perth . .	2·77	2·33	2·16	2·38	2·62	2·43	2·08	2·22	2·41	2·64	2·404	2·40

TABLE XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the Year 1875.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	9069	7251	3726	3026	1217	919	2066	1672	1873	1489	187	145
— 2	3565	3233	1721	1557	471	433	766	694	565	500	42	49
— 3	1704	1615	795	774	244	191	353	334	282	284	30	32
— 4	1141	1072	506	453	130	143	272	224	217	233	16	19
— 5	802	875	340	362	111	125	181	215	161	158	9	15
0– 5	16281	14046	7088	6172	2173	1811	3638	3139	3098	2664	284	260
5–10	2137	2065	850	838	262	253	524	501	456	427	45	46
10–15	1055	1066	354	388	113	125	284	275	282	249	22	29
15–20	1320	1356	498	519	165	180	311	307	308	315	38	35
20–30	2628	2894	1014	1146	293	372	572	650	667	657	82	69
30–40	2402	2726	1035	1146	320	348	485	566	485	583	77	83
40–50	2560	2598	1159	1115	324	291	498	501	531	596	48	95
50–60	2816	3009	1112	1268	352	347	658	626	630	692	64	76
60–70	3497	3951	1123	1411	443	423	784	900	1039	1081	108	136
70–80	3640	4517	796	1135	377	412	837	1075	1439	1701	191	194
80–90	1729	2713	222	493	146	219	380	616	866	1178	115	207
90–100	228	477	18	79	14	31	51	98	110	224	35	45
100 and above	9	15	2	—	—	1	—	4	5	9	2	1
Not stated	21	11	1	1	2	5	4	1	9	2	5	2
ALL AGES	40323	41444	15272	15711	4984	4818	9026	9259	9925	10378	1116	1278

necessary to caution the reader against the possible fallacy that may result from regarding the mortality statistics of the Eight Principal Towns for 1874 and 1875 as strictly comparable.

During 1875 the rate of mortality in Greenock was 3·20 per cent., being the highest death-rate observed in any of the Principal Towns. In Glasgow the rate was 2·88 per cent.; in Paisley, 2·81; in Dundee, 2·44; in Perth, 2·40; in Edinburgh, 2·38; in Aberdeen, 2·12; and in Leith, 2·05. From the last two columns of Table XXII. it appears that in Greenock only the mortality of 1875 was above the average of the ten years immediately preceding. In Glasgow and in Edinburgh, for reasons alluded to in last paragraph, the circumstance of the comparative lightness of the death-rate of 1875 admits of no very certain explanation. In Dundee, however, the comparative salubrity of 1875 seems to have been well marked; in fact, so low a death-rate has not been recorded for that town within the ten years embraced in Table XXII. It is satisfactory to find that this lowered death-rate mainly depends upon the very low proportion of deaths from Zymotic Diseases. It would, however, be premature to conclude that this state of matters in Dundee is likely to be permanent. The recent ravages of Small-pox, Scarlatina, and Fevers in that town too clearly show that the records of a series of years must be appealed to in order to form a just estimate of the amount of mortality from Zymotic causes among its inhabitants.

The number of deaths registered in All Scotland during 1875 was 81,767. Of these deaths, 40,323 occurred in males and 41,444 in females. From the estimates of male and female population given in Table II. it is computed that for every thousand inhabitants of Scotland the deaths were 23·39; for every thousand males, 24·1; and 22·75 for every thousand females. These numbers, when contrasted with those for 1874, show a slight decrease in the male and an increase in the female mortality. The general death-rate, considered without reference to sex, has only once (*viz.* in 1864) been exceeded in the record of the last twenty-one years embraced by Table XX. In the whole of Scotland, and in every one of its five groups of registration districts the death-rate of males exceeded that of females. This preponderance of male mortality was most conspicuous in the Large Towns, and was comparatively trifling in the Rural Districts of the Mainland and Islands.

By the help of Table XXIV. the death-rates of persons of either sex, during each of the first five years of life may be very readily compared. In Scotland at large the usual mortality of infants that have not completed the first year of life is very nearly 15 per cent. according to the Life-Table published in the Detailed Annual Report for 1873. According to the experience of Scotland in 1875, the death-rate of males under one year old amounted to 16·976 per cent.; that of females to only 13·984 per cent. In the Large Towns the death-rates were for males under one year 22·019, and for females 17·019 per cent. In the other registration groups of districts, the rates were as usual lower, though the greater mortality of the male sex was everywhere observable. In the Insular-Rural Districts, the death-rates at this early age were 12·442 for males, and 9·584 for females. These last numbers considerably exceed those deduced from the recorded deaths of 1873 and 1874.

In the second year of life the male mortality preponderated, except in the Insular-Rural Districts, where female infants appear to have suffered in a rather unusual proportion.

In the third year of life the mortality of males everywhere exceeded that of females, except in the Mainland-Rural and Insular-Rural Districts.

In the fourth year of life the mortality of males still slightly predominated over that of females in the country at large. In the Large Towns, however, the percentage of female deaths considerably exceeded that of male deaths; and a similar state of matters was less distinctly observable in the Rural Districts both of the Mainland and Islands.

In the fifth year of life the death-rate of females everywhere exceeded that of males.

Between the ages of five and ten years, the death-rates of the two sexes were nearly identical; between the ages of ten and fifteen there was in all the Town Districts, and likewise in the Insular-Rural Districts, a preponderance of female mortality; between the ages of fifteen and twenty, the female mortality was still the greater in Scotland at large, but not either in the Principal Towns, or in the Insular-Rural Districts. After the age of twenty female life is seen to have a decidedly lower rate of decrement than male life. In the Principal Towns and Large Towns, however, the female mortality between the ages of twenty and thirty in the year 1875 somewhat exceeded that observed among males.

The subject of infant mortality is fully illustrated in the Twenty-Fourth Table of the present Report. The rapidity with which the frequency of deaths becomes diminished, year by year, from the period of birth to the completion of the fifth year of life, is at once apparent on the most cursory glance at any column of that Table. It is seen that, as in former years, the death-rate of infants not exceeding one year in age was, during 1875, decidedly most severe in the Large Towns, where the natural explanation reveals itself in the increasing birth-rate which has been observed there since our estimates of population were framed. After the first year of life, however, the greater mortality is observed in the Principal Towns, and during the second, third, and fourth year of life, the death-rate seems to be directly connected with the degree in which the population is aggregated in the various urban and rural groups of districts.

In the Large Towns, where the birth-rate of 1875 amounted to 4·26 per cent., the mortality among male infants under one year old was 22·019 per cent.—a rate considerably exceeding that recorded in 1874; in the Eight Principal Towns, the birth-rate was 3·724 per cent., and the mortality of male infants under twelve months of age 19·686 per cent.; in the Small Towns the corresponding figures were—birth-rate 3·631, and death-rate 16·416 per cent; in the Mainland-Rural Districts, birth-rate 3·142, and death-rate 12·588; and in the Insular-Rural group, birth-rate 2·529, and death-rate 12·422 per cent.

To the teachings of Table XXIV. it is hardly necessary at present to allude. One of the main objects aimed at when the existing system of Detailed Annual Reports was instituted was to trace any connection that might be found to connect density of population with mortality. In the commentary with which Table XXIV. has usually been accompanied in former Reports this curious subject has been amply illustrated, and the partition of Scotland into the five groups of registration-districts of very various density has enabled us to do so with more facility than would have been possible had we attempted to contrast the circumstances of smaller populations, of counties, or of other geographical

divisions of the country. It is sufficient at present to remark that it may be learned by examination of Table XXIV., that in 1875 the connection of density of population with mortality has been no less apparent than in former years.

For some statistical purposes it is of importance to contrast the relative numbers of deaths at certain ages, in the various divisions of the country; and such a comparative view is furnished in Table XXV. It appears that of All Deaths of males that were registered in the Eight Principal Towns, 46·41 per cent. occurred in children during the first five years of life; that in the Large Towns such deaths constituted 43·60 of all that were registered; that in the Small Towns the proportion was 40·30 per cent., that in the Mainland-Rural Districts, it was 31·21 per cent.; and 25·45 per cent. in the Insular Rural Districts. At ages up to 60 a decreasing progression may be clearly enough traced in the proportion of deaths, as the eye passes from the denser to the more sparse populations; at the more advanced ages, as might have been anticipated, there are indications of the comparative longevity of the inhabitants of the Rural Districts.

Of the females who died in All Scotland in 1875 fully 18·5 per cent. were aged 70 or more. In the Principal Towns such females constituted only 10·8 per cent. of all who died; but in the Mainland-Rural Districts the rate was 30 per cent. of such deaths; and in the Insular-Rural Districts it amounted to 35 per cent.

CAUSES OF DEATH.

The number of Deaths registered in All Scotland during 1875 was 81,767; but in 1407 instances, or in about 1·7 per cent. of all deaths that were recorded, the cause was either unspecified, or specified in unintelligible terms. It must not, however, be assumed that in 98·3 per cent. of all recorded deaths the causes have been certified on medical authority. In many parts of the country, especially where the population is widely scattered, it is often impossible, and generally difficult, to procure a satisfactory medical certificate of the cause of a death, and the Registrar is obliged to accept such explanation as any credible ordinary informant can furnish when no medical certificate is available.

In most of the Tables belonging to this section of these Detailed Reports, it is necessary to make a rather laborious correction for deaths from Unspecified Causes, and the amount of this correction varies considerably according to locality. In constructing for the present and some former Reports, Tables such as XXVIII., the arithmometer has been found very useful. The following is the mode in which it is applied.

The population for each column of Table XXVIII. is first calculated, to the middle of the year, from the Census data of 1861 and 1871. The deaths from All Causes, from All Specified Causes, and from each Specified Cause are set down in preparatory Tables. The population for each column is next, by means of the machine, multiplied by the number of deaths from All Specified Causes and divided by the number of deaths from All Causes. The reciprocal of the quotient obtained by this last operation is taken out from Oakes' Tables, set up on the machine, and successively multiplied by the number of deaths from each Specified Cause. These successive products, with the due number of decimal places retrenched, are recorded, and constitute a column of the Table. The process is far from

troublesome,—it admits the use of occasional checks when error is suspected,—and enables one accustomed to the instrument to compute and record the 990 percentages of such a Table as XXVIII. in about 9 hours.

The deaths attributed in Scotland during 1875 to Zymotic Diseases were 16,724 in number; being 487 deaths for every hundred thousand of the estimated population of Scotland, and constituting 20·81 per cent. of the whole deaths recorded. The mortality from this important class of diseases was consequently considerably lower than in 1874, and did not particularly differ from the average experience of preceding years. It may be gathered from careful examination of Tables XXVIII. and XXIX. that in all the Urban, and likewise in the Insular-Rural Group, the male population suffered in higher proportion than the female from Zymotic Diseases, while the proportion of deaths from Zymotic Causes to deaths from All Causes was everywhere higher among females than among males.

In Table XXXII. the deaths from each of the principal Zymotic Diseases are so tabulated as to exhibit the mortality due to each during five successive periods of life. Out of every hundred deaths from Zymotic Disease, 61·1 occurred during the first five years of life, 74·1 during the first ten, and only 22 among persons aged 15 or upwards. Scarlatina appears to have been the most fatal epidemic among children under five years of age; the deaths of 2948 such children having been referred to this cause, and constituting 62·5 per cent. of the total deaths from Scarlatina. Hooping-cough, too, was very destructive to children under five years of age; the 2291 deaths of such children being equivalent to 94·2 per cent. of the deaths from Hooping-cough at all ages. From Diarrhoea there were 2270 deaths; of which 1646, or 72·5 per cent., occurred in children under five years old, and 405, or 17·8 per cent., in persons aged sixty years and upwards. The deaths from Continued Fevers of all kinds were 2440, showing a rate of 70 out of every hundred thousand of estimated population, and constituting 304 out of every 10,000 deaths from Specified Causes. As has frequently been remarked during late years the deaths from Typhoid or Enteric Fever were far more numerous than those ascribed to Typhus. In the Insular-Rural Districts of the country only, the deaths from Typhus were the more numerous. In the whole of Scotland there died of Enteric Fever 1625, and of Typhus 615 persons. The deaths attributed to Relapsing Fever were only 17 in number. This form of disease is a very distinct one, and although of late years of comparatively rare occurrence, seems still to require a place in our nosological classification. In England the Registrar-General includes it under the head of Simple Continued Fever. To Continued Fever 98 Deaths are in Table XXXII. ascribed. It is probable that most of these might with propriety have been referred to either Typhus or Enteric Fever, and that they would have been so referred if the medical men who certified the deaths had had the opportunities of making an exact diagnosis. So likewise in regard to 85 fatal cases classified under the heading Infantile Fever it may be remarked, that most of these were returned in conformity with a once fashionable nomenclature as cases of "Infantile Remittent," but that in conformity with more modern usage they might probably have been referred, with at least equal correctness, to Enteric Fever.

For every hundred thousand persons living in the Principal Towns there were 563 deaths from Diseases of the Zymotic Class. In the other Registration Groups, the deaths from such diseases were as follows:—In the Large Towns, 613; in the Small Towns, 528; in the Mainland-Rural

Districts, 347; and in the Insular-Rural, 334. These rates when compared with those recorded in 1874 are very moderate.

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . . .	2339	2410	2280	2645	2753	2548	2852	3011	2705
1. Zymotic Class . . .	487	491	484	563	581	547	613	614	612
2. Uncertain Seat . . .	81	68	93	86	73	98	86	77	95
3. Tubercular Class . . .	362	370	356	445	455	435	490	500	481
4. Nervous System . . .	217	239	198	245	272	221	285	331	243
5. Organs of Circulation . . .	132	134	130	131	132	131	149	168	131
6. Respiratory Organs . . .	431	457	408	589	623	557	526	500	464
7. Organs of Digestion . . .	158	165	152	162	164	160	178	185	171
8. Urinary Organs . . .	39	50	29	41	49	34	36	46	28
9. Generative Organs . . .	19	—	37	20	—	38	23	—	44
10. Locomotive Organs . . .	15	16	15	20	21	18	16	11	20
11. Skin, etc.	3	3	2	3	4	2	4	3	5
12. Malformations . . .	9	10	7	9	11	7	8	6	10
13. Premature Debility . . .	110	126	96	123	144	113	154	186	125
14. Atrophy	14	12	16	18	15	21	21	18	23
15. Age	173	135	208	87	61	111	165	133	195
16. Sudden Deaths . . .	3	3	3	4	4	3	5	7	4
17. Violent Deaths . . .	85	128	45	94	140	52	93	133	56
Small-pox	2	3	2	4	5	2	—	—	—
Measles	30	31	28	46	49	44	42	46	39
Scarlatina	137	145	131	137	141	133	181	190	174
Diphtheria	25	26	25	22	24	21	30	32	28
Hooping-cough	71	68	74	114	112	117	89	76	101
Croup	28	31	26	29	33	25	28	35	22
DIARRHŒA	66	70	62	91	96	86	84	92	77
Dysentery	5	5	6	4	5	3	10	10	10
Cholera	3	4	2	2	2	2	5	7	4
Influenza	5	4	7	2	2	3	2	1	3
All FEVERS, viz.	70	72	71	67	68	68	90	92	85
Typhus	18	19	17	18	20	17	24	24	23
Enteric	47	47	48	44	42	45	60	62	58
Relapsing	—	—	1	—	1	—	1	—	1
Continued	3	3	3	2	2	3	3	4	1
Infantile	2	3	2	3	3	3	2	2	2
Metria	11	—	22	8	—	15	18	—	34
Erysipelas	12	13	11	12	15	9	13	13	12
Dropsy	16	13	19	18	16	21	18	20	17
Cancer	49	37	60	48	36	59	50	35	63
Scrofula	20	23	18	23	26	21	22	23	22
Tabes Mesenterica	33	39	27	42	48	35	50	62	39
PHTHISIS	253	245	261	310	299	319	330	308	350
Hydrocephalus	56	63	50	70	83	60	88	106	71
Apoplexy	51	53	49	56	58	55	61	72	50
Paralysis	62	60	63	58	56	59	87	97	78
Epilepsy	9	10	8	9	11	7	14	13	14
Convulsions	31	39	24	46	59	35	43	51	35
BRONCHITIS	287	289	286	410	409	411	344	383	307
Pneumonia	107	126	90	140	172	111	144	162	127
Teething	25	27	22	33	37	28	25	26	24
Enteritis	30	31	29	32	32	32	34	39	31
All Liver Diseases	35	37	32	36	37	34	36	42	31
CHILDBIRTH	13	—	26	15	—	28	18	—	34
Burns and Scalds	7	6	8	7	7	6	9	8	11
Drowning	17	31	4	12	23	3	16	29	6
Fracture & Contusion	27	47	10	33	56	12	28	44	12

Referring now to Tables XXX. and XXXI., we proceed to offer as usual a brief account of the mortality experienced in each of the Eight Principal Towns of Scotland from each of the Principal Zymotic Diseases; and it

Hundred Thousand Persons of the Population in 1875, allowing for Causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . . .	2295	2369	2228	1927	1940	1911	1840	1855	1829
1. Zymotic Class . . .	528	535	521	347	341	353	334	318	348
2. Uncertain Seat . . .	78	63	91	78	65	89	78	71	85
3. Tubercular Class . . .	356	357	356	253	261	245	191	216	169
4. Nervous System . . .	208	232	187	185	193	178	96	105	88
5. Organs of Circulation . . .	138	135	140	131	132	130	67	77	59
6. Respiratory Organs . . .	364	383	347	297	308	285	225	249	205
7. Organs of Digestion . . .	170	177	163	146	158	134	105	123	91
8. Urinary Organs . . .	40	51	30	40	54	26	25	36	16
9. Generative Organs . . .	16	—	32	18	—	35	27	—	50
10. Locomotive Organs . . .	14	16	13	11	11	11	18	15	20
11. Skin, etc.	3	3	3	2	3	1	3	4	2
12. Malformations	10	13	8	8	10	6	4	2	7
13. Premature Debility . . .	115	134	98	82	91	73	32	38	26
14. Atrophy	13	12	14	9	6	12	10	10	10
15. Age	152	119	182	246	195	294	560	477	631
16. Sudden Deaths . . .	3	2	3	1	2	1	—	—	—
17. Violent Deaths . . .	87	138	39	72	108	39	66	115	24
Small-pox	3	3	2	1	2	1	—	—	—
Measles	19	18	19	15	18	13	27	27	28
Scarlatina	176	192	162	107	112	103	22	27	18
Diphtheria	28	26	30	26	26	26	12	8	16
Hooping-cough	54	53	54	29	26	32	69	75	65
Croup	31	32	31	22	24	20	66	61	70
DIARRHŒA	62	70	55	41	41	41	11	8	15
Dysentery	6	5	7	5	5	5	3	—	5
Cholera	4	3	5	3	4	2	2	1	2
Influenza	7	5	8	8	5	10	16	15	16
All FEVERS, viz.	90	95	85	53	52	53	86	76	91
Typhus	20	25	15	10	10	11	53	52	54
Enteric	62	60	64	39	40	37	26	21	31
Relapsing	1	1	—	—	—	—	3	1	3
Continued	4	4	4	3	2	3	2	1	2
Infantile	3	5	2	1	—	2	2	1	1
Metria	16	—	30	11	—	20	4	—	7
Erysipelas	14	15	13	11	11	12	7	6	8
Dropsy	15	12	17	13	9	15	25	11	37
Cancer	48	34	61	50	40	60	40	42	39
Scrofula	20	25	16	18	20	16	12	10	15
Tabes Mesenterica	34	40	28	19	23	16	6	6	7
PHTHISIS	243	231	254	183	182	184	167	191	146
Hydrocephalus	59	61	58	33	37	30	5	10	2
Apoplexy	52	54	50	45	45	45	11	11	11
Paralysis	58	56	60	64	59	68	36	36	36
Epilepsy	8	9	7	8	9	6	8	11	5
Convulsions	24	33	16	18	20	14	11	6	15
BRONCHITIS	237	235	238	187	186	188	124	123	125
Pneumonia	93	105	82	77	88	66	43	57	31
Teething	29	31	28	14	17	12	4	1	7
Enteritis	35	38	32	24	25	23	17	17	16
All Liver Diseases	35	36	34	34	38	31	29	34	24
CHILDBIRTH	10	—	20	12	—	23	20	—	37
Burns and Scalds	8	7	9	6	4	8	6	4	8
Drowning	21	38	5	18	31	5	43	84	10
Fracture & Contusion . . .	29	54	7	22	37	9	8	11	7

will be convenient to mention the Towns in the order of the mortality from Zymotic Diseases which they experienced.

(1.) In Greenock, Zymotic Diseases cut off 861 out of every hundred

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2081	2039	2122	2129	2112	2146	2149	2041	2261
2. Uncertain Seat . . .	348	284	409	326	266	385	303	256	352
3. Tubercular Class . . .	1549	1536	1562	1680	1655	1706	1718	1661	1777
4. Nervous System . . .	930	992	869	928	990	867	999	1098	897
5. Organs of Circulation . . .	565	558	571	497	481	513	522	558	484
6. Respiratory Organs . . .	1842	1896	1789	2225	2264	2187	1844	1968	1925
7. Organs of Digestion . . .	677	687	667	613	596	629	624	615	633
8. Urinary Organs . . .	168	209	129	155	178	132	128	152	103
9. Generative Organs . . .	82	—	162	77	—	151	79	—	161
10. Locomotive Organs . . .	66	65	66	77	77	71	55	37	73
11. Skin, etc.	12	14	9	10	14	6	13	10	17
12. Malformations . . .	37	42	31	34	41	27	29	20	38
13. Premature Debility . . .	472	524	420	482	522	444	541	619	461
14. Atrophy	61	49	72	69	56	82	72	59	86
15. Age	738	560	911	331	222	436	578	441	721
16. Sudden Deaths . . .	12	13	11	14	16	12	20	24	15
17. Violent Deaths . . .	362	532	196	356	510	205	326	441	207
Small-pox	9	12	7	13	17	10	1	1	—
Measles	127	131	124	175	178	173	148	154	142
Scarlatina	588	601	574	517	514	521	636	629	643
Diphtheria	108	106	110	85	89	81	105	108	103
Hooping-cough	303	280	324	432	407	457	312	252	375
Croup	121	129	114	109	120	98	99	118	80
DIARRHŒEA	282	291	274	343	349	338	295	307	283
Dysentery	23	22	25	16	18	13	36	35	38
Cholera	14	15	13	9	11	8	19	22	15
Influenza	23	17	29	9	8	10	7	4	10
All FEVERS, viz.	304	300	308	255	246	266	310	310	312
Typhus	77	81	73	68	71	66	82	81	84
Enteric	202	195	209	165	153	177	210	207	214
Relapsing	2	2	2	2	3	1	2	—	4
Continued	12	11	13	9	8	10	9	14	4
Infantile	11	11	11	11	11	12	7	8	6
Metria	48	—	95	30	—	59	62	—	126
Erysipelas	51	54	49	44	53	36	44	43	46
Dropsy	68	55	81	69	57	82	64	65	63
Cancer	208	153	262	183	131	233	175	118	235
Scrofula	88	96	79	89	96	82	78	77	80
Tabes Mesenterica	140	160	119	157	176	139	175	207	142
PHTHISIS	1083	1017	1146	1170	1088	1250	1156	1023	1293
Hydrocephalus	240	262	217	265	295	235	308	353	262
Apoplexy	217	219	214	212	209	216	213	240	186
Paralysis	263	250	275	218	203	232	305	323	287
Epilepsy	37	42	33	34	38	29	48	45	52
Convulsions	131	160	104	175	214	137	150	169	130
BRONCHITIS	1227	1201	1254	1550	1487	1612	1205	1273	1136
Pneumonia	459	524	395	529	625	436	504	538	469
Teething	105	113	97	123	136	111	88	85	90
Enteritis	128	130	127	122	116	127	121	128	113
All Liver Diseases	148	154	142	135	134	134	127	138	115
CHILDBIRTH	57	—	113	56	—	110	62	—	126
Burns and Scalds	30	26	34	26	26	25	32	26	38
Drowning	74	130	19	46	84	10	58	97	17
Fracture & Contusion	117	195	42	123	203	45	97	146	46

thousand inhabitants. Hooping-cough, Fevers (especially of the Enteric type), Measles, Scarlatina, and Diarrhœa, were the most active agents in inducing this mortality.

Diseases to the Total Deaths from Specified Causes in 1875.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2299	2257	2340	1803	1757	1848	1815	1713	1902
2. Uncertain Seat . . .	338	264	410	403	334	468	425	382	462
3. Tubercular Class . .	1553	1508	1597	1313	1348	1282	1036	1166	924
4. Nervous System . . .	907	979	838	963	997	930	521	568	480
5. Organs of Circulation .	600	571	628	680	682	679	363	413	320
6. Respiratory Organs . .	1588	1617	1559	1539	1590	1492	1223	1342	1120
7. Organs of Digestion . .	739	746	732	756	813	702	573	660	498
8. Urinary Organs . . .	176	217	136	205	280	134	138	196	89
9. Generative Organs . .	72	—	142	95	—	185	148	—	276
10. Locomotive Organs . .	63	66	60	58	59	56	96	83	107
11. Skin, etc.	13	12	13	12	18	7	14	21	9
12. Malformations . . .	44	53	35	38	47	31	24	10	36
13. Premature Debility . .	502	567	438	424	471	380	172	206	142
14. Atrophy	57	50	65	47	33	60	53	52	53
15. Age	661	502	816	1278	1003	1539	3042	2570	3449
16. Sudden Deaths . . .	12	8	15	9	10	7	—	—	—
17. Violent Deaths . . .	377	584	176	376	558	202	358	619	133
Small-pox	12	14	10	7	8	5	—	—	—
Measles	83	77	89	79	91	68	148	144	151
Scarlatina	769	810	728	557	579	537	119	144	98
Diphtheria	123	111	135	136	135	137	67	41	89
Hooping-cough	233	225	242	150	133	166	377	402	356
Croup	136	134	137	113	122	105	358	330	382
DIARRHŒA	272	297	247	214	213	216	62	41	80
Dysentery	26	20	32	28	27	29	14	—	27
Cholera	19	15	24	16	20	13	10	10	9
Influenza	30	23	37	40	28	51	86	83	89
All FEVERS, viz.	391	397	388	278	275	280	464	423	498
Typhus	87	107	68	54	51	57	287	279	293
Enteric	271	253	289	200	209	192	143	114	169
Relapsing	2	2	2	2	1	2	14	10	18
Continued	17	16	19	14	10	18	10	10	9
Infantile	14	19	10	8	4	11	10	10	9
Metria	69	—	136	55	—	107	19	—	36
Erysipelas	61	63	58	59	55	62	38	31	44
Dropsy	63	51	76	70	49	81	138	62	204
Cancer	211	145	275	260	204	313	220	227	213
Scrofula	88	104	72	92	103	82	67	52	80
Tabes Mesenterica . . .	148	170	126	99	117	82	33	31	36
PHTHISIS	1059	976	1139	950	938	962	907	1032	800
Hydrocephalus	258	258	259	172	190	155	29	52	9
Apoplexy	225	227	223	233	233	233	62	62	62
Paralysis	252	235	268	330	306	353	196	196	196
Epilepsy	36	38	33	39	47	32	43	62	27
Convulsions	104	138	70	88	104	73	57	31	80
BRONCHITIS	1032	993	1070	971	957	985	673	660	684
Pneumonia	405	444	368	398	453	345	234	310	169
Teething	128	131	125	73	86	61	24	10	36
Enteritis	151	159	143	125	129	122	91	93	89
All Liver Diseases . . .	151	150	152	177	195	166	158	186	133
CHILDBIRTH	45	—	88	63	—	122	110	—	204
Burns and Scalds . . .	35	32	38	31	22	39	33	21	44
Drowning	91	162	22	92	160	28	234	454	44
Fracture & Contusion . .	128	227	31	116	190	45	43	62	27

(2.) In Glasgow, the deaths from Zymotic Diseases were at the rate of 615 per hundred thousand inhabitants. Scarlatina and Hooping-cough were by far the most destructive diseases of the class ; but the deaths from Diarrhœa, from Fevers (mostly Enteric), and from Measles were likewise numerous.

(3.) In Edinburgh, there were for every hundred thousand of estimated population, 563 deaths from Zymotic Causes. Of these causes Scarlatina was by far the most lethal ; but the deaths from Hooping-cough, Diarrhœa, and Diphtheria were likewise sufficiently numerous to require notice in this place. The deaths from Fever were very moderate in numbers.

(4.) In Paisley, the rate of mortality from Zymotic Causes was 542 per hundred thousand of estimated population. Measles was the ruling epidemic ; but Fevers (chiefly Enteric), Diarrhœa and Scarlatina contributed largely to the general mortality. There were 27 deaths from Small-pox per hundred thousand inhabitants.

(5.) In Leith, the Zymotic mortality was 466 per hundred thousand inhabitants. As might have been anticipated from its prevalence in the neighbouring town of Edinburgh, Scarlatina was in Leith likewise the ruling

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the Year 1875, allowing for Causes not Specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths to every 100,000 Persons living.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS, . . .	2878	2383	2441	2120	3202	2807	2054	2396
Zymotic Class . . .	615	563	448	333	861	542	466	399
Tubercular Class . . .	527	343	394	340	505	448	297	346
Brain, etc., . . .	251	243	225	235	285	300	177	213
Heart, etc., . . .	111	180	131	135	150	97	113	194
Respiratory Organs . . .	696	446	597	439	598	554	446	373
Organs of Digestion . . .	183	135	118	137	192	213	134	152
Premature Debility . . .	133	88	158	103	163	126	124	183
Old Age . . .	64	73	97	129	91	221	66	228
Violent Deaths . . .	107	88	84	57	117	74	72	76
Small-pox . . .	—	—	—	26	—	27	2	—
Measles . . .	65	10	3	1	132	134	2	57
Scarlatina . . .	138	241	95	20	120	87	126	68
Diphtheria . . .	21	34	14	22	34	6	12	30
Hooping-cough . . .	135	91	105	89	212	33	62	23
Croup . . .	30	25	12	25	33	25	72	42
Diarrhœa . . .	92	68	131	66	105	89	91	91
Dysentery . . .	4	4	1	2	1	8	12	11
Cholera . . .	2	3	1	—	10	4	—	4
Fevers, viz. . . .	78	34	41	36	176	91	52	50
Typhus . . .	18	13	10	4	52	19	31	38
Enteric . . .	53	19	30	30	114	54	19	4
Relapsing . . .	—	—	—	1	—	2	—	4
Continued . . .	3	—	—	1	9	6	—	4
Infantile . . .	4	2	1	—	1	10	2	—
Dropsy . . .	20	5	19	12	37	35	27	11
Cancer . . .	39	71	44	66	34	56	29	72
Phthisis . . .	371	213	302	239	361	318	163	266
Apoplexy . . .	54	56	60	54	58	93	39	61
Paralysis . . .	49	65	55	53	68	99	58	84
Bronchitis . . .	487	285	428	344	395	420	297	247
Pneumonia . . .	166	122	149	67	141	105	103	99
Teething . . .	41	15	18	23	67	33	19	38

epidemic; but Diarrhœa, Croup, Hooping-cough, and Typhus Fever were likewise rather more rife than usual.

(6.) In Dundee, the Zymotic mortality was 448 per hundred thousand inhabitants. Diarrhœa was the most fatal of the Zymotic Diseases, but both Hooping-cough and Scarlatina numbered many victims.

(7.) In Perth, there were from Zymotic Diseases 399 deaths for every hundred thousand of estimated population. Diarrhœa was the most fatal form of Zymotic Disease; but Scarlatina, Measles, Croup, and Fevers (chiefly Typhus), all contributed appreciably to the mortality, although none of them could be said to be very unusually prevalent. Hooping-cough appears to have been comparatively in abeyance.

(8.) In Aberdeen, the deaths from Zymotic Diseases were only 333 per hundred thousand inhabitants—a very moderate mortality indeed. The ruling epidemic was Hooping-cough, next to which in order of destructiveness ranked Diarrhœa, Enteric Fever, and Small-pox.

The subject of Small-pox demands but brief notice in the present report. Only 76 deaths from this cause were registered in 1875, and the mortality scarcely exceeded 2 out of every hundred thousand of estimated population. Obviously the epidemic was everywhere declining; and in fact out of the

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the Year 1875.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths in every 10,000 Specified Causes of Death.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Zymotic Class	2137	2364	1834	1570	2689	1929	2268	1667
Tubercular Class	1832	1441	1613	1605	1576	1598	1446	1444
Brain, etc.	873	1022	921	1107	890	1068	860	889
Heart, etc.	386	756	537	638	468	346	548	810
Respiratory Organs	2419	1867	2446	2069	1868	1973	2174	1556
Organs of Digestion	637	566	485	648	598	758	652	635
Premature Debility	462	371	646	489	510	449	605	762
Old Age	222	329	397	608	283	788	321	952
Violent Deaths	373	371	343	269	366	265	350	317
Small-pox	1	—	—	125	—	93	9	—
Measles	225	44	12	5	413	479	9	238
Scarlatina	479	1012	391	95	376	309	614	286
Diphtheria	71	143	58	85	107	22	57	127
Hooping-cough	469	383	430	424	663	118	302	95
Croup	105	107	48	120	102	88	350	175
Diarrhœa	320	290	537	314	329	317	444	381
Dysentery	14	18	6	10	5	29	57	48
Cholera	7	14	3	—	32	15	—	6
Fevers, viz.	274	149	172	175	552	323	255	207
Typhus	63	54	42	20	162	66	151	159
Enteric	186	81	124	145	357	191	95	16
Relapsing	1	2	—	5	—	7	—	16
Continued	10	2	—	5	28	22	—	16
Infantile	14	10	6	—	5	37	9	—
Dropsy	71	20	79	55	116	125	132	48
Cancer	136	298	182	314	107	191	142	302
Phthisis	1290	895	1237	1127	1127	1134	794	1111
Apoplexy	186	234	246	254	181	331	189	254
Paralysis	172	274	224	249	213	353	284	349
Bronchitis	1691	1197	1755	1620	1233	1495	1446	1032
Pneumonia	579	512	609	319	440	376	501	413
Teething	144	64	76	200	209	118	95	159

whole 76 deaths, 60 occurred in 4 counties, viz., 30 in Aberdeenshire, 13 in Renfrewshire, 9 in Edinburgh, and 8 in Stirlingshire.

Of children under five years of age 17 died of Small-pox. Of these, 5 were under three months of age; other 5 between three and six months old; 3 were between six and twelve months old; 2 between one and two years old, and other 2 between two and three.

In Tables XXXII., XXXIV., XXXV., and XXXVI., those specially interested in the subject will find all the details regarding the deaths from Small-pox, and the progress of vaccination in Scotland down to 1875, which are at our disposal. Reference may also be made to the Registrar-General's Eleventh and Twelfth Annual Reports on the Vaccination of Children born in Scotland, during 1874 and 1875, which were published in the spring of 1876 and 1877. In these Reports the details contained in the Tables above referred to have been carefully analysed.

The deaths attributed to Fever in All Scotland during 1875 were 2440, being 70 deaths to every hundred thousand of estimated population, and 3·04 per cent. of the total deaths from Specified Causes. These rates scarcely sensibly differ from those recorded in the Detailed Annual Report for 1874. It appears that during 1875 the frequency of deaths from Fevers has been notably increased in the Large Towns, and still more in the Insular-Rural Districts; that in the Principal Towns, the deaths from these diseases have been in diminished proportion; and that in the Small Towns and Mainland-Rural Districts the frequency of such deaths has not varied since 1874. Enteric Fever has been everywhere the most lethal form of Fever, except in the Insular-Rural Districts, where about two-thirds of all the deaths from Fevers were ascribed to Typhus. Relapsing Fever caused only 17 deaths in the whole of Scotland, being scarcely 0·7 per cent. of the total deaths from Fever.

TABLE XXXII.—Number and Proportion of Deaths at different Ages from the Zymotic and Ordinary Diseases in Scotland in 1875.

DISEASES.	NUMBER OF DEATHS AT EACH AGE.						PERCENTAGE AT EACH AGE.					
	0-5 years.	5-10.	10-15.	15-60.	Above 60.	Total.	0-5.	5-10.	10-15.	15-60.	Above 60.	Total.
Small-pox . . .	17	4	6	45	4	76	22·3	5·3	7·9	59·2	5·3	100
Measles	897	93	11	20	1	1022	87·8	9·1	1·1	1·9	0·1	100
Scarlatina . . .	2948	1248	287	232	5	4720	62·5	26·4	6·1	4·9	0·1	100
Diphtheria . . .	550	193	46	65	13	867	63·4	22·3	5·3	7·5	1·5	100
Whooping-cough . .	2291	130	7	2	1	2431	94·2	5·4	0·3	0·1	0·0	100
Croup	850	112	8	2	3	975	87·2	11·5	0·8	0·2	0·3	100
Diarrhoea	1646	31	14	174	405	2270	72·5	1·4	0·6	7·7	17·8	100
Dysentery	59	2	—	44	83	188	31·4	1·1	0·0	23·4	44·1	100
Cholera	68	4	—	30	14	116	58·6	3·4	0·0	25·9	12·1	100
All Fevers, viz. . .	444	318	240	1240	198	2440	18·2	13·0	9·9	50·8	8·1	100
Typhus	76	60	48	358	73	615	12·3	9·8	7·8	58·2	11·9	100
Enteric	269	224	183	842	107	1625	16·5	13·8	11·3	51·8	6·6	100
Relapsing	1	1	3	10	2	17	5·9	5·9	17·6	58·8	11·8	100
Simple Continued	31	15	6	30	16	98	31·7	15·3	6·1	30·6	16·3	100
Infantile	67	18	—	—	—	85	78·8	21·2	0·0	0·0	0·0	100
Syphilis	163	1	—	43	5	212	76·9	0·5	0·0	20·3	2·3	100
Erysipelas	156	4	2	139	112	413	37·8	1·0	0·5	33·6	27·1	100
All Zymotics . . .	10224	2170	658	2652	1020	16724	61·1	13·0	3·9	15·9	6·1	100
All other Diseases, } exclud'g Zymotics }	20103	2032	1463	21657	19788	65043	30·9	3·1	2·3	33·3	30·4	100
Total Deaths . . .	30327	4202	2121	24309	20808	81767	37·1	5·1	2·6	29·7	25·5	100

Scarlatina caused 137 deaths out of every hundred thousand inhabitants of All Scotland. Its fatal influence was most conspicuous in the Urban populations, and especially in the groups constituted by the Large and Small Towns. As usual males died from this disease in higher proportion than females.

Hooping-cough caused 71 deaths for every hundred inhabitants of Scotland. It was especially prevalent in the Principal and Large Towns. In Greenock it cut off 212 out of every hundred thousand of population, and was the cause of 663 deaths out of every ten thousand deaths from Specified Causes registered in that town.

Diarrhoea was the cause of 2270 deaths, being 66 per hundred thousand of population. From this disease males suffered somewhat more frequently than females, and reference to Table XXVIII. suggests that deaths from this cause are in some measure dependent upon the degree of aggregation of the population. Passing from the crowded Principal Towns to the sparsely peopled Insular-Rural Districts, we find the deaths from Diarrhoea less and less numerous.

Measles caused 1022 deaths, or 30 per hundred thousand of population. We have already seen that Paisley and Greenock were most severely visited by this epidemic disorder.

To Croup, 975 deaths were attributed, and as has been remarked in former Reports, this disease seems apt to occur with special frequency in Leith.

Diphtheria accounted for 25 deaths for every hundred thousand of population. With the exception of the Insular-Rural Districts, all the Registration Groups seemed to have suffered alike from this insidious complaint.

Diseases of Uncertain Seat proved fatal to 1124 males and 1669 females; being in all 2793 cases, constituting 81 for every hundred thousand of estimated population. Of these deaths, 1672 were due to Cancer. Of course it is well known that females suffer from this complaint in greater ratio than males. For a hundred thousand of each sex in 1875 there died of Cancer 37 males and 60 females. The disease appears to have occurred with nearly equal frequency in each of the Five Groups of Regis-

TABLE XXXIII.—Number and Percentage of Deaths from the Zymotic and Ordinary Diseases at each Age.

AGE.	NUMBER OF DEATHS.			PERCENTAGE OF DEATHS AT EACH AGE FROM	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotic Deaths.	All other Diseases.
0—5	30,327	10,224	20,103	33·7	66·3
5—10	4,202	2,170	2,032	51·6	48·5
10—15	2,121	658	1,463	31·0	68·1
15—60	24,309	2,652	21,657	10·9	89·1
Above 60	20,808	1,020	19,788	4·9	95·1
0—15	36,650	13,052	23,598	35·6	64·4
15 and upwards	45,117	3,672	41,445	8·1	91·9

tration Districts; and on examining the records of its incidence in each of the Principal Towns, it is worthy of mention that we *again* find that deaths from Cancer were specially numerous in Perth, Edinburgh, and Aberdeen, comparatively rare in Glasgow and in Leith.

The deaths attributed to Dropsy were 548 in number; and of these 332 occurred among females. It is well understood among medical men that the term "Dropsy" merely indicates a symptom, and that in a satisfactory certificate of death the cause of the symptom should if possible be stated. But it must be recollected that, in the absence of a certificate from a medical attendant, the Registrars must perforce content themselves with information derived from an ordinary non-medical informant, and that, especially in the remoter districts of the Highlands and Islands, such informants cannot be expected to certify with the precision of a well-educated medical man.

To Abscess 220 deaths were attributed; to Fistula, 15; to Ulcer, 60. Mortification was assigned as the cause of 164 deaths; of which 8 occurred among infants under three months old, and 119 were probably due to Senile Gangrene, as they occurred in persons above the age of sixty years. From Hæmorrhage of unspecified seat there were 89 deaths. Eleven of these occurred in infants under three months old; and a similar mortality at this early age has been chronicled in several of our recent Detailed Annual Reports. Probably some at least of these deaths were due to want of care in treating the remains of the umbilical cord in newly born children. Gout was the cause of 25 deaths, of which 19 occurred among males. Ten deaths from Gout took place at ages between 35 and 60 years, and 15 between the age of 60 and the completion of the 89th year. It must not, however, be supposed that this list includes all the deaths which were due to the gouty diathesis. It would, no doubt, be a sufficiently formidable one if swelled by the addition of the deaths by Diseases of the Heart, Arteries, and Brain which owed their origin to Gout.

The deaths from Tubercular Diseases were 12,450, of which 6080 occurred among males and 6370 among females. The mortality from this class of diseases was consequently 362 for every hundred thousand of estimated population, and 15·49 per cent. of the deaths from All Specified Causes. The incidence of Tubercular Diseases was most conspicuous in the

TABLE XXXIV.—Small-pox Deaths in Scotland.

YEAR.	Small-pox Deaths.	YEAR.	Small-pox Deaths.
1855	1,309	1866	200
1856	1,306	1867	100
1857	845	1868	15
1858	332	1869	64
1859	682	1870	114
1860	1,495	1871	1,442
1861	766	1872	2,448
1862	426	1873	1,126
1863	1,648	1874	1,246
1864	1,741	1875	76
1865	383		

Large Towns, and but little less so in the Eight Principal Towns. In the Small Towns the frequency of deaths from such causes did not particularly differ from that recorded for the whole of Scotland; but in the Rural, and especially in the Insular-Rural Districts, it was far less, in the latter group amounting to only 191 deaths per hundred thousand of population, while in the Large Towns the rate was 490 deaths in a like number of inhabitants. Of all deaths from Specified Causes, 17·18 per cent. were in the Large Towns, due to Tubercular Diseases; in the Principal Towns the rate was 16·8 per cent.; in the Small Towns 15·53 per cent.; in the Mainland-Rural Districts 13·13 per cent.; and 10·36 in the Insular-Rural Group. On reference to Table XXX. it may be seen that the rates per hundred thousand inhabitants in each of the Eight Principal Towns were as follows:—527 in Glasgow, 505 in Greenock, 448 in Paisley, 394 in Dundee, 346 in Perth, 343 in Edinburgh, 340 in Aberdeen, and only 297 in Leith. In the last named town the rate has been remarkably low, but in the other seven Principal Towns the deaths ascribed to Tubercle have, during 1875, been in excess of those recorded for 1874.

Consumption accounted for no less than 8699 deaths in Scotland during the year now under review. Of these, 1388, or nearly 16 per cent., occurred at ages under 15 years; 5875, or 67·5 per cent., among those aged from 15 to 45; and 1436, or 16·5 per cent., at ages exceeding the age of 44 years. There is nothing unusual in these proportions. On the contrary, they tally very closely with the numbers deduced from the data of 1874, and recorded in our Twentieth Detailed Annual Report. In Scotland, regarded as a whole, and in each of its three groups of Urban Districts, Consumption was as usual more frequent among females than among males; in the Main-

TABLE XXXV.—Vaccinations in Scotland, 1865–75, and Proportion to the Births each Year.

Years.		Success-fully Vaccinated.	Vaccination Post-poned.	Insusceptible of Vaccination—			Died before Vaccination.	Removed from District before Vaccination, or otherwise un-accounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox	From previous Vaccination.			
1865	Numbers .	99648	719	474	34	207	9366	2622	113070
1866	Numbers .	100408	579	332	30	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	116184
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1873	Numbers .	105177	1113	162	39	163	10527	2629	119810
1874	Numbers .	108022	1229	206	33	205	11288	2878	123861
10 Years.	Average .	102449·9	868·5	250·1	41·0	208·3	9980·7	2601·1	116399·6
1875.	Numbers .	108096	1211	190	1	252	11326	2575	123651
1865	Percentage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Percentage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Percentage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000
1873	Percentage	87·786	0·930	0·135	0·033	0·136	8·786	2·194	100·000
1874	Percentage	87·213	0·992	0·166	0·027	0·165	9·114	2·323	100·000
10 Years.	Percentage	88·015	0·746	0·215	0·035	0·178	8·574	2·235	100·000
1875	Percentage	87·420	0·979	0·154	0·001	0·204	9·160	2·082	100·000

land-Rural Districts neither sex could be said to manifest comparative proclivity to the disease; while in the Insular-Rural Group, males suffered in a ratio decidedly higher than that observed among females, a peculiarity on which we have in former Reports had occasion to comment. In each of the Eight Principal Towns the deaths by Consumption per hundred thousand of population were as follows:—In Glasgow, 371; in Greenock, 361; in Paisley, 318; in Dundee, 302; in Perth, 266; in Aberdeen, 239; in Edinburgh, 213; and in Leith, 163. That the annual mortality due to Consumption should in Leith, year after year, be found far less than that which prevails in the other important towns of Scotland is a circumstance that might well engage the attention of sanitary inquirers, and which we cannot at present explain.

Of the other Tubercular Diseases Hydrocephalus, had its 1925 victims; Tabes Mesenterica, 1122; and Scrofula, 704. In all the Urban Districts, and especially in the Large Towns, the mortality from these diseases, greatly exceeded that experienced in the Country Districts; and careful examination of Table XXVIII. shows that males have, in all the groups except the Insular-Rural, suffered more from these causes of death than females have.

The Diseases of the Brain and Nervous System, accounted for 7471 deaths; of which 3928 occurred among males and 3543 among females. The mortality from this class of diseases was consequently 217 for every hundred thousand of the estimated population of Scotland, and constituted 9·3 per cent. of the total deaths from Specified Causes. The above numbers and pro-

TABLE XXXVI.—Vaccinations in Scotland, 1865-1875, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1865	Numbers .	99648	719	474	34	207	2622	103704
1866	Numbers .	100408	579	332	30	227	2658	104234
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	108634
1873	Numbers .	105177	1113	162	39	163	2629	109283
1874	Numbers .	108022	1229	206	33	205	2878	112573
10 Years.	Average .	102449·9	868·5	250·1	41·0	208·3	2601·1	106418·9
1875	Numbers .	108096	1211	190	1	252	2575	112325
1865	Percentage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Percentage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Percentage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Percentage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·362	0·797	0·203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000
1873	Percentage	96·243	1·018	0·148	0·036	0·149	2·406	100·000
1874	Percentage	95·958	1·092	0·183	0·029	0·182	2·556	100·000
10 Years.	Percentage	96·270	0·816	0·235	0·039	0·196	2·444	100·000
1875	Percentage	96·235	1·078	0·169	0·001	0·224	2·293	100·000

portion accord closely with the experience of the last few years, which has been analysed in these Detailed Annual Reports. In every division of the country, the deaths from these causes have been decidedly more frequent among males than among females. Of the Principal Towns, Paisley and Greenock, according to Table XXX. furnished the largest proportion of deaths from Brain Disease, while in Leith the proportion was far below that of any other of the Eight Towns.

Diseases of the Heart and Circulatory System caused 4537 deaths, being at the rate of 132 for every hundred thousand persons living, and constituting 5·65 per cent. of all deaths registered. Deaths from these causes appear to have been most frequent in the group of Large Towns, and but a trifle less so in the Eight Principal Towns. In both of these groups the deaths of males considerably preponderated. In the Small Towns and Mainland-Rural Districts, Diseases of the Circulatory System were not nearly so numerous, and neither sex can be said to have manifested comparative proclivity. In the Insular-Rural Group such diseases, according to the showing of Table XXVIII., were just about half as frequent as in Scotland in general. It must not be assumed, however, that the population of our islands enjoys any immunity from these diseases. The sparseness of the population and the difficulty of procuring skilled medical assistance in the remote island districts have of course the effect of causing medical certificates of death to be comparatively rare in these localities, and the attention of ordinary informants is in a great many instances exclusively given to some prominent symptoms or condition likely to co-exist with Heart

TABLE XXXVII.—Deaths from Fever in 1875.

FEVERS.	RURAL DISTRICTS.		TOWN DISTRICTS.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage to Total Fever Deaths.
Typhus	167	25·9	448	25·0
Enteric	425	65·9	1200	66·8
Relapsing	6	0·9	11	0·6
Simple Continued . .	30	4·7	68	3·8
Infantile	17	2·6	68	3·8
ALL FEVERS . . .	645	100·0	1795	100·0

TABLE XXXVIII.—Monthly Deaths from Fever in the Eight Principal Towns of Scotland during the Eleven Years 1865–1875 ; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January	1550	1011	384	July	1122	699	327
February	1378	868	359	August	976	563	330
March	1480	960	333	September	986	541	364
April	1342	889	345	October	1164	611	436
May	1277	807	358	November	1354	772	434
June	1189	761	340	December	1378	763	455

Disease; hence, no doubt the frequency with which Asthma, Dropsy, Debility, and Old Age, figure as causes of death in the statistics obtained from the districts of the Insular-Rural Group.

Diseases of the Respiratory System are the most formidable causes of death that are distinguished in our nosological catalogue, and it must be recollected that this class does not include Consumption, nor Diphtheria, Croup, or Hooping-cough, all which diseases might well be ascribed to diseases of the air passages. Respiratory Diseases in 1875 caused in Scotland 14,801 deaths, being 431 out of every hundred thousand inhabitants, and 18·42 per cent. of all deaths from Specified Causes. Inspection of Table XXVIII. shows that these deaths were everywhere more frequent among women than among men, and that their frequency in the various Groups of Registration Districts bore a direct relation to the density of the population in each. The mortality due to Chest Complaints was especially high in Glasgow, Greenock, Dundee, and Paisley; much more moderate in Edinburgh, Leith, and Aberdeen. The deaths in All Scotland attributed to Bronchitis alone were 9864, being 287 to every hundred thousand living, and constituting 12·27 per cent. of the deaths from All Specified Causes. The deaths from Bronchitis in the Eight Principal Towns amounted to 410 for every hundred thousand of population; in the Large Towns, the rate was 344; in the Small Towns, 237; in the Mainland-Rural Districts, 187; and in the Insular-Rural, 124. From Pneumonia the deaths were 3685, and, like Bronchitis, the disease was especially rife in the Urban Districts of the country. To Pleurisy, 308 deaths were ascribed; to Lung Disease of nature not more distinctly specified, 307; to Laryngitis, 161; and to Asthma, 476. As has been pointed out in some former similar Reports, there is reason to believe that the medical term Asthma is often

TABLE XXXIX.—The Nineteen most fatal Diseases in Scotland and England in 1875, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Bronchitis	287	Bronchitis	265
Phthisis	253	Phthisis	222
Age	173	Atrophy, Debility, and Pre- mature Birth	168
Scarlatina	137	Heart, etc., Diseases of	137
Heart, etc., Diseases of	132	Age	129
Atrophy, Debility, and Pre- mature Birth	124	Pneumonia	114
Pneumonia	107	Convulsions	110
Hooping-cough	71	Diarrhœa	101
All Fevers	70	Scarlatina	86
Diarrhœa*	66	Hooping-cough	60
Paralysis	62	Apoplexy	56
Hydrocephalus	56	All Fevers	55
Apoplexy	51	Paralysis	54
Cancer	49	Cancer	48
All Liver Diseases	35	All Liver Diseases	45
Tabes Mesenterica	33	Tabes Mesenterica	36
Measles	30	Hydrocephalus	32
Enteritis	30	Fractures and Contusions	32
Croup	28	Measles	26

most inaccurately used as a cause of death by non-medical informants. Any disease in which cough or shortness of breath is a prominent symptom is in vulgar parlance apt to be designated as Asthma; whereas death from uncomplicated spasmodic Asthma is, as every physician must be aware, an exceedingly rare occurrence. On examining the detailed table at page 168, it may be seen that in the Insular-Rural District the deaths of females which are ascribed to Asthma are actually more numerous than those attributed to Pneumonia; while in a similar table given on page 108, and which applies to females in All Scotland, the deaths from Pneumonia are about eight times more frequent than those due to Asthma. Never since the system of Detailed Reports has been in operation has such a mortality from Respiratory Diseases been recorded, as the present publication reviews.

Diseases of the Digestive System caused 5438 deaths, being at the rate of 158 to every hundred thousand of population, and constituting 6·77 per cent. of all deaths from Specified Causes. Males suffered in greater proportion than females from these diseases. Their incidence was more conspicuous in the Groups of Large and Small Towns than in the Eight Principal Towns of Scotland. It was far less felt in the Rural Districts. From Teething there were 845 deaths; from Gastritis and Enteritis, 1257; from Peritonitis, 472; from Ulceration of the Alimentary Canal, 212; from Ileus, Intussusception, and Stricture of the Bowels, 344; from Diseases of the Biliary System, 1192; from Diseases of the Spine, 26; from Unspecified Diseases of the Digestive System, 815. To Hernia, 130 deaths were referred, including 68 males and 62 females. Of those that died of Hernia, 8, or 6·2 per cent., were under one year of age; 15, or 11·6 per cent., under the age of twenty; while 66, or 50·8 per cent., were at least sixty years old.

Diseases of the Urinary System accounted for 1352 deaths, being 39 per hundred thousand of estimated population. Such deaths were more frequent among males than among females in the ratio of 50 to 29. The deaths from Nephritis, Nephria, and Unspecified Disease of the Urinary System combined, were 999; from Cystitis, 109; from Diabetes, 83; from Stone, 68; from Ischuria, 72; and 8 from Disease of the Suprarenal Capsules. There is reason to believe that the term Ischuria is somewhat apt to be abused in returns as to the cause of death, being applied in arbitrary or capricious fashion to retention of Urine from Stricture or other causes; to non-elimination of Urine by the Kidneys; finally to the fatal Uræmia of Bright's Disease, &c. It would be well if the term were reserved for the true Ischuria Renalis or suppression of secretion by the Kidneys.

There were 661 deaths due to Diseases of the Generative System. One of these occurred in a male infant within three months of birth. The remaining 660 deaths occurred in females; 459 of them were due to Childbirth, and if to these there be added 389 deaths attributed to Metria, there are 848 deaths to represent the total recorded mortality from puerperal causes. The number of children *born alive* in Scotland in 1875 was 123,578. Correcting for twin and triplet births, we estimate the number of mothers who gave birth to live children as 122,085; and of these, 0·694 per cent., or about 1 in every 144, died of causes directly connected with the act of parturition. In the above calculation no account is taken of the no doubt very considerable number of females that gave birth to still-born children, and among whom the mortality due to parturition probably far exceeded that which prevailed among the registered mothers. In accordance with former practice and with foreign statistics bearing on this subject, we may assume that for every hundred live births there were in 1875 five still births.

The total number of mothers is thus raised to 128,120, and the mortality due to childbearing becomes 6·62 per cent., or about 1 in 151. This mortality is serious enough, and exceeds that chronicled for 1874. There is, however, reason to believe that it is understated, for the deaths of many females who die after giving birth to dead children (especially if these be the product of illegitimate intercourse) are probably not communicated to the registrars with any indication of their having resulted from recent delivery. And no doubt a very large number of women annually die of diseases induced or precipitated by the process of parturition, whose deaths are recorded as due to Hæmorrhage, Embolism, Disease of the Kidneys, Disease of the Heart, &c., without any reference to the circumstance of their having given birth to a child and never regained their health after delivery.

The deaths due to Uterine Disease were 119; those from Ovarian Tumours, 65; and those ascribed to the various affections which are conveniently enough grouped under Paramenia were 17 in number.

From Diseases of the Organs of Locomotion there were 528 deaths. Of these, 213 were due to Rheumatism (not to Rheumatic Fever), 223 to Diseases of Joints, and 92 to various affections of the Bones.

From Diseases of the Skin there were 94 deaths, of which 60 were of unspecified nature, while 12 were attributed to Phlegmon and 22 to Carbuncle.

The deaths from Malformations were 294, of which 166 occurred in males.

From Infantile or Premature Debility there were 3789 deaths, 2075 of which occurred in males. Deaths ascribed to this rather vague cause were more frequent in the Large Towns than in the other Registration Groups of Districts. Of the Principal Towns, Perth, Greenock, and Dundee had the largest proportion of mortality from Infantile Debility. The Insular-Rural Districts, as usual, appear to have enjoyed comparative immunity from this cause of death. It appears to have been everywhere more destructive of male than of female life.

To Atrophy 490 deaths were due. To Old Age there were ascribed the deaths of 5931 persons, of whom 3716 were females. All the deaths attributed to Old Age occurred in persons aged 65 or upwards, of whom 4187 were at least 80 years of age. From Table XXIX. we learn that in the Insular-Rural Districts fully 30 per cent. of all deaths from Specified Causes are attributed to Old Age; and that in the Mainland-Rural Group 12·8 per cent. are registered under the same delusive heading, while in the Principal Towns (where the causes of deaths are naturally returned with most accuracy) Old Age accounts for only 3·3 per cent. of all deaths. On careful examination of the tabular statements at pp. 111 and 159 it is found that, while in the Eight Principal Towns, the proportion of all deaths at ages exceeding 79 years was 5·18 per cent., in the Insular-Rural Districts it was 25·48. It is hardly necessary to say that the comparison afforded by this view is preferable as an approximate measure of longevity to the delusive statements founded on the numbers of deaths attributed to Old Age.

There were 99 Sudden Deaths for which no specific cause could be assigned.

There were 2908 Violent Deaths, of which 2107 occurred in males. Of Violent Deaths, 941 were due to Fractures or Contusions, 593 to Drowning, 330 to Suffocation, 241 to Burns or Scalds, 209 to Intemperance, 215 to Violent Causes of unspecified nature, 125 to Want of Breast-Milk, 50 to Cold, 61 to Hanging, 42 to Poison, 56 to Cuts or Stabs,

23 to Gunshot Wounds, 19 to Privation or Neglect, and 3 to Poisoned Wounds.

It is of course well known that there are no Coroners' Inquests in Scotland; consequently the list of suicides which it is in our power to draw up has not that authoritative correctness which a similar list framed in England may be held to possess. There were registered 123 deaths by Suicide, of which 84 occurred in males and 39 in females. The mode of self-destruction was in 55 cases by Hanging, in 31 cases by Cutting the Throat, in 18 cases by Drowning, in 6 cases by Poison, in 5 by Gunshot, in 5 by Precipitation, and in 3 the mode resorted to was not made known to the Registrars. Of the six cases of Poisoning, one was attributed to Strychnine, and likewise one each to Laudanum, Opium, and Phosphorus. In two instances the nature of the poison was not ascertained or at least is not mentioned in the death certificates.

These Detailed Reports on the Causes of Deaths usually conclude with a list of such deaths at ages exceeding 99 years as have been communicated to the registrars. We are of course well aware that the reports of such deaths must always be received with much reserve, founded, not upon the probable bad faith, but upon the probable ignorance or credulity of the informants. With this explanation our readers may be informed that during 1875 there died in All Scotland, at ages exceeding 99 years 24 persons, of whom 9 were males and 15 females. Of the males, three described as a "pauper," a "widower," and a "crofter," were registered as 100 years old; one, who is simply styled "a lunatic," was aged 101; and two, of whom one was formerly a "night-watchman," and the other a "tailor," had complete their 102d year. Of the females, one, a "labourer's widow," was aged 100; one, the "widow of a farm-servant," was aged 102; one, "formerly a farm-servant," and another, a "pauper spinster," were aged 103; one, "domestic servant," one "pauper, but formerly a servant," and one "pauper spinster," were registered as 105 years of age.

Regarding the occupations or conjugal condition of 3 of the males and 8 of the females who died at ages exceeding 99 years, nothing can be made out from the Registers.

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

That extremes of temperature have a very decided influence upon the health of the people is a proposition the truth of which is very generally admitted. Extreme heat is but seldom found to occur in this country, and when it does prevail it is only for a brief period, and consequently without very decided detriment to the public health. In fact, its lethal influence might pass almost unnoticed in our statements of the causes of death, were it not for the circumstance that the Diarrhoeas and Bowel Complaints of children are commonly observed to become more frequent and fatal during a long-continued hot season. If, even for a week or two, during July or August, the temperature of the air is from 3 to 5 degrees above the mean, we are tolerably sure to find a corresponding increase in the number of deaths of children from Diarrhoea. It must, however, be noted that the increase of mortality is, in such cases, not sharply limited by the periods of time within which an excessive degree of heat has prevailed. On the contrary, the mischief due to the rise of temperature continues to be felt, it may even be for some weeks, after the air has resumed its normal condition. Extreme cold is, however, far more readily studied in connection with the

frequency of deaths in Scotland. The spread and fatality of most of the Zymotic Diseases, of Diseases of the Brain, of Consumption, of the whole class of diseases of the Respiratory System, are manifestly promoted by any considerable fall of temperature, or, at all events, by such a fall as causes the mean temperature of a particular month to be 3 to 5 degrees lower than that observed as the average temperature of the same month during previous years. And as the diseases which we have instanced as promoted in intensity by low temperature actually comprise those which cause at least 50 per cent. of the deaths registered in Scotland, it is only natural to find that in average years the mortality of the seasons seems chiefly regulated by the amount of cold and wet. Hence, it may be roughly asserted that most of our deaths take place during our coldest months.

In the tabular statement exhibited in Table XL., the nature of which has been fully explained in former Reports, the chief facts regarding the mean monthly temperature and average monthly mortality of 1875, and of the ten years 1855-64, are epitomized. We see that the coldest month of 1875 was February, and that next in order of rigour followed December, November, and January; the greatest deviation from the decennial mean being in January, the temperature of which was 2°·5 degrees above the average. The warmest month of the whole year was August. The temperatures of April, May, and September were very decidedly above the average of the corresponding months of former years.

In tracing the connection between temperature and mortality during the several months of 1875, it is necessary to make frequent reference to Table XLI., and it is right that our readers should be here reminded that the year 1874 had closed with a December of unprecedented severity, during which the daily average of deaths was 296.

In regard to the meteorological phenomena of the successive months of 1875, the following particulars are extracted from the Astronomer-Royal's Notes appended to our Quarterly Reports.

In *January*, the most notable feature was the high mean temperature, greater than the average (of 1856-74) by 2°·5, and even more marked in

TABLE XL. —Monthly Mortality and Mean Temperature in Scotland during 1875, compared with the Mean of the Ten Years 1855-1864.

YEAR 1875.					1855-1864.	
MONTHS.	Mean Tempera- ture.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per An- num, or 1000 per Month.	Proportion.	Mean Tempera- ture.
January . . .	39°·7	9316	9316	1340	1134	37°·2
February . . .	36·3	7493	8296	1193	1193	37·4
March	40·0	8307	8307	1196	1145	39·8
April	46·5	6902	7132	1026	1083	44·1
May	51·7	6383	6383	918	1010	49·5
June	54·0	6233	6441	926	956	55·6
July	57·1	6121	6121	880	895	57·6
August	58·1	6188	6188	890	856	57·3
September . .	54·4	5741	5932	853	843	52·8
October	47·0	5723	5723	823	858	47·2
November . . .	39·2	6366	6578	946	954	40·2
December . . .	38·9	7012	7012	1009	1073	38·6
YEAR	46·9	81,785	83,429	12,000	12,000	46·7

physiological effects by coming immediately after the very low temperature of December 1874. January was further marked by a low and variable barometric pressure, large humidity of the air, large rainfall, and superabundance of south-west wind. The daily number of deaths was 305.

In *February*, the leading characteristic was the return of cold weather—almost as much below the average as January had been above it—and 3°·4 absolutely lower than January. This cold was further accompanied by an extravagantly high barometer, scanty rain, and a most unusual amount of north-east wind. The daily number of deaths was 268.

In *March* the barometric pressure was higher than ever noted before, except in 1856, the first year of these records. It was accompanied also by dry air, scanty rainfall, and preponderance of north-east wind, though not to the degree of the previous month. The temperature was improved up to the average, or even a little beyond it. The daily death-rate continued at 268.

April was generally dry, sunshiny, and fine; but while in temperature there was very little difference between north and south, or east and west, in the depth of rainfall, there was a very marked deficiency along the east and north-east coasts of the country. The daily number of deaths was 230.

May was a month of high mean temperature, and was generally pleasant and salubrious, owing largely to the absence of north-east winds and the universal prevalence of west winds,—so high a number for west

TABLE XLI.—Meteorology of Scotland for 1875, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1875, as stated in the Quarterly Reports.

1875.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	61°·3	55°·0	62°·2	79°·2	73°·8	77°·9	83°·7	79°·9	79°·7	68°·0	67°·0	57°·5	83°·7
Lowest Temp. in do.	4°·0	11°·0	15°·1	23°·0	31°·0	22°·0	33°·0	37°·0	27°·0	25°·5	10°·0	11°·0	4°·0
Mean Day Temp. . .	44°·6	41°·1	45°·8	55°·2	59°·4	62°·0	65°·6	65°·0	61°·5	52°·1	44°·3	43°·5	53°·3
Mean Night Temp. .	34°·9	31°·6	34°·3	37°·9	44°·1	46°·1	48°·6	51°·3	47°·1	41°·9	34°·1	34°·2	40°·5
Daily Range	9°·7	9°·5	11°·5	17°·3	15°·3	15°·9	16°·9	13°·7	14°·4	10°·2	10°·2	9°·3	12°·8
Mean Temperature .	39°·7	36°·3	40°·0	46°·5	51°·7	54°·0	57°·1	58°·1	54°·4	47°·0	39°·2	38°·9	46°·9
Highest Temperature in sun	85°·0	83°·0	108°·0	131°·7	119°·0	135°·2	136°·4	136°·4	126°·0	113°·0	98°·0	79°·0	136°·4
Lowest on grass at night	1°·0	5°·0	14°·0	14°·0	18°·0	20°·0	25°·0	29°·0	23°·0	17°·5	3°·0	5°·0	1°·0
Wet-bulb Temperature	38°·7	34°·0	37°·3	42°·9	48°·2	51°·5	54°·1	55°·0	51°·9	44°·8	37°·0	37°·6	44°·4
Dew-point Temperature	37°·4	31°·9	34°·9	39°·8	45°·1	48°·7	51°·5	52°·9	50°·0	42°·8	35°·2	36°·0	42°·2
Humidity of Air . .	92	88	85	81	81	81	82	86	87	88	89	90	86
Elastic force of Vapour (inches)	0·224	0·181	0·204	0·246	0·302	0·344	0·382	0·403	0·362	0·276	0·206	0·213	0·279
Number of Rainy Days	22	11	10	8	14	17	12	17	13	21	18	16	179
Amount of Rain (inch.)	5·63	1·72	1·68	1·41	2·03	3·14	2·90	2·97	4·34	4·72	4·87	3·67	39·08
Amount of Cloud . .	7·5	6·6	6·7	5·3	6·0	6·3	5·4	6·9	6·3	6·9	6·2	6·6	6·6
Hours of Sunshine .	48	75	119	198	203	192	250	174	143	90	74	61	1627
Mean Barometer (in.)	29·678	30·090	30·151	30·026	29·884	29·807	29·985	29·968	29·981	29·752	29·826	29·958	29·925
Easterly Winds (num- ber of days)	8	12	13	9	5	6	10	8	11	17	13	5	117
Westerly Winds (do.)	14	9	12	13	20	17	13	16	12	9	9	18	162
Births	10559	9366	11171	10913	10816	10565	10661	10017	9445	9862	9809	10509	123693
Deaths	9316	7493	8307	6902	6383	6233	6121	6188	5741	5723	6366	7012	81785
Marriages	3381	1424	1564	1526	1284	3828	2669	1582	1472	1673	2571	2947	25921
Daily Births	341	334	360	364	349	352	344	323	315	318	327	339	339
Daily Deaths	305	268	268	230	206	208	197	200	191	185	212	226	224

wind never having been registered for this month in any former year. That circumstance tended to increase the rainfall at westerly stations, but the drought of April still prevailed along the east coast. The daily number of deaths had fallen to 206.

June was a month of low barometric pressure, excessive variations of pressure, low temperature, large rainfall, and unusual preponderance of south-west winds. The daily deaths were 208.

July differed little from an ordinary July of former years. The mean temperature was slightly lower than the average, but the day temperature was higher, and the amount of sunshine greater. The daily number of deaths was 197.

In *August*, a rather late period, the highest mean temperature was reached in 1875; but the month was not otherwise remarkable, and differed little from its predecessor, though evidently having, with its greater amount of west wind, a less amount of sunshine, more cloud, less range of temperature between night and day, more days on which rain fell, but less depth of rainfall. The daily deaths numbered 200.

In *September* the weather was generally fine and warm, with a mean temperature 1°·5 higher than the average, but with much humidity in the air, a less number of days on which rain fell, but heavier rainfall, and rather less sunshine than the average. The daily deaths were 191.

In *October* the most salient characteristic of the weather was the long-continued, steady, unmitigated blow of south-east winds. The barometer was low, but very steady; the mean temperature rather above the average, as were likewise the number of rainy days and the depth of rainfall. The daily number of deaths was at its minimum, being 185.

In *November* the chief points in the weather to note are, first, the large quantity of north-east wind in place of the usual W.S.W., and then the

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1875.

1875.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature . . .	40°·2	37°·2	41°·0	47°·3	52°·3	54°·9	58°·1	58°·9	54°·8	47°·7	39°·8	39°·4
Highest Temperature . . .	57°·3	54°·0	58°·2	76°·2	73°·8	74°·0	79°·3	77°·3	76°·1	68°·0	67°·0	53°·5
Lowest Temperature . . .	5°·0	18°·8	23°·0	27°·0	38°·8	38°·0	40°·0	41°·5	36°·0	28°·0	18°·0	16°·0
Rainfall in inches . . .	4·52	1·66	1·79	1·13	1·18	2·72	2·34	1·99	4·39	4·50	4·68	2·42
Easterly Winds (days) . . .	9	13	14	12	7	9	14	10	12	17	12	5
Westerly Winds (days) . . .	16	12	15	14	22	18	14	17	15	12	12	24
Total Deaths . . .	3564	2737	3020	2564	2398	2509	2341	2394	2137	2146	2465	2680
Daily Deaths . . .	115	98	97	85	77	84	76	77	71	69	82	86
Zymotic Diseases . . .	624	482	493	453	446	490	545	663	623	546	566	470
Small-pox . . .	14	12	6	4	5	2	1	1	3	—	2	—
Measles . . .	23	17	47	54	60	71	69	42	43	49	55	34
Scarlatina . . .	227	140	125	107	77	98	87	124	141	163	177	115
Diphtheria . . .	25	25	27	17	13	12	16	28	17	22	29	20
Hooping-cough . . .	152	136	119	98	121	114	123	90	90	77	104	118
Croup . . .	24	30	23	25	18	19	22	25	21	51	44	40
All Fevers . . .	51	55	56	66	66	77	58	54	65	63	76	64
Diarrhoea . . .	37	33	34	36	41	51	126	253	197	84	35	34
Dysentery . . .	3	2	5	3	2	3	4	3	4	4	3	6
Cholera . . .	—	—	1	—	1	3	6	12	3	1	2	—
Consumption . . .	322	320	363	343	335	359	327	273	198	231	235	271
Diseases Respiratory Organs	1195	775	762	553	469	466	343	300	278	400	531	767
Heart, etc., Diseases . . .	148	119	158	123	95	109	106	110	82	103	121	123
Brain, etc., Diseases . . .	263	231	260	268	254	235	208	215	179	193	233	237
Debility and Premat. Birth .	128	131	156	148	125	112	136	118	119	101	134	129
Age . . .	219	128	141	74	81	89	94	68	77	60	93	108

sudden influx of steady cold, with snow towards the end of the month, producing so marked an effect on the mean temperature of the whole month as to bring it sensibly below the average of former years. There was a heavy rainfall, and the winds were stormy. The daily deaths were 212.

In *December* the weather suddenly came back to its normal type; for, although the month began with very low temperature, ice, and snow, the west and south-west winds presently set in, and made the latter part of the month comparatively mild in temperature. The amount of rain, wind, and cloud was about the average. The daily number of deaths was 226.

The influence of weather upon the fatality of various diseases and classes of diseases is illustrated by Table XLII., but it must be noted that the details of that table apply only to the Eight Principal Towns.

The most remarkable feature of Table XLII. is the extraordinary mortality which it shows for the month of January. The deaths in January were to those in March—the next month in order of fatality—in the proportion of about 112 to 100. This excess may be traced in the number of deaths from the more frequent Zymotic Diseases, especially Scarlatina and Hooping-cough, in the number of persons who perished by the ill-defined complaints of Old Age, but, above all, in the unusual prevalence of the whole class of Diseases of the Respiratory System. Yet the month of January, as has been already stated, should not, from its meteorological features, have appeared to be more unhealthy than an average January. The cause of the unusual mortality is found in the inclemency of the month of December 1874, which had favoured the spread and increased the malignancy of several epidemic diseases, and had caused a vast number of cases of Bronchitis, Pneumonia, &c., which had not run their fatal course till after the conclusion of 1874, and, of course, serve to swell the fatal account of January 1875.

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland during each Week of the Year 1875.

No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches
			Mean	Highest	Lowest					Mean	Highest	Lowest	
			°	°	°					°	°	°	
1	January 9	1215	40.5	52.2	29.0	1.31	27	July 10	517	59.3	79.0	42.7	0.35
2	16	868	43.1	55.0	34.0	1.08	28	17	529	55.2	77.0	38.5	0.20
3	23	691	39.9	57.3	26.8	1.63	29	24	581	59.8	78.0	43.1	1.09
4	30	618	38.9	53.9	26.0	0.70	30	31	519	57.3	77.0	40.0	0.49
5	February 6	631	37.7	55.0	18.8	0.16	31	August 7	521	57.2	75.0	41.5	0.24
6	13	739	35.7	54.0	24.0	1.03	32	14	519	58.9	73.0	50.0	0.45
7	20	699	39.9	53.0	26.0	0.32	33	21	567	61.5	77.0	41.0	0.65
8	27	668	35.1	44.0	24.0	0.28	34	28	542	59.7	72.0	47.1	1.09
9	March 6	666	35.7	48.0	24.0	0.12	35	September 4	515	56.0	72.0	38.0	1.08
10	13	704	41.0	58.2	29.0	1.46	36	11	489	57.6	72.5	40.0	0.86
11	20	666	37.5	48.0	23.0	0.03	37	18	505	56.6	76.1	40.0	0.07
12	27	650	45.4	56.0	30.0	0.25	38	25	510	51.4	63.0	32.0	0.82
13	April 3	601	46.7	58.2	32.5	0.44	39	October 2	510	52.1	66.1	39.2	1.84
14	10	581	43.6	57.0	29.0	0.64	40	9	492	52.2	62.5	38.6	1.11
15	17	600	47.7	66.0	31.0	0.00	41	16	499	44.1	60.0	28.0	1.18
16	24	587	48.2	76.2	26.0	0.00	42	23	489	48.0	56.0	40.0	1.95
17	May 1	603	50.2	67.1	34.5	0.36	43	30	419	45.4	57.4	37.4	0.49
18	8	534	51.7	66.2	40.7	0.20	44	November 6	480	47.1	61.0	37.0	1.68
19	15	529	54.9	73.8	42.3	0.50	45	13	548	35.9	55.0	18.0	0.92
20	22	559	51.4	67.0	38.0	0.37	46	20	620	42.5	67.0	30.0	1.51
21	29	557	51.8	68.5	38.8	0.54	47	27	545	36.7	51.0	30.0	0.58
22	June 5	578	54.4	72.0	39.5	0.16	48	December 4	620	34.5	41.5	22.2	0.54
23	12	587	54.1	69.6	40.0	0.70	49	11	619	34.5	48.0	16.0	0.33
24	19	581	53.9	68.0	38.0	0.94	50	18	611	40.2	48.0	21.5	0.41
25	26	597	56.5	74.0	41.4	0.80	51	25	584	42.6	53.8	32.0	2.07
26	July 3	509	56.3	71.0	42.0	1.18	52	January 1	523	44.2	51.6	29.4	1.00

Proceeding to examine the recorded incidence of the more common diseases, we find that Small-pox numbered very few victims during 1875, and that by the end of the year its presence in the Principal Towns was rarely marked by a death.

Scarlatina had been very destructive towards the end of 1874. In January 1875 it caused 227 deaths; but the violence of the epidemic seemed thereafter rapidly to decline, so that in May the deaths from this cause were only 77. During the autumn months the force of the epidemic was revived; during October and November it caused 163 and 177 deaths, and in December 115.

Hooping-cough, as might naturally have been expected of a disease the danger of which is much aggravated by complication with Bronchitis and Pneumonia, was most destructive during January, when it caused 152

TABLE XLIV.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1875, and Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1875.					Proportion at each Age in every Hundred Deaths per Month.				
	0-5 years.	5-20.	20-60.	60 and above.	Total Deaths.	0-5 years.	5-20.	20-60.	60 and above.	Total.
January . .	1265	334	1159	806	3564	35.5	9.4	32.5	22.6	100.0
February . .	1124	263	828	522	2737	41.1	9.6	30.3	19.0	100.0
March. . .	1179	284	931	626	3020	39.0	9.4	30.9	20.7	100.0
April . . .	1083	320	741	420	2564	42.2	12.5	28.9	16.4	100.0
May . . .	1006	304	718	370	2398	41.9	12.7	30.0	15.4	100.0
June . . .	1079	332	743	355	2509	43.0	13.2	29.6	14.2	100.0
July . . .	1048	282	673	338	2341	44.8	12.0	28.7	14.5	100.0
August . .	1199	272	615	308	2394	50.0	11.4	25.7	12.9	100.0
September .	1039	218	552	328	2137	48.6	10.2	25.8	15.4	100.0
October . .	988	256	618	284	2146	46.1	11.9	28.8	13.2	100.0
November .	1083	296	676	410	2465	43.9	12.0	27.5	16.6	100.0
December .	1174	259	760	487	2680	43.8	9.7	28.4	18.1	100.0
YEAR .	13,267	3,420	9,014	5,254	30,955	42.9	11.0	29.1	17.0	100.0

TABLE XLV.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1875.

MONTHS.	Relative Number of Deaths in 1875.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per annum.
	0-5 years.	5-20.	20-60.	60 and above.	Total.	
January . . .	1265	334	1159	806	3564	1341
February . . .	1244	291	917	578	3030	1140
March . . .	1179	284	931	626	3020	1136
April . . .	1155	342	790	448	2735	1029
May . . .	1006	304	718	370	2398	902
June . . .	1151	355	792	378	2676	1007
July . . .	1048	282	673	338	2341	881
August . . .	1199	272	615	308	2394	901
September . .	1108	234	588	349	2279	858
October . . .	988	256	618	284	2146	807
November . .	1155	316	721	437	2629	989
December . .	1174	259	760	487	2680	1009
YEAR . . .	13,672	3,529	9,282	5,409	31,892	12,000

deaths. As the year advanced, the deaths from Hooping-cough, although fluctuating a little in frequency, on the whole decidedly decreased; but after October, the approach of winter, no doubt, caused them to become again more numerous.

The mortality from Measles had its maximum in June and July; but this disease cannot be said to have been very prevalent at any time during 1875.

The deaths from Fevers were not numerous, and in June and November—the most fatal months—only amounted to 77 and 76. In the month of January there were only 51 deaths from Fevers of all kinds.

The deaths from Diarrhœa were as usual obviously connected with the prevalence of hot weather. They were 253 in August, when the mean temperature was 58°·9; 197 in September, with the temperature of 54°·8; and 126 in July, with a temperature of 58°·1. The minimum number of deaths from Diarrhœa was 33, and was observed in February, the coldest month of the year.

Consumption was more than usually fatal. The deaths ascribed to it were 363 in March, 359 in June, but only 231 in October, and 198 in September.

The deaths from Diseases of the Respiratory System amounted in January to 1195, being more than double the number registered during January 1874, and only 63 less than the unprecedented mortality from Pulmonary Complaints recorded in December 1874. In February the deaths had fallen to 775, and they continued to fall in each successive month till in September they had reached the minimum of 278. During the last three months of the year, no doubt in consequence of the cold, ungenial weather, so trying to the “poitrine,” the number of deaths from Lung Diseases began again to mount, being 400 in October, 531 in November, and 767 in December. That the whole year, 1875, was marked by a most unusual frequency of death from Chest Complaints is plain from the fact that in the Eight Principal Towns the deaths from Diseases of

TABLE XLVI.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1856–1865, and the Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths—Ten Years, 1856–1865.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January . . .	11066	2305	7003	4337	24711	44·78	9·33	28·34	17·55	100·00
February . . .	10190	2145	6235	3802	22372	45·54	9·59	27·87	17·00	100·00
March	10359	2271	6809	3865	23304	44·45	9·75	29·22	16·58	100·00
April	9609	2131	6095	3625	21460	44·77	9·94	28·40	16·89	100·00
May	9058	2214	5899	3180	20351	44·51	10·88	28·98	15·63	100·00
June	9395	2086	5559	3111	19151	43·84	10·89	29·03	16·24	100·00
July	9052	2121	5287	2886	19346	46·79	10·96	27·33	14·92	100·00
August	8889	1929	4988	2698	18504	48·05	10·42	26·95	14·58	100·00
September . .	8370	1870	4572	2454	17266	48·48	10·83	26·48	14·21	100·00
October	9078	2120	4936	2679	18813	48·25	11·26	26·24	14·25	100·00
November . . .	10121	2148	5690	3549	21508	47·05	9·99	26·45	16·51	100·00
December . . .	10590	2258	6344	3893	23085	45·87	9·78	27·49	16·86	100·00
TEN YEARS	114,777	25,598	69,417	40,079	249,871	45·93	10·25	27·78	16·04	100·00

the Respiratory System were in 1874, 6344, but in 1875, 6839, or more numerous by 495.

The influence of season upon the number of deaths at each of four periods of life is illustrated by Tables XLVI. and XLVII.; but it must be understood that the numbers refer only to the Principal Towns of Scotland.

Of those who died before completing the first five years of life, 1265 were cut off in January, which was the most fatal month to persons of this early age. The deaths in February were 1244, 1179 in March, and 1155 in April. In August and September the usual prevalence of Diarrhoea among children caused the deaths to mount to 1199 and 1108. October was decidedly the most healthy month of the whole year for children, the deaths having numbered only 988. In the above statements, as well as in those which follow, the monthly deaths in the short months have the necessary correction applied, so that the months are comparable as of the uniform length of 31 days.

Of those who died at ages between five and twenty years, 355 perished in June, 342 in April, 334 in January, 316 in November, and 305 in May. December with 259 deaths, October with 256, and September with 234, were decidedly the most healthy months for adolescents.

To adults, that is to persons aged between 20 and 60, January was the most fatal month, the equalized number of deaths being 1159. Next in order of fatality were March with 931, and February with 917 deaths. August, October, and, above all, September, appear to have been the months most favourable to adult life, the number of deaths in these months, taken in the above order, having been 615, 618, and 588. The deaths in the winter months, November and December, were among adults rather less frequent than those registered in May and April.

To the aged, under which term are included all persons above the age of 60 years, January was very trying; the deaths amounting to 806, not much less than the unusual mortality registered in December 1874. As in the case of adults, the months of March and February, with 626 and 578

TABLE XLVII.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856-1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856-1865.					Monthly Deaths proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5-20.	20-60.	60 and above.	Total.	
January . . .	11066	2305	7033	4337	24711	1164
February . . .	11165	2348	6833	4165	24511	1155
March	10359	2271	6809	3865	23304	1098
April	9929	2202	6298	3746	22175	1045
May	9058	2214	5899	3180	20351	959
June	8675	2155	5744	3215	19789	933
July	9052	2121	5287	2886	19346	912
August	8889	1929	4988	2698	18504	872
September . .	8649	1932	4724	2536	17841	841
October	9078	2120	4936	2679	18813	886
November . . .	10458	2220	5879	3668	22225	1047
December . . .	10590	2258	6344	3893	23085	1088
TEN YEARS . .	116,968	26,075	70,744	40,868	254,655	12,000

deaths respectively, were likewise marked by very numerous deaths among the aged. From April to October the mortality among the aged became gradually mitigated, the number of deaths falling from 448 in April to 284 in October. It is not unnatural to find that the setting in of cold weather in November and December caused an immediate and decided increase in the number of the deaths of aged people. 437 perished in November and 487 in December.

I have the honour to be,

SIR,

Your most obedient Servant,

WILLIAM ROBERTSON.

GENERAL REGISTRY OFFICE OF BIRTHS,
EDINBURGH, *1st October* 1879.

VACCINATIONS IN SCOTLAND—1875.

		Success- fully Vacci- nated.	Vacci- nation Post- poned.	Insusceptible of Vaccine Disease.			Died before Vacci- nation.	Removed from District before Vaccina- tion, or otherwise unaccount- ed for.	Total Births for 1875.
				On the ground of Constitu- tional Insuscep- tibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccina- tion.			
	SCOTLAND, - - -	108096	1211	190	1	252	11326	2575	123651
	GROUPS OF DISTRICTS.								
1	PRINCIPAL TOWNS, - - -	37646	193	61	0	185	4451	1066	43602
2	LARGE TOWNS, - - -	12845	100	16	1	20	1391	279	14652
3	SMALL TOWNS, - - -	25478	305	30	0	32	2656	455	28956
4	MAINLAND-RURAL, - - -	29732	376	65	0	13	2526	436	33148
5	INSULAR-RURAL, - - -	2395	237	18	0	2	302	339	3293
	DIVISIONS.								
1	NORTHERN, - - -	2499	144	16	0	5	249	164	3077
2	NORTH-WESTERN, - - -	3159	318	18	0	1	411	277	4184
3	NORTH-EASTERN, - - -	11834	106	16	0	2	998	60	13016
4	EAST-MIDLAND, - - -	17097	134	46	0	65	1840	187	19369
5	WEST-MIDLAND, - - -	7484	115	10	0	10	707	224	8550
6	SOUTH-WESTERN, - - -	45978	174	45	1	142	5061	1249	52650
7	SOUTH-EASTERN, - - -	14600	159	25	0	12	1535	333	16664
8	SOUTHERN, - - -	5445	61	14	0	15	525	81	6141
	COUNTIES.								
	I. NORTHERN.								
1	Shetland, - - - - -	497	14	1	0	1	47	116	676
2	Orkney, - - - - -	652	40	8	0	0	46	5	751
3	Caithness, - - - - -	868	86	5	0	3	112	27	1101
4	Sutherland, - - - - -	482	4	2	0	1	44	16	549
	II. NORTH-WESTERN.								
5	Ross and Cromarty, - - -	1567	127	10	0	0	185	47	1936
6	Inverness, - - - - -	1592	191	8	0	1	226	230	2248
	III. NORTH-EASTERN.								
7	Nairn, - - - - -	206	5	1	0	2	21	3	238
8	Elgin (or Moray), - - -	1164	18	1	0	0	101	8	1292
9	Banff, - - - - -	1705	20	7	0	0	122	7	1861
10	Aberdeen, - - - - -	7769	57	6	0	0	675	35	8542
11	Kincardine, - - - - -	990	6	1	0	0	79	7	1083
	IV. EAST-MIDLAND.								
12	Forfar, - - - - -	7932	39	33	0	62	976	97	9139
13	Perth, - - - - -	3151	41	5	0	1	285	40	3523
14	Fife, - - - - -	5085	51	7	0	2	477	36	5658
15	Kinross, - - - - -	167	0	0	0	0	22	3	192
16	Clackmannan, - - - - -	762	3	1	0	0	80	11	857
	V. WEST-MIDLAND.								
17	Stirling, - - - - -	3356	19	1	0	8	316	50	3750
18	Dumbarton, - - - - -	2116	19	4	0	0	203	92	2434
19	Argyll, - - - - -	1657	75	2	0	2	151	58	1945
20	Bute, - - - - -	355	2	3	0	0	37	24	421
	VI. SOUTH-WESTERN								
21	Renfrew, - - - - -	6774	38	14	0	36	811	190	7863
22	Ayr, - - - - -	7371	34	8	0	3	730	92	8238
23	Lanark, - - - - -	31833	102	23	1	105	3520	967	36549
	VII. SOUTH-EASTERN.								
24	Linlithgow, - - - - -	1368	10	4	0	0	134	37	1553
25	Edinburgh, - - - - -	10239	102	17	0	3	1106	258	11725
26	Haddington, - - - - -	1005	22	3	0	8	96	16	1150
27	Berwick, - - - - -	926	12	1	0	1	79	8	1027
28	Peebles, - - - - -	348	7	0	0	0	48	1	404
29	Selkirk, - - - - -	714	6	0	0	0	72	13	805
	VIII. SOUTHERN.								
30	Roxburgh, - - - - -	1438	15	0	0	0	131	12	1596
31	Dumfries, - - - - -	1865	30	5	0	14	197	40	2151
32	Kirkcudbright, - - - - -	1093	12	5	0	0	94	17	1221
33	Wigtown, - - - - -	1049	4	4	0	1	103	12	1173

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1875.

1875.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Area in Square Miles.*
	1861.	1871.	Male.	Fem.	Total.	Mal.	Fem.	Total.	Male.	Fem.	Total.			
SCOTLAND, - -	3,062,294	3,360,018	63432	60146	123578	5546	5240	10786	40323	41444	81767	25974	41811	30532.0
GROUPS OF DISTRICTS.														
PRINCIPAL TOWNS	884,955	1,068,556	22362	21259	43621	1922	1885	3807	15272	15711	30983	10670	12638	
LARGE TOWNS†	272,540	332,180	7538	7100	14638	560	447	1007	4984	4818	9802	2995	4836	
SMALL TOWNS	700,474	772,229	14892	14034	28926	1211	1108	2319	9026	9259	18285	5594	10641	
MAINLAND-RURAL	1,067,560	1,055,049	16937	16167	33104	1736	1701	3437	9925	10378	20303	6160	12801	
INSULAR-RURAL	136,765	132,004	1703	1586	3289	117	99	216	1116	1278	2394	555	895	
DIVISIONS.														
NORTHERN	130,422	127,191	1569	1500	3069	120	118	238	1053	1208	2261	616	808	3730.1
NORTH-WESTERN	167,242	166,351	2099	2082	4181	154	124	278	1556	1741	3297	734	884	7406.1
NORTH-EASTERN	366,870	393,199	6746	6255	13001	1017	899	1916	3320	3644	6964	2489	6037	3694.3
EAST-MIDLAND	523,822	559,676	10004	9341	19345	926	890	1816	5917	6377	12294	4214	7051	4101.0
WEST-MIDLAND	242,487	251,088	4419	4115	8534	300	266	566	3001	3040	6041	1641	2493	4216.2
SOUTH-WESTERN	1,008,273	1,183,218	27012	25642	52654	1912	1835	3747	17796	17509	35305	10977	17349	2291.5
SOUTH-EASTERN	413,116	475,523	8495	8161	16656	674	684	1358	5457	5612	11069	4008	5587	1854.2
SOUTHERN	210,062	203,772	3088	3050	6138	443	424	867	2223	2313	4536	1295	1602	3238.6
COUNTIES.														
I. NORTHERN.														
Shetland	31,670	31,608	350	326	676	11	22	33	192	294	486	146	190	} 935.5
Orkney	32,395	31,274	883	367	750	36	24	60	268	292	560	166	190	
Caithness	42,200	41,011	546	550	1096	50	59	109	389	411	800	200	296	
Sutherland	24,157	23,298	290	257	547	23	13	36	204	211	415	104	132	
II. NORTH-WESTERN.														
Ross and Cromarty	82,427	82,093	946	989	1935	52	33	85	793	904	1697	314	238	3150.6
Inverness	84,815	84,258	1153	1093	2246	102	91	193	763	837	1600	420	646	4255.5
III. NORTH-EASTERN.														
Nairn	8,347	8,372	136	102	238	12	12	24	85	86	171	42	67	199.9
Elgin (or Moray)	44,305	44,549	663	627	1290	103	96	199	318	440	758	226	532	488.0
Banff	56,020	58,883	967	892	1859	166	136	302	483	492	975	349	884	646.5
Aberdeen	223,417	246,298	4424	4112	8536	656	575	1231	2147	2289	4436	1648	4100	1972.0
Kincairdine	34,781	35,097	556	522	1078	80	80	160	287	337	624	224	454	387.9
IV. EAST-MIDLAND.														
Forfar	206,750	240,049	4802	4332	9134	472	475	947	2742	2899	5641	2081	3493	890.4
Perth	133,198	128,550	1805	1712	3517	170	165	335	1253	1347	2600	788	917	2569.8
Fife	155,021	160,924	2854	2795	5649	233	224	457	1613	1804	3417	1127	2232	513.2
Kinross	8,731	7,918	95	96	191	9	7	16	82	74	156	44	35	77.8
Clackmannan	20,122	22,235	448	406	854	42	19	61	227	253	480	174	374	49.8
V. WEST-MIDLAND.														
Stirling	88,138	93,345	1908	1837	3745	138	123	261	1151	1199	2350	738	395	466.5
Dumbarton	54,179	61,116	1299	1133	2432	75	57	132	821	817	1638	451	794	269.8
Argyll	83,859	79,661	1006	930	1936	75	70	145	808	801	1609	358	327	3254.9
Bute	16,311	16,966	206	215	421	12	16	28	221	223	444	94	-23	225.0
VI. SOUTH-WESTERN.														
Renfrew	168,746	195,305	4072	3788	7860	249	265	514	2870	2970	5840	1721	2020	253.8
Ayr	199,083	206,908	4206	4027	8233	328	300	628	2555	2451	5006	1558	3227	1148.8
Lanark	640,444	787,005	18734	17827	36561	1335	1270	2605	12371	12088	24459	7698	12102	888.9
VII. SOUTH-EASTERN.														
Linlithgow	39,045	41,379	800	752	1552	63	60	123	441	412	853	263	699	126.7
Edinburgh	273,792	328,138	5949	5775	11724	457	473	930	4042	4152	8194	3092	3530	367.1
Haddington	37,626	37,755	595	551	1146	44	44	88	338	363	701	235	445	279.9
Berwick	36,488	36,382	540	486	1026	67	50	117	320	345	665	179	361	464.3
Peebles	11,264	12,218	199	205	404	16	23	39	120	120	240	81	164	356.0
Selkirk	14,901	19,651	412	392	804	27	34	61	196	220	416	158	388	260.2
VIII. SOUTHERN.														
Roxburgh	49,568	48,241	798	799	1597	79	90	169	528	554	1082	327	515	669.5
Dumfries	75,904	74,842	1088	1059	2147	170	138	308	901	861	1762	471	385	1103.0
Kirkcudbright	42,680	42,087	615	606	1221	90	94	184	425	443	868	246	353	953.7
Wigtown	41,910	38,602	587	586	1173	104	102	206	369	455	824	251	349	512.4

The acreage of all Scotland, so far as can be ascertained from the present state of the Ordnance Survey, is 19,540,416 acres.
 The Distribution of the Population in the Five Groups of Districts does not tally with that given in Table II., but is unavoidably
 affected here by changes in the Districts, made by authority, since the publication of Census 1871.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	NORTHERN.												
	1. SHETLAND.												
1	Bressay, etc.—(1) Bressay,	915	902	12	8	20	—	—	—	5	8	13	1
	(2) Burra and Quarff	890	952	17	8	25	—	—	—	4	11	15	5
2	Delting,	1975	1862	21	24	45	—	2	2	15	17	32	7
3	Dunrossness, etc.—												
	(1) Dunrossness, . . .	2113	1970	20	19	39	1	—	1	7	12	19	7
	(2) Sandwick and Cunningsburgh, . . .	2337	2326	29	23	52	—	2	2	13	24	37	12
	(3) Fair Isle,	380	226	4	4	8	—	—	—	2	1	3	3
4	Fetlar, etc.—												
	(1) Fetlar,	548	517	5	2	7	—	—	—	2	6	8	—
	(2) North Yell,	932	893	10	9	19	—	—	—	2	11	13	4
5	LERWICK,	3631	4180	42	50	92	2	5	7	37	37	74	49
6	Mid and South Yell, . .	1784	1843	18	21	39	—	1	1	10	20	30	2
7	Nesting, etc.—												
	(1) Nesting,	855	868	17	9	26	—	1	1	7	7	14	5
	(2) Lunnasting,	880	822	8	7	15	1	—	1	7	9	16	—
	(3) Whalsay & Skerries, .	848	989	15	19	34	1	—	1	1	7	8	—
8	Northmavine,	2585	2602	30	20	50	—	1	1	18	26	44	8
9	Sandsting and Aithsting, .	2670	2806	32	35	67	3	6	9	17	28	45	10
10	Tingwall, etc.—												
	(1) Tingwall,	1554	1442	14	12	26	—	2	2	12	11	23	12
	(2) Whiteness & Weisdale	1143	1049	5	8	13	—	1	1	4	8	12	3
11	Unst,	3060	2780	16	22	38	—	—	—	11	23	34	5
12	Walls, etc.—(1) Walls, .	1365	1325	16	16	32	2	1	3	9	16	25	11
	(2) Sandness,	606	646	13	5	18	1	—	1	3	8	11	2
	(3) Papa-Stour,	366	351	3	2	5	—	—	—	2	2	4	—
	(4) Foula,	233	257	3	3	6	—	—	—	4	2	6	—
	Total,	31670	31608	350	326	676	11	22	33	192	294	486	146
	2. ORKNEY.												
+13	Birsay (part of Harry & Birsay)	1774	1597	18	11	29	—	—	—	12	9	21	10
14	Deerness,	813	863	10	17	27	1	1	2	7	4	11	12
15	Eday and Pharay,	979	905	13	4	17	3	1	4	12	7	19	2
16	Evie and Rendall,	1408	1340	18	13	31	2	1	3	14	13	27	2
17	Firth and Stennes,	1493	1434	20	15	35	2	1	3	7	10	17	12
18	Harray (part of Harray & Birsay)	819	727	9	9	18	—	1	1	7	12	19	3
19	Holm and Paplay,	834	935	11	11	22	—	—	—	5	5	10	6
20	Hoy and Græmsay,	556	581	10	4	14	1	1	2	4	4	8	—
21	KIRKWALL and St Ola, . .	4422	4261	53	55	108	7	4	11	56	62	118	25
22	North Ronaldshay,	532	539	6	10	16	—	1	1	4	1	5	1
23	Orphir,	1133	1040	15	10	25	1	1	2	14	17	31	10
*24	Rousay and Egilshay, . . .	1152	1101	20	16	36	1	1	2	7	4	11	6
25	St Andrews,	868	870	4	10	14	1	1	2	6	10	16	3
26	Sanday,	2145	2053	27	22	49	—	—	—	13	15	28	12
27	Sandwick,	1225	1153	5	13	18	—	1	1	3	9	12	6
28	Shapinshay,	973	949	13	15	28	—	1	1	9	6	15	6
29	South Ronaldshay and Burray,	3282	3228	48	38	86	9	2	11	32	33	65	17
30	Stromness,	2540	2403	19	23	42	3	1	4	19	25	44	10
+31	Stronsay,	1228	1305	17	13	30	2	2	4	16	6	22	—
32	Walls, etc.—(1) Walls, .	1254	1107	20	24	44	1	1	2	5	15	20	—
	(2) Flotta,	420	423	6	6	12	—	1	1	1	1	2	—
33	Westray, etc.—(1) Westray	2153	2090	20	24	44	1	1	2	13	20	33	17
	(2) Papa-Westray,	392	370	1	4	5	1	—	1	2	4	6	—
	Total,	32395	31274	383	367	750	36	24	60	268	292	560	16

Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH. Districts containing Towns of 2000 Inhabitants and upwards are printed in small capitals, thus:—CARLUKE.

N.B.—An asterisk "*" is prefixed to those Districts which comprise one or more Parishes or parts of Parishes, and the component parts of these Districts will be found at page 247.

A dagger "+" is prefixed to those Districts which consist of only a part of the Parish of the same name

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	3. CAITHNESS.												
34	Bower,	1746	1700	21	15	36	2	1	3	15	12	27	10
35	Canisbay,	2730	2729	31	40	71	—	3	3	12	18	30	10
36	Dunnet,	1861	1661	17	23	40	1	2	3	15	18	33	5
37	Halkirk,	2864	2664	27	46	73	3	3	6	15	31	46	16
38	Latheron,	8571	7400	99	82	181	7	14	21	51	54	105	29
39	Olrig,	2059	2028	27	28	55	2	4	6	13	15	28	10
40	Reay,	2476	2331	21	32	53	2	3	5	20	23	43	6
41	THURSO,	5561	5754	87	89	176	9	4	13	81	73	154	28
42	Watten,	1491	1453	25	15	40	2	2	4	8	11	19	9
43	WICK,	12841	13291	191	180	371	22	23	45	159	156	315	77
	Total,	42200	41011	546	550	1096	50	59	109	389	411	800	200
	4. SUTHERLAND.												
44	Assynt—(1) Kirkton, . .	553	487	5	3	8	2	1	3	3	1	4	—
	(2) Stoer,	2625	2519	33	19	52	1	—	1	16	23	39	10
45	Clyne,	1886	1733	34	19	53	1	2	3	18	19	37	10
46	Creich—(1) Bonar, . . .	1982	1854	21	17	38	1	1	2	17	15	32	5
	(2) Rosehall,	539	670	10	9	19	1	—	1	8	4	12	4
47	DORNOCH,	2885	2784	25	33	58	2	—	2	26	29	55	14
48	Durness,	1109	1049	14	7	21	1	—	1	5	5	10	2
49	Eddrachillis—(1) Scourie,	727	648	7	7	14	1	—	1	3	4	7	—
	(2) Kinlochbervie, . .	914	882	16	19	35	—	1	1	9	10	19	6
50	Farr—(1) Kirkton, . . .	1251	1190	17	18	35	3	2	5	20	21	41	2
	(2) Strathy,	852	829	9	8	17	1	1	2	7	8	15	4
1	Golspie,	1615	1804	18	24	42	2	3	5	16	20	36	7
2	Kildonan,	2132	1916	26	21	47	1	—	1	15	20	35	10
3	Lairg,	961	978	24	16	40	2	—	2	16	4	20	7
4	Loth,	610	583	5	6	11	—	—	—	3	3	6	3
5	Rogart,	1439	1341	8	15	23	4	1	5	10	13	23	9
6	Tongue,	2077	2051	18	16	34	—	1	1	12	12	24	11
	Total,	24157	23298	290	257	547	23	13	36	204	211	415	104
	II. NORTH-WESTERN.												
	5. ROSS AND CROMARTY.												
	Mainland.												
7	Alness,	1178	1053	9	12	21	2	2	4	14	12	26	5
8	Applecross—												
	(1) Applecross,	1064	1129	10	9	19	1	1	2	13	13	26	3
	(2) Shieldaig,	1480	1341	21	15	36	1	—	1	6	15	21	3
9a	Avoch,	1788	1828	33	24	57	2	—	2	17	13	30	7
9	Carnoch,	c.325	325	2	2	4	—	—	—	3	1	4	—
0	Contin,	c.697	729	6	3	9	—	—	—	3	3	6	3
1	CROMARTY,	2300	2180	33	27	60	3	1	4	10	22	32	7
2	DINGWALL,	2412	2443	17	30	47	—	3	3	19	31	50	15
3	Edderton,	836	860	5	17	22	—	—	—	3	10	13	2
4	Fearn,	2083	2135	24	23	47	1	—	1	11	13	24	3
5	Fodderty,	2060	1943	15	11	26	3	—	3	16	15	31	5
6	Gairloch—(1) Northern,	1927	1669	11	25	36	—	2	2	17	13	30	2
	(2) Southern,	3522	3379	35	43	78	—	—	—	27	22	49	7
7	Glenshiel,	485	463	6	4	10	1	—	1	2	2	4	3
8	Killearnan,	1494	1272	13	13	26	2	—	2	8	25	33	8
9	Kilmuir-Easter,	1295	1281	11	10	21	—	1	1	10	12	22	6
0	Kiltearn,	1634	1496	14	9	23	1	—	1	11	21	32	2
7a	Kincardine—												
	(1) Kincardine,	1746	1273	11	12	23	3	—	3	13	15	28	5
	(2) Strathoykel,	412	412	2	6	8	—	—	—	1	3	4	—
1b	Kinlochluichart,	c. 704	704	7	4	11	—	—	—	3	6	9	3
2	Kintail,	890	753	4	4	8	1	—	1	11	7	18	—

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
73	Knockbain,	2485	2155	19	26	45	2	4	6	18	16	34	7
74	Lochalsh,	2413	2319	27	21	48	-	-	-	23	25	48	9
75	Lochbroom—												
	(1) Lochbroom,	3577	3167	41	36	77	3	6	9	25	27	52	9
	(2) Coigach,	1285	1239	10	12	22	-	-	-	16	11	27	1
76	Lochcarron,	1592	1629	11	13	24	2	-	2	15	19	34	6
77	Logie-Easter,	932	912	13	9	22	-	1	1	9	12	21	2
78	Nigg,	1253	1201	8	13	21	-	1	1	11	11	22	9
79	Resolis,	1568	1527	15	15	30	-	-	-	12	14	26	6
80	ROSEMARKIE,	1545	1441	11	15	26	2	-	2	19	23	42	4
81	Rosskeen,	3766	3808	44	53	97	3	3	6	32	47	79	17
82	TAIN,	3294	3221	47	30	77	4	2	6	33	39	72	11
83	Tarbat,	2269	2182	20	25	45	2	-	2	20	15	35	5
84	Urquhart & Logie-Wester	3147	2863	18	19	37	3	1	4	18	31	49	11
+85	Urray,	c.2325	2278	24	36	60	1	3	4	12	11	23	7
	Insular.												
86a	Barvas,	4609	4950	79	72	151	-	-	-	61	66	127	25
*86b	Carloway,	2204	2702	42	49	91	-	-	-	28	28	56	4
*87	Lochs,	3568	4162	68	62	130	-	-	-	45	50	95	9
88	STORNOWAY,	8668	9510	134	145	279	8	2	10	151	159	310	68
+89	Uig,	2007	2159	26	35	61	1	-	1	27	26	53	15
	Total,	82427	82093	946	989	1935	52	33	85	793	904	1697	314
	6. INVERNESS.												
	Mainland.												
90a	Abernethy & Kincardine,	1928	1752	23	17	40	9	9	18	10	15	25	7
90b	Alvie,	833	882	14	9	23	5	-	5	6	7	13	5
91	Ardersier,	1239	1284	34	34	68	1	1	2	23	20	43	10
92	Boleskine, etc.—												
	(1) Boleskine,	813	681	5	8	13	-	2	2	6	6	12	-
	(2) Fort-Augustus or Abertarff,	930	897	5	11	16	-	1	1	11	9	20	2
93	Cromdale and Inverallan. (Now 128b infra.)												
94	Croy and Dalcross, . .	1873	1841	12	15	27	1	3	4	9	10	19	10
95	Daviot and Dunlichity, .	1741	1598	12	12	24	-	-	-	6	22	28	3
96a	Dores,	1506	1401	16	10	26	3	1	4	20	12	32	4
96b	Duthil, etc.—(1) Duthil,	1609	1530	13	19	32	5	5	10	12	14	26	5
	(2) Rothermurchus, . .	319	342	1	4	5	-	-	-	3	2	5	1
97	Glenelg—(1) Glenelg, . .	800	714	10	10	20	2	1	3	13	6	19	4
	(2) Knoydart,	574	499	5	6	11	-	2	2	1	3	4	1
	(3) North Morar,	469	440	11	7	18	-	-	-	2	5	7	5
98	INVERNESS,	16162	18552	283	257	540	18	15	33	210	205	415	136
99	Kilmonivaig—												
	(1) Glengarry,	625	550	8	4	12	-	1	1	1	6	7	3
	(2) Lochaber,	1651	1417	17	16	33	1	1	2	10	9	19	6
100	Kilmorack,	2852	2728	35	29	64	3	2	5	19	22	41	14
101	Kiltarlity,	2839	2537	17	23	40	1	3	4	14	19	33	1
102	Kingussie and Insh, . .	2033	2101	22	26	48	2	2	4	17	21	38	1
103	Kirkhill,	1757	1582	22	13	35	-	1	1	16	17	33	
104	Laggan,	986	950	12	14	26	2	-	2	9	7	16	
105	Moy and Dalarossie, . .	1026	1005	10	11	21	-	1	1	11	8	19	
106	Petty,	1671	1549	24	20	44	1	2	3	10	18	28	
107	Urquhart, etc.—												
	(1) Urquhart,	2294	2215	30	25	55	3	1	4	15	28	43	1
	(2) Glenmoriston, . . .	617	565	1	3	4	-	-	-	4	6	10	
	Insular.												
108	Barra,	1853	1997	17	34	51	1	3	4	14	23	37	
109	Bracadale,	1335	1113	10	11	21	2	4	6	11	8	19	

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
110	Duirinish,	4775	4422	67	59	126	6	5	11	39	37	76	17
111	Harris—(1) Harris,	3769	3668	74	67	141	7	4	11	37	32	69	19
	(2) Bernera,	336	381	7	5	12	1	—	1	5	3	8	—
	(3) St Kilda,	78	71	2	1	3	—	—	—	1	1	2	—
112	Kilmuir—(1) Kilmuir,	1561	1362	19	23	42	1	3	4	21	17	38	5
	(2) Stenscholl,	1311	1228	19	20	39	3	1	4	13	22	35	5
113	North Uist,	3959	4107	65	57	122	4	7	11	26	28	54	23
114	Portree—(1) Portree,	2579	2328	26	18	44	2	1	3	17	25	42	12
	(2) Raasay,	580	600	12	12	24	1	1	2	10	4	14	5
115	Sleat,	2330	2233	29	28	57	1	3	4	14	31	45	10
116	Small Isles,	567	522	10	8	18	2	1	3	5	5	10	5
117	Snizort—(1) North,	961	803	14	7	21	—	—	—	9	7	16	—
	(2) South,	1652	1500	21	19	40	5	1	6	20	23	43	12
118	South Uist—												
	(1) Benbecula,	1544	1651	19	23	42	—	—	—	14	16	30	9
	(2) Howmore,	1763	1818	33	30	63	4	—	4	19	14	33	12
	(3) Boisdale,	2051	2280	29	36	65	1	—	1	7	14	21	1
119	Strath,	2664	2562	38	32	70	4	3	7	23	30	53	6
	— Total,	84815	84258	1153	1093	2246	102	91	193	763	837	1600	420
	III. NORTH-EASTERN.												
	7. NAIRN.												
120	Ardclach,	1330	1197	23	12	35	3	2	5	10	9	19	7
121	Auldearn,	1328	1279	17	11	28	2	—	2	10	11	21	2
122	Cawdor,	1203	1027	16	9	25	—	2	2	11	7	18	2
123	NAIRN,	4486	4869	80	70	150	7	8	15	54	59	113	31
	Total,	8347	8372	136	102	238	12	12	24	85	86	171	42
	8. ELGIN (OR MORAY).												
124	Abernethy and Kincardine. (Now 90a <i>supra</i>).												
125	Alves,	1010	1018	23	15	38	3	1	4	6	8	14	4
126	Bellie,	1967	2013	21	23	44	4	1	5	11	19	30	9
127	Birnie,	411	375	6	4	10	—	1	1	5	2	7	—
128a	Boharm,	1412	1337	17	18	35	5	4	9	12	6	18	4
128b	Cromdale, etc.,—												
	(1) Cromdale & Advie,	1308	1295	10	19	29	1	3	4	4	9	13	5
	(2) Inverallan,	2635	2522	41	41	82	9	5	14	17	31	48	9
129	Dallas,	1102	1060	10	9	19	5	1	6	6	8	14	5
130	DRAINIE,	3028	3293	68	56	124	5	4	9	34	35	69	21
131	Duffus,	3308	3716	59	56	115	2	4	6	21	45	66	22
132	Duthil, etc.—(Now 96b <i>sup.</i>)												
133	Dyke,	1247	1238	12	12	24	2	1	3	11	16	27	6
134	Edinkillie,	1303	1286	20	19	39	—	—	—	13	8	21	7
135	ELGIN,	9866	9703	130	134	264	23	22	45	66	100	166	50
136	New Spynie,	518	573	4	4	8	1	2	3	5	12	17	1
137	FORRES,	4112	4562	75	64	139	13	17	30	36	58	94	28
138	Kinloss,	1315	1112	20	11	31	3	2	5	8	9	17	10
139	Knockando,	1736	1909	27	25	52	8	8	16	15	11	26	8
140	Rafford,	1055	1101	16	24	40	4	4	8	11	6	17	3
141	Roths,	2407	2148	33	24	57	6	6	12	11	19	30	8
142	St Andrews-Lhanbryde,	1344	1286	18	15	33	3	3	6	9	11	20	7
143	Speymouth,	689	634	13	15	28	3	3	6	4	5	9	5
144	Urquhart,	2532	2368	40	39	79	3	4	7	13	22	35	14
	Total,	44305	44549	663	627	1290	103	96	199	318	440	758	226
	9. BANFF.												
145	Aberlour,	1520	1632	15	24	39	4	2	6	15	9	24	10
146	Alvah,	1467	1436	23	11	34	6	2	8	7	8	15	4

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
*147	BANFF,	7740	8425	167	148	315	19	17	36	70	83	153	46
148	Botriphnie,	867	785	8	12	20	1	—	1	6	7	13	3
149	Boyndie,	1711	1854	29	27	56	3	3	6	8	19	27	12
+150	CULLEN,	1821	2056	33	34	67	5	3	8	15	24	39	15
151	Deskford,	1031	972	11	11	22	3	3	6	8	7	15	6
*152	Enzie,	2072	2251	39	38	77	3	3	6	30	23	53	19
153	FORDYCE—												
	(1) FORDYCE,	4145	c.2050	31	39	70	5	7	12	20	18	38	10
	(2) Portsoy,		c.2100	35	41	76	5	7	12	22	25	47	14
154	Forglen,	783	845	13	11	24	1	—	1	4	4	8	3
+155a	Gamrie,	3019	3151	47	51	98	10	9	19	18	21	39	18
*155b	Glenrinnes,	439	466	4	3	7	—	1	1	2	—	2	1
156	Grange,	1909	1876	31	24	55	6	4	10	11	10	21	12
157	Inveravon—(1) Inveravon,	868	890	15	6	21	2	—	2	5	3	8	4
	(2) Glenlivat,	1771	1718	33	14	47	9	4	13	16	10	26	7
158	Inverkeithny,	880	1000	18	14	32	2	2	4	3	4	7	6
159	KEITH,	5943	5891	77	84	161	20	21	41	62	64	126	42
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	551	477	1	4	5	—	2	2	6	5	11	1
	(2) Tomintoul,	960	799	11	8	19	1	1	2	13	5	18	4
161	Marnoch,	3289	3294	54	71	125	16	16	32	26	17	43	22
+162	Mortlach,	2801	2737	53	40	93	10	12	22	13	26	39	10
163	Ordiquhill,	764	761	11	10	21	3	1	4	6	4	10	7
164	RATHVEN,	4922	6659	124	106	230	16	4	20	61	67	128	55
165	Rothiemay,	1414	1370	31	20	51	6	6	12	7	9	16	4
166	St Fergus,	1608	1633	31	19	50	7	5	12	17	7	24	8
*167	SEAFIELD,	1725	1755	22	22	44	3	1	4	12	13	25	6
Total,		56020	58883	967	892	1859	166	136	302	483	492	975	349
10. ABERDEEN,													
168	ABERDEEN—												
	(1) St Nicholas,	41962	47077	949	881	1830	149	122	271	566	581	1147	359
	(2) Old Machar,	31938	41104	806	703	1509	89	84	173	363	501	864	353
	Do. (Landward),	1298	1373	17	20	37	2	2	4	8	7	15	11
+169	Aberdour,	1837	1945	30	31	61	6	4	10	14	19	33	18
170	Aboyne,	1160	1351	27	21	48	1	2	3	10	14	24	7
171	Alford,	1264	1396	18	15	33	5	3	8	11	14	25	10
172	Auchindoir,	1593	1545	24	26	50	8	9	17	10	13	23	4
+173	Auchterless,	1782	1971	35	36	71	5	3	8	12	16	28	9
174	Belhelvie,	1807	1833	29	31	60	5	1	6	17	9	26	13
175	Birse,	1284	1198	22	13	35	3	—	3	5	8	13	9
176	Bourtie,	547	499	8	3	11	2	—	2	7	5	12	6
177	Cabrach,	794	775	12	7	19	4	—	4	5	1	6	8
178	Cairney,	1490	1525	20	17	37	4	2	6	7	8	15	8
179	Chapel of Garioch,	2023	1928	31	24	55	4	5	9	12	11	23	8
180	Clatt,	511	483	3	4	7	2	—	2	4	1	5	4
181	Cluny,	1254	1366	20	17	37	3	1	4	7	14	21	5
182	Coull,	792	824	14	13	27	4	1	5	6	5	11	2
183	Crathie and Braemar,	1574	1566	22	21	43	1	3	4	12	10	22	4
184	Crimond,	892	887	20	11	31	1	2	3	5	8	13	3
185	Cruden,	2743	3124	57	43	100	4	8	12	22	20	42	15
186	Culsamond,	1165	896	16	12	28	1	1	2	8	6	14	6
187	Daviot,	614	597	4	7	11	1	1	2	5	7	12	3
188	Drumblade,	926	931	11	15	26	2	4	6	5	8	13	7
189	Drumoak,	996	1032	13	17	30	1	2	3	9	4	13	8
190	Dyce,	585	945	13	16	29	4	1	5	9	5	14	6
191	Echt,	1287	1259	19	17	36	6	3	9	8	4	12	9
+192	Ellon,	3239	3036	47	39	86	4	4	8	17	16	33	21

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
193	Fintray,	1003	1108	13	9	22	—	1	1	5	6	11	5
194	Forgue,	1897	1832	18	30	48	5	3	8	9	8	17	6
195	Foveran,	1891	1859	31	44	75	4	9	13	13	15	28	9
196	FRASERBURGH,	4511	5301	160	136	296	13	9	22	70	81	151	47
197	Fyvie,	3264	3306	43	51	94	5	4	9	22	15	37	18
198	Gartly,	1029	972	8	12	20	3	2	5	4	3	7	7
199	Glass,	1049	1061	14	14	28	7	1	8	4	5	9	2
200	Glenbucket,	552	570	5	5	10	1	1	2	7	3	10	—
201	Glenmuick, Tullich, and Glengairn,	c1503	c1995	21	44	65	—	6	6	10	21	31	4
202	HUNTLY,	4329	4374	57	67	124	9	15	24	34	39	73	25
203	Insch,	1565	1596	29	28	57	6	5	11	6	15	21	7
204	INVERURIE,	2668	2970	45	56	101	13	10	23	26	18	44	17
205	Keig,	811	886	9	17	26	2	3	5	3	3	6	8
206	Keithhall,	933	874	17	9	26	2	4	6	3	7	10	—
207	Kemnay,	832	1300	28	22	50	1	1	2	12	7	19	4
208	Kildrummy,	590	660	13	13	26	1	2	3	2	1	3	5
209	Kincardine O'Neil,	2186	2000	29	20	49	9	4	13	15	21	36	7
210	King-Edward— (1) King-Edward, (2) New Byth,	1050 1793	1058 2053	18 42	21 30	39 72	4 12	2 5	6 17	3 22	3 14	6 36	5 10
211	KINNELLAR,	691	601	12	6	18	1	1	2	3	5	8	6
212	Kinnethmont,	1187	1062	15	15	30	5	4	9	5	11	16	6
213	KINTORE,	1895	2158	32	43	75	6	5	11	23	15	38	12
214	Leochel-Cushnie,	1173	1232	18	18	36	1	3	4	7	7	14	7
215	Leslie,	577	532	11	5	16	2	1	3	4	6	10	3
216	Logie-Buchan,	762	808	12	8	20	2	2	4	5	6	11	1
217	Logie Coldstone and Cromar,	c1097	c1065	15	7	22	5	1	6	4	9	13	5
218	Longside,	3008	3321	57	50	107	8	13	21	24	22	46	23
219	Lonmay,	2142	2245	36	38	74	5	6	11	14	9	23	11
220	Lumphanan,	1251	1239	18	8	26	4	1	5	12	7	19	5
221	Methlic,	2157	2084	45	39	84	10	6	16	23	10	33	7
22a	Midmar,	1091	1127	15	10	25	3	1	4	7	6	13	9
22b	Millbrex,	1357	1484	26	17	43	6	1	7	9	6	15	7
223	Monquhitter,	2303	2670	50	46	96	13	12	25	15	23	38	13
224	Monymusk,	988	996	15	10	25	—	1	1	6	4	10	9
225	New Deer,	3736	4147	68	55	123	10	9	19	40	30	70	16
226	Newhills,	3463	4210	61	84	145	9	8	17	30	23	53	21
27a	New Machar,	1556	1520	26	22	48	2	3	5	10	13	23	3
27b	NEW PITSLIGO,	2609	3090	66	55	121	21	10	31	30	37	67	26
228	Old Deer,	4392	4434	66	63	129	15	10	25	24	27	51	29
229	Old Meldrum,	2343	2330	46	33	79	8	8	16	19	29	48	20
230	Oyne,	1127	1050	11	14	25	1	—	1	7	6	13	13
231	Peterculter,	1483	1668	22	26	48	2	3	5	5	6	11	9
232	PETERHEAD,	9796	11506	269	244	513	22	24	46	130	129	259	110
233	Pitsligo,	1890	2218	34	45	79	4	3	7	24	22	46	15
234	Premnay,	916	997	20	15	35	5	2	7	5	9	14	10
235	Rathen,	2554	2850	47	48	95	7	6	13	29	24	53	22
236	Rayne,	1514	1409	27	16	43	6	3	9	14	11	25	2
27a	Rhynie,	1061	1195	26	14	40	3	2	5	8	11	19	4
27b	Savoch,	2061	1961	26	36	62	5	10	15	16	8	24	9
238	Skene,	1831	1842	26	36	62	2	5	7	23	18	41	11
239	Slains,	1266	1355	20	24	44	2	4	6	9	5	14	6
240	Strathdon,	1735	1761	21	22	43	2	4	6	13	16	29	5
241	Strichen,	2409	2254	33	41	74	5	11	16	19	21	40	8
242	Tarland,	970	983	18	13	31	6	1	7	5	4	9	4
243	Tarves,	2377	2288	37	43	80	4	5	9	8	23	31	18
244	Tough,	874	760	10	8	18	—	1	1	3	3	6	2
245	Towie,	839	798	13	15	28	3	6	9	8	2	10	4
246	Tullynessle and Forbes,	957	970	19	11	30	3	—	3	14	11	25	9

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Total.	Mal.	Fem	Total.	
247	TURRIFF,	3693	4348	78	60	138	10	16	26	28	27	55	16
+248	Tyrie,	833	869	13	14	27	2	3	5	8	5	13	9
+249a	Udny,	1623	1626	33	25	58	—	3	3	13	9	22	13
*249b	Ythan Wells, . . .	1517	1494	24	22	46	8	2	10	10	14	24	8
	Total,	223417	246298	4424	4112	8536	656	575	1231	2147	2289	4436	1648
	11. KINCARDINE.												
250	Arbuthnott,	932	924	15	9	24	2	2	4	6	7	13	4
251	Banchory-Devenick—												
	(1) Banchory-Devenick,	1159	1263	17	23	40	—	1	1	13	10	23	9
	(2) Portlethen, . . .	1687	1789	23	32	55	3	6	9	11	15	26	9
252	Banchory-Ternan, . .	2947	2875	44	41	85	15	7	22	21	19	40	15
253	BENHOLM,	1574	1569	29	21	50	5	3	8	16	14	30	14
254	BERVIE,	1561	1843	31	26	57	2	3	5	19	25	44	8
255	DUNNOTTAR,	1828	2102	55	32	87	8	10	18	23	27	50	15
256	Durris,	1109	1021	18	21	39	1	3	4	6	9	15	6
257	Fettercairn,	1700	1539	23	22	45	3	3	6	9	14	23	7
258	FETTERESSO—												
	(1) FETTERESSO, . . .	3575	3585	52	50	102	11	4	15	34	34	68	23
	(2) Cookney,	1952	2080	36	30	66	7	9	16	11	27	38	13
259	Fordoun,	2297	2113	22	23	45	2	5	7	15	19	34	15
260	Garvock,	458	476	9	11	20	1	1	2	2	1	3	6
261	Glenbervie,	1219	1073	16	20	36	1	2	3	5	10	15	9
262	Kinneff and Catterline, .	1054	1062	13	18	31	1	2	3	11	10	21	7
263	Laurencekirk, . . .	2110	2174	31	24	55	1	5	6	13	19	32	15
264	Maryculter,	1055	1110	12	8	20	1	1	2	5	13	18	10
265	Marykirk,	2068	1771	20	23	43	2	3	5	16	12	28	7
266	Nigg,	2074	2348	57	48	105	7	3	10	32	33	65	12
267	St Cyrus,	1552	1585	27	27	54	3	3	6	10	12	22	15
268	Strachan,	870	795	6	13	19	4	4	8	9	7	16	5
	Total,	34781	35097	556	522	1078	80	80	160	287	337	624	224
	IV. EAST-MIDLAND.												
	12. FORFAR.												
269	Aberlemno,	1054	1007	19	11	30	—	1	1	8	7	15	3
270	Airlie,	845	778	9	14	23	—	2	2	2	4	6	7
271	Arbirlot,	960	919	13	13	26	—	1	1	6	10	16	4
*272	ARBROATH,	17831	20169	413	348	761	49	33	82	210	272	482	170
273	Auchterhouse, . . .	706	721	12	13	25	2	1	3	2	4	6	6
274	BARRY,	2465	3008	47	36	83	—	5	5	36	48	84	24
275	BRECHIN,	8810	9514	143	130	273	16	16	32	103	115	218	52
276	Carmylie,	1286	1309	18	16	34	3	1	4	11	12	23	12
277	Careston,	225	209	3	4	7	—	—	—	—	2	2	1
278	Cortachy and Clova, . .	653	554	8	9	17	—	—	—	4	5	9	3
+279	COUPAR-ANGUS, . . .	2642	2797	42	38	80	8	5	13	21	10	31	15
280	CRAIG,	2177	2402	50	41	91	5	2	7	11	12	23	23
+281	Dun,	552	565	7	7	14	1	—	1	4	3	7	2
*282	DUNDEE,												
	(1) St Peter,	91664	22,894	548	482	1030	44	38	82	246	299	545	220
	(2) St Mary,		23,582	505	511	1016	67	74	141	412	380	792	251
	(3) St Clement,		25,090	532	519	1051	55	73	128	298	297	595	258
	(4) St Andrew,		38,082	907	801	1708	71	63	134	544	559	1103	377
	(5) Lochee,		11,076	262	217	479	36	33	69	121	149	270	128
283	Dunnichen,	1932	1536	25	16	41	5	3	8	9	12	21	15
284	Eassie and Nevay, . . .	748	586	7	9	16	—	—	—	2	3	5	3
285	Edzell,	1025	976	16	13	29	—	3	3	14	9	23	6

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
286	Farnell,	703	580	8	12	20	—	2	2	6	9	15	3
287	Fearn,	439	348	6	10	16	—	—	—	2	3	5	—
288	FORFAR,	10,838	12,585	264	224	488	38	21	59	160	152	312	103
289	Glamis,	1980	1813	19	19	38	—	1	1	12	11	23	11
290	Glenisla,	1008	925	6	13	19	—	2	2	7	4	11	1
291	Guthrie,	476	404	7	8	15	—	—	—	3	2	5	3
292	Inverarity,	961	888	17	5	22	1	—	1	3	3	6	3
293	Inverkeillor,	1792	1521	24	26	50	3	2	5	15	11	26	7
294	Kettins,	962	855	18	10	28	3	2	5	7	7	14	5
295	Kingoldrum,	473	409	7	5	12	—	1	1	2	—	2	4
296	Kinnell,	816	766	13	8	21	1	1	2	2	10	12	2
297	Kinnettles,	447	405	6	3	9	1	—	1	1	3	4	1
298	Kirkden,	1862	1623	20	26	46	—	5	5	14	13	27	8
299	KIRRIEMUIR,	7359	6420	88	89	177	13	19	32	53	54	107	50
300	Lethnott and Navar,	446	318	4	2	6	—	—	—	2	4	6	3
301	Liff, Benvie, and Inver- gowrie,	1430	1357	19	17	36	1	1	2	10	17	27	3
302	Lintrathen,	898	756	13	8	21	1	1	2	7	9	16	4
303	Lochlee,	495	424	1	4	5	—	2	2	4	3	7	6
304	Logie-Pert,	1483	1251	15	15	30	1	4	5	13	6	19	11
305	Lunan,	259	248	5	2	7	1	—	1	—	2	2	2
306	Lundie,	442	400	7	12	19	—	—	—	3	4	7	2
307	Mains, etc.—(1) Mains, (2) Strathmartine,	1392 789	1927 822	39 16	46 15	85 31	4 —	4 2	8 2	18 9	13 4	31 13	10 6
308	Marytown,	417	396	7	9	16	—	2	2	3	2	5	3
309	Menmuir,	796	761	9	17	26	1	2	3	8	2	10	6
310	MONIFIETH,	5052	7252	156	121	277	7	9	16	63	68	131	44
311	Monikie,	1460	1397	19	35	54	4	4	8	16	14	30	11
312	MONTROSE,	15,668	15,783	245	204	449	22	16	38	177	178	355	136
313	Murroes,	763	751	19	11	30	2	1	3	2	5	7	4
314	Newtyle,	1139	931	16	14	30	—	3	3	7	12	19	4
315	Oathlaw,	399	452	8	3	11	—	—	—	2	3	5	1
316	PANBRIDE,	1299	1331	21	16	37	—	1	1	15	12	27	9
317	Rescobie,	747	748	10	9	19	2	1	3	4	2	6	3
318	Ruthven,	265	247	4	3	7	—	1	1	3	2	5	—
319	St Vigeans,	2553	2513	44	34	78	2	7	9	13	28	41	17
320	Stracathro,	546	503	4	6	10	1	2	3	—	1	1	1
321	Tannadice,	1438	1286	15	16	31	—	2	2	5	8	13	9
322	Tealing,	883	879	17	7	24	1	—	1	7	6	13	5
Total,		206750	240049	4802	4332	9134	472	475	947	2742	2899	5641	2081
13. PERTH.													
323	Aberdalgie,	295	342	6	3	9	—	—	—	2	1	3	2
324	Aberfeldy,	2402	2286	22	31	53	4	6	10	17	31	48	14
325	Aberfoyle,	565	432	2	3	5	—	1	1	6	2	8	1
326	Abernethy,	1960	1744	28	23	51	2	2	4	19	19	38	8
327	Abernyste,	310	253	5	2	7	—	—	—	3	2	5	—
328a	ALYTH,	3198	3151	51	52	103	8	11	19	27	45	72	26
328b	Ardoch,	1418	1316	21	17	38	1	3	4	7	8	15	10
329	AUCHTERARDER,	4208	3795	60	28	88	12	4	16	39	34	73	27
330	Auchtergaven,	2562	2141	24	20	44	4	1	5	24	25	49	17
331	Balquhiddel,	746	743	10	11	21	—	—	—	13	7	20	1
332	Bendochy,	549	474	8	10	18	—	1	1	2	6	8	3
333	Blackford,	2041	1836	27	30	57	5	4	9	18	12	30	7
334	Blair-Athol,	1553	1718	27	20	47	—	—	—	13	12	25	11
335	BLAIRGOWRIE,	4423	4832	71	75	146	7	8	15	52	59	111	39
336	Callander,	1676	1870	22	15	37	2	—	2	26	18	44	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
+337	Caputh,	1728	1571	13	19	32	—	1	1	15	13	28	11
338	Cargill,	1647	1411	22	13	35	1	1	2	14	10	24	10
339	Clunie,	699	603	7	8	15	—	—	—	5	7	12	3
340	Collace,	534	456	3	4	7	—	—	—	1	4	5	3
+341	Comrie,	2226	1911	17	20	37	3	1	4	20	18	38	8
342	CRIEFF,	4490	4598	68	50	118	7	4	11	48	53	101	25
343	CULROSS,	1423	1354	12	21	33	1	—	1	9	10	19	9
*344	Dowally,	486	461	5	6	11	1	—	1	5	1	6	4
345	Dron,	376	343	8	3	11	1	1	2	4	1	5	5
+346	Dull,	753	677	4	12	16	—	2	2	5	8	13	2
347	Dunbarney,	1035	913	10	10	20	1	1	2	5	7	12	1
*348	Dunblane,	2528	2765	53	50	103	6	8	14	40	43	83	16
*349	Dunkeld,	1086	881	12	10	22	1	—	1	8	10	18	5
350	Dunning,	2084	1832	16	32	48	3	4	7	18	13	31	10
351	Errol,	2759	2504	49	40	89	4	2	6	20	23	43	17
352	Findo-Gask,	399	369	8	3	11	1	—	1	2	6	8	5
353	Forgandenny,	739	632	9	11	20	—	—	—	5	10	15	2
354	Forteviot,	595	567	7	8	15	1	—	1	4	6	10	3
*355a	Forthingall,												
	(1) Innerwick in Glenlyon	1244	c621	6	6	12	—	2	2	3	4	7	2
	(2) Forthingall,		c393	6	7	13	—	—	—	4	5	9	4
*355b	Foss,	381	270	6	—	6	1	—	1	2	1	3	1
356	Fowlis-Easter,	317	291	4	10	14	—	3	3	3	—	3	2
+357	Fowlis-Wester,	1276	1028	11	12	23	1	—	1	8	7	15	7
358	Glendevon,	138	105	—	1	1	—	—	—	—	1	1	1
359	Inchtute,	659	659	11	17	28	—	3	3	3	10	13	4
*360	Kenmore,	1515	1215	18	16	34	1	1	2	17	12	29	6
*361	Killin,	1681	1977	10	14	24	—	—	—	10	9	19	5
362	Kilmadock,	3312	3170	47	29	76	3	6	9	28	37	65	20
363	Kilspindie,	665	679	12	9	21	4	1	5	7	8	15	9
364	Kincardine,	1778	1484	15	16	31	3	1	4	12	17	29	15
365	Kinclaven,	758	607	9	10	19	1	1	2	7	7	14	3
366	Kinfauns,	657	578	4	8	12	—	—	—	4	6	10	3
*367	Kinloch-Rannoch,	1147	921	12	9	21	2	—	2	4	9	13	1
368	Kinnaird,	318	299	3	4	7	—	—	—	—	1	1	2
369	Kinnoul,	796	723	7	14	21	—	2	2	7	8	15	4
+370	Kirkmichael—												
	(1) Kirkmichael,	812	657	9	5	14	1	1	2	7	5	12	3
	(2) Glenshee,	334	241	3	1	4	—	—	—	3	1	4	—
371	LECROFT,	538	535	10	8	18	1	—	1	5	3	8	1
+372	Lethendy, etc.—												
	(1) Lethendy,	235	179	2	—	2	—	—	—	1	—	1	4
	(2) Kinloch,	295	251	3	4	7	—	—	—	—	3	3	2
+373	Little Dunkeld,	2089	2352	31	20	51	—	1	1	24	26	50	11
374	LOGIE,	3483	4553	57	58	115	6	4	10	46	59	105	19
*375	Logiealmond,	815	646	6	5	11	—	—	—	4	4	8	2
+376	Logierait,	1902	1739	26	17	43	4	3	7	29	24	53	6
377	Longforgan,	1823	1753	31	32	63	1	1	2	10	14	24	3
378	Madderty,	536	523	5	9	14	1	—	1	5	6	11	3
379	Meigle,	1122	1003	16	16	32	—	1	1	7	12	19	7
380	Methven,	2290	2073	19	26	45	1	2	3	29	19	48	13
381	Moneydie,	252	244	6	6	12	1	1	2	2	1	3	1
+382	Monzie,	461	413	6	—	6	1	—	1	2	1	3	1
383	Monzievaird,	782	744	15	6	21	2	1	3	2	9	11	3
+384	Moulin,	1605	1561	15	10	25	—	1	1	12	16	28	8
385	MUCKHART,	615	612	10	9	19	—	—	—	6	4	10	4
*386a	Muthill,	2001	1916	18	17	35	3	3	6	13	10	23	12
*386b	Persie,	839	820	10	15	25	—	2	2	10	3	13	4
*387	PERTH,	26094	26382	441	425	866	40	44	84	315	320	635	211
388	Port of Menteith,	1375	1243	16	15	31	3	—	3	14	10	24	4

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
889	RATTRAY,	2234	2586	33	37	70	4	5	9	23	31	54	10
890	Redgorton,	1596	1401	21	13	34	1	1	2	6	19	25	7
891	Rhynd,	297	327	—	1	1	—	—	—	1	1	2	2
892	St Madoes,	280	290	5	5	10	—	1	1	2	3	5	2
893	St Martins,	904	735	12	6	18	1	2	3	3	12	15	3
894a	Scone,	2153	2185	25	33	58	3	3	6	20	23	43	17
894b	Strathfillan,	411	342	5	4	9	—	1	1	4	3	7	—
894c	Tenandry,	595	530	4	4	8	—	—	—	5	5	10	2
895	Tibbermore,	1182	1128	16	21	37	—	—	—	6	7	13	7
896	Trinity-Gask,	488	415	3	6	9	—	—	—	3	2	5	1
897	Tulliallan,	2410	2184	35	34	69	4	1	5	18	23	41	13
898	Weem,	215	186	3	2	5	—	—	—	1	2	3	—
	Total,	133198	128550	1805	1712	3517	170	165	335	1253	1347	2600	788
	14. FIFE.												
899	Abbotshall (merged in 442),												
400	ABDIE,	1257	1057	14	9	23	1	—	1	6	8	14	6
401	Aberdour,	1874	1697	32	34	66	2	2	4	22	31	53	15
402	ANSTRUTHER-EASTER,	1155	1239	26	18	44	2	2	4	11	11	22	6
403	ANSTRUTHER-WESTER,	421	545	5	13	18	2	—	2	8	5	13	1
404	Arngask,	705	565	6	7	13	—	1	1	6	6	12	3
405	AUCHTERDERRAN,	3457	4017	112	98	210	7	7	14	44	42	86	18
406	AUCHTERMUCHTY,	3285	2958	33	33	66	4	6	10	28	34	62	8
407	Auchtertool,	609	529	13	7	20	1	1	2	6	5	11	2
408	BALLINGRY,	736	982	34	46	80	4	2	6	5	10	15	8
409	Balmerino,	815	717	11	9	20	1	—	1	11	6	17	5
410	Beath,	2390	3534	110	120	230	4	13	17	54	49	103	26
411	BURNTISLAND,	3670	3872	66	82	148	7	3	10	35	36	71	30
412	Cameron,	1362	1158	9	13	22	2	2	4	7	5	12	10
413	Carnbee,	1157	1088	20	17	37	5	—	5	4	11	15	11
414	Carnock,	2925	1764	21	20	41	1	1	2	9	17	26	10
415	Ceres,	2723	2381	31	30	61	3	2	5	26	24	50	12
416	Collessie,	1530	1703	25	23	48	3	3	6	16	21	37	13
417	CRAIL,	1931	1864	22	31	53	1	2	3	18	31	49	11
418	Creich,	377	387	3	9	12	—	—	—	2	5	7	2
419	Cults,	800	767	8	14	22	—	3	3	11	9	20	8
420	CUPAR,	6750	7102	95	110	205	11	14	25	72	76	148	35
421	Dairsie,	638	687	10	7	17	2	1	3	6	8	14	5
422	Dalgetty	1569	1310	32	29	61	1	2	3	17	14	31	8
423	Dunbog,	414	395	10	11	21	2	—	2	2	3	5	4
424	DUNFERMLINE—												
	(1) Burgh,	13,506	14,963	343	333	676	28	24	52	181	161	342	158
	(2) Landward,	7609	8293	143	129	272	8	6	14	85	104	189	48
425	Dunino,	370	325	3	2	5	—	2	2	—	1	1	2
426	DYSART,	8842	9682	193	195	388	14	9	23	100	115	215	82
427	ELIE,	826	775	11	12	23	—	—	—	7	14	21	6
428	FALKLAND,	2937	3069	41	38	79	7	11	18	21	35	56	15
429	FERRY PORT-ON-CRAIG,	2013	2674	55	44	99	6	9	15	18	23	41	19
430	Flisk,	230	212	3	1	4	1	—	1	2	1	3	—
431	Forgan,	1326	2243	29	34	63	—	—	—	12	14	26	11
432	INVERKEITHING,	3196	3131	65	62	127	7	7	14	42	39	81	27
433	Kemback,	896	1056	16	10	26	3	—	3	9	7	16	4
434	Kennoway,	2012	1703	32	20	52	3	2	5	19	22	41	8
435	Kettle,	2474	2323	26	20	46	4	5	9	17	21	38	13
436	KILCONQUHAR,	2431	2018	33	26	59	2	2	4	14	28	42	5
437	Kilmany,	656	651	12	5	17	2	—	2	3	3	6	2
438	KILRENNY,	2534	2945	53	51	104	3	1	4	39	29	68	11

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
+439	KINGHORN, . . .	2349	2602	51	41	92	6	5	11	28	35	63	18
440	KINGLASSIE, . . .	1266	1082	25	20	45	2	1	3	11	9	20	11
441	Kingsbarns, . . .	937	922	12	16	28	—	1	1	7	9	16	9
*442	KIRKCALDY & Abbots- hall,	11925	13509	263	252	515	20	19	39	134	161	295	120
443	Largo,	2626	2318	44	27	71	3	2	5	25	22	47	13
444	LESLIE,	4332	4294	68	62	130	10	8	18	33	58	91	29
445	Leuchars,	1903	1727	35	26	61	6	2	8	20	11	31	12
446	Logie,	410	402	4	3	7	—	—	—	2	3	5	3
447	Markinch,	5375	5413	102	80	182	2	7	9	66	62	128	41
448	Monimail,	1054	918	8	8	16	—	2	2	4	5	9	4
449	Moonzie,	179	154	3	—	3	—	—	—	2	2	4	—
450	NEWBURGH,	2693	2529	29	37	66	4	—	4	15	25	40	13
451	Newburn,	374	362	5	9	14	—	3	3	1	7	8	3
452	PITTENWEEM,	1710	1803	32	41	73	3	—	3	23	27	50	6
453	ST ANDREWS and St Leonards,	7605	8592	101	103	204	8	10	18	81	88	169	57
454	St Monance (or Aber- crombie),	1498	1761	32	30	62	3	3	6	21	16	37	18
455	Saline,	1610	1259	16	20	36	—	—	—	8	13	21	9
456	SCOONIE,	3257	3178	60	49	109	4	3	7	35	41	76	26
457	Strathmiglo,	2261	2267	32	24	56	1	3	4	14	32	46	12
458	Torryburn,	1229	1051	16	14	30	2	1	3	10	12	22	11
459	WEMYSS—(1) WEMYSS, . . . (2) Buckhaven,	6003	{ c.2492 c.3908	40 70	54 107	94 177	2 3	4 5	6 8	27 51	30 52	57 103	17 27
Total,		155021	160924	2854	2795	5649	233	224	457	1613	1804	3417	1127
15. KINROSS.													
460	Cleish,	649	539	9	9	18	1	1	2	5	4	9	2
461	Fossway and Tulliebole,	1584	1461	17	20	37	1	2	3	12	12	24	11
462	KINROSS,	2649	2477	28	36	64	3	4	7	26	25	51	13
463	Orwell,	2399	2248	27	20	47	3	—	3	27	26	53	13
464	Portmoak,	1450	1193	14	11	25	1	—	1	12	7	19	5
Total,		8731	7918	95	96	191	9	7	16	82	74	156	44
16. CLACKMANNAN.													
465	ALLOA,	8867	9940	219	197	416	18	6	24	118	125	243	88
466	CLACKMANNAN,	4425	4653	93	91	184	11	3	14	38	56	94	33
467	DOLLAR,	1776	2524	37	24	61	6	—	6	19	20	39	16
468	TILlicOUNTRY,	5054	5118	99	94	193	7	10	17	52	52	104	37
Total,		20122	22235	448	406	854	42	19	61	227	253	480	174
V. WEST-MIDLAND.													
17. STIRLING.													
469	Airth,	1194	1396	40	27	67	4	1	5	11	19	30	10
470	ALVA,	3283	4296	113	102	215	9	8	17	65	68	133	27
471	Baldernock,	718	616	7	6	13	1	1	2	4	6	10	4
472	Balfroun,	1517	1502	11	12	23	1	1	2	14	14	28	8
+473	Bothkennar,	c.1210	1726	38	48	86	2	4	6	11	19	30	14
474	Buchanan,	705	591	5	9	14	—	1	1	—	7	7	1
475	CAMPSIE,	6483	6739	108	116	224	7	10	17	66	84	150	46
476	DENNY,	4988	4993	109	100	209	7	4	11	51	65	116	24
477	Drymen,	1619	1405	13	19	32	3	2	5	10	10	20	6
478	DUNIPACE,	1731	1733	31	27	58	4	1	5	18	20	38	7

REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
79 FALKIRK—(1) Burgh, (2) Landward,	9030 c.6320	9547 6726	209 140	187 146	396 286	18 5	10 9	28 14	130 71	158 78	288 149	102 62
80 Fintry,	685	499	—	3	3	—	—	—	7	9	16	5
81 Gargunnoch,	728	675	7	12	19	1	2	3	3	5	8	2
82 GRANGEMOUTH,	c.2249	2569	45	61	106	—	—	—	27	31	58	18
83 Killearn,	1171	1111	18	16	34	1	—	1	4	14	18	4
84 KILSYTH,	6112	6313	160	167	327	9	11	20	90	83	173	55
85 Kippen,	1722	1568	22	17	39	4	3	7	12	12	24	11
86 Larbert,	4999	5280	109	108	217	10	15	25	92	83	175	40
87 Muiravonside,	2660	2653	74	58	132	7	1	8	42	28	70	18
88 Polmont,	c.4050	3848	93	86	179	6	7	13	46	49	95	43
ST NINIAN—												
(1) ST NINIAN,	4693	5289	96	82	178	11	8	19	60	50	110	44
(2) BANNOCKBURN,	3796	4358	77	84	161	1	3	4	50	42	92	27
89 Slamannan,	2916	4164	153	129	282	11	4	15	71	53	124	31
90 STIRLING,	12171	12513	211	188	399	14	15	29	181	175	356	119
91 Strathblane,	1388	1235	19	27	46	2	2	4	15	17	32	10
Total,	88138	93345	1908	1837	3745	138	123	261	1151	1199	2350	738
18. DUMBARTON.												
92 Arrochar,	629	525	3	3	6	—	—	—	1	7	8	2
93 BONHILL,	9059	9593	194	168	362	17	16	33	143	147	290	89
94 CARDROSS,	4168	4405	83	69	152	3	8	11	57	59	116	31
95 Cumbernauld,	3513	3602	97	76	173	7	4	11	49	39	88	30
96 DUMBARTON,	8268	11423	287	266	553	13	10	23	168	171	339	78
97 Kilmaronock,	1085	978	10	9	19	—	—	—	12	8	20	3
98 KIRKINTILLOCH,	8179	8257	197	178	375	12	7	19	105	119	224	60
99 Luss,	831	730	6	6	12	1	—	1	8	7	15	5
100 NEW or EAST KILPATRICK,	4910	6038	150	121	271	9	4	13	84	70	154	49
101 Old or West Kilpatrick,	5577	5346	156	120	276	6	4	10	86	74	160	45
102 Roseneath,	1626	1780	17	25	42	—	—	—	14	6	20	4
103 Row,	6334	8439	99	92	191	7	4	11	94	110	204	55
Total,	54179	61116	1299	1133	2432	75	57	132	821	817	1638	451
19. ARGYLL.												
Mainland.												
104 Ardchattan,	1381	1172	16	12	28	1	—	1	8	13	21	1
105 Ardnamurchan—												
(1) Aharacle,	1544	1414	20	26	46	—	3	3	16	16	32	3
(2) Arisaig,	1343	1131	13	19	32	—	1	1	15	12	27	4
(3) Sunart (or Strontian),	759	760	7	8	15	—	—	—	5	3	8	1
(4) Western Ardnamurchan,	1054	954	11	8	19	2	1	3	11	6	17	1
106 Ballachulish and Corran of Ardgour,	919	849	7	14	21	1	4	5	11	5	16	3
107 CAMPBELTOWN,	8149	8580	144	138	282	10	13	23	99	92	191	56
108 Craignish,	618	481	7	7	14	—	—	—	5	7	12	1
109 Cumlodden and Minard,	c.1340	c.1133	23	15	38	1	1	2	14	18	32	7
110 DUNOON and KILMUN,	5461	6871	101	88	189	6	5	11	85	73	158	36
111 Glassary,	c.1462	c.1228	20	16	36	3	1	4	8	11	19	10
112 Glenorchy,	869	752	3	11	14	—	—	—	2	11	13	3
113 INVERARAY,	1650	1503	12	12	24	2	—	2	13	21	34	6
114 Inverchaolain,	424	443	6	8	14	—	—	—	4	2	6	—
115 Kilbrandon & Kilchattan,	2053	2107	27	21	48	2	3	5	20	24	44	4
116 Kilcalmonell, etc.—												
(1) Kilcalmonell,	742	684	9	10	19	—	—	—	8	8	16	1
(2) Kilberry,	583	485	5	6	11	—	1	1	5	6	11	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
*517	Kilchrenan, etc.— (1) Kilchrenan,	587	896	6	6	12	1	2	3	3	8	11	4
	(2) Dalavich,	230	217	2	3	5	—	1	1	—	2	2	1
518	Kilfinan,	1891	2228	30	34	64	1	2	3	25	22	47	15
519	Killean and Kilchenzie,	1890	1614	22	13	35	1	1	2	12	9	21	7
+520	Kilmalie,	3353	3217	34	33	67	2	2	4	46	47	93	17
521	Kilmartin,	949	869	8	7	15	2	—	2	6	8	14	3
522	Kilmodan,	433	358	3	6	9	—	—	—	2	3	5	—
523	KILMORE AND KILBRIDE,	2962	3402	46	39	85	3	1	4	38	50	88	22
524	Kilninver, etc.— (1) Kilninver,	314	253	4	3	7	—	—	—	—	3	3	—
	(2) Kilmelford,	486	506	4	2	6	—	—	—	—	4	4	—
525	Lismore, etc.— (1) Lismore,	1023	908	8	6	14	—	1	1	5	6	11	1
	(2) Appin,	825	728	12	6	18	—	—	—	6	6	12	—
	(3) Glencoe & Ballachu- lish,	1324	1529	16	19	35	1	—	1	19	11	30	11
	(4) Duror,	423	370	3	6	9	—	—	—	—	5	5	5
*526	Lochgilphead,	3312	3680	45	35	80	1	4	5	54	43	97	15
527	Lochgoilhead, etc.— (1) Lochgoilhead,	418	436	5	1	6	—	—	—	7	4	11	3
	(2) Kilmorich,	284	330	3	2	5	—	1	1	3	—	3	1
528	Morvern,	1226	973	15	10	25	1	—	1	5	6	11	4
*529	Muckairn,	965	790	3	7	10	—	2	2	6	8	14	3
530	North Knapdale,	1327	1059	6	11	17	—	1	1	12	9	21	3
531	Saddell, etc.— (1) Saddell,	739	645	9	10	19	—	1	1	4	5	9	2
	(2) Skipness,	533	500	6	2	8	1	—	1	5	1	6	—
532	Southend,	1214	1044	10	17	27	2	—	2	7	7	14	7
+533	South Knapdale,	654	548	1	7	8	—	—	—	2	3	5	2
534	Stralachlan, etc.— (1) Stralachlan,	309	340	4	3	7	—	—	—	2	1	3	2
	(2) Strachur,	563	527	5	7	12	—	—	—	3	1	4	3
*535	Tarbert,	1661	1866	30	24	54	4	—	4	21	18	39	9
	<i>Insular.</i>												
*536	Bowmore (or Kilarrow),	2701	2088	24	19	43	2	2	4	16	27	43	13
537	Gigha,	467	390	4	3	7	1	—	1	7	5	12	—
538	Iona (merged in 542),												
+539	Jura, etc.—(1) Jura,	858	775	6	8	14	1	—	1	7	9	16	2
	(2) Colonsay,	598	456	6	5	11	—	—	—	1	2	3	3
+540	Kilchoman,	2377	1882	26	19	45	4	7	11	24	21	45	4
541	Kildalton and Oa,	2956	2283	37	31	68	9	2	11	27	24	51	7
*542	Kilfinichen & Kilvickeon,	2535	2461	28	18	46	5	1	6	24	28	52	10
*543	Kilmeny,	1268	924	13	3	16	1	1	2	13	3	16	—
+544	Kilninian and Kilmore,	1641	1189	6	9	15	1	1	2	5	8	13	8
*545	Kinlochspelve,	428	388	4	5	9	—	—	—	5	3	8	—
*546	Oa (merged in 541),												
*547	Portnahaven,	1059	979	12	16	28	—	—	—	10	8	18	7
*548	Salen,	604	605	7	5	12	—	1	1	2	3	5	2
*549	Tobermory,	1566	1344	15	11	26	—	1	1	15	17	32	1
+550	Torosay,	557	454	3	3	6	—	—	—	6	4	10	2
551	Tyree, etc.—(1) Tyree,	3217	2837	35	30	65	3	1	4	23	15	38	15
	(2) Coll,	781	723	9	7	16	—	1	1	1	6	7	5
	Total,	83859	79661	1006	930	1936	75	70	145	808	801	1609	358

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	20. BUTE.												
552	Cumbræ,	1236	1613	33	27	60	—	—	—	23	17	40	9
553	Kilbride—(1) Brodick,	902	928	9	7	16	1	—	1	7	11	18	1
	(2) Kilbride,	1351	1276	7	10	17	1	1	2	12	16	28	4
554	Kilmory,	2515	2278	27	15	42	3	2	5	30	21	51	11
555	Kingarth,	905	901	14	15	29	1	1	2	9	7	16	—
556	Lochranza,	824	777	4	6	10	—	—	—	8	9	17	4
557	North Bute,	1351	1393	10	18	28	—	3	3	8	17	25	5
558	ROTHESAY,	7227	7800	102	117	219	6	9	15	124	125	249	60
	Total,	16311	16966	206	215	421	12	16	28	221	223	444	94
	VI. SOUTH-WESTERN.												
	21. RENFREW.												
559	ABBEY—												
	(1) Part of PAISLEY,	15889	16348	295	269	564	21	20	41	219	214	433	163
	(2) LANDWARD,	5670	5679	124	97	221	8	7	15	56	71	127	25
	(3) JOHNSTONE,	8142	8590	170	179	349	15	9	24	136	138	274	89
	CATHCART,	3782	7231	168	161	329	5	9	14	89	103	192	76
560	Eaglesham,	2328	1714	23	26	49	1	1	2	13	31	44	18
561	EASTWOOD,	11314	13098	224	217	441	12	17	29	174	179	353	126
562	Erskine,	1457	1565	26	10	36	—	—	—	19	4	23	6
563	GREENOCK—												
564	(1) New, or Middle,	9446	9592	194	172	366	13	12	25	175	175	350	28
	(2) East,	12135	17061	454	430	884	26	19	45	249	292	541	152
	(3) Old, or West,	22313	33141	777	734	1511	39	46	85	661	628	1289	388
	Houstoun and Killellan,	2490	2167	47	40	87	8	4	12	21	25	46	8
565	Inchinnan,	619	584	8	4	12	—	—	—	7	5	12	2
566	INVERKIP—												
567	(1) Inverkip,	1188	1393	19	25	44	—	1	1	16	15	31	7
	(2) GOUROCK,	2307	3109	43	42	85	3	4	7	47	48	95	16
	KILBARCHAN,	6348	6093	117	113	230	7	9	16	91	71	162	52
568	Kilmalcolm,	1455	1716	29	28	57	2	—	2	24	19	43	11
569	Lochwinnoch,	3821	3816	51	55	106	6	5	11	45	28	73	18
570	MEARNS,	3547	3543	66	57	123	5	4	9	60	47	107	18
571	NEILSTON—												
572	(1) Neilston,	4577	4633	79	71	150	8	14	22	41	71	112	42
	(2) BARRHEAD,	6436	6503	115	106	221	6	12	18	68	88	156	35
573	PAISLEY,	31538	31909	630	598	1228	40	56	96	447	484	931	301
574	PORT-GLASGOW,	7294	9912	278	228	506	16	12	28	146	161	307	92
575	RENFREW,	4650	5908	135	126	261	8	4	12	66	73	139	48
	Total,	168746	195305	4072	3788	7860	249	265	514	2870	2970	5840	1721
	22 AYR.												
576	ARDROSSAN—												
	(1) OLD ARDROSSAN,	3530	3336	58	75	133	3	3	6	39	51	90	41
	(2) NEW ARDROSSAN,	3246	3929	85	99	184	3	3	6	50	45	95	20
577	AUCHINLECK,	4213	6174	150	142	292	11	15	26	81	69	150	35
578	AYR,	19659	19172	348	341	689	37	34	71	259	240	499	161
579	Ballantrae,	1483	1277	22	18	40	1	1	2	11	14	25	7
580	Barr,	910	672	13	7	20	1	—	1	8	8	16	3
581	BEITH,	5775	6233	113	108	221	6	10	16	57	65	122	46
582	Colmonell—(1) Colmonell,	2588	1167	14	19	33	—	2	2	11	9	20	11
	(2) Barrhill,		1126	16	15	31	4	1	5	10	10	20	4
583	Coylton,	1604	1440	30	47	77	2	4	6	21	19	40	16
584	Craigie,	730	618	3	5	8	—	—	—	5	5	10	6
585	Dailly,	2050	1932	48	42	90	5	4	9	18	10	28	15
586	Dalmellington,	4194	6165	156	144	300	9	5	14	115	86	201	37
587	DALRY,	11156	10885	182	200	382	10	10	20	123	115	238	62

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
588	Dalrymple,	1325	1412	32	25	57	2	4	6	11	16	27	5
589	Dreghorn,	3283	3241	84	97	181	3	5	8	39	39	78	23
+590	DUNDONALD—												
	(1) Dundonald, . . .	2095	1507	20	26	46	1	5	6	15	15	30	10
	(2) TROON,	2599	2870	39	62	101	3	6	9	20	32	52	21
591	Dunlop,	1038	1160	25	18	43	2	—	2	22	10	32	7
592	Fenwick,	1532	1318	20	11	31	1	1	2	18	14	32	3
593	GALSTON,	5254	6331	151	157	308	8	12	20	67	69	136	51
594	GIRVAN,	7053	5685	89	79	168	14	9	23	58	56	114	38
*595	IRVINE,	8607	8462	219	186	405	11	14	25	171	163	334	89
596	KILBIRNIE,	5265	4953	104	111	215	7	6	13	53	56	109	46
597	KILMARNOCK, . . .	23556	24072	507	507	1014	36	25	61	399	371	770	220
598	Kilmaurs,	3526	3449	88	91	179	6	8	14	43	59	102	39
599	KILWINNING, . . .	7717	7375	186	149	335	14	8	22	119	102	221	60
600	Kirkmichael, . . .	2823	2254	36	22	58	5	6	11	26	17	43	20
601	Kirkoswald,	2060	1846	17	23	40	1	3	4	15	8	23	7
602	LARGS,	3620	4087	70	73	143	8	3	11	58	57	115	27
603	LOUDOUN,	4840	5525	121	119	240	12	8	20	54	59	113	42
604	Mauchline,	2303	2435	37	31	68	4	1	5	14	23	37	16
605	MAYBOLE,	6713	5900	116	74	190	20	15	35	48	53	101	49
606	Monkton and Prestwick,	1937	1744	26	30	56	3	4	7	22	22	44	15
607	MUIRKIRK,	3270	3253	93	91	184	7	9	16	57	42	99	23
608	New Cumnock, . . .	2891	3434	116	105	221	10	8	18	48	29	77	21
609	Ochiltree,	1676	1656	23	19	42	2	2	4	16	13	29	13
610	OLD CUMNOCK, . . .	3721	4041	74	94	168	4	7	11	39	37	76	30
611	RICCARTON,	5629	5845	147	133	280	3	9	12	61	59	120	53
*612	St Quivox and Newton-upon-Ayr,	1870	1363	35	27	62	6	4	10	16	21	37	18
613	SORN,	4042	4032	92	76	168	12	7	19	29	52	81	25
614	Stair,	743	734	22	24	46	2	2	4	10	12	22	6
615	STEVENSTON,	5452	5019	122	114	236	9	4	13	60	62	122	33
616	STEWARTON,	4449	4478	94	65	159	7	5	12	58	63	121	29
617	Straiton,	1544	1443	27	25	52	2	2	4	11	20	31	14
618	Symington,	855	792	14	16	30	1	2	3	9	2	11	3
619	Tarbolton,	2669	3219	87	59	146	7	2	9	42	32	74	25
620	West Kilbride, . . .	1988	1847	35	26	61	3	2	5	19	20	39	13
Total,		199083	200908	4206	4027	8233	328	300	628	2555	2451	5006	1558
23 LANARK.													
621	AVONDALE,	6125	5460	89	72	161	6	7	13	68	57	125	51
+622	BARONY,—												
	(1) MARYHILL, . . .	c.4356	6659	235	239	474	5	4	9	140	126	266	100
	(2) SHETTLESTONE, .	6914	7517	204	171	375	8	6	14	115	81	196	71
623	Biggar,	1999	2013	35	31	66	8	5	13	23	28	51	11
624	Blantyre,	3092	3472	137	125	262	5	6	11	71	60	131	40
625	BOTHWELL—												
	(1) BOTHWELL, . . .	7059	9193	244	218	462	18	6	24	168	145	313	58
	(2) HOLYTOWN, . . .	10844	10099	253	242	495	9	8	17	144	121	265	92
626a	Cadder—(1) Western, .	3023	3261	83	68	151	3	3	6	48	55	103	23
	(2) Eastern,	2925	3203	88	72	160	4	7	11	46	41	87	20
*626b	Calderhead,	4034	4271	92	96	188	7	—	7	51	36	87	32
627	CAMBUSLANG,	3647	3740	134	103	237	6	2	8	74	58	132	33
+628	CAMBUSNETHAN, . . .	13118	18709	512	503	1015	32	26	58	258	212	470	144
629	CARLUKE,	6176	7066	209	160	369	13	11	24	82	79	161	69
630	Carmichael,	836	708	6	16	22	—	4	4	6	8	14	5
631	Carmunnock,	734	702	15	11	26	—	1	1	11	9	20	7
632	Carnwath,	3584	5709	116	169	285	19	16	35	44	57	101	54
633	Carstairs,	1345	1718	32	31	63	3	1	4	25	23	48	11

REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
4 Covington and Thankerton,	532	454	6	5	11	1	1	2	2	3	5	7
5 Crawford,—(1) Crawford,	694	727	14	15	29	1	—	1	5	4	9	6
(2) Leadhills,	896	1102	19	17	36	1	1	2	16	8	24	7
6 Crawfordjohn,	980	853	17	8	25	—	—	—	7	4	11	8
7 Culter,	665	593	6	8	14	1	2	3	6	1	7	1
8 DALSERF—												
(1) LARKHALL,	3629	5332	150	149	299	10	7	17	65	58	123	43
(2) Dalserf,	1247	2009	72	57	129	1	3	4	24	20	44	16
9 DALZIEL,	5438	9175	315	274	589	11	14	25	178	117	295	71
0 Dolphinton,	260	231	3	4	7	—	—	—	1	2	3	1
1 Douglas,	2490	2624	45	45	90	5	3	8	24	26	50	17
2 Dunsyre,	312	302	3	2	5	1	—	1	4	—	4	1
3 EAST KILBRIDE,	4064	3861	65	60	125	4	4	8	41	37	78	26
4 GLASGOW—												
(1) Bridgeton,	c.31154	894	843	1737	57	60	117	615	619	1234	255	
(2) Camlachie,	c.32676	864	793	1657	82	51	133	533	571	1104	192	
(3) Dennistoun,	c.31024	804	776	1580	38	44	82	940	715	1655	648	
Do. (Landward),	c. 3298	68	66	134	19	21	40	169	173	342	17	
(4) Calton,	c.43654	776	737	1513	52	62	114	522	572	1094	374	
(5) Blackfriars,	c.54602	957	911	1868	185	204	389	719	724	1443	249	
(6) St Rollox,	c 38383	907	904	1811	67	81	148	813	871	1684	419	
Do. (Landward),	c. 239	5	4	9	—	—	—	1	3	4	3	
(7) Blythswood,	c.44310	566	609	1175	73	59	132	482	485	967	488	
(8) Milton,	c.38223	899	865	1764	67	73	140	579	593	1172	311	
(9) Kelvin,	c.32516	755	743	1498	34	31	65	430	476	906	651	
(10) Anderston,	c.40178	815	787	1602	55	40	95	530	519	1049	287	
(11) Hutchesontown,	c.29717	963	862	1825	50	55	105	524	547	1071	247	
Do. (Landward),	c. 1008	69	77	146	3	3	6	31	34	65	16	
(12) Gorbals,	c.43212	746	706	1452	70	62	132	482	557	1039	653	
Do. (Landward),	c. 1565	97	81	178	5	2	7	39	42	81	18	
(13) Tradeston,	c.22340	397	398	795	30	25	55	323	307	630	123	
Do. (Landward),	c. 1411	31	34	65	1	1	2	19	16	35	5	
(14) Kinning Park,	c. 9857	281	267	548	18	21	39	157	179	336	64	
Do. (Landward) / 07320	c. 8953	311	305	616	20	15	35	181	197	378	121	
5 Glassford,	1938	1430	29	31	60	2	1	3	15	11	26	20
5 GOVAN—												
(1) GOVAN CHURCH,	c10646	19899	971	984	1955	51	47	98	619	618	1237	319
(2) PARTICK,	c14809	c23837	640	573	1213	25	20	45	383	361	744	244
7 HAMILTON,	14047	16803	371	387	758	28	24	52	226	202	428	154
8 LANARK,	7891	7841	110	116	226	9	15	24	96	117	213	56
9 Lesmahagow,	9266	8709	222	184	406	14	19	33	81	102	183	84
Libberton,	836	691	6	8	14	1	2	3	—	6	6	5
NEW MONKLAND—												
(1) AIRDRIE,	12922	13488	317	288	605	13	10	23	168	165	333	124
(2) Landward,	7632	9264	299	282	581	15	16	31	155	143	298	83
2 OLD MONKLAND—												
(1) WESTERN,	6932	7873	208	180	388	8	11	19	119	112	231	45
(2) MIDDLE,	15303	18410	451	405	856	19	15	34	291	226	517	156
(3) EASTERN,	7308	7790	171	174	345	11	6	17	107	98	205	68
Pettinain,	407	366	7	1	8	2	—	2	8	1	9	—
RUTHERGLEN,	9335	10766	241	220	461	7	8	15	147	129	276	101
Shotts,	4792	5699	181	168	349	10	11	21	83	70	153	37
STONEHOUSE,	3267	3177	76	59	135	8	3	11	21	36	57	22
Symington,	528	442	4	7	11	—	1	1	2	7	9	6
Walston,	480	425	10	5	15	1	1	2	8	1	9	2
Wandell and Lamington,	380	332	4	9	13	—	1	1	—	2	2	3
Wiston and Robertson,	786	680	12	7	19	3	1	4	6	5	11	3
Total,	640444	787005	18734	17827	36561	1335	1270	2605	12371	12088	24459	7698

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Mal.	Fem.	Total.	
	VII. SOUTH-EASTERN.												
	24. LINLITHGOW.												
661	Abercorn,	965	933	9	13	22	—	2	2	7	10	17	10
662	BATHGATE—												
	(1) BATHGATE,	6572	6942	141	111	252	12	10	22	86	80	166	47
	(2) ARMADALE,	3562	3187	65	79	144	8	6	14	26	24	50	21
663	BORROWSTOUNNESS,	5698	4986	111	101	212	7	7	14	63	54	117	40
664	CARRIDEN,	1821	1799	44	37	81	2	6	8	22	17	39	9
+665	Dalmeny,	804	916	9	10	19	1	—	1	8	7	15	1
666	Ecclesmachan,	309	329	15	5	10	1	—	1	1	2	3	2
+667	Kirkliston,	1907	2172	41	49	90	4	4	8	31	22	53	15
668	LINLITHGOW,	5784	5554	86	75	161	12	4	16	72	54	126	45
669	Livingstone,	1366	1727	23	32	55	—	3	3	17	24	41	7
*670	QUEENSFERRY,	1391	1521	32	24	56	4	1	5	24	24	48	4
671	Torphichen,	1848	1630	26	29	55	1	4	5	13	14	27	12
672	Uphall,	1507	2772	45	38	83	3	2	5	17	20	37	13
673	WHITBURN,												
	(1) Whitburn,	5511	c2250	58	61	119	5	5	10	25	33	58	15
	(2) Fauldhouse,		c4661	105	88	193	3	6	9	29	27	56	22
	Total,	92871	41379	800	752	1552	63	60	123	441	412	853	268
	25 EDINBURGH.												
+674	Borthwick,	1569	1494	17	17	34	1	1	2	8	6	14	2
675	Carrington,	681	712	11	12	23	1	—	1	4	7	11	2
+676	Cockpen,	2113	2481	56	47	103	3	2	5	32	24	56	20
677	Colinton,	2656	3644	60	57	117	8	8	16	101	116	217	24
678	Corstorphine,	1579	1788	26	29	55	—	1	1	20	25	45	10
+679	Cramond,	2695	3020	39	50	89	3	9	12	37	19	56	24
680	Cranston,	1035	1036	9	19	28	1	2	3	4	5	9	10
681	Crichton,	1304	1223	23	16	39	5	—	5	7	7	14	6
682	Currie,	2248	2360	52	36	88	4	6	10	31	20	51	18
*683	DALKEITH,	7114	7667	119	122	241	5	12	17	88	77	165	64
684	DUDDINGSTON—												
	(1) PORTOBELLO,	4366	5481	93	87	180	1	6	7	50	70	120	54
	(2) Landward,	857	970	21	18	39	2	1	3	8	12	20	2
+685	EDINBURGH—												
	(1) St George,	39759	51590	890	872	1762	63	51	114	562	621	1183	404
	Do. (Landward),	2309	3459	51	66	117	4	12	16	135	142	277	1
	(2) St Andrew,	38731	39781	573	571	1144	40	38	78	373	487	860	39
	(3) Canongate,	30169	33183	653	659	1312	124	115	239	659	478	1137	300
	(4) St Giles,	29679	31960	538	513	1051	45	37	82	399	423	822	358
	(5) Newington,	29797	41079	756	724	1480	30	33	63	494	548	1042	580
686	Fala and Soutra,	382	364	4	7	11	1	1	2	1	4	5	4
687	Glencorse,	1217	1153	27	16	43	2	1	3	8	9	17	8
688	Heriot,	407	414	14	5	19	2	2	4	—	1	1	1
689	INVERESK,	9518	10068	171	168	339	18	14	32	106	122	228	70
+690	Kirknewton and East- Calder,	1549	2213	52	47	99	4	4	8	35	32	67	1
691	LASSWADE,	5688	7098	132	139	271	5	15	20	98	88	186	4
+692	LEITH—												
	(1) North Leith,	11562	16582	349	298	647	10	12	22	160	162	322	16
+693	(2) South Leith,	24467	29852	679	679	1358	42	47	89	360	378	738	30
694	Liberton,	3510	3791	90	75	165	5	6	11	55	45	100	3
+695	Mid-Calder,	1389	3634	24	21	45	2	2	4	20	15	35	1
696	Newbattle,	2138	2424	43	44	87	1	3	4	19	23	42	1
697	Newton,	1553	1181	24	14	38	2	1	3	12	14	26	1
698a	PENICUIK,	3249	3765	75	65	140	3	8	11	37	32	69	2
+698b	Ratho,	1659	1744	22	26	48	1	5	6	14	22	36	1

REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1861.	1871.	Males.	Fem.	T otal.	Mal.	Fem	Totl	Mal.	Fem	Total.	
Stobhill,	2364	2447	62	42	104	2	5	11	17	26	43	16
Stow,	1870	1957	28	40	68	3	5	8	15	21	36	15
Temple,	682	658	8	6	14	—	—	—	6	8	14	5
WEST-CALDER,	1927	7865	158	168	326	10	8	18	67	63	130	39
Total,	273792	328138	5949	5775	11724	457	473	930	4042	4152	8194	3092
26. HADDINGTON.												
Aberlady,	1019	1022	20	9	29	2	—	2	8	10	18	12
Athelstaneford,	902	844	11	13	24	—	—	—	7	7	14	3
Bolton,	332	364	3	2	5	—	—	—	5	1	6	3
Dirleton,	1540	1419	24	17	41	—	3	3	11	13	24	9
DUNBAR,	4944	4982	82	91	173	5	8	13	46	47	93	31
Garvald,	891	832	16	7	23	2	—	2	4	3	7	6
Gladsmuir,	1945	1863	21	21	42	—	4	4	14	15	29	15
HADDINGTON,	5548	5735	102	85	187	13	3	16	69	79	148	43
Humbie,	997	967	18	11	29	—	1	1	8	4	12	3
Innerwick,	937	892	10	7	17	1	—	1	10	3	13	4
Morham,	281	204	3	5	8	1	—	1	2	1	3	—
NORTH BERWICK,	2071	2373	33	35	68	2	2	4	17	30	47	11
Oldhamstocks,	615	592	6	5	11	1	2	3	4	6	10	3
Ormiston,	915	911	12	15	27	—	—	—	11	12	23	7
Pencaitland,	1187	1320	25	23	48	3	1	4	10	7	17	5
Prestonkirk,	1960	1931	19	23	42	2	1	3	20	21	41	9
Prestonpans,	2080	2069	44	44	88	3	5	8	25	21	46	12
Salton,	712	647	8	9	17	1	1	2	5	2	7	2
Spott,	555	560	4	9	13	—	1	1	3	7	10	3
Stenton,	692	612	15	4	19	3	1	4	4	5	9	3
TRANENT,	4647	4852	92	93	185	3	8	11	37	48	85	40
Whitekirk and Tynning- hame,	1113	1073	7	9	16	—	2	2	5	9	14	5
Whittinghame	710	657	6	5	11	1	—	1	3	3	6	3
Yester,	1033	1034	14	9	23	1	1	2	10	9	19	3
Total,	37626	37755	595	551	1146	44	44	88	338	363	701	235
27. BERWICK.												
Abbey St Bathans,	179	195	4	5	9	—	—	—	3	2	5	—
AYTON,	2014	1983	37	27	64	5	3	8	19	14	33	10
Bunkle and Preston,	756	764	9	7	16	2	—	2	7	6	13	11
Channelkirk,	671	705	10	10	20	—	2	2	2	4	6	3
Chirnside,	1502	1413	13	22	35	2	5	7	13	25	38	10
Cockburnspath,	1194	1133	14	20	34	3	1	4	5	21	26	14
Coldingham,	3241	3093	37	43	80	9	4	13	39	28	67	12
Coldstream,	2823	2619	46	33	79	6	6	12	24	17	41	10
Cranshaws,	134	142	1	1	2	—	—	—	2	1	3	2
DUNSE,	3595	3602	44	37	81	7	5	12	57	53	110	12
Earlston,	1825	1977	29	30	59	1	5	6	10	18	28	8
Eccles,	1861	1780	31	21	52	3	1	4	17	15	32	5
Edrom,	1592	1513	17	24	41	4	1	5	15	13	28	5
EYEMOUTH,	1804	2372	65	49	114	8	—	8	19	22	41	22
Fogo,	559	502	5	5	10	—	2	2	—	3	3	1
Foulden,	431	425	7	7	14	—	—	—	3	5	8	—
Gordon,	931	876	13	16	29	3	3	6	10	10	20	10
Greenlaw,	1370	1381	16	15	31	—	1	1	12	13	25	7
Hume,	420	460	4	9	13	—	—	—	2	3	5	—
Hutton,	1067	1077	13	7	20	1	1	2	7	16	23	3
Ladykirk,	564	518	2	7	9	—	—	—	3	2	5	4

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
747	Langton,	502	548	10	8	18	4	—	4	1	5	6	5
748	LAUDER,	2198	2120	32	27	59	3	7	10	11	15	26	4
749	Legerwood,	599	525	9	8	17	1	2	3	2	8	10	4
750	Longformacus,	448	452	8	6	14	2	—	2	3	—	3	1
751	Merton,	729	734	11	5	16	2	—	2	5	1	6	1
752	Mordington,	377	402	11	3	14	—	—	—	3	2	5	3
753	Nenthorn,	461	434	3	5	8	—	—	—	3	3	6	1
754	Polwarth,	251	249	3	1	4	—	—	—	2	2	4	1
755	Swinton,	964	996	21	8	29	—	—	—	12	10	22	6
756	Westruther,	786	784	6	13	19	—	1	1	4	4	8	—
757	Whitsome,	640	608	9	7	16	1	—	1	5	4	9	4
	Total,	36488	36382	540	486	1026	67	50	117	320	345	665	179
	28. PEEBLES.												
758	Broughton (merged in 763),												
759	Drumelzier,	209	221	—	5	5	—	—	—	1	1	2	—
760	Eddlestone,	753	700	13	10	23	—	—	—	1	2	3	5
761	Glenholm (merged in 763),												
+762	Innerleithen,	1787	2776	49	47	96	3	3	6	25	29	54	27
763	Kilbucho, Broughton, and Glenholm,	723	729	10	18	28	—	2	2	4	4	8	4
764	Kirkurd,	362	294	6	4	10	—	2	2	1	3	4	2
765	Lyne, etc.—(1) Lyne,	81	104	—	4	4	—	—	—	1	—	1	—
	(2) Megget,	53	70	2	1	3	—	—	—	1	—	1	—
766	Manor,	247	271	4	4	8	1	1	2	1	1	2	—
767	Newlands,	987	851	12	19	31	—	2	2	5	4	9	4
768	PEEBLES,	2850	3172	51	45	96	8	6	14	47	50	97	22
769	Skirling,	317	325	6	6	12	—	—	—	3	3	6	1
770	Stobo,	478	459	11	8	19	—	—	—	5	3	8	2
771	Traquair,	687	669	13	11	24	—	—	—	6	5	11	9
772	Tweedsmuir,	196	190	4	1	5	1	1	2	1	3	4	—
773	West Linton,	1534	1387	18	22	40	3	6	9	18	12	30	5
	Total,	11264	12218	199	205	404	16	23	39	120	120	240	81
	29. SELKIRK.												
*774a	Caddonfoot,	610	699	10	12	22	1	—	1	5	8	13	6
774b	Ettrick,	454	434	5	4	9	—	—	—	5	2	7	3
+775	GALASHIELS,	3268	5921	117	128	245	5	10	15	71	55	126	42
776a	Kirkhope,	555	565	14	4	18	—	1	1	5	6	11	4
*776b	LADHOPE,	4154	5317	124	120	244	10	9	19	51	71	122	48
777	Roberton,	640	593	13	8	21	—	—	—	4	2	6	5
+778	SELKIRK,	4646	5555	119	109	228	10	13	23	53	68	121	46
+779	Yarrow,	574	567	10	7	17	1	1	2	2	8	10	4
	Total,	14901	19651	412	392	804	27	34	61	196	220	416	158
	VIII. SOUTHERN.												
	30. ROXBURGH.												
780	Ancrum,	1511	1391	17	18	35	2	—	2	5	13	18	7
781	Ashkirk,	578	550	10	6	16	1	—	1	3	3	6	2
782	Bedrule,	222	292	4	1	5	—	—	—	—	1	1	2
783	Bowden,	864	842	8	10	18	—	2	2	9	7	16	3
784	Castleton,	3688	2202	47	36	83	4	6	10	18	17	35	8
785	Cavers,	1824	1443	29	18	47	1	5	6	13	14	27	10
786	Crailing,	673	657	5	11	16	2	3	5	4	5	9	8
787a	Eckford,	957	931	15	17	32	5	1	6	9	5	14	6
*787b	Edgerston,	359	365	9	6	15	1	1	2	3	5	8	—

REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1861	1871	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
Ednam,	599	613	5	8	13	1	—	1	8	3	11	3
HAWICK,	8726	8733	190	173	363	20	19	39	143	158	301	84
Hobkirk,	771	718	9	12	21	1	1	2	4	3	7	6
Hownam,	289	238	3	3	6	—	1	1	1	2	3	4
JEDBURGH,	5011	4971	77	91	168	11	12	23	63	64	127	28
KELSO,	5192	5124	74	70	144	5	4	9	66	61	127	30
Kirkton,	421	320	3	9	12	—	2	2	3	6	9	1
Lilliesleaf,	772	788	9	15	24	—	2	2	5	3	8	1
Linton,	608	570	7	9	16	3	3	6	3	7	10	3
Makerston,	380	361	6	5	11	—	2	2	1	1	2	3
Maxton,	497	481	6	7	13	1	—	1	3	3	6	3
Melrose,	3500	4115	49	62	111	2	3	5	47	48	95	20
Minto,	430	431	10	4	14	—	—	—	2	2	4	4
Morebattle,	1031	986	20	16	36	3	3	6	6	13	19	4
Oxnam,	592	652	10	12	22	—	4	4	1	11	12	4
Roxburgh,	1178	1053	15	14	29	3	3	6	11	9	20	11
St Boswells,	922	973	8	13	21	—	1	1	5	9	14	11
Smailholm,	554	534	6	7	13	—	—	—	6	2	8	5
Southdean,	687	674	6	16	22	1	—	1	9	2	11	4
Sprouston,	1305	1294	16	13	29	2	—	2	6	6	12	9
Stitchel,	425	388	6	5	11	—	—	—	2	—	2	3
Teviothead,	438	515	9	6	15	—	1	1	4	2	6	1
WILTON,	3357	3936	96	93	189	9	9	18	57	58	115	29
Yetholm,	1207	1100	14	13	27	1	2	3	8	11	19	4
Total,	49568	48241	798	799	1597	79	90	169	528	554	1082	327
31. DUMFRIES.												
ANNAN,	5113	4631	67	69	136	13	9	22	72	71	143	26
Applegarth,	935	902	12	19	31	3	—	3	6	6	12	8
BRYDEKIRK,	779	731	8	8	16	1	3	4	3	7	10	6
Canonbie,	3219	3055	52	40	92	11	4	15	23	33	56	15
Carlaverock,	1248	1151	14	11	25	3	1	4	8	6	14	7
Closeburn,	1651	1612	20	20	40	2	1	3	21	9	30	10
Cummertrees,	1184	1072	11	17	28	1	—	1	12	12	24	9
Dalton,	679	577	7	4	11	—	1	1	3	1	4	4
Dornock,	856	826	10	9	19	—	2	2	11	6	17	6
Dryfesdale,	2509	2825	52	46	98	6	4	10	38	37	75	8
DUMFRIES,	13523	14841	228	226	454	42	30	72	244	195	439	109
Dunscore,	1554	1504	15	18	33	1	3	4	16	8	24	5
Durrisdeer,	1320	1189	17	11	28	2	—	2	11	14	25	3
Eskdalemuir,	590	551	11	6	17	3	—	3	6	6	12	5
Ewes,	356	338	1	7	8	—	1	1	—	2	2	4
Glencairn,	1867	1749	23	23	46	—	4	4	24	22	46	16
Graitney (or Gretna),	1620	1395	24	21	45	4	4	8	21	8	29	6
Halfmorton,	713	611	6	9	15	2	2	4	3	2	5	2
Hoddum,	1568	1520	21	23	44	6	7	13	19	14	33	7
Holywood,	1115	1069	15	15	30	2	1	3	11	15	26	4
Hutton,	876	842	12	10	22	1	2	3	14	12	26	8
Johnstone,	1149	1089	16	10	26	2	—	2	10	12	22	5
Keir,	849	828	13	12	25	1	1	2	7	15	22	5
Kirkconnel,	996	952	20	22	42	—	2	2	7	8	15	4
Kirkmahoe,	1462	1332	13	15	28	1	3	4	10	9	19	6
Kirkmichael,	1026	903	17	8	25	4	2	6	8	7	15	7
Kirkpatrick-Fleming— (1) Northern District,	493	393	5	4	9	1	—	1	3	3	6	3
(2) Southern District,	1432	1136	16	12	28	3	3	6	12	18	30	8
Kirkpatrick-Juxta,	1025	1091	18	14	32	2	—	2	12	8	20	9
LANGHOLM,	2979	3735	74	70	144	6	5	11	43	50	93	19

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
840	LOCHMABEN, . . .	3087	3085	51	39	90	13	9	22	40	36	76	19
841	Middlebie, . . .	2004	2000	31	30	61	6	6	12	22	16	38	15
842	Moffat, . . .	2232	2543	32	30	62	6	2	8	19	25	44	13
843	Morton, . . .	2253	2099	41	22	63	8	2	10	27	43	70	18
844	Mouswald, . . .	633	647	7	7	14	—	1	1	4	5	9	4
845	Penpont, . . .	1326	1323	13	20	33	1	2	3	24	20	44	8
846	Ruthwell, . . .	1046	974	7	14	21	—	1	1	4	4	8	7
847	St Mungo, . . .	686	658	5	8	13	1	1	2	5	5	10	2
+848	SANQUHAR, . . .	2758	2201	27	31	58	4	—	4	31	38	69	20
849	Finwald, . . .	1079	993	13	16	29	3	2	5	5	10	15	5
850	Porthorwald, . . .	1254	1098	11	16	27	4	5	9	14	17	31	4
851	Fundergarth, . . .	507	510	6	11	17	—	5	5	5	4	9	3
852	Tynron, . . .	446	381	6	3	9	—	—	—	6	2	8	4
853a	Wamphray, . . .	559	505	5	14	19	1	4	5	5	6	11	6
*853b	Wanlockhead, . . .	811	837	7	11	18	—	1	1	7	13	20	6
854	Westerkirk, . . .	537	540	8	8	16	—	2	2	5	1	6	3
Total,		75904	74842	1088	1059	2147	170	138	308	901	861	1762	471
32. KIRKCUDBRIGHT.													
855	Anwoth, . . .	899	827	11	5	16	2	—	2	7	13	20	4
+856	Balmaclellan, . . .	890	861	13	17	30	1	4	5	5	8	13	5
857a	Balmaghie, . . .	1225	1085	11	9	20	1	5	6	7	8	15	2
*857b	Bargrennan, . . .	471	428	6	8	14	2	1	3	3	1	4	1
858	Borgue, . . .	1162	1087	21	17	38	2	1	3	11	5	16	11
859	Buittle, . . .	1165	1026	26	17	43	4	4	8	7	10	17	7
860	Carsphairn, . . .	553	545	9	5	14	1	—	1	3	4	7	6
861	Colvend, . . .	1366	1318	20	22	42	3	1	4	17	15	32	7
*862	Corsock-Bridge, . . .	544	563	5	7	12	—	2	2	4	5	9	3
863	CROSSMICHAEL, . . .	1536	1492	18	20	38	2	6	8	12	18	30	8
*864	D ALBEATTIE, . . .	2054	3163	70	62	132	8	4	12	47	30	77	21
865	Dalry, . . .	1149	1074	15	12	27	3	2	5	6	13	19	5
866	Girthon, . . .	1702	1586	21	32	53	2	7	9	14	20	34	16
867	Irongray, . . .	913	815	9	7	16	1	1	2	7	9	16	3
868	KELLS, . . .	1170	1007	14	14	28	1	1	2	3	5	8	7
869	KELTON, . . .	3436	3222	49	51	100	3	13	16	30	30	60	19
870	Kirkbean, . . .	942	825	9	10	19	2	3	5	8	11	19	4
871	KIRKCUDBRIGHT, . . .	3407	3346	30	48	78	7	9	16	28	39	67	18
872	Kirkgunzeon, . . .	793	661	12	12	24	2	—	2	2	6	8	2
873	Kirkmabreck, . . .	1851	1568	25	19	44	3	3	6	24	19	43	12
+874	Kirkpatrick-Durham, . . .	1323	1218	15	30	45	4	3	7	14	14	28	6
875	Lochrutton, . . .	677	656	10	8	18	3	1	4	12	9	21	4
+876	MINNIGAFF, . . .	1518	1329	18	18	36	2	2	4	11	18	29	8
877	New Abbey, . . .	1063	931	9	15	24	3	3	6	5	7	12	5
+878	Parton, . . .	572	526	5	3	8	—	—	—	2	2	4	1
879	Rerrick, . . .	1738	1911	25	20	45	4	3	7	21	12	33	12
880	TERREGLES, . . .	580	547	10	7	17	1	—	1	5	2	7	2
881	Tongland, . . .	892	908	8	10	18	—	2	2	8	12	20	5
882	TROQUEER, . . .	4743	5402	90	74	164	17	9	26	79	77	156	24
883	Twynholm, . . .	815	717	18	10	28	3	1	4	11	6	17	7
+884	Urr, . . .	1531	1443	13	17	30	3	3	6	12	15	27	11
Total,		42680	42087	615	606	1221	90	94	184	425	443	868	246
33. WIGTOWN.													
885	Glasserton, . . .	1472	1196	24	24	48	8	4	12	6	7	13	6
+886	Inch, . . .	2460	2189	19	30	49	1	3	4	18	15	33	13
887	Kirkcolm, . . .	1860	1948	28	31	59	5	10	15	8	24	32	13

REGISTRATION DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
8	Kirkcowan, . . .	1434	1352	17	15	32	1	6	7	17	20	37	12
9	Kirkinner, . . .	1716	1548	32	32	64	6	8	14	15	13	28	9
0	Kirkmaiden, . . .	2333	2507	45	41	86	6	3	9	18	28	46	23
1	Leswalt, . . .	1417	1249	21	22	43	2	2	4	7	18	25	9
2	Mochrum, . . .	2694	2450	38	37	75	5	7	12	22	23	45	12
3	New Luce, . . .	731	661	14	17	31	2	2	4	14	18	32	3
4	Old Luce (or Glenluce), .	2800	2449	36	27	63	8	6	14	22	22	44	12
5	PENNINGHAME, . . .	3876	3712	60	58	118	5	11	16	34	34	68	27
6	Portpatrick, . . .	2189	1492	14	19	33	3	4	7	12	18	30	8
7	Sorbie, . . .	1814	1667	20	30	50	4	5	9	15	15	30	15
8	Stoneykirk, . . .	3228	2993	44	44	88	13	7	20	28	30	58	32
9	STRANRAER, . . .	6315	5977	93	75	168	18	10	28	72	92	164	32
0	WHITHORN, . . .	2934	2906	44	50	94	8	12	20	36	46	82	13
1	WIGTOWN, . . .	2637	2306	38	34	72	9	2	11	25	32	57	12
Total,		41910	38602	587	586	1173	104	102	206	369	455	824	251

MARRIAGES registered in SCOTLAND in 1875, according to the Rites of the several Religious Denominations with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.		TOTAL MARRIAGES.	Regular Marriages according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
			Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND.		25974	11587	5889	3443	658	2254	1899	9	235	21877	860	2353	837	47	2234	4393
GROUPS OF DISTRICTS.																	
PRINCIPAL TOWNS		10670	3734	2316	1514	414	1358	1108	5	221	8767	475	976	448	4	1021	2147
LARGE TOWNS		2995	1331	615	409	79	340	212	-	9	2453	99	322	121	-	290	554
SMALL TOWNS		5594	2667	1144	872	107	405	396	-	3	4771	178	463	165	17	524	973
MAINLAND-RURAL		6160	3608	1593	622	57	126	148	4	2	5425	98	524	92	21	289	536
INSULAR-RURAL		555	247	221	26	1	25	35	-	-	461	10	68	11	5	110	183
DIVISIONS.																	
I. NORTHERN		616	229	289	32	1	-	64	-	1	545	8	47	14	2	33	76
II. NORTH-WESTERN.		734	187	485	9	4	48	1	-	-	624	4	92	11	3	171	274
III. NORTH-EASTERN		2489	1439	623	131	83	43	162	1	7	2207	46	188	47	1	57	182
IV. EAST MIDLAND		4214	2079	804	665	148	190	261	1	66	3588	106	405	112	3	193	489
V. WEST MIDLAND		1641	841	326	220	29	144	79	-	2	1401	50	129	49	12	171	293
VI. SOUTH-WESTERN		10977	4407	2112	1494	245	1560	1080	4	75	9010	490	993	471	13	1376	2688
VII. SOUTH-EASTERN		4008	1653	980	727	136	227	203	1	81	3380	135	370	115	8	178	317
VIII. SOUTHERN		1295	752	270	165	12	42	49	2	3	1122	21	129	18	5	55	74
COUNTIES.																	
1	Shetland	146	97	19	6	1	-	23	-	-	130	1	9	4	2	11	32
2	Orkney	166	74	49	26	-	-	16	-	1	142	3	18	3	-	4	2
3	Caithness	200	45	130	-	-	-	25	-	-	179	2	14	5	-	6	16
4	Sutherland	104	13	91	-	-	-	-	-	-	94	2	6	2	-	12	26
5	Ross and Cromarty	314	51	255	6	1	-	1	-	-	266	1	40	6	1	86	123
6	Inverness	420	136	230	3	3	48	-	-	-	358	3	52	5	2	85	151
7	Nairn	42	18	11	6	-	1	6	-	-	36	1	5	-	-	5	10
8	Elgin	226	100	88	28	-	2	8	-	-	207	3	16	-	-	7	21
9	Banff	349	204	76	24	9	17	19	-	-	305	4	29	11	-	17	47
10	Aberdeen	1648	951	402	73	65	20	129	1	7	1470	32	111	34	1	23	89
11	Kincardine	224	166	46	-	9	3	-	-	-	189	6	27	2	-	5	13
12	Forfar	2081	843	398	335	120	155	167	-	63	1745	61	203	72	-	140	348
13	Perth	788	431	200	93	17	20	25	-	2	672	18	84	13	1	13	41
14	Fife	1127	695	171	190	10	8	51	1	1	975	19	106	25	2	34	74
15	Kinross	44	17	9	18	-	-	-	-	-	38	1	4	1	-	-	-
16	Clackmannan	174	93	26	29	1	7	18	-	-	158	7	8	1	-	6	21
17	Stirling	738	379	132	121	7	47	51	-	1	617	31	59	21	10	61	110
18	Dumbarton	451	217	67	61	10	80	15	-	1	399	10	30	12	-	62	90
19	Argyll	358	210	92	24	9	12	11	-	-	308	5	32	11	2	39	74
20	Bute	94	35	35	14	3	5	2	-	-	77	4	8	5	-	9	15
21	Renfrew	1721	595	392	221	65	289	153	-	6	1416	80	161	63	1	232	461
22	Ayr	1558	837	297	200	20	98	105	-	1	1267	45	177	64	5	159	303
23	Lanark	7698	2975	1423	1073	160	1173	822	4	68	6327	365	655	344	7	985	1917
24	Linlithgow	263	139	50	43	2	14	15	-	-	220	11	23	5	4	21	31
25	Edinburgh.	3092	1179	812	548	127	188	158	1	79	2586	113	287	103	3	132	231
26	Haddington	235	140	50	22	5	14	4	-	-	207	4	19	4	1	19	31
27	Berwick	179	81	32	51	-	1	13	-	1	162	3	14	-	-	-	-
28	Peebles	81	45	10	22	1	1	2	-	-	69	-	11	1	-	2	-
29	Selkirk	158	69	26	41	1	9	11	-	1	136	4	16	2	-	4	-
30	Roxburgh	327	172	74	59	6	7	9	-	-	295	2	23	7	-	6	10
31	Dumfries	471	270	86	69	4	12	25	2	3	399	10	59	3	-	9	14
32	Kirkcudbright	246	164	51	15	-	8	8	-	-	211	2	26	6	1	14	11
33	Wigtown	251	146	59	22	2	15	7	-	-	217	7	21	2	4	26	30

CONDITION and AGE of PERSONS married in SCOTLAND in 1875.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1875.

CONDITION.	TOTAL MARRIAGES.	AGES AT MARRIAGE.																		Age not stated.			
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75		80	85	90
BACHELORS with SPINSTERS.	21877	-	-	1	22	173	692	1187	8724	6978	2454	959	378	181	63	35	17	6	-	-	-	-	7
	21877	2	12	80	379	1103	1841	2264	8974	5143	1387	468	141	57	18	1	-	1	-	-	-	-	6
BACHELORS with WIDOWS.	860	-	-	-	-	-	3	18	144	234	181	129	72	46	14	7	9	1	1	1	-	-	-
	860	-	-	-	-	-	1	3	79	218	225	136	91	32	11	3	6	4	1	-	-	-	-
WIDOWERS with SPINSTERS.	2353	-	-	-	-	-	1	2	74	296	502	447	347	267	168	124	75	31	14	3	2	-	-
	2353	-	1	-	10	17	38	66	341	547	536	403	211	125	42	10	4	2	-	-	-	-	-
WIDOWERS with WIDOWS.	837	-	-	-	-	-	-	-	2	37	88	143	157	139	115	69	54	22	9	2	-	-	-
	837	-	-	-	-	-	1	-	16	58	159	196	187	111	63	30	12	4	-	-	-	-	-
{ MEN. WOMEN. Condition not stated.	47	-	-	-	-	-	2	2	14	9	4	6	2	5	3	-	-	-	-	-	-	-	-
	47	-	-	-	2	2	2	5	13	8	3	1	6	4	1	-	-	-	-	-	-	-	-
TOTAL MEN.....	25974	-	-	1	22	173	698	1209	8958	7554	3229	1684	956	638	363	235	155	60	24	6	2	-	7
TOTAL WOMEN...	25974	2	13	80	391	1122	1883	2338	9423	5974	2310	1254	636	329	135	44	22	11	1	-	-	-	6

AGES of MALES married in Scotland in 1875.

AGES OF MALES MARRIED IN SCOTLAND IN 1875.																							
Total MALES.	Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.	
Scotland.	-	-	1	22	173	698	1209	8958	7554	3229	1684	956	638	363	235	155	60	24	6	2	-	7	
GROUPS of DISTRICTS.																							
PRINCIPAL TOWNS	-	-	1	9	88	303	528	3650	3113	1297	669	401	268	151	100	63	22	4	2	1	-	-	
LARGE TOWNS	-	-	-	4	24	81	129	1112	819	341	194	120	67	46	26	17	11	2	1	-	-	1	
SMALL TOWNS	-	-	-	5	30	197	313	2032	1554	646	335	191	131	72	38	31	7	7	1	1	-	3	
MAINLAND-RURAL	-	-	-	4	31	115	231	2062	1912	814	413	213	152	84	64	36	18	8	-	-	-	3	
INSULAR-RURAL	-	-	-	-	-	2	8	102	156	131	73	31	20	10	7	8	2	3	2	-	-	-	
DIVISIONS.																							
1. NORTHERN	-	-	-	1	1	3	14	154	190	115	63	28	21	10	5	4	-	5	1	-	-	1	
2. NORTH-WESTERN	-	-	-	-	-	3	5	128	235	151	89	53	33	12	14	7	-	3	1	-	-	-	
3. NORTH-EASTERN	-	-	-	4	13	47	99	800	791	323	180	84	56	32	24	16	12	3	2	-	-	3	
4. EAST MIDLAND	-	-	1	3	35	122	197	1500	1268	451	247	136	99	70	48	21	13	2	1	-	-	-	
5. WEST MIDLAND	-	-	-	1	5	40	76	521	475	232	128	57	44	31	13	10	5	3	-	-	-	-	
6. SOUTH-WESTERN	-	-	-	11	90	377	600	4123	2989	1243	618	376	250	133	85	54	22	3	-	1	-	2	
7. SOUTH-EASTERN	-	-	-	2	21	77	172	1285	1231	534	276	176	101	58	33	31	6	2	1	1	-	1	
8. SOUTHERN	-	-	-	-	8	29	46	447	375	180	83	46	34	17	13	12	2	3	-	-	-	-	
COUNTIES.																							
Shetland	-	-	-	-	-	-	-	45	56	23	10	4	5	-	-	-	-	2	1	-	-	-	
Orkney	-	-	-	-	-	1	9	43	45	27	16	8	7	3	3	4	-	-	-	-	-	-	
Caithness	-	-	-	1	1	1	4	52	63	36	15	12	8	4	1	-	-	2	-	-	-	-	
Sutherland	-	-	-	-	-	1	1	14	26	29	22	4	1	3	1	-	-	1	-	-	-	1	
Ross and Cromarty	-	-	-	-	-	1	1	58	117	53	28	25	14	5	7	3	-	2	-	-	-	-	
Inverness	-	-	-	-	-	2	4	70	118	98	61	28	19	7	7	4	-	1	1	-	-	-	

AGES of MALES married in Scotland in 1875.

[illegible]

DEATHS at Different Ages in SCOTLAND during the YEAR 1875.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
	1861.	1871.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND	3062294	3360018	81767	7743	3044	5533	6798	3319	2213	1677	4202	2121	2676	2940	2582
Principal Towns	884955	1068556	30983	2999	1276	2477	3278	1569	959	702	1688	742	1017	1147	1013
Large Towns	274381	334257	9802	946	405	785	904	435	273	236	515	238	345	330	335
Small Towns	704380	776087	18285	1778	693	1267	1460	687	496	396	1025	559	618	669	553
Mainland-Rural	1061793	1049114	20303	1829	608	925	1065	566	450	319	883	531	623	709	615
Insular-Rural	136785	132004	2394	191	62	79	91	62	35	24	91	51	73	85	66
Shetland	31670	31608	486	31	14	15	10	7	5	5	15	12	16	17	11
Orkney	32395	31274	560	34	10	14	10	7	3	3	17	11	16	16	15
Caithness	42200	41011	800	66	23	35	42	49	26	17	48	23	19	29	13
Sutherland	24157	23298	415	30	8	11	11	2	8	7	10	10	13	9	15
Ross & Cromarty	82427	82093	1697	105	48	67	117	57	49	29	61	23	38	57	54
Inverness	84815	84258	1600	146	31	57	55	33	21	15	46	21	51	58	60
Nairn	8347	8372	171	21	5	7	4	3	—	—	8	7	—	6	10
Elgin	44305	44549	758	71	23	29	26	11	10	4	21	10	17	25	19
Banff	56020	58883	975	86	33	39	39	21	15	4	30	34	39	32	24
Aberdeen	223417	246298	4436	469	192	258	198	86	63	42	150	124	148	160	143
Kincardine	34781	35097	624	56	25	31	22	10	7	9	21	16	14	28	17
Forfar	206750	240049	5641	682	264	341	369	220	129	101	231	130	187	177	178
Perth	133198	128550	2600	196	59	90	98	68	60	31	112	57	66	86	88
Fife	155021	160924	3417	331	119	209	224	108	93	74	158	95	130	110	79
Kinross	8731	7918	156	14	3	4	7	2	3	3	8	5	7	4	6
Clackmannan	20122	22235	480	58	16	36	41	13	12	7	21	12	17	12	17
Stirling	88138	93345	2350	233	114	153	203	75	63	36	130	70	63	74	72
Dumbarton	54179	61116	1638	128	55	127	154	81	55	44	93	60	59	65	48
Argyll	83859	79661	1609	95	30	49	70	42	33	26	77	38	37	77	56
Bute	16311	16966	444	24	13	18	16	17	18	8	23	6	17	16	23
Renfrew	168746	195305	5840	517	229	492	648	324	200	128	339	174	219	224	165
Ayr	199083	200908	5006	497	190	338	407	193	122	115	255	169	178	200	146
Lanark	640444	787005	24459	2443	986	2185	2940	1272	782	595	1446	656	872	975	827
Linlithgow	39045	41379	853	91	39	57	78	32	31	27	57	24	29	23	26
Edinburgh	273792	328138	8194	739	324	559	672	360	243	194	446	163	220	220	271
Haddington	37626	37755	701	68	26	31	36	25	10	12	27	13	28	26	15
Berwick	36488	36382	665	55	20	46	34	23	18	22	48	25	13	19	23
Peebles	11264	12218	240	31	6	15	10	7	10	6	21	8	8	10	6
Selkirk	14901	19651	416	54	22	24	21	8	7	4	13	6	23	17	15
Roxburgh	49568	48241	1082	97	28	53	58	55	29	34	98	21	32	33	30
Dumfries	75904	74842	1762	134	44	74	101	58	56	48	92	50	47	64	66
Kirkcudbright	42680	42087	868	65	20	36	39	27	18	20	50	28	31	34	20
Wigtown	41910	38602	824	76	25	33	38	23	14	7	30	20	22	37	24

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1875.—BOTH SEXES.

Glasgow	395503	477732	15384	1433	611	1344	1866	851	507	375	901	386	544	635	535
Edinburgh	170444	201052	5044	430	194	347	436	235	168	141	295	96	149	143	171
Dundee	91664	120724	3305	436	169	237	279	150	77	61	142	88	108	113	106
Aberdeen	73900	88181	2011	213	92	135	129	47	32	18	64	51	68	79	62
Greenock	43894	59794	2180	202	81	204	292	160	87	50	141	56	62	64	63
Paisley	47427	48257	1364	106	44	91	130	55	42	24	71	40	62	57	27
Leith	36029	46434	1060	120	63	84	104	50	29	25	51	14	16	30	31
Perth	26094	26382	635	59	22	35	42	21	17	8	23	11	8	26	18

DEATHS at Different Ages in SCOTLAND during the YEAR 1875.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	2594	2534	2561	2597	2786	3039	3679	3769	4284	3873	2878	1564	531	174	24	32
Principal Towns	1106	1075	1161	1113	1201	1179	1406	1128	1141	790	477	238	80	17	2	2
Large Towns	349	319	299	316	311	388	445	421	402	387	252	113	34	11	1	7
Small Towns	524	527	486	513	614	670	757	927	1000	912	652	344	115	34	4	5
Mainland-Rural	523	545	547	580	603	719	958	1162	1554	1586	1284	760	248	86	14	11
Insular-Rural	92	68	68	75	57	83	113	131	187	198	213	109	54	26	3	7
Shetland	18	11	13	19	8	15	24	29	50	40	52	27	13	8	—	1
Orkney	19	22	12	16	15	26	28	35	61	64	54	38	6	5	—	3
Caithness	19	18	12	26	11	12	24	40	57	54	70	44	14	5	3	1
Sutherland	7	9	10	8	15	18	21	27	37	48	42	21	10	7	1	—
Ross and Cromarty	52	51	35	49	46	53	68	92	150	131	145	72	30	11	5	2
Inverness	61	47	53	47	48	61	79	100	134	127	141	60	31	10	4	3
Nairn	7	3	5	4	5	10	11	11	10	7	14	10	2	1	—	—
Elgin	21	25	27	21	24	31	35	47	78	77	51	38	13	4	—	—
Banff	31	32	25	39	38	31	44	62	63	81	67	45	17	4	—	—
Aberdeen	139	134	149	147	151	158	211	261	317	312	210	151	48	11	1	3
Kincardine	15	18	19	26	13	27	26	42	36	47	55	27	11	2	—	4
Forfar	190	182	184	198	204	239	271	262	302	258	180	115	34	12	—	1
Perth	54	85	71	90	84	107	161	185	219	235	154	103	23	16	1	1
Fife	82	98	86	79	93	132	154	199	233	241	174	80	27	7	—	2
Kinross	2	3	1	2	6	3	10	10	14	18	15	5	1	—	—	—
Clackmannan	15	9	12	15	13	12	28	32	31	26	14	9	2	—	—	—
Stirling	71	71	61	69	82	97	131	111	123	125	71	30	14	7	—	1
Dumbarton	54	53	49	58	57	50	63	72	67	63	55	23	2	2	1	—
Argyll	61	41	37	51	61	56	90	83	142	126	129	56	30	14	1	1
Bute	19	17	15	6	19	12	30	28	21	36	22	14	4	2	—	—
Renfrew	191	198	193	171	217	172	253	212	212	187	103	56	13	2	—	1
Ayr	142	154	161	145	165	176	199	243	254	244	178	85	40	10	—	—
Lanark	844	813	843	797	837	913	956	778	704	495	306	129	45	11	5	4
Linlithgow	22	22	28	17	29	29	35	37	43	34	25	11	6	1	—	—
Edinburgh	280	256	286	289	340	354	407	399	446	356	222	109	31	8	—	—
Haddington	13	17	19	23	19	38	39	46	58	49	36	20	7	—	—	—
Berwick	13	9	11	12	23	18	22	38	50	49	37	24	12	1	—	—
Peebles	3	5	8	9	8	3	13	8	16	8	11	9	—	1	—	—
Selkirk	17	16	7	17	18	21	17	18	22	32	10	7	—	—	—	—
Roxburgh	27	25	34	34	29	44	55	60	64	60	51	21	8	2	—	—
Dumfries	48	48	47	58	57	65	89	103	125	123	85	52	19	4	1	4
Kirkcudbright	29	16	26	22	25	29	48	46	69	73	49	37	8	2	1	—
Wigtown	28	26	22	33	26	27	37	53	76	47	50	36	10	4	—	—

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1875.—BOTH SEXES.

Glasgow	564	533	611	541	592	579	635	463	410	239	142	55	23	5	2	2
Edinburgh	182	159	187	178	205	208	248	221	252	187	121	68	20	3	—	—
Dundee	126	124	126	132	122	139	154	119	137	73	47	29	8	3	—	—
Aberdeen	71	67	69	77	72	83	117	129	120	101	60	38	15	2	—	—
Greenock	86	75	59	62	82	59	76	61	67	48	22	17	3	1	—	—
Paisley	39	52	53	43	63	42	86	55	67	58	40	13	4	—	—	—
Leith	28	42	35	42	41	47	44	49	47	34	21	8	4	1	—	—
Perth	10	23	21	38	24	22	46	31	41	50	24	10	3	2	—	—

DEATHS at Different Ages in SCOTLAND during the YEAR 1875.—MALES.

	MALE POPULATION.		MALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND .	1449848	1603143	40323	4316	1723	3030	3565	1704	1141	802	2137	1055	1320	1436	1.92
Principal Towns	407839	502021	15272	1676	728	1322	1721	795	506	340	850	354	498	557	457
Large Towns .	129933	160176	4984	534	241	442	471	244	130	111	262	113	165	142	151
Small Towns .	335356	371118	9026	992	385	689	766	353	272	181	524	284	311	327	245
Mainland-Rural	513554	508787	9925	1006	337	530	565	282	217	161	456	282	308	367	300
Insular-Rural .	63166	61041	1116	108	32	47	42	30	16	9	45	22	38	43	39
Shetland . .	13053	13103	192	17	6	6	4	4	2	2	6	5	7	5	4
Orkney . .	14924	14355	268	19	4	10	5	4	3	—	10	5	10	9	9
Caithness . .	19846	19403	389	33	13	19	20	23	16	8	20	14	12	17	5
Sutherland . .	11058	10942	204	21	6	6	10	—	1	3	9	6	5	5	9
Ross & Cromarty	38462	38558	793	58	25	28	52	26	24	15	30	12	18	29	31
Inverness . .	39500	39360	763	77	22	38	27	19	12	5	24	8	25	31	32
Nairn . .	3976	3925	85	8	3	1	3	2	—	—	6	4	—	3	6
Elgin . .	20716	20738	318	34	15	13	11	5	5	1	16	7	5	10	7
Banff . .	26401	27826	483	42	20	19	24	15	9	3	21	22	20	18	13
Aberdeen . .	105355	116768	2147	276	119	139	96	38	34	19	72	67	74	67	59
Kincardine . .	16906	17002	287	28	11	21	14	4	4	5	11	11	7	12	9
Forfar . .	93280	107416	2742	397	159	190	189	101	65	53	126	60	91	88	70
Perth . .	63169	60812	1253	106	30	42	51	35	36	10	66	29	33	46	42
Fife . .	72714	75206	1613	166	71	127	118	49	40	29	81	54	63	51	32
Kinross . .	4150	3748	82	10	2	3	3	1	2	2	7	3	4	3	3
Clackmannan . .	9742	10819	227	36	11	21	24	3	8	3	7	5	6	8	7
Stirling . .	43487	46193	1151	128	55	87	94	44	30	13	72	29	35	35	26
Dumbarton . .	26455	29957	821	77	37	79	84	40	26	19	43	30	22	36	23
Argyll . .	40914	38796	808	49	19	26	40	18	18	12	44	16	20	47	33
Bute . .	7201	7616	221	11	6	14	9	12	12	4	14	1	6	8	12
Renfrew . .	79380	93167	2870	283	123	265	345	163	91	59	165	85	96	121	79
Ayr . .	97042	98244	2555	274	93	202	214	105	61	61	123	92	90	90	76
Lanark . .	308263	388392	12371	1362	568	1169	1551	661	402	279	725	314	451	470	364
Linlithgow . .	20069	21049	441	45	20	29	42	16	16	15	30	9	22	13	16
Edinburgh . .	126276	153784	4042	432	175	311	354	187	143	91	218	84	105	106	133
Haddington . .	17866	18069	338	39	15	14	22	14	2	8	12	7	17	13	6
Berwick . .	17354	17361	320	23	10	30	14	14	9	16	21	14	11	9	10
Peebles . .	5588	5902	120	20	3	7	5	6	5	1	10	4	3	3	2
Selkirk . .	7275	9476	196	25	13	12	12	3	2	1	8	3	15	6	4
Roxburgh . .	24555	22049	528	55	14	29	34	31	13	17	47	9	11	15	16
Dumfries . .	35687	34831	901	78	31	39	54	35	29	36	45	23	19	31	29
Kirkcudbright . .	19885	19607	425	44	9	17	21	13	12	10	31	16	15	11	9
Wigtown . .	19299	17769	369	43	15	17	19	13	9	2	17	7	2	20	16

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1875.—MALES.

Glasgow . .	185556	230995	7649	786	354	723	984	441	258	177	451	174	278	308	242
Edinburgh . .	76013	91090	2487	248	103	178	243	122	98	71	149	53	68	68	80
Dundee . .	40395	52605	1621	253	107	126	143	66	42	34	78	43	52	49	42
Aberdeen . .	32554	39786	929	124	53	71	57	22	17	9	32	28	34	34	22
Greenock . .	21567	30298	1085	95	46	107	155	76	40	25	68	25	34	38	34
Paisley . .	21913	22269	666	61	19	54	71	27	22	13	37	19	21	30	16
Leith . .	17894	22976	520	73	36	49	49	27	18	8	23	7	7	15	11
Perth . .	14971	12002	315	36	10	14	19	14	11	3	12	5	4	15	10

DEATHS at Different Ages in SCOTLAND during the YEAR 1875.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND	1213	1189	1216	1344	1358	1458	1744	1753	1912	1728	1123	606	175	53	9	21	
Principal Towns . .	519	516	573	586	572	540	618	505	477	319	147	75	18	-	2	1	
Large Towns . . .	163	157	153	171	163	189	223	215	195	182	104	42	13	1	-	2	
Small Towns . . .	252	233	230	268	321	337	361	423	432	405	241	139	36	15	-	4	
Mainland-Rural . .	238	247	238	293	283	347	487	552	723	716	548	318	85	25	5	9	
Insular-Rural . . .	41	36	22	26	19	45	50	58	85	106	83	32	23	12	2	5	
Shetland	6	4	6	5	3	6	10	14	20	20	16	6	5	3	-	-	
Orkney	8	12	4	7	5	14	13	12	32	32	21	12	3	2	-	3	
Caithness	9	10	5	12	4	5	14	20	30	23	28	18	7	1	2	1	
Sutherland	4	2	5	5	7	13	11	11	11	20	18	9	3	3	1	-	
Ross and Cromarty .	24	26	14	23	22	25	33	45	61	65	53	31	13	6	2	2	
Inverness	32	26	19	27	21	30	33	41	62	54	64	19	9	3	1	2	
Nairn	4	-	3	4	3	7	6	4	6	2	6	4	-	-	-	-	
Elgin	10	5	10	10	9	19	19	18	31	22	17	13	5	1	-	-	
Banff	16	15	10	19	10	15	25	28	31	35	31	18	3	1	-	-	
Aberdeen	65	55	70	76	64	74	98	119	139	147	86	76	14	1	-	3	
Kincardine	6	6	7	9	9	12	13	21	17	17	19	7	4	-	-	3	
Forfar	77	80	85	87	95	91	129	138	132	109	73	42	13	1	-	1	
Perth	24	43	37	40	42	50	80	84	100	110	61	42	7	6	-	1	
Fife	47	41	36	38	42	61	68	76	93	115	76	29	6	2	-	2	
Kinross	1	1	-	2	3	2	4	6	6	8	5	1	-	-	-	-	
Clackmannan	6	4	5	9	5	8	10	10	14	8	5	3	1	-	-	-	
Stirling	34	31	27	46	46	50	59	60	59	55	25	9	-	2	-	-	
Dumbarton	23	24	21	31	28	23	31	37	29	33	17	7	1	-	-	-	
Argyll	36	19	17	26	26	28	48	41	58	72	54	21	14	6	-	-	
Bute	8	11	6	1	8	5	11	13	11	18	13	5	1	1	-	-	
Renfrew	77	95	96	98	115	82	117	93	85	80	27	22	6	1	-	1	
Ayr	64	70	82	87	95	98	109	121	110	110	80	28	15	5	-	-	
Lanark	389	400	414	425	418	448	450	373	344	215	109	51	13	3	2	1	
Linlithgow	8	11	15	13	18	15	16	20	18	20	8	6	-	-	-	-	
Edinburgh	149	132	146	156	173	158	182	179	183	134	70	32	8	1	-	-	
Haddington	8	8	6	8	8	20	17	21	25	27	11	8	2	-	-	-	
Berwick	6	2	6	5	7	9	10	21	23	23	17	6	4	-	-	-	
Peebles	2	4	2	2	2	2	8	6	10	4	4	5	-	-	-	-	
Selkirk	6	5	3	5	11	10	8	6	11	14	7	6	-	-	-	-	
Roxburgh	13	8	16	17	7	22	32	26	32	26	23	13	2	-	-	-	
Dumfries	24	25	22	20	32	31	41	45	69	65	37	30	8	2	-	1	
Kirkcudbright	20	6	13	11	10	14	25	18	27	29	25	13	5	-	1	-	
Wigtown	7	8	8	20	10	11	14	26	33	16	17	14	3	2	-	-	

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1875.—MALES.

Glasgow	271	257	296	280	273	270	278	209	181	93	42	15	5	—	2	1
Edinburgh	95	84	100	104	105	93	100	95	102	70	37	17	4	—	—	—
Dundee	52	53	60	62	57	53	71	57	65	25	19	11	1	—	—	—
Aberdeen	30	24	35	40	29	39	47	55	42	43	20	18	4	—	—	—
Greenock	29	39	33	33	45	33	37	23	27	28	6	7	2	—	—	—
Paisley	20	22	22	29	33	19	43	24	28	24	9	2	1	—	—	—
Leith	15	23	14	19	19	20	23	28	16	11	7	1	1	—	—	—
Perth	7	14	13	19	11	13	19	14	16	25	7	4	—	—	—	—

DEATHS at Different Ages in SCOTLAND during the YEAR 1875.—FEMALES.

	FEMALE POPULATION.		ALL AGES.	FEMALES.											
				AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND .	1612446	1756875	541444	3427	1321	2503	3233	1615	1072	875	2065	1066	1356	1504	1390
Principal Towns	477116	566535	15711	1323	548	1155	1557	774	453	362	838	388	519	590	556
Large Towns .	144448	174081	4818	412	164	343	433	191	143	125	253	125	180	188	184
Small Towns .	369024	404969	9259	786	308	578	694	334	224	215	501	275	307	342	308
Mainland-Rural	548239	540327	10378	823	271	395	500	284	233	158	427	249	315	342	315
Insular-Rural .	73619	70963	1278	83	30	32	49	32	19	15	46	29	35	42	27
Shetland .	18617	18505	294	14	8	9	6	3	3	3	9	7	9	12	7
Orkney .	17471	16919	292	15	6	4	5	3	—	3	7	6	6	7	6
Caithness .	22354	21608	411	33	10	16	22	26	10	9	28	9	7	12	8
Sutherland .	13099	12356	211	9	2	5	1	2	7	4	1	4	8	4	6
Ross & Cromarty	43965	43535	904	47	23	39	65	31	25	14	31	11	20	28	23
Inverness .	45315	44898	837	69	9	19	28	14	9	10	22	13	26	27	28
Nairn .	4371	4447	86	13	2	6	1	1	—	—	2	3	—	3	4
Elgin .	23589	23811	440	37	8	16	15	6	5	3	5	3	12	15	12
Banff .	29619	31057	492	44	13	20	15	6	6	1	9	12	19	14	11
Aberdeen .	118062	129530	2289	193	73	119	102	48	29	23	78	57	74	93	84
Kincardine .	17875	18095	337	28	14	10	8	6	3	4	10	5	7	16	8
Forfar .	113470	132633	2899	285	105	151	180	119	64	48	105	70	96	89	108
Perth .	70029	67738	1347	90	29	48	47	33	24	21	46	28	33	40	46
Fife .	82307	85718	1804	165	48	82	106	59	53	45	77	41	67	59	47
Kinross .	4581	4170	74	4	1	1	4	1	1	1	1	2	3	1	3
Clackmannan .	10380	11416	253	22	5	15	17	10	4	4	14	7	11	4	10
Stirling .	44651	47152	1199	105	59	66	109	31	33	23	58	41	28	39	46
Dumbarton .	27724	31159	817	51	18	48	70	41	29	25	50	30	37	29	25
Argyll .	42945	40865	801	46	11	23	30	24	15	14	33	22	17	30	23
Bute .	9110	9350	223	13	7	4	7	5	6	4	9	5	11	8	11
Renfrew .	89366	102138	2970	234	106	227	303	161	109	69	174	89	123	103	86
Ayr .	102041	102664	2451	223	97	136	193	88	61	54	132	77	88	110	70
Lanark .	332181	398613	12088	1081	418	1016	1389	611	380	316	721	342	421	505	463
Linlithgow .	18976	20330	412	46	19	28	36	16	15	12	27	15	7	10	10
Edinburgh .	147516	174354	4152	307	149	248	318	173	100	103	228	79	115	114	138
Haddington .	19760	19686	363	29	11	17	14	11	8	4	15	6	11	13	9
Berwick .	19134	19021	345	32	10	16	20	9	9	6	27	11	2	10	13
Peebles .	5676	6316	120	11	3	8	5	1	5	5	11	4	5	7	4
Selkirk .	7626	10175	220	29	9	12	9	5	5	3	5	3	8	11	11
Roxburgh .	25013	25292	554	42	14	24	24	24	16	17	51	12	21	18	14
Dumfries .	40217	40011	861	56	13	35	47	23	27	12	47	27	28	33	37
Kirkcudbright .	22795	22480	443	21	11	19	18	14	6	10	19	12	16	23	11
Wigtown .	22611	20833	455	33	10	16	19	10	5	5	13	13	20	17	8

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1875.—FEMALES.

Glasgow .	209947	246737	7735	647	257	621	882	410	249	198	450	212	266	327	293
Edinburgh .	94431	109962	2557	182	91	169	193	113	70	70	146	43	81	75	91
Dundee .	51269	68119	1684	183	62	111	136	84	35	27	64	45	56	64	64
Aberdeen .	41346	48395	1082	89	39	64	72	25	15	9	32	23	34	45	40
Greenock .	22327	29496	1095	107	35	97	137	84	47	25	73	31	28	26	29
Paisley .	25514	25988	698	45	25	37	59	28	20	11	34	21	41	27	11
Leith .	18135	23458	540	47	27	35	55	23	11	17	28	7	9	15	20
Perth .	14147	14380	320	23	12	21	23	7	6	5	11	6	4	11	8

DEATHS at Different Ages in SCOTLAND during the YEAR 1875.—FEMALES.

	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND	1381	1345	1345	1253	1428	1581	1935	2016	2372	2145	1755	958	356	121	15	11	
Principal Towns . .	587	559	588	527	629	639	788	623	664	471	330	163	62	17	—	1	
Large Towns . . .	186	162	146	145	148	199	217	206	207	205	148	71	21	10	1	5	
Small Towns . . .	272	294	256	245	293	333	396	504	568	507	411	205	79	19	4	1	
Mainland-Rural . .	285	298	309	287	320	372	471	610	831	870	736	442	163	61	9	2	
Insular-Rural . . .	51	32	46	49	38	38	63	73	102	92	130	77	31	14	1	2	
Shetland	12	7	7	14	5	9	14	15	30	20	36	21	8	5	—	1	
Orkney	11	10	8	9	10	12	15	23	29	32	33	26	3	3	—	—	
Caithness	10	8	7	14	7	7	10	20	27	31	42	26	7	4	1	—	
Sutherland	3	7	5	3	8	5	10	16	26	28	24	12	7	4	—	—	
Ross and Cromarty .	28	25	21	26	24	28	35	47	89	66	92	41	17	5	3	—	
Inverness	29	21	34	20	27	31	46	59	72	73	77	41	22	7	3	1	
Nairn	3	3	2	—	2	3	5	7	4	5	8	6	2	1	—	—	
Elgin	11	20	17	11	15	12	16	29	47	55	34	25	8	3	—	—	
Banff	15	17	15	20	28	16	19	34	32	46	36	27	14	3	—	—	
Aberdeen	74	79	79	71	87	84	113	142	178	165	124	75	34	10	1	—	
Kincardine	9	12	12	17	4	15	13	21	19	30	36	20	7	2	—	1	
Forfar	113	102	99	111	109	148	142	124	170	149	107	73	21	11	—	—	
Perth	30	42	34	50	42	57	81	101	119	125	93	61	16	10	1	—	
Fife	35	57	50	41	51	71	86	123	140	126	98	51	21	5	—	—	
Kinross	1	2	1	—	3	1	6	4	8	10	10	4	1	—	—	—	
Clackmannan	9	5	7	6	8	4	18	22	17	18	9	6	1	—	—	—	
Stirling	37	40	34	23	36	47	72	51	64	70	46	21	14	5	—	1	
Dumbarton	31	29	28	27	29	27	32	35	38	30	38	16	1	2	1	—	
Argyll	25	22	20	25	35	28	42	42	84	54	75	35	16	8	1	1	
Bute	11	6	9	5	11	7	19	15	10	18	9	9	3	1	—	—	
Renfrew	114	103	97	73	102	90	136	119	127	107	76	34	7	1	—	—	
Ayr	78	84	79	58	70	78	90	122	144	134	98	57	25	5	—	—	
Lanark	455	413	429	372	419	465	506	405	360	280	197	78	32	8	3	3	
Linlithgow	14	11	13	4	11	14	19	17	25	14	17	5	6	1	—	—	
Edinburgh	131	124	140	133	167	196	225	220	263	222	152	77	23	7	—	—	
Haddington	5	9	13	15	11	18	22	25	33	22	25	12	5	—	—	—	
Berwick	7	7	5	7	16	9	12	17	27	26	20	18	8	1	—	—	
Peebles	1	1	6	7	6	1	5	2	6	4	7	4	—	1	—	—	
Selkirk	11	11	4	12	7	11	9	12	11	18	3	1	—	—	—	—	
Roxburgh	14	17	18	17	22	22	23	34	32	34	28	8	6	2	—	—	
Dumfries	24	23	25	38	25	34	48	58	56	58	48	22	11	2	1	3	
Kirkcudbright	9	10	13	11	15	15	23	28	42	44	24	24	3	2	—	—	
Wigtown	21	18	14	13	16	16	23	27	43	31	33	22	7	2	—	—	

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1875.—FEMALES.

Glasgow	293	276	315	261	319	309	357	254	229	146	100	40	18	5	—	1
Edinburgh	87	75	87	74	100	115	148	126	150	117	84	51	16	3	—	—
Dundee	74	71	66	70	65	86	83	62	72	48	28	18	7	3	—	—
Aberdeen	41	43	34	37	43	44	70	74	78	58	40	20	11	2	—	—
Greenock	57	36	26	29	37	26	39	38	40	20	16	10	1	1	—	—
Paisley	19	30	31	14	30	23	43	31	39	34	31	11	3	—	—	—
Leith	13	19	21	23	22	27	21	21	31	23	14	7	3	1	—	—
Perth	3	9	8	19	13	9	27	17	25	25	17	6	3	2	—	—

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1875.—BOTH SEXES.

	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
Inverness	415	35	12	19	16	6	6	4	8	2	11	13	20	
Arbroath	482	65	23	26	21	19	3	6	14	7	19	15	15	
Forfar	312	30	20	16	17	18	15	9	8	6	16	7	8	
Montrose	355	20	11	12	9	11	7	4	17	7	13	8	18	
Dunfermline	342	34	13	25	32	13	10	3	20	12	15	11	12	
Kirkcaldy	295	28	10	21	25	12	7	9	9	6	14	14	8	
Stirling	356	29	16	10	18	12	9	4	19	8	11	11	10	
Dumbarton	339	26	14	32	42	23	15	8	15	2	5	11	15	
Ayr	499	47	26	30	28	10	6	8	17	11	18	15	9	
Kilmarnock	770	60	29	78	82	44	22	29	45	27	31	23	31	
Barony	462	68	20	55	49	18	16	13	32	23	17	15	9	
Glasgow (Landward)	905	75	37	82	82	43	24	21	56	23	30	40	28	
Govan	1981	215	101	192	267	106	61	55	111	41	57	73	68	
Hamilton	428	40	14	34	48	15	13	6	17	13	13	15	20	
Airdrie	333	33	11	31	28	10	5	7	11	12	19	20	15	
Coatbridge	517	61	20	57	60	26	21	11	29	18	26	16	14	
Hawick	416	41	5	27	35	26	15	23	54	7	11	11	15	
Dumfries	595	39	23	38	45	23	18	16	33	13	19	12	20	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1875.—BOTH SEXES.

Shetland	74	4	1	4	1	1	2	2	5	2	2	3	3	
Orkney	118	7	3	3	1	—	1	—	5	4	3	6	4	
Caithness	469	45	19	26	33	41	22	15	36	17	10	18	5	
Ross and Cromarty	360	16	10	27	41	18	17	9	14	5	14	15	16	
Nairn	113	14	3	4	3	3	—	—	4	3	—	3	7	
Elgin	329	32	10	17	13	5	8	1	12	5	4	10	10	
Banff	446	37	17	25	26	9	7	1	14	18	18	12	10	
Aberdeen	649	89	39	47	35	12	6	5	28	17	17	17	22	
Kincardine	118	12	4	7	8	—	—	2	1	—	3	2	3	
Forfar	571	60	23	23	23	9	13	9	23	11	12	16	14	
Perth	516	39	9	16	17	17	11	4	15	18	13	19	23	
Fife	1205	118	43	78	64	38	33	31	65	35	53	42	30	
Clackmannan	386	43	13	29	32	7	12	7	18	11	15	11	13	
Stirling	1158	99	53	83	116	37	29	23	77	36	38	31	33	
Dumbarton	988	76	29	72	88	44	30	31	68	48	43	46	22	
Argyll	437	30	7	17	24	13	10	11	33	11	9	21	16	
Bute	249	15	6	11	11	11	14	7	13	2	6	9	12	
Renfrew	1678	151	80	155	190	82	50	45	101	55	62	75	56	
Ayr	2459	258	91	161	191	80	55	53	122	87	86	103	74	
Lanark	2866	327	118	275	351	136	89	68	188	83	109	115	91	
Linlithgow	515	50	20	35	52	22	23	20	44	15	16	15	14	
Edinburgh	712	83	23	56	42	35	13	13	37	26	16	17	27	
Haddington	326	34	12	20	17	13	2	6	10	3	16	10	9	
Berwick	151	10	7	10	10	8	6	5	17	8	5	2	3	
Peebles	97	9	3	6	1	3	5	3	12	7	1	3	3	
Selkirk	369	51	21	19	20	6	6	4	13	6	20	14	15	
Roxburgh	254	18	9	13	11	13	10	5	15	4	8	6	1	
Dumfries	236	16	6	8	23	15	11	8	17	6	5	6	9	
Kirkcudbright	204	14	4	7	10	5	4	6	12	11	10	13	3	
Wigtown	232	21	10	13	6	4	7	2	6	5	4	9	5	

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1875.—BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Inverness . . .	25	18	17	21	10	18	25	27	31	26	29	11	2	1	1	1	
Arbroath . . .	21	15	15	14	22	20	29	26	28	31	16	9	1	2	-	-	
Forfar . . .	10	5	2	6	8	8	13	17	18	25	17	8	4	1	-	-	
Montrose . . .	12	7	7	18	20	17	25	24	26	30	21	9	-	2	-	-	
Dunfermline . .	12	13	5	8	5	10	15	16	20	20	13	3	2	-	-	-	
Kirkcaldy . . .	4	8	9	5	5	14	11	17	22	20	10	7	-	-	-	-	
Stirling . . .	15	17	14	9	23	15	34	16	14	22	12	5	1	1	-	1	
Dumbarton . . .	17	12	15	15	12	9	11	10	15	6	5	4	-	-	-	-	
Ayr . . .	18	28	20	18	16	25	29	36	31	30	8	7	6	2	-	-	
Kilmarnock . . .	25	19	23	21	24	34	27	26	19	23	20	6	2	-	-	-	
Barony . . .	11	6	15	14	9	11	21	7	20	9	3	1	-	-	-	-	
Glasgow (Landward) .	38	37	24	36	21	51	45	38	30	23	14	3	4	-	-	-	
Govan . . .	73	65	55	62	49	70	62	67	48	46	27	4	5	-	-	1	
Hamilton . . .	13	18	20	12	14	16	14	14	16	18	15	9	1	-	-	-	
Airdrie . . .	14	10	7	9	14	16	11	15	11	11	8	3	2	-	-	-	
Coatbridge . . .	16	16	11	15	20	15	19	14	12	12	4	2	1	1	-	-	
Hawick . . .	10	10	14	7	11	13	20	15	19	13	8	6	-	-	-	-	
Dumfries . . .	15	15	26	26	28	26	34	36	22	22	22	16	3	1	-	4	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1875.—BOTH SEXES.

Shetland . . .	3	1	1	4	3	2	4	5	8	4	7	1	1	—	—	—
Orkney . . .	3	8	1	1	6	11	7	5	14	8	8	7	—	2	—	—
Caithness . . .	11	12	8	13	5	6	7	21	27	30	19	16	7	—	—	—
Ross and Cromarty .	12	9	13	10	12	14	11	12	19	14	13	9	6	2	1	1
Nairn . . .	4	1	4	4	3	9	9	7	6	5	8	6	2	1	—	—
Elgin . . .	9	9	15	9	11	13	15	19	36	29	21	14	2	—	—	—
Banff . . .	13	16	13	14	15	20	23	25	28	35	23	20	6	1	—	—
Aberdeen . . .	29	23	20	20	19	19	27	31	28	39	32	19	6	3	—	—
Kincardine . . .	2	3	4	4	6	3	6	7	9	7	12	6	4	—	—	3
Forfar . . .	8	18	14	18	20	31	27	43	45	44	36	24	6	1	—	—
Perth . . .	17	15	13	15	21	24	29	47	37	45	25	21	2	4	—	—
Fife . . .	33	44	31	28	47	45	49	66	81	77	44	15	12	3	—	—
Clackmannan . . .	12	9	10	11	10	9	22	27	24	20	11	8	2	—	—	—
Stirling . . .	38	32	24	38	37	54	59	56	57	57	28	14	7	2	—	—
Dumbarton . . .	28	30	22	31	32	34	37	48	37	43	34	12	2	1	—	—
Argyll . . .	22	11	9	12	19	12	15	25	38	30	27	10	4	1	—	—
Bute . . .	12	10	11	3	13	7	16	14	12	17	10	5	2	—	—	—
Renfrew . . .	49	58	51	48	51	42	63	68	58	50	24	9	4	1	—	—
Ayr . . .	60	67	81	70	84	80	99	129	141	121	98	47	15	6	—	—
Lanark . . .	75	81	67	64	85	99	91	105	90	71	51	27	4	2	3	1
Linlithgow . . .	11	12	15	13	18	16	17	21	30	15	10	6	4	1	—	—
Edinburgh . . .	19	18	15	23	38	41	27	33	48	29	24	8	1	—	—	—
Haddington . . .	6	7	7	10	8	18	12	26	27	19	21	10	3	—	—	—
Berwick . . .	3	2	3	2	5	4	6	5	11	11	3	4	1	—	—	—
Peebles . . .	1	—	2	4	3	1	8	7	4	4	7	—	—	—	—	—
Selkirk . . .	16	13	6	17	15	20	16	15	19	24	7	6	—	—	—	—
Roxburgh . . .	6	3	7	11	6	11	20	16	16	21	14	3	6	1	—	—
Dumfries . . .	6	4	5	3	8	11	11	14	10	11	14	8	1	—	—	—
Kirkcudbright . .	8	4	5	3	5	4	13	16	17	13	8	5	3	1	—	—
Wigtown . . .	8	7	9	10	9	10	11	14	23	19	13	4	2	1	—	—

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1875.—MALES.

	ALL AGES	MALES											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	210	21	10	16	8	5	5	1	2	1	4	5	6
Arbroath	210	33	14	16	10	10	—	3	6	3	6	6	5
Forfar	160	22	14	11	10	7	10	3	7	3	7	3	4
Montrose	177	11	4	10	5	7	2	2	12	3	7	6	8
Dunfermline	181	22	10	14	11	5	4	2	14	5	8	8	7
Kirkcaldy	134	12	6	7	14	8	2	3	3	4	7	3	3
Stirling	181	15	10	6	11	10	5	1	13	2	7	4	4
Dumbarton	168	11	10	22	25	9	5	4	4	—	1	8	8
Ayr	259	31	15	18	14	7	4	4	5	5	9	5	5
Kilmarnock	399	35	13	47	45	24	10	13	24	11	16	10	21
Barony	255	46	10	26	33	9	10	7	14	12	4	7	3
Glasgow (Landward)	440	44	21	36	43	23	14	11	25	11	11	19	12
Govan	1002	110	60	108	122	60	27	26	59	19	34	31	28
Hamilton	226	20	8	22	29	8	5	3	13	4	9	5	9
Airdrie	168	18	6	15	14	7	2	1	6	9	9	5	6
Coatbridge	291	31	15	29	30	15	11	5	21	7	15	8	8
Hawick	200	27	1	16	20	14	3	11	23	3	3	6	7
Dumfries	323	25	14	23	27	16	11	11	11	11	8	3	7

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1875.—MALES

Shetland	37	1	1	1	1	1	1	1	3	1	—	—	1
Orkney	56	1	1	3	1	—	1	—	4	2	2	3	3
Caithness	240	23	12	14	16	20	15	6	15	11	6	11	4
Ross and Cromarty	170	7	2	9	16	10	8	7	6	2	3	8	12
Nairn	54	4	2	—	3	2	—	—	4	1	—	—	5
Elgin	136	13	5	8	5	2	4	—	9	4	2	2	4
Banff	208	17	12	11	14	5	4	—	8	13	9	8	4
Aberdeen	318	57	26	24	18	5	3	2	12	9	7	7	12
Kincardine	57	4	2	5	5	—	—	1	1	—	1	—	2
Forfar	276	38	13	13	8	6	5	4	9	3	9	11	2
Perth	235	21	5	6	9	9	7	2	8	10	7	13	11
Fife	570	56	22	50	37	16	15	15	30	20	25	19	14
Clackmannan	189	28	9	17	19	2	8	3	7	4	4	7	6
Stirling	557	52	22	45	52	19	16	6	43	15	20	12	12
Dumbarton	483	50	19	45	41	22	18	13	35	26	17	22	8
Argyll	222	14	4	9	16	6	6	3	21	6	8	10	6
Bute	124	8	3	7	6	9	10	4	10	—	1	5	6
Renfrew	817	85	47	82	103	45	19	18	51	31	30	37	19
Ayr	1221	139	45	91	93	39	32	27	59	40	43	48	33
Lanark	1527	198	61	155	205	66	51	32	93	44	57	63	38
Linlithgow	276	23	14	15	27	12	10	13	27	7	15	7	9
Edinburgh	348	50	14	37	20	15	10	6	18	10	7	7	15
Haddington	152	18	6	6	9	7	—	2	4	1	9	5	5
Berwick	76	4	4	8	4	7	2	2	8	3	4	2	1
Peebles	47	9	3	1	1	2	2	1	6	4	1	1	1
Selkirk	175	24	12	10	12	3	2	1	8	3	12	5	4
Roxburgh	129	10	5	7	8	10	6	4	5	3	4	2	1
Dumfries	115	10	5	2	10	8	7	4	9	2	2	2	4
Kirkcudbright	105	13	2	2	5	3	4	3	8	7	5	5	2
Wigtown	106	15	7	6	2	2	6	1	3	2	1	5	1

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1875.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Inverness . . .	14	9	10	13	6	9	13	14	11	12	9	4	1	—	—	1	
Arbroath . . .	8	5	5	7	8	5	13	15	10	13	7	1	1	—	—	—	
Forfar . . .	3	1	2	4	2	5	8	8	8	7	6	3	2	—	—	—	
Montrose . . .	4	4	2	8	12	4	13	15	8	18	9	3	—	—	—	—	
Dunfermline . .	8	6	1	5	4	6	10	7	8	12	3	1	—	—	—	—	
Kirkcaldy . . .	3	3	4	1	3	5	5	9	12	9	5	3	—	—	—	—	
Stirling . . .	7	11	5	6	12	6	16	10	6	8	5	1	—	—	—	—	
Dumbarton . . .	8	5	9	7	4	4	4	4	8	5	2	1	—	—	—	—	
Ayr . . .	11	13	12	8	11	14	11	24	11	15	4	2	1	—	—	—	
Kilmarnock . .	11	7	14	15	12	12	16	13	11	9	9	1	—	—	—	—	
Barony . . .	3	3	8	9	6	7	13	4	13	6	1	1	—	—	—	—	
Glasgow (Landward) .	9	20	10	22	12	28	22	13	17	10	5	2	—	—	—	—	
Govan . . .	37	33	28	28	25	39	28	36	23	25	11	1	4	—	—	—	
Hamilton . . .	4	11	13	6	8	7	6	10	9	6	7	3	1	—	—	—	
Airdrie . . .	9	4	4	6	9	11	6	4	8	5	2	1	1	—	—	—	
Coatbridge . . .	8	10	4	11	12	9	15	8	10	5	3	1	—	—	—	—	
Hawick . . .	5	3	6	5	2	4	12	7	8	6	4	4	—	—	—	—	
Dumfries . . .	11	9	16	10	15	14	17	14	14	11	12	9	2	1	—	1	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1875.—MALES

Shetland . . .	—	—	1	2	2	1	2	4	6	2	5	—	—	—	—	—
Orkney . . .	1	4	1	—	1	6	2	2	6	5	4	3	—	—	—	—
Caithness . . .	5	6	3	5	1	3	4	13	13	15	8	7	4	—	—	—
Ross and Cromarty . .	8	4	7	4	8	6	3	5	10	9	5	5	3	2	—	1
Nairn . . .	3	—	2	4	2	7	4	3	3	1	3	1	—	—	—	—
Elgin . . .	4	3	7	6	4	7	6	5	17	13	4	2	—	—	—	—
Banff . . .	7	9	5	6	3	8	12	10	9	15	10	8	1	—	—	—
Aberdeen . . .	16	8	7	9	8	8	14	12	15	19	12	7	—	1	—	—
Kincardine . . .	—	—	1	—	4	3	5	4	5	2	5	2	2	—	—	3
Forfar . . .	4	9	7	4	10	15	14	22	18	23	15	12	2	—	—	—
Perth . . .	6	7	4	8	12	8	13	23	11	15	9	9	—	2	—	—
Fife . . .	19	18	19	10	19	25	23	22	29	39	18	6	3	1	—	—
Clackmannan . . .	4	4	5	7	3	5	9	9	13	7	5	3	1	—	—	—
Stirling . . .	16	11	10	24	22	31	25	31	27	30	10	5	—	1	—	—
Dumbarton . . .	12	13	9	17	15	16	17	22	13	19	9	4	1	—	—	—
Argyll . . .	14	4	5	11	9	5	5	12	14	17	10	4	3	—	—	—
Bute . . .	4	6	4	—	7	2	7	6	7	7	4	1	—	—	—	—
Renfrew . . .	23	31	23	26	27	16	26	31	19	15	6	5	1	1	—	—
Ayr . . .	27	30	38	42	52	49	54	63	61	50	39	15	8	4	—	—
Lanark . . .	36	37	32	40	51	51	48	58	46	30	18	14	1	2	—	—
Linlithgow . . .	5	7	8	9	12	8	8	10	13	11	3	3	—	—	—	—
Edinburgh . . .	10	6	7	10	21	18	15	11	21	9	6	5	—	—	—	—
Haddington . . .	4	4	5	4	4	10	5	7	14	10	8	5	—	—	—	—
Berwick . . .	1	1	2	1	2	2	4	2	7	3	2	—	—	—	—	—
Peebles . . .	1	—	—	—	1	1	3	5	1	1	2	—	—	—	—	—
Selkirk . . .	6	4	2	5	9	9	8	6	9	11	5	5	—	—	—	—
Roxburgh . . .	4	2	5	6	3	5	9	6	5	9	7	1	2	—	—	—
Dumfries . . .	4	1	3	—	5	5	5	5	6	8	3	5	—	—	—	—
Kirkcudbright . . .	5	1	3	1	2	2	6	6	9	3	4	1	3	—	—	—
Wigtown . . .	3	3	5	7	2	5	5	8	5	7	2	1	1	1	—	—

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1875.—FEMALES.

	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	205	14	2	3	8	1	1	3	6	1	7	8	14
Arbroath	272	32	9	10	11	9	3	3	8	4	13	9	10
Forfar	152	8	6	5	7	11	5	6	1	3	9	4	4
Montrose	178	9	7	2	4	4	5	2	5	4	6	2	10
Dunfermline	161	12	3	11	21	8	6	1	6	7	7	3	5
Kirkcaldy	161	16	4	14	11	4	5	6	6	2	7	11	5
Stirling	175	14	6	4	7	2	4	3	6	6	4	7	6
Dumbarton	171	15	4	10	17	14	10	4	11	2	4	3	7
Ayr	240	16	11	12	14	3	2	4	12	6	9	10	4
Kilmarnock	371	25	16	31	37	20	12	16	21	16	15	13	10
Barony	207	22	10	29	16	9	6	6	18	11	13	8	6
Glasgow (Landward)	465	31	16	46	39	20	10	10	31	12	19	21	16
Govan	979	105	41	84	145	46	34	29	52	22	23	42	40
Hamilton	202	20	6	12	19	7	8	3	4	9	4	10	11
Airdrie	165	15	5	16	14	3	3	6	5	3	10	15	9
Coatbridge	226	30	5	28	30	11	10	6	8	11	11	8	6
Hawick	216	14	4	11	15	12	12	12	31	4	8	5	8
Dumfries	272	14	9	15	18	7	7	5	22	2	11	9	13

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1875.—FEMALES.

Shetland	37	3	—	3	—	—	1	1	2	1	2	3	2
Orkney	62	6	2	—	—	—	—	—	1	2	1	3	1
Caithness	229	22	7	12	17	21	7	9	21	6	4	7	1
Ross and Cromarty	190	9	8	18	25	8	9	2	8	3	11	7	4
Nairn	59	10	1	4	—	1	—	—	—	2	—	3	2
Elgin	193	19	5	9	8	3	4	1	3	1	2	8	6
Banff	238	20	5	14	12	4	3	1	6	5	9	4	6
Aberdeen	331	32	13	23	17	7	3	3	16	8	10	10	10
Kincardine	61	8	2	2	3	—	—	1	—	—	2	2	1
Forfar	295	22	10	10	15	3	8	5	14	8	3	5	12
Perth	281	18	4	10	8	8	4	2	7	8	6	6	12
Fife	635	62	21	28	27	22	18	16	35	15	28	23	16
Clackmannan	197	15	4	12	13	5	4	4	11	7	11	4	7
Stirling	601	47	31	38	64	18	13	17	34	21	18	19	21
Dumbarton	505	26	10	27	47	22	12	18	33	22	26	24	14
Argyll	215	16	3	8	8	7	4	8	12	5	1	11	10
Bute	125	7	3	4	5	2	4	3	3	2	5	4	6
Renfrew	861	66	33	73	87	37	31	27	50	24	32	38	37
Ayr	1238	119	46	70	98	41	23	26	63	47	43	55	41
Lanark	1339	129	57	120	146	70	38	36	95	39	52	52	53
Linlithgow	239	27	6	20	25	10	13	7	17	8	1	8	5
Edinburgh	364	33	9	19	22	20	3	7	19	16	9	10	12
Haddington	174	16	6	14	8	6	2	4	6	2	7	5	4
Berwick	75	6	3	2	6	1	4	3	9	5	1	—	2
Peebles	50	—	—	5	—	1	3	2	6	3	—	2	2
Selkirk	194	27	9	9	8	3	4	3	5	3	8	9	11
Roxburgh	125	8	4	6	3	3	4	1	10	1	4	4	—
Dumfries	121	6	1	6	13	7	4	4	8	4	3	4	5
Kirkcudbright	99	1	2	5	5	2	—	3	4	4	5	8	1
Wigtown	126	6	3	7	4	2	1	1	3	3	3	4	4

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1875.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	11	9	7	8	4	9	12	13	20	14	20	7	1	1	1	—
Arbroath . . .	13	10	10	7	14	15	16	11	18	18	9	8	—	2	—	—
Forfar . . .	7	4	—	2	6	3	5	9	10	18	11	5	2	1	—	—
Montrose . . .	8	3	5	10	8	13	12	9	18	12	12	6	—	2	—	—
Dunfermline . . .	4	7	4	3	1	4	5	9	12	8	10	2	2	—	—	—
Kirkcaldy . . .	1	5	5	4	2	9	6	8	10	11	5	4	—	—	—	—
Stirling . . .	8	6	9	3	11	9	18	6	8	14	7	4	1	1	—	1
Dumbarton . . .	9	7	6	8	8	5	7	6	7	1	3	3	—	—	—	—
Ayr . . .	7	15	8	10	5	11	18	12	20	15	4	5	5	2	—	—
Kilmarnock . . .	14	12	9	6	12	22	11	13	8	14	11	5	2	—	—	—
Barony . . .	8	3	7	5	3	4	8	3	7	3	2	—	—	—	—	—
Glasgow (Landward) . . .	29	17	14	14	9	23	23	25	13	13	9	1	4	—	—	—
Govan . . .	36	32	27	34	24	31	34	31	25	21	16	3	1	—	—	1
Hamilton . . .	9	7	7	6	6	9	8	4	7	12	8	6	—	—	—	—
Airdrie . . .	5	6	3	3	5	5	5	11	3	6	6	2	1	—	—	—
Coatbridge . . .	8	6	7	4	8	6	4	6	2	7	1	1	1	1	—	—
Hawick . . .	5	7	8	2	9	9	8	8	11	7	4	2	—	—	—	—
Dumfries . . .	4	6	10	16	13	12	17	22	8	11	10	7	1	—	—	3

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1875.—FEMALES.

Shetland . . .	3	1	—	2	1	1	2	1	2	2	2	1	1	—	—	—
Orkney . . .	2	4	—	1	5	5	5	3	8	3	4	4	—	2	—	—
Caithness . . .	6	6	5	8	4	3	3	8	14	15	11	9	3	—	—	—
Ross and Cromarty . . .	4	5	6	6	4	8	8	7	9	5	8	4	3	—	1	—
Nairn . . .	1	1	2	—	1	2	5	4	3	4	5	5	2	1	—	—
Elgin . . .	5	6	8	3	7	6	9	14	19	16	17	12	2	—	—	—
Banff . . .	6	7	8	8	12	12	11	15	19	20	13	12	5	1	—	—
Aberdeen . . .	13	15	13	11	11	11	13	19	13	20	20	12	6	2	—	—
Kincardine . . .	2	3	3	4	2	—	1	3	4	5	7	4	2	—	—	—
Forfar . . .	4	9	7	14	10	16	13	21	27	21	21	12	4	1	—	—
Perth . . .	11	8	9	7	9	16	16	24	26	30	16	12	2	2	—	—
Fife . . .	14	26	12	18	28	20	26	44	52	38	26	9	9	2	—	—
Clackmannan . . .	8	5	5	4	7	4	13	18	11	13	6	5	1	—	—	—
Stirling . . .	22	21	14	14	15	23	34	25	30	27	18	9	7	1	—	—
Dumbarton . . .	16	17	13	14	17	18	20	26	24	24	25	8	1	1	—	—
Argyll . . .	8	7	4	1	10	7	10	13	24	13	17	6	1	1	—	—
Bute . . .	8	4	7	3	6	5	9	8	5	10	6	4	2	—	—	—
Renfrew . . .	26	27	28	22	24	26	37	37	39	35	18	4	3	—	—	—
Ayr . . .	33	37	43	28	32	31	45	66	80	71	59	32	7	2	—	—
Lanark . . .	39	44	35	24	34	48	43	47	44	41	33	13	3	—	3	1
Linlithgow . . .	6	5	7	4	6	8	9	11	17	4	7	3	4	1	—	—
Edinburgh . . .	9	12	8	13	17	23	12	22	27	20	18	3	1	—	—	—
Haddington . . .	2	3	2	6	4	8	7	19	13	9	13	5	3	—	—	—
Berwick . . .	2	1	1	1	3	2	2	3	4	8	1	4	1	—	—	—
Peebles . . .	—	—	2	4	2	—	5	2	3	3	5	—	—	—	—	—
Selkirk . . .	10	9	4	12	6	11	8	9	10	13	2	1	—	—	—	—
Roxburgh . . .	2	1	2	5	3	6	11	10	11	12	7	2	4	1	—	—
Dumfries . . .	2	3	2	3	3	6	6	9	4	3	11	3	1	—	—	—
Kirkcudbright . . .	3	3	2	2	3	2	7	10	8	10	4	4	—	1	—	—
Wigtown . . .	5	4	4	3	7	5	6	6	18	12	11	3	1	—	—	—

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1875.—BOTH SEXES.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	331	21	4	9	9	8	4	2	12	6	9	11	8
Sutherland	415	30	8	11	11	2	8	7	10	10	13	9	15
Ross and Cromarty	1006	56	25	23	42	24	21	14	31	12	19	26	28
Inverness	540	35	7	11	15	8	6	4	9	5	15	20	21
Nairn	58	7	2	3	1	—	—	—	4	4	—	3	3
Elgin	429	39	13	12	13	6	2	3	9	5	13	15	9
Banff	529	49	16	14	13	12	8	3	16	16	21	20	14
Aberdeen	1776	167	61	76	34	27	25	19	58	56	63	64	59
Kincardine	506	44	21	24	14	10	7	7	20	16	11	26	14
Forfar	616	71	18	27	20	13	14	12	27	11	19	18	17
Perth	1449	98	23	39	39	30	32	19	74	28	45	41	47
Fife	1575	151	53	85	103	45	43	31	64	42	48	43	29
Kinross	156	14	3	4	7	2	3	3	8	5	7	4	6
Clackmannan	94	15	3	7	9	6	—	—	3	1	2	1	4
Stirling	836	105	45	60	69	26	25	9	34	26	14	32	29
Dumbarton	311	26	12	23	24	14	10	5	10	10	11	8	11
Argyll	803	46	13	26	36	20	17	11	30	17	23	43	33
Renfrew	618	58	24	42	36	27	21	9	26	23	33	28	19
Ayr	1278	132	44	69	106	59	39	25	71	44	43	59	32
Lanark	1583	191	54	115	189	67	46	39	101	57	57	46	47
Linlithgow	338	41	19	22	26	10	8	7	13	9	13	8	12
Edinburgh	1378	106	44	72	90	40	33	15	63	27	39	30	42
Haddington	375	34	14	11	19	12	8	6	17	10	12	16	6
Berwick	514	45	13	36	24	15	12	17	31	17	8	17	20
Peebles	143	22	3	9	9	4	5	3	9	1	7	7	3
Selkirk	47	3	1	5	1	2	1	—	—	—	3	3	—
Roxburgh	412	38	14	13	12	16	4	6	29	10	13	16	14
Dumfries	1087	89	24	39	42	28	30	29	55	36	30	47	41
Kirkcudbright	508	41	7	18	20	14	11	9	25	12	14	20	13
Wigtown	592	55	15	20	32	19	7	5	24	15	18	28	19

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1875.—BOTH SEXES.

Shetland	412	27	13	11	9	6	3	3	10	10	14	14	8
Orkney	442	27	7	11	9	7	2	3	12	7	13	10	11
Ross and Cromarty	331	33	13	17	34	15	11	6	16	6	5	16	10
Inverness	645	76	12	27	24	19	9	7	29	14	25	25	19
Argyll	369	19	10	6	10	9	6	4	14	10	5	13	7
Bute	195	9	7	7	5	6	4	1	10	4	11	7	11

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1875.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness . . .	8	6	4	13	6	6	17	19	30	24	51	28	7	5	3	1
Sutherland . . .	7	9	10	8	15	18	21	27	37	48	42	21	10	7	1	—
Ross and Cromarty . . .	19	35	14	30	27	31	49	72	118	99	107	56	18	7	3	—
Inverness . . .	14	10	13	9	19	18	24	36	62	67	62	30	12	5	2	1
Nairn . . .	3	2	1	—	2	1	2	4	4	2	6	4	—	—	—	—
Elgin . . .	12	16	12	12	13	18	20	28	42	48	30	24	11	4	—	—
Banff . . .	18	16	12	25	23	11	21	37	35	46	44	25	11	3	—	—
Aberdeen . . .	39	44	60	50	60	56	67	101	169	172	118	94	27	6	1	3
Kincardine . . .	13	15	15	22	7	24	20	35	27	40	43	21	7	2	—	1
Forfar . . .	13	13	20	10	12	24	23	33	48	55	43	36	15	3	—	1
Perth . . .	27	47	37	37	39	61	86	107	141	140	105	72	18	10	1	1
Fife . . .	33	33	41	38	36	63	79	100	110	124	107	55	13	4	—	2
Kinross . . .	2	3	1	2	6	3	10	10	14	18	15	5	1	—	—	—
Clackmannan . . .	3	—	2	4	3	3	6	5	7	6	3	1	—	—	—	—
Stirling . . .	18	22	23	22	22	28	38	39	52	46	31	11	6	4	—	—
Dumbarton . . .	9	11	12	12	13	7	15	14	15	14	16	7	—	1	1	—
Argyll . . .	28	19	18	23	31	27	55	40	69	61	67	29	15	6	—	—
Renfrew . . .	17	13	30	18	21	29	28	28	20	31	17	17	2	—	—	1
Ayr . . .	39	40	37	36	41	37	44	52	63	70	52	25	17	2	—	—
Lanark . . .	40	47	33	44	33	56	58	55	67	66	42	25	5	3	—	—
Linlithgow . . .	11	10	13	4	11	13	18	16	13	19	15	5	2	—	—	—
Edinburgh . . .	51	37	49	46	56	58	88	96	99	106	56	25	6	4	—	—
Haddington . . .	7	10	12	13	11	20	27	20	31	30	15	10	4	—	—	—
Berwick . . .	10	7	8	10	18	14	16	33	39	38	34	20	11	1	—	—
Peebles . . .	2	5	6	5	5	2	5	1	12	4	4	9	—	1	—	—
Selkirk . . .	1	3	1	—	3	1	1	3	3	8	3	1	—	—	—	—
Roxburgh . . .	11	12	13	16	12	20	15	29	29	26	29	12	2	1	—	—
Dumfries . . .	31	30	22	36	27	35	51	58	99	98	57	34	15	3	1	—
Kirkcudbright . . .	17	11	15	12	14	18	28	25	46	52	33	26	5	1	1	—
Wigtown . . .	20	19	13	23	17	17	26	39	53	28	37	32	8	3	—	—

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1875.—BOTH SEXES.

Shetland . . .	15	10	12	15	5	13	20	24	42	36	45	26	12	8	—	1
Orkney . . .	16	14	11	15	9	15	21	30	47	56	46	31	6	3	—	3
Ross and Cromarty . . .	21	7	8	9	7	8	8	8	13	18	25	7	6	2	1	1
Inverness . . .	22	19	23	17	19	25	30	37	41	34	50	19	17	4	1	1
Argyll . . .	11	11	10	16	11	17	20	18	35	35	35	17	11	7	1	1
Bute . . .	7	7	4	3	6	5	14	14	9	19	12	9	2	2	—	—

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1875.—MALES.

	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	149	10	1	5	4	3	1	2	5	3	6	6	1
Sutherland	204	21	6	6	10	—	1	3	9	6	5	5	9
Ross and Cromarty	462	32	17	11	18	11	12	6	16	6	11	14	13
Inverness	248	17	4	6	8	3	3	1	5	1	7	13	14
Nairn	31	4	1	1	—	—	—	—	2	3	—	3	1
Elgin	182	21	10	5	6	3	1	1	7	3	3	8	3
Banff	275	25	8	8	10	10	5	3	13	9	11	10	9
Aberdeen	900	95	40	44	21	11	14	8	28	30	33	26	25
Kincardine	230	24	9	16	9	4	4	4	10	11	6	12	7
Forfar	298	40	7	14	13	5	6	7	14	5	10	13	9
Perth	703	49	15	22	23	12	18	5	46	14	22	18	21
Fife	728	76	33	56	56	20	19	9	34	25	23	21	8
Kinross	82	10	2	3	3	1	2	2	7	3	4	3	3
Clackmannan	38	8	2	4	5	1	—	—	—	1	2	1	1
Stirling	413	61	23	36	31	15	9	6	16	12	8	19	10
Dumbarton	170	16	8	12	18	9	3	2	4	4	4	6	7
Argyll	400	22	8	13	21	8	9	6	16	6	12	28	21
Renfrew	302	42	11	22	16	15	10	3	9	10	11	16	10
Ayr	676	69	20	46	62	35	15	17	35	36	22	27	17
Lanark	813	109	33	55	91	32	24	17	43	34	34	24	18
Linlithgow	165	22	6	14	15	4	6	2	3	2	7	6	7
Edinburgh	687	61	22	47	42	23	17	6	28	14	23	16	27
Haddington	186	21	9	8	13	7	2	6	8	6	8	8	1
Berwick	244	19	6	22	10	7	7	14	13	11	7	7	9
Peebles	73	11	—	6	4	4	3	—	4	—	2	2	1
Selkirk	21	1	1	2	—	—	—	—	—	—	3	1	—
Roxburgh	199	18	8	6	6	7	4	2	19	3	4	7	8
Dumfries	542	50	16	21	22	17	13	23	30	14	11	26	20
Kirkcudbright	241	24	3	8	11	4	6	5	18	5	8	6	5
Wigtown	263	28	8	11	17	11	3	1	14	5	1	15	15

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1875.—MALES.

Shetland	155	16	5	5	3	3	1	1	3	4	7	5	3
Orkney	212	18	3	7	4	4	2	—	6	3	8	6	6
Ross and Cromarty	161	19	6	8	18	5	4	2	8	4	4	7	6
Inverness	305	39	8	16	11	11	4	3	17	6	14	13	12
Argyll	186	13	7	4	3	4	3	3	7	4	—	9	6
Bute	97	3	3	7	3	3	2	—	4	1	5	3	6

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1875.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness . . .	4	4	2	7	3	2	10	7	17	8	20	11	3	1	2	1	
Sutherland . . .	4	2	5	5	7	13	11	11	11	20	18	9	3	3	1	—	
Ross and Cromarty .	9	19	5	16	11	15	24	36	42	44	40	22	8	3	1	—	
Inverness . . .	6	5	3	6	7	7	9	14	29	30	34	11	4	1	—	—	
Nairn	1	—	1	—	1	—	2	1	3	1	3	3	—	—	—	—	
Elgin	6	2	3	4	5	12	13	13	14	9	13	11	5	1	—	—	
Banff	9	6	5	13	7	7	13	18	22	20	21	10	2	1	—	—	
Aberdeen	19	23	28	27	27	27	37	52	82	85	54	51	10	—	—	3	
Kincardine . . .	6	6	6	9	5	9	8	17	12	15	14	5	2	—	—	—	
Forfar	6	8	9	2	6	9	10	21	23	23	17	12	7	1	—	1	
Perth	11	22	20	13	19	29	48	47	73	70	45	29	7	4	—	1	
Fife	17	14	12	22	16	25	30	38	44	55	50	19	3	1	—	2	
Kinross	1	1	—	2	3	2	4	6	6	8	5	1	—	—	—	—	
Clackmannan . . .	2	—	—	2	2	3	1	1	1	1	—	—	—	—	—	—	
Stirling	11	9	12	16	12	13	18	19	26	17	10	3	—	1	—	—	
Dumbarton . . .	3	6	3	7	9	3	10	11	8	9	6	2	—	—	—	—	
Argyll	17	11	8	11	15	12	33	15	34	29	27	12	3	3	—	—	
Renfrew	5	3	18	10	10	14	11	15	11	13	6	8	2	—	—	1	
Ayr	15	20	18	22	20	23	28	21	27	36	28	10	6	1	—	—	
Lanark	12	25	19	23	22	26	34	31	37	35	20	13	1	1	—	—	
Linlithgow . . .	3	4	7	4	6	7	8	10	5	9	5	3	—	—	—	—	
Edinburgh	29	19	25	23	28	27	44	45	44	44	20	9	3	1	—	—	
Haddington . . .	4	4	1	4	4	10	12	14	11	17	3	3	2	—	—	—	
Berwick	5	1	4	4	5	7	6	19	16	20	15	6	4	—	—	—	
Peebles	1	4	2	2	1	1	5	1	9	3	2	5	—	—	—	—	
Selkirk	—	1	1	—	2	1	—	—	2	3	2	1	—	—	—	—	
Roxburgh	4	3	5	6	2	13	11	13	19	11	12	8	—	—	—	—	
Dumfries	13	15	6	12	14	18	23	27	52	48	25	19	6	1	—	—	
Kirkcudbright . .	11	5	7	8	6	6	15	11	15	24	18	9	2	—	1	—	
Wigtown	4	5	3	13	8	6	9	18	28	9	15	13	2	1	—	—	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1875.—MALES.

Shetland	6	4	5	3	1	5	8	10	14	18	11	6	5	3	—	—
Orkney	7	8	3	7	4	8	11	10	26	27	17	9	3	2	—	3
Ross and Cromarty .	7	3	2	3	3	4	6	4	9	12	8	4	2	1	1	1
Inverness	12	12	6	8	8	14	11	13	22	12	21	4	4	2	1	1
Argyll	5	4	4	4	2	11	10	14	10	26	17	5	8	3	—	—
Bute	4	5	2	1	1	3	4	7	4	11	9	4	1	1	—	—

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1875.—FEMALES.

		FEMALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
Caithness	182	11	3	4	5	5	3	—	7	3	3	5	7	
Sutherland	211	9	2	5	1	2	7	4	1	4	8	4	6	
Ross and Cromarty	544	24	8	12	24	13	9	8	15	6	8	12	15	
Inverness	292	18	3	5	7	5	3	3	4	4	8	7	7	
Nairn	27	3	1	2	1	—	—	—	2	1	—	—	2	
Elgin	247	18	3	7	7	3	1	2	2	2	10	7	6	
Banff	254	24	8	6	3	2	3	—	3	7	10	10	5	
Aberdeen	876	72	21	32	13	16	11	11	30	26	30	38	34	
Kincardine	276	20	12	8	5	6	3	3	10	5	5	14	7	
Forfar	318	31	11	13	7	8	8	5	13	6	9	5	8	
Perth	746	49	13	17	16	18	14	14	28	14	23	23	26	
Fife	847	75	20	29	47	25	24	22	30	17	25	22	21	
Kinross	74	4	1	1	4	1	1	1	1	2	3	1	3	
Clackmannan	56	7	1	3	4	5	—	—	3	—	—	—	3	
Stirling	423	44	22	24	38	11	16	3	18	14	6	13	19	
Dumbarton	141	10	4	11	6	5	7	3	6	6	7	2	4	
Argyll	403	24	5	13	15	12	8	5	14	11	11	15	12	
Renfrew	316	16	13	20	20	12	11	6	17	13	22	12	9	
Ayr	602	63	24	23	44	24	24	8	36	8	21	32	15	
Lanark	770	82	21	60	98	35	22	22	58	23	23	22	29	
Linlithgow	173	19	13	8	11	6	2	5	10	7	6	2	5	
Edinburgh	691	45	22	25	48	17	16	9	35	13	16	14	15	
Haddington	189	13	5	3	6	5	6	—	9	4	4	8	5	
Berwick	270	26	7	14	14	8	5	3	18	6	1	10	11	
Peebles	70	11	3	3	5	—	2	3	5	1	5	5	2	
Selkirk	26	2	—	3	1	2	1	—	—	—	—	2	—	
Roxburgh	213	20	6	7	6	9	—	4	10	7	9	9	6	
Dumfries	545	39	8	18	20	11	17	6	25	22	19	21	21	
Kirkcudbright	267	17	4	10	9	10	5	4	7	7	6	14	8	
Wigtown	329	27	7	9	15	8	4	4	10	10	17	13	4	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1875.—FEMALES.

Shetland	257	11	8	6	6	3	2	2	7	6	7	9	5	
Orkney	230	9	4	4	5	3	—	3	6	4	5	4	5	
Ross and Cromarty	170	14	7	9	16	10	7	4	8	2	1	9	4	
Inverness	340	37	4	11	13	8	5	4	12	8	11	12	7	
Argyll	183	6	3	2	7	5	3	1	7	6	5	4	1	
Bute	98	6	4	—	2	3	2	1	6	3	6	4	5	

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1875.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness . . .	4	2	2	6	3	4	7	12	13	16	31	17	4	4	1	—
Sutherland . . .	3	7	5	3	8	5	10	16	26	28	24	12	7	4	—	—
Ross and Cromarty .	10	16	9	14	16	16	25	36	76	55	67	34	10	4	2	—
Inverness . . .	8	5	10	3	12	11	15	22	33	37	28	19	8	4	2	1
Nairn	2	2	—	—	1	1	—	3	1	1	3	1	—	—	—	—
Elgin	6	14	9	8	8	6	7	15	28	39	17	13	6	3	—	—
Banff	9	10	7	12	16	4	8	19	13	26	23	15	9	2	—	—
Aberdeen	20	21	32	23	33	29	30	49	87	87	64	43	17	6	1	—
Kincardine . . .	7	9	9	13	2	15	12	18	15	25	29	16	5	2	—	1
Forfar	7	5	11	8	6	15	13	12	25	32	26	24	8	2	—	—
Perth	16	25	17	24	20	32	38	60	68	70	60	43	11	6	1	—
Fife	16	19	29	16	20	38	49	62	66	69	57	36	10	3	—	—
Kinross	1	2	1	—	3	1	6	4	8	10	10	4	1	—	—	—
Clackmannan . . .	1	—	2	2	1	—	5	4	6	5	3	1	—	—	—	—
Stirling	7	13	11	6	10	15	20	20	26	29	21	8	6	3	—	—
Dumbarton . . .	6	5	9	5	4	4	5	3	7	5	10	5	—	1	1	—
Argyll	11	8	10	12	16	15	22	25	35	32	40	17	12	3	—	—
Renfrew	12	10	12	8	11	15	17	13	9	18	11	9	—	—	—	—
Ayr	24	20	19	14	21	14	16	31	36	34	24	15	11	1	—	—
Lanark	28	22	14	21	11	30	24	24	30	31	22	12	4	2	—	—
Linlithgow . . .	8	6	6	—	5	6	10	6	8	10	10	2	2	—	—	—
Edinburgh	22	18	24	23	28	31	44	51	55	62	36	16	3	3	—	—
Haddington . . .	3	6	11	9	7	10	15	6	20	13	12	7	2	—	—	—
Berwick	5	6	4	6	13	7	10	14	23	18	19	14	7	1	—	—
Peebles	1	1	4	3	4	1	—	—	3	1	2	4	—	1	—	—
Selkirk	1	2	—	—	1	—	1	3	1	5	1	—	—	—	—	—
Roxburgh	7	9	8	10	10	7	4	16	10	15	17	4	2	1	—	—
Dumfries	18	15	16	24	13	17	28	31	47	50	32	15	9	2	1	—
Kirkcudbright . .	6	6	8	4	8	12	13	14	31	28	15	17	3	1	—	—
Wigtown	16	14	10	10	9	11	17	21	25	19	22	19	6	2	—	—

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1875.—FEMALES.

Shetland	9	6	7	12	4	8	12	14	28	18	34	20	7	5	—	1
Orkney	9	6	8	8	5	7	10	20	21	29	29	22	3	1	—	—
Ross and Cromarty .	14	4	6	6	4	4	2	4	4	6	17	3	4	1	—	—
Inverness	10	7	17	9	11	11	19	24	19	22	29	15	13	2	—	—
Argyll	6	7	6	12	9	6	10	4	25	9	18	12	3	4	1	1
Bute	3	2	2	2	5	2	10	7	5	8	3	5	1	1	—	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	81767	486	560	800	415	1697	1600	171	758	975	4436	624	5641	2600	3417	156
SPECIFIED CAUSES	80360	424	551	789	385	1560	1459	167	740	963	4354	615	5617	2549	3337	155
I. Zymotic Class	16724	52	37	222	63	399	224	18	92	139	676	96	973	397	702	31
II. Diseases of Uncer. Seat	2793	21	24	20	18	55	62	3	35	55	183	31	222	136	122	4
III. Tubercular Class	12450	48	64	78	43	144	166	14	91	123	639	87	845	342	408	23
IV. Brain and Nervous Sys. . . .	7471	20	38	66	33	87	119	21	100	124	485	54	553	249	337	16
V. Organs of Circulation	4537	16	20	55	16	57	74	9	58	64	322	40	386	218	214	17
VI. Respiratory Organs	14801	27	118	123	43	197	227	22	122	176	760	95	1157	387	565	20
VII. Organs of Digestion	5438	22	33	35	16	97	93	16	63	87	307	52	318	166	231	5
VIII. Urinary Organs	1352	3	14	20	8	24	28	1	10	28	120	13	104	62	67	3
IX. Organs of Generation	661	9	5	11	3	13	19	4	9	9	37	6	48	24	27	1
X. Organs of Locomotion	528	5	3	1	7	10	15	2	5	6	38	4	29	18	18	2
XI. Skin, etc.	94	—	1	1	1	2	1	—	1	—	6	2	7	7	3	—
XII. Malformation	294	1	3	1	—	1	3	—	1	6	27	3	31	10	14	—
XIII. Premature Debility	3789	6	11	31	8	22	40	18	31	38	211	24	349	109	148	8
XIV. Atrophy	490	4	3	—	2	6	8	1	1	5	17	—	31	6	16	1
XV. Age	5931	176	151	106	111	388	349	33	103	75	380	76	356	323	323	16
XVI. Sudden Deaths	99	—	—	—	—	—	—	1	—	—	3	—	7	6	15	—
XVII. Violent Deaths	2908	14	26	19	13	58	31	4	18	28	143	32	201	89	127	8
I. Small-pox	76	—	—	—	—	—	—	—	—	—	30	—	—	—	—	—
Measles	1022	10	2	—	1	11	21	—	2	—	3	—	9	29	14	—
Scarlatina	4720	—	6	158	27	54	22	2	12	22	69	12	193	81	236	19
Diphtheria	867	—	—	3	—	6	7	1	9	10	77	14	75	43	54	2
Hooping-cough	2431	22	—	9	—	114	18	1	5	6	111	17	199	35	50	—
Croup	975	3	—	8	10	100	17	3	3	7	39	2	44	30	51	—
Thrush	34	—	—	—	—	—	—	—	1	—	7	—	4	2	2	2
Diarrhœa	2270	3	7	10	7	18	17	1	10	22	130	23	216	63	81	2
Dysentery	188	—	2	2	1	2	—	—	4	2	14	4	10	9	17	2
Cholera	116	1	2	1	—	—	1	—	—	—	1	1	2	1	10	1
Influenza	186	1	6	6	3	22	1	—	3	6	16	2	15	5	4	—
Purpura	58	1	—	—	—	—	3	—	—	—	2	—	6	2	2	—
Ague	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Worms	15	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—
Typhus	615	5	—	—	—	24	56	—	4	7	17	4	21	19	32	—
Enteric Fever	1625	5	3	11	9	10	21	4	16	26	83	11	82	36	72	3
Relapsing Fever	17	—	3	—	—	1	—	—	—	1	1	—	—	1	2	—
Simple Cont. Fever	98	—	2	—	—	4	2	—	—	1	1	1	5	2	7	—
Infantile Remittent	85	1	1	—	1	—	—	—	1	1	—	1	2	3	6	—
Metria	389	—	1	4	1	12	15	4	16	13	18	—	18	6	24	—
Rheumatic Fever	174	—	1	3	1	7	7	—	—	3	13	2	18	6	9	—
Erysipelas	413	—	—	5	1	12	13	2	3	10	30	1	23	17	18	—
Pyæmia	112	—	1	—	—	2	—	—	1	2	4	—	5	4	2	—
Syphilis	212	—	—	2	—	—	2	—	2	—	10	1	24	2	6	—
Noma	6	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	17	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—
II. Hæmorrhage	89	1	—	1	1	1	—	—	3	5	4	—	6	6	8	1
Dropsy	548	9	8	3	1	14	9	1	3	6	25	2	45	27	22	2
Abscess	220	—	—	1	1	3	7	—	2	2	9	1	15	7	7	—
Ulcer	60	—	—	3	—	4	—	—	—	3	1	—	3	2	3	—
Fistula	15	—	—	—	—	1	—	—	—	—	2	—	—	1	—	—
Mortification	164	2	1	1	—	2	4	—	7	4	12	6	12	8	4	—
Cancer	1672	9	15	11	15	29	41	2	20	34	130	22	140	84	77	1
Gout	25	—	—	—	—	1	1	—	—	1	—	—	1	1	1	—
III. Scrofula	704	2	10	6	2	5	5	—	—	15	56	4	47	19	37	2
Tabes Mesenterica	1122	—	6	4	1	6	5	1	4	4	21	3	54	25	32	3
Phthisis	8699	45	43	55	38	126	144	11	77	90	457	73	626	267	265	15
Hydrocephalus	1925	1	5	13	2	7	12	2	10	14	105	7	118	31	74	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—BOTH SEXES.

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . .	480	2350	1638	1609	444	5840	5006	24459	853	8194	701	665	240	416	1082	1762	868	824
SPECIFIED CAUSES .	473	2302	1627	1528	432	5781	4954	24188	834	8162	686	659	235	413	1072	1710	836	803
Zymotic Class . .	69	495	429	250	95	1384	1071	5406	216	1836	122	174	67	72	291	360	144	122
Uncertain Seat . .	28	73	64	61	17	175	135	642	24	343	25	23	6	21	26	76	32	31
Tubercular Class . .	77	315	292	229	82	992	844	4316	130	1130	79	67	25	67	148	278	143	121
Brain, etc. . . .	60	209	132	134	39	522	438	2096	72	860	64	57	17	33	124	161	90	61
Heart, etc. . . .	27	154	83	79	33	240	289	908	71	597	61	61	19	30	78	116	73	52
Respiratory Organs .	71	392	237	198	56	1052	779	5372	125	1523	115	81	28	76	140	258	141	118
Digestive Organs . .	26	201	90	111	22	422	345	1640	59	505	50	59	21	23	76	120	51	76
Urinary Organs . .	11	32	13	25	7	59	93	301	9	168	13	12	5	12	16	36	15	20
Generative Organs . .	5	14	12	15	1	46	39	191	6	50	9	11	1	5	13	7	5	6
Locomotive Organs .	4	10	7	11	2	51	30	145	4	65	1	4	—	3	10	12	4	2
Skin	—	1	2	2	1	9	5	22	2	8	2	1	—	—	2	2	—	3
Malformation . . .	2	10	10	—	—	12	20	73	1	44	2	3	1	1	3	5	3	3
Premature Debility .	29	128	67	42	13	294	280	1213	39	350	45	33	20	25	52	57	14	34
Atrophy	9	16	9	5	2	78	43	160	1	39	3	2	—	2	4	7	5	4
Age	41	162	108	311	43	256	330	738	38	340	76	51	18	18	64	170	89	112
Sudden Deaths . .	—	3	1	—	—	4	10	41	2	5	1	—	—	—	—	—	—	—
Violent Deaths . .	14	87	71	55	19	185	203	924	35	299	18	20	7	25	25	45	27	38
Small-pox	—	8	—	—	—	13	3	8	—	9	—	—	—	1	—	—	2	2
Measles	2	10	28	11	1	228	45	492	2	40	4	9	—	—	6	33	6	3
Scarlatina	16	126	155	63	35	276	364	1347	109	728	36	71	39	17	182	152	61	30
Diphtheria	2	27	25	21	10	38	50	209	11	98	7	4	5	1	10	22	19	7
Hooping-cough . .	2	59	67	16	4	233	91	1049	24	250	10	12	2	4	6	3	—	12
Croup	15	29	17	39	6	61	38	261	6	121	3	16	2	1	10	16	4	13
Thrush	—	—	—	—	—	8	1	4	—	1	—	1	—	—	—	1	—	—
Diarrhoea	14	74	48	23	3	180	142	773	23	247	16	19	8	13	14	31	12	20
Dysentery	—	7	3	5	3	8	9	49	1	18	2	2	—	—	3	6	2	1
Cholera	—	3	2	1	2	11	19	29	1	11	3	2	—	2	5	1	2	1
Influenza	2	17	1	8	—	1	19	11	—	12	1	10	—	—	4	4	3	3
Purpura	—	3	—	—	—	9	2	16	1	6	—	1	—	1	—	2	1	—
Ague	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Worms	—	—	2	—	—	1	4	5	—	—	—	—	—	—	—	—	—	—
Typhus	3	38	22	3	1	52	55	155	2	59	4	10	1	1	13	4	1	2
Enteric Fever . . .	5	43	29	38	20	174	114	533	17	101	21	9	8	16	22	52	19	12
Relapsing Fever . .	1	—	—	—	—	1	1	3	—	1	—	—	—	1	—	—	—	—
Simple Cont. Fever .	1	6	2	—	—	10	18	26	1	1	1	—	1	1	—	4	1	—
Infantile Remittent .	—	4	—	1	3	14	2	30	—	7	2	—	—	2	2	—	—	1
Metria	2	13	9	5	—	16	26	121	6	26	5	1	—	4	—	12	5	6
Rheumatic Fever . .	1	5	7	8	—	6	13	30	2	17	—	3	1	—	4	3	1	3
Erysipelas	2	13	7	6	3	26	32	132	3	27	3	3	—	3	5	8	1	4
Pyæmia	1	5	3	1	4	3	7	41	2	13	—	—	—	4	2	3	2	—
Syphilis	—	3	2	1	—	13	15	71	5	42	3	—	—	—	3	2	2	1
Noma	—	1	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—
Hydrophobia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. .	—	—	—	—	—	2	1	8	—	1	1	—	—	—	—	—	—	1
Hæmorrhage	—	1	1	1	1	2	4	17	1	14	—	1	—	—	—	4	3	2
Dropsy	16	19	16	20	1	61	21	165	3	29	3	1	—	—	—	9	5	2
Abscess	1	4	8	3	1	15	12	73	2	32	2	—	1	—	3	3	2	3
Ulcer	—	—	2	—	1	2	3	20	—	10	—	—	—	—	—	2	—	1
Fistula	—	—	—	—	—	1	2	3	—	4	—	—	—	—	—	—	1	—
Mortification . . .	1	5	6	3	1	15	5	27	1	23	2	—	—	—	4	3	2	3
Cancer	10	44	29	34	11	79	86	335	17	225	17	20	4	18	19	55	19	20
Gout	—	—	2	—	1	—	2	2	—	6	1	1	1	3	—	—	—	—
Scrofula	—	14	15	8	2	50	46	214	11	71	7	4	2	6	4	19	9	12
Tabes Mesenterica .	3	34	18	4	2	79	95	495	21	120	7	11	3	6	23	19	10	3
Phthisis	54	214	202	193	67	711	569	2924	70	708	53	36	17	44	100	209	106	90
Hydrocephalus . .	20	53	57	24	11	152	134	683	28	231	12	16	3	11	21	31	18	16

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—BOTH SEXES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	991	2	4	13	1	6	13	1	9	22	57	5	65	19	52	—
Apoplexy . . .	1740	4	8	15	5	16	12	3	18	40	110	14	158	55	70	5
Paralysis . . .	2113	5	14	25	15	30	45	13	42	28	119	16	158	117	123	9
Delirium Tremens . . .	55	—	—	—	—	1	—	—	—	1	3	—	2	—	5	—
Chorea . . .	14	—	1	—	—	1	—	—	—	—	—	1	—	—	—	1
Epilepsy . . .	301	4	3	2	1	8	7	—	2	7	23	3	15	6	18	—
Tetanus . . .	54	—	—	—	—	6	4	1	2	—	6	1	2	1	4	—
Insanity . . .	61	2	1	—	—	1	4	—	—	—	4	1	1	—	—	—
Convulsions . . .	1056	3	3	2	6	8	17	—	10	9	63	5	105	13	26	—
Brain Disease . . .	1086	—	4	9	5	10	17	2	17	17	100	8	47	38	39	1
V. Pericarditis . . .	95	1	2	2	—	2	2	2	—	1	2	1	7	3	6	2
Aneurism . . .	116	—	3	2	2	1	—	—	1	5	8	3	10	11	1	—
Heart Disease . . .	4326	15	15	51	14	54	72	7	57	58	312	36	369	204	207	15
VI. Laryngitis . . .	161	—	—	1	1	3	1	1	2	1	10	2	10	5	3	1
Bronchitis . . .	9864	12	83	88	20	89	134	14	83	107	547	76	816	249	372	14
Pleurisy . . .	308	1	4	3	2	13	18	2	5	8	7	—	14	9	14	2
Pneumonia . . .	3685	6	20	24	11	34	41	5	26	52	165	17	285	100	154	3
Asthma . . .	476	8	8	7	9	48	29	—	6	7	22	—	23	18	18	—
Lung Disease . . .	307	—	3	—	—	10	4	—	—	1	9	—	9	6	4	—
VII. Teething . . .	845	1	1	2	1	6	8	4	9	13	40	3	38	18	52	—
Quinsey . . .	80	—	1	2	1	2	4	—	—	—	7	—	6	1	1	—
Gastritis . . .	227	2	—	—	—	6	6	1	5	1	6	1	11	10	16	—
Enteritis . . .	1030	2	4	8	3	15	11	5	8	14	29	5	56	20	31	2
Peritonitis . . .	472	2	3	1	1	6	10	1	3	6	33	4	27	15	12	1
Ascites . . .	64	—	1	—	2	2	—	—	1	1	4	—	8	1	3	—
Ulceration of Intestines	212	1	1	1	1	1	1	1	3	5	27	11	18	6	9	—
Hernia . . .	130	—	1	2	—	6	1	—	2	1	14	2	6	7	5	—
Ileus . . .	242	4	3	3	2	7	11	1	2	9	27	2	22	11	15	—
Intussusception . . .	64	—	—	—	—	1	2	—	—	2	8	1	7	2	3	—
Stricture of Intestines	38	—	—	—	—	1	1	—	1	1	4	—	—	1	2	—
Stomach Disease . . .	815	4	7	3	3	21	17	1	16	14	46	11	47	27	25	—
Pancreas Disease . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	241	1	1	1	1	2	2	1	1	3	11	3	15	6	17	1
Jaundice . . .	196	3	3	4	1	7	6	1	1	4	18	5	12	6	10	—
Liver Disease . . .	755	2	7	8	—	14	11	—	11	12	30	4	43	34	29	1
Spleen Disease . . .	26	—	—	—	—	—	2	—	—	1	3	—	2	1	1	—
VIII. Nephritis . . .	151	—	1	5	—	3	4	—	—	—	9	1	21	5	10	—
Nephria . . .	460	2	3	4	1	4	6	—	6	11	28	1	34	23	23	2
Addison's Disease . . .	8	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—
Ischuria . . .	72	1	—	1	1	3	4	1	—	—	10	1	3	1	5	—
Diabetes . . .	83	—	2	1	—	2	2	—	—	—	4	1	3	7	1	—
Stone . . .	68	—	3	3	4	4	3	—	—	2	6	—	6	3	1	—
Cystitis . . .	109	—	—	1	—	2	2	—	—	5	12	3	8	7	5	—
Stricture of Urethra . . .	13	—	—	—	—	1	—	—	—	—	2	—	—	1	2	—
Kidney Disease . . .	388	—	5	5	2	5	7	—	4	9	48	6	29	15	19	1
IX. Paramenia . . .	17	—	1	—	—	—	—	—	—	1	2	—	—	—	2	—
Ovarian Dropsy . . .	65	2	1	1	—	1	1	—	—	1	4	—	8	3	4	—
Childbirth . . .	459	7	3	9	2	6	15	4	6	4	21	4	35	18	17	—
Organs of Generation . . .	120	—	—	1	1	6	3	—	3	3	10	2	5	3	4	1
X. Bone Disease . . .	92	—	—	—	1	1	1	—	—	—	10	1	8	2	1	—
Rheumatism . . .	213	5	—	1	6	7	10	1	4	4	12	3	5	8	11	1
Joint Disease . . .	223	—	3	—	—	2	4	1	1	2	16	—	16	8	6	1
XI. Carbuncle . . .	22	—	—	1	—	—	1	—	—	—	—	2	—	2	—	—
Phlegmon . . .	12	—	—	—	—	1	—	—	—	—	1	—	2	—	—	—
Skin Disease . . .	60	—	1	—	1	1	—	—	1	—	5	—	5	5	3	—
XVII. Intemperance . . .	209	—	—	1	1	1	1	—	—	—	4	1	10	8	7	—
Privation . . .	15	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
Want of Breast Milk . . .	125	—	—	—	1	2	1	—	—	—	6	1	1	3	10	—
Neglect . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	50	1	—	—	2	—	3	1	—	1	—	—	4	3	5	1
Poison . . .	42	—	—	—	—	—	—	—	—	—	3	—	1	2	1	—
Poisoned Wounds . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	241	4	1	3	—	6	3	—	4	3	8	2	17	6	13	—
Hanging, etc. . .	61	—	—	—	—	1	—	—	—	—	4	1	9	2	3	2
Suffocation . . .	330	1	1	1	2	1	1	—	5	7	19	—	48	2	6	1
Drowning . . .	593	6	19	7	2	30	12	2	6	6	42	12	31	22	30	—
Fracture and Contusion . . .	941	2	4	6	4	16	3	1	3	11	39	10	59	31	38	4
Gunshot Wounds . . .	23	—	—	—	—	—	—	—	—	—	3	1	—	1	1	—
Cuts and Stabs . . .	56	—	—	—	1	—	1	—	—	—	2	2	9	2	6	—
Other Violent Causes . . .	215	—	1	1	—	1	6	—	—	—	13	2	10	6	7	—
Not specified . . .	1407	62	9	11	30	137	141	4	18	12	82	9	24	51	80	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—BOTH SEXES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis . . .	11	23	9	14	5	53	56	369	10	109	8	3	2	1	11	15	16	7
Apoplexy . . .	17	42	48	34	13	138	116	431	18	186	20	15	7	4	34	39	27	18
Paralysis . . .	20	68	26	42	11	132	103	471	22	262	17	20	3	10	45	57	24	21
Delirium Tremens . . .	-	1	1	1	-	4	5	16	1	8	-	-	-	1	2	1	-	1
Chorea . . .	-	1	1	-	-	-	1	4	-	3	-	-	-	-	-	-	-	-
Epilepsy . . .	2	8	7	9	4	18	19	70	3	40	3	5	2	1	3	4	2	2
Tetanus . . .	-	3	-	1	-	3	4	8	-	2	-	1	-	1	1	2	-	1
Insanity . . .	-	2	-	1	-	6	-	25	-	2	-	-	1	-	2	8	-	-
Convulsions . . .	6	29	20	16	1	71	40	416	8	113	10	6	2	3	8	20	12	5
Brain Disease . . .	4	32	20	16	5	97	94	286	10	135	6	7	-	12	18	15	9	6
Pericarditis . . .	-	2	1	1	-	3	3	26	2	13	-	3	1	1	1	4	-	1
Aneurism . . .	-	2	1	1	1	3	7	24	2	24	-	1	-	-	-	1	-	2
Heart Disease . . .	27	150	81	77	32	234	279	858	67	560	61	57	18	29	77	111	73	49
Laryngitis . . .	2	3	5	1	3	12	13	48	-	19	2	1	-	1	3	1	5	1
Bronchitis . . .	53	258	149	122	27	704	506	3652	80	984	80	51	17	45	99	174	85	74
Pleurisy . . .	-	12	9	5	-	10	11	77	5	40	5	2	4	6	3	9	3	5
Pneumonia . . .	14	93	53	51	21	262	199	1361	35	400	26	20	7	23	34	68	47	28
Asthma . . .	2	15	9	16	2	22	36	129	5	25	1	2	-	1	1	4	1	2
Lung Disease . . .	-	11	12	3	3	42	14	105	-	55	1	5	-	-	-	2	-	8
Teething . . .	7	33	22	4	-	95	65	316	7	65	3	3	4	4	2	10	2	7
Quinsey . . .	-	-	4	2	1	8	3	20	-	8	1	1	-	-	2	4	1	-
Gastritis . . .	1	8	5	2	2	14	15	80	-	17	3	-	1	-	2	6	2	4
Enteritis . . .	5	42	14	13	5	100	68	419	16	50	4	13	3	6	21	12	9	17
Peritonitis . . .	-	18	2	7	1	33	23	130	8	60	8	6	2	3	7	15	13	11
Ascites . . .	-	3	-	4	-	6	7	17	-	2	-	-	-	-	1	1	-	-
Ulceration of Intestines . . .	-	4	4	7	1	7	10	35	3	28	5	5	1	1	1	8	2	4
Hernia . . .	-	3	3	4	1	10	4	34	2	13	1	2	1	1	1	2	1	-
Ileus . . .	3	6	1	6	-	10	10	36	3	24	1	6	1	1	4	6	2	3
Intussusception . . .	2	1	-	2	-	3	3	11	1	6	-	-	3	1	5	-	-	-
Stricture of Intestines . . .	-	3	1	1	-	4	5	5	-	3	3	1	-	-	-	-	1	-
Stomach Disease . . .	2	36	18	26	2	39	68	211	8	98	3	12	3	1	12	22	7	5
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hepatitis . . .	-	10	3	13	1	19	14	77	2	12	4	-	1	-	2	8	2	7
Jaundice . . .	-	5	1	2	-	11	15	37	3	22	1	2	-	-	5	5	3	3
Liver Disease . . .	6	29	12	18	7	61	30	207	6	96	13	7	1	5	11	20	6	14
Spleen Disease . . .	-	-	-	-	1	2	5	5	-	-	-	1	-	-	-	1	-	1
Nephritis . . .	4	1	2	2	2	5	9	36	1	21	1	1	-	-	1	5	-	1
Nephria . . .	4	11	4	7	2	21	33	114	3	66	4	2	1	6	6	14	4	10
Addison's Disease . . .	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . .	-	3	-	3	-	1	6	12	1	8	-	1	-	-	2	3	-	1
Diabetes . . .	-	2	-	3	2	2	7	21	-	10	3	1	-	3	3	3	-	-
Stone . . .	-	1	-	5	-	1	3	11	1	6	-	-	-	1	-	1	1	2
Cystitis . . .	2	5	2	-	-	8	9	11	-	15	-	3	-	-	1	2	3	3
Stricture of Urethra . . .	-	-	-	2	-	1	-	2	-	2	-	-	-	-	-	-	-	-
Kidney Disease . . .	-	8	5	2	1	20	24	94	3	40	5	4	4	2	3	8	7	3
Paramenia . . .	-	1	1	-	-	-	1	4	-	2	-	-	-	1	1	-	-	-
Ovarian Dropsy . . .	1	-	1	1	-	2	8	8	1	10	3	2	-	-	-	1	1	-
Childbirth . . .	4	11	9	8	1	31	20	149	4	32	6	8	1	2	9	5	3	5
Organs of Generation . . .	-	2	1	6	-	13	10	30	1	6	-	1	-	2	3	1	1	1
Bone Disease . . .	-	1	-	1	-	3	4	26	2	18	-	1	-	-	5	4	2	-
Rheumatism . . .	1	4	2	9	-	25	13	52	1	15	1	1	-	2	2	4	2	1
Joint Disease . . .	3	5	5	1	2	23	13	67	1	32	-	2	-	1	3	4	-	1
Carbuncle . . .	-	-	-	1	-	-	1	7	1	4	2	-	-	-	-	-	-	-
Phlegmon . . .	-	-	-	-	-	3	-	3	-	-	-	1	-	-	1	-	-	-
Skin Disease . . .	-	1	2	1	1	6	4	12	1	4	-	-	-	-	1	2	-	3
Intemperance . . .	-	5	2	2	3	18	19	69	7	38	1	3	-	1	2	1	-	4
Privation . . .	-	-	1	1	-	1	1	5	-	3	-	-	-	-	-	-	-	-
Want of Breast Milk . . .	1	4	-	2	-	9	1	52	-	16	-	1	1	9	-	2	-	2
Neglect . . .	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-
Cold . . .	-	2	-	4	-	2	5	9	-	1	-	2	1	-	-	1	1	1
Poison . . .	-	1	2	-	-	1	7	11	1	4	-	-	-	-	2	2	3	1
Poisoned Wounds . . .	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	1	10	7	6	-	9	15	74	1	23	1	2	-	2	1	7	3	9
Hanging, etc. . .	-	3	1	2	1	3	5	12	-	7	-	2	-	-	-	3	-	-
Suffocation . . .	2	6	6	-	1	21	19	106	3	44	4	2	1	3	4	2	3	8
Drowning . . .	1	21	25	26	12	43	33	150	5	22	4	3	1	2	3	4	7	4
Fracture and Contusion . . .	7	26	20	8	2	58	85	324	17	108	6	3	2	6	9	17	5	7
Gunshot Wounds . . .	-	-	1	1	-	5	-	7	-	3	-	-	-	-	-	-	-	-
Cuts and Stabs . . .	-	2	-	-	-	5	4	12	1	6	1	1	-	-	-	1	-	-
Other Violent Causes . . .	2	7	5	3	-	10	8	89	-	23	1	1	1	2	4	5	5	2
Not specified . . .	7	48	11	81	12	59	52	271	19	32	15	6	5	3	10	52	32	21

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES . . .	40323	192	268	389	204	793	763	85	318	483	2147	287	2742	1253	1613	82
SPECIFIED CAUSES . . .	39588	165	262	380	189	729	692	81	304	474	2103	282	2733	1225	1575	81
I. Zymotic Class . . .	8072	18	16	107	37	179	106	7	36	62	322	41	479	189	313	19
II. Diseases of Uncer. Seat	1124	8	8	7	9	23	26	2	12	20	68	12	83	55	44	2
III. Tubercular Class . .	6080	16	38	41	19	79	98	5	38	68	290	41	392	189	194	13
IV. Brain and Nervous Sys.	3928	12	17	38	14	43	65	12	48	74	250	25	282	122	182	7
V. Organs of Circulation	2208	6	12	26	9	29	39	6	27	32	152	15	181	96	101	5
VI. Respiratory Organs . .	7505	15	54	61	21	96	113	15	50	78	365	47	574	176	257	13
VII. Organs of Digestion . .	2718	13	15	18	11	49	51	10	36	41	154	24	155	86	122	2
VIII. Urinary Organs . . .	827	3	10	11	8	15	21	1	7	20	83	9	69	35	43	1
IX. Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	258	—	2	1	3	4	9	1	—	3	21	1	14	10	10	2
XI. Skin, etc.	56	—	—	1	—	2	—	—	—	—	5	2	3	4	2	—
XII. Malformation	166	—	1	1	—	—	1	—	—	6	18	2	18	7	7	—
XIII. Premature Debility . .	2075	3	4	12	5	11	19	5	10	21	114	12	205	54	83	7
XIV. Atrophy	195	2	2	—	2	1	3	—	—	2	3	—	10	2	6	1
XV. Age	2215	59	59	42	41	155	119	12	28	29	145	26	127	133	114	5
XVI. Sudden Deaths . . .	53	—	—	—	—	—	—	1	—	—	2	—	4	3	6	—
XVII. Violent Deaths . . .	2107	10	24	14	10	43	22	4	12	18	111	25	137	64	91	4
I. Small-pox	47	—	—	—	—	—	—	—	—	—	20	—	—	—	—	—
Measles	517	—	1	—	—	7	15	—	—	—	2	—	3	17	10	—
Scarlatina	2380	—	3	76	18	33	12	1	6	14	28	2	99	40	109	14
Diphtheria	420	—	—	2	—	4	1	—	4	7	46	9	36	16	25	—
Whooping-cough	1109	11	—	3	—	51	6	1	1	4	44	8	110	16	22	—
Croup	509	1	—	5	8	37	12	2	2	3	18	2	22	17	18	—
Thrush	21	—	—	—	—	—	—	—	—	—	4	—	3	1	2	1
Diarrhœa	1153	2	3	3	5	4	12	—	5	11	70	10	103	32	34	—
Dysentery	88	—	—	1	—	2	—	—	1	—	8	2	4	6	8	—
Cholera	61	—	1	—	—	—	—	—	—	—	—	—	1	—	6	1
Influenza	69	—	3	4	—	11	—	—	1	—	9	—	3	1	1	—
Purpura	40	1	—	—	—	—	3	—	—	—	—	—	3	1	1	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	319	2	—	—	—	14	20	—	3	1	9	1	7	12	20	—
Enteric Fever	771	1	—	7	5	5	14	3	9	14	34	4	43	16	34	3
Relapsing Fever	8	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—
Simple Cont. Fever	44	—	2	—	—	2	—	—	—	1	1	—	2	—	4	—
Infantile Remittent	42	—	1	—	—	—	—	—	1	—	—	1	1	—	3	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	76	—	—	2	—	—	4	—	—	3	3	1	9	2	2	—
Erysipelas	214	—	—	2	1	8	7	—	2	3	16	—	13	10	10	—
Pyæmia	53	—	1	—	—	1	—	—	1	1	2	—	1	1	2	—
Syphilis	116	—	—	2	—	—	—	—	—	—	8	1	14	—	1	—
Noma	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	8	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
II. Hæmorrhage	48	—	—	—	—	—	—	—	1	2	2	—	4	5	2	1
Dropsy	216	1	2	1	—	3	4	1	—	—	11	—	19	12	7	—
Abscess	121	—	—	1	—	2	5	—	—	1	5	—	9	7	3	—
Ulcer	24	—	—	—	—	1	—	—	—	1	1	—	1	—	1	—
Fistula	13	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—
Mortification	79	1	1	1	—	2	—	—	6	2	4	4	3	4	2	—
Cancer	604	6	5	4	9	14	16	1	5	14	43	8	46	26	28	1
Gout	19	—	—	—	—	1	1	—	—	—	—	—	1	—	1	—
III. Scrofula	380	1	3	6	1	3	2	—	—	10	30	1	27	12	21	1
Tabes Mesenterica	635	—	3	1	1	3	2	—	1	3	13	2	32	17	13	2
Phthisis	4026	15	27	28	16	70	88	4	34	45	200	34	263	139	116	8
Hydrocephalus	1039	—	5	6	1	3	6	1	3	10	47	4	70	21	44	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—MALES.

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	227	1151	821	808	221	2870	2555	12371	441	4042	338	320	120	196	528	901	425	369
SPECIFIED CAUSES . . .	224	1126	814	765	214	2835	2528	12236	431	4025	326	319	118	194	521	875	404	358
Zymotic Class . . .	29	228	215	122	53	686	536	2603	108	891	58	83	39	28	145	195	73	49
Uncertain Seat . . .	8	31	18	27	6	75	59	261	12	145	9	11	2	11	9	37	13	11
Tubercular Class . . .	37	144	123	126	36	452	398	2091	83	606	38	38	9	30	76	144	73	55
Brain, etc.	29	107	68	74	16	277	238	1157	35	423	35	29	8	16	66	84	49	26
Heart, etc.	11	72	50	38	17	118	128	459	35	306	33	26	8	15	41	54	33	28
Respiratory Organs . . .	35	214	122	102	25	527	447	2862	67	737	53	32	16	41	63	124	56	47
Digestive Organs . . .	15	104	57	55	15	218	171	803	24	234	25	30	9	11	31	67	28	34
Urinary Organs . . .	8	19	8	16	5	26	55	174	6	96	7	5	3	7	11	22	9	14
Generative Organs . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	2	3	3	5	1	24	17	69	2	37	—	2	—	2	3	6	1	—
Skin	—	1	2	1	1	3	2	14	2	5	2	—	—	—	1	1	—	2
Malformation	2	4	7	—	—	7	10	42	1	22	2	—	—	1	3	2	—	2
Premature Debility . . .	21	75	42	23	5	165	151	661	17	196	20	22	14	12	28	31	8	19
Atrophy	5	6	7	—	—	22	20	69	1	18	2	1	—	—	2	3	4	1
Age	12	55	42	129	19	92	131	273	12	104	30	24	6	10	26	76	38	42
Sudden Deaths	—	2	—	—	—	3	5	23	—	3	1	—	—	—	—	—	—	—
Violent Deaths	10	61	50	47	15	140	160	674	26	202	11	16	4	10	16	29	19	28
Small-pox	—	5	—	—	—	7	1	6	—	5	—	—	—	1	—	—	—	2
Measles	—	3	15	7	1	116	21	247	1	20	2	3	—	—	4	19	2	1
Scarlatina	8	63	83	37	26	137	191	667	59	354	19	34	19	7	88	87	33	13
Diphtheria	1	11	9	7	7	16	27	100	5	45	2	1	3	1	6	14	10	5
Whooping-cough	2	28	33	5	3	103	43	459	11	118	7	8	1	2	5	11	4	3
Croup	5	16	10	21	1	39	22	141	3	62	1	8	2	1	5	11	—	10
Thrush	—	—	—	—	—	5	—	4	—	—	—	1	—	—	—	—	—	—
Diarrhoea	8	35	26	14	2	105	69	403	10	121	7	12	5	5	7	16	7	7
Dysentery	—	3	3	3	1	5	4	21	—	9	1	—	—	—	1	4	1	—
Cholera	—	3	2	1	—	5	12	18	—	6	1	—	—	1	1	2	1	1
Influenza	—	7	—	3	—	1	7	8	—	1	1	3	—	—	2	2	1	—
Purpura	—	3	—	—	—	7	2	11	1	4	—	—	—	—	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Typhus	—	18	13	—	1	28	35	87	2	27	2	7	1	1	5	2	1	—
Enteric Fever	1	20	16	15	6	77	52	256	9	53	9	2	7	6	12	28	9	1
Relapsing Fever	1	—	—	—	—	1	—	2	—	1	—	—	—	1	—	—	—	—
Simple Cont. Fever	1	1	—	—	—	5	7	13	1	—	—	—	—	—	2	—	—	1
Infantile Remittent	—	2	—	1	2	6	2	14	—	3	—	—	—	1	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	2	—	3	—	4	8	14	1	9	—	2	1	—	2	1	1	1
Erysipelas	1	4	3	3	2	12	17	70	—	18	2	1	—	1	4	2	—	2
Pyæmia	—	2	—	1	1	—	4	22	2	8	—	—	—	—	1	1	2	—
Syphilis	—	2	2	1	—	7	11	33	3	26	2	1	—	—	1	1	—	1
Noma	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	—	—	—	—	—	—	1	3	—	1	1	—	—	—	—	—	—	—
Hæmorrhage	—	1	—	1	—	2	2	10	1	7	—	1	—	—	—	4	1	1
Dropsy	5	9	4	8	—	27	11	75	2	7	1	1	—	—	—	2	3	—
Abscess	—	2	2	2	1	7	5	41	1	19	—	—	—	—	3	2	2	1
Ulcer	—	—	1	—	1	1	2	9	—	4	—	—	—	—	—	1	—	—
Fistula	—	—	—	—	—	1	2	3	—	3	—	—	—	—	—	—	1	—
Mortification	1	4	1	2	—	9	1	13	1	10	1	—	—	—	1	1	2	2
Cancer	2	15	9	14	3	28	34	109	7	91	6	8	1	8	5	27	4	7
Gout	—	—	1	—	1	—	2	1	—	4	1	1	1	3	—	—	—	—
Scrofula	—	7	5	6	—	24	28	118	9	36	4	1	1	4	3	10	3	3
Tabes Mesenterica	1	22	12	1	2	38	48	285	11	71	3	6	1	6	13	12	8	2
Phthisis	25	91	75	106	28	311	260	1320	48	360	25	24	6	16	51	103	52	38
Hydrocephalus	11	24	31	13	6	79	62	368	15	139	6	7	1	4	9	19	10	12

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—MALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	552	1	2	6	1	3	5	1	6	16	34	3	30	9	32	—
Apoplexy . . .	868	4	5	9	2	6	10	1	9	26	56	5	73	27	39	4
Paralysis . . .	990	2	5	14	5	16	21	6	14	13	58	7	70	56	57	3
Delirium Tremens . .	46	—	—	—	—	—	—	1	—	1	3	—	2	—	4	—
Chorea . . .	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	165	3	2	1	1	6	5	—	1	4	11	2	7	3	12	—
Tetanus . . .	42	—	—	—	—	3	3	1	1	—	5	1	2	1	3	—
Insanity . . .	19	1	—	—	—	1	3	—	—	—	1	—	—	—	—	—
Convulsions . . .	633	1	1	1	4	3	8	—	7	4	31	2	66	8	16	—
Brain Disease . . .	611	—	1	7	1	5	10	2	10	10	51	5	32	18	19	—
V. Pericarditis . . .	47	—	—	1	—	2	1	1	—	1	2	—	2	2	2	—
Aneurism . . .	74	—	2	1	1	—	—	—	1	3	5	1	8	6	—	—
Heart Disease . . .	2087	6	10	24	8	27	38	5	26	28	145	14	171	88	99	5
VI. Laryngitis . . .	82	—	—	1	—	3	1	—	1	1	2	2	7	—	1	1
Bronchitis . . .	4753	6	36	42	8	42	62	9	32	42	250	33	388	107	168	8
Pleurisy . . .	190	—	4	2	2	7	16	1	3	4	4	—	11	4	6	2
Pneumonia . . .	2076	4	11	13	7	18	21	5	12	28	93	12	154	55	74	2
Asthma . . .	258	5	2	3	4	21	12	—	2	3	10	—	11	7	5	—
Lung Disease . . .	146	—	1	—	—	5	1	—	—	—	6	—	3	3	3	—
VII. Teething . . .	449	—	—	1	1	3	5	2	5	7	18	3	20	10	28	—
Quinsey . . .	48	—	—	1	—	1	2	—	—	—	4	—	2	—	1	—
Gastritis . . .	109	—	—	—	—	4	4	1	3	—	4	—	7	3	5	—
Enteritis . . .	513	2	3	5	2	5	6	2	3	8	14	1	27	9	16	1
Peritonitis . . .	215	1	2	1	1	4	2	1	1	3	16	2	16	9	6	—
Ascites . . .	22	—	—	—	1	—	—	—	—	—	2	—	2	—	2	—
Ulceration of Intestines	103	—	—	—	1	1	1	1	3	2	14	5	6	5	7	—
Hernia . . .	68	—	—	—	—	3	1	—	1	—	7	2	4	2	4	—
Ileus . . .	136	3	2	2	1	4	8	1	2	5	19	2	12	9	9	—
Intussusception . . .	35	—	—	—	—	1	2	—	—	1	3	1	3	1	1	—
Stricture of Intestines	20	—	—	—	—	1	1	—	1	—	1	—	—	—	1	—
Stomach Disease . . .	375	2	4	2	2	10	9	—	11	6	20	4	18	13	9	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	114	—	—	—	1	2	—	1	—	1	6	1	6	2	10	—
Jaundice . . .	106	3	2	2	1	2	4	1	1	2	9	2	6	4	6	—
Liver Disease . . .	391	2	2	4	—	8	4	—	5	6	15	1	26	18	16	1
Spleen Disease . . .	14	—	—	—	—	—	2	—	—	—	2	—	—	1	1	—
VIII. Nephritis . . .	76	—	—	2	—	2	1	—	—	—	5	1	13	2	4	—
Nephria . . .	236	2	2	1	1	1	5	—	4	8	18	1	18	12	12	—
Addison's Disease . .	7	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Ischuria . . .	62	1	—	1	1	3	4	1	—	—	8	1	3	—	5	—
Diabetes . . .	39	—	2	—	—	1	1	—	—	—	1	—	1	3	1	—
Stone . . .	59	—	3	3	4	4	3	—	—	2	3	—	5	3	1	—
Cystitis . . .	87	—	—	1	—	—	1	—	—	3	12	1	7	5	4	—
Stricture of Urethra . .	12	—	—	—	—	1	—	—	—	—	1	—	—	1	2	—
Kidney Disease . . .	249	—	3	3	2	3	6	—	3	6	34	5	22	9	14	1
IX. Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease . . .	45	—	—	—	1	1	1	—	—	—	4	—	5	1	—	—
Rheumatism . . .	84	—	—	1	2	3	6	1	—	1	7	1	1	5	6	1
Joint Disease . . .	129	—	2	—	—	—	2	—	—	2	10	—	8	4	4	1
XI. Carbuncle . . .	15	—	—	1	—	—	—	—	—	—	—	2	—	1	—	—
Phlegmon . . .	3	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Skin Disease . . .	38	—	—	—	—	1	—	—	—	—	4	—	3	3	2	—
XVII. Intemperance . . .	123	—	—	1	1	—	1	—	—	—	2	1	6	6	3	—
Privation . . .	7	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Want of Breast Milk . .	71	—	—	—	1	—	1	—	—	—	4	—	1	3	5	—
Neglect . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	35	—	—	—	2	—	2	1	—	—	—	—	3	3	3	1
Poison . . .	25	—	—	—	—	—	—	—	—	—	2	—	—	2	1	—
Poisoned Wounds . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	104	2	—	1	—	3	—	—	2	2	1	1	10	3	3	—
Hanging, etc. . .	43	—	—	—	—	—	—	—	—	—	2	1	6	1	3	2
Suffocation . . .	186	1	1	—	2	—	—	—	3	3	13	—	27	—	3	1
Drowning . . .	516	6	18	6	1	28	12	2	4	5	40	10	26	18	28	—
Fracture and Contusion .	771	1	4	6	2	11	1	1	3	8	31	7	43	22	32	—
Gunshot Wounds . . .	19	—	—	—	—	—	—	—	—	—	3	1	—	1	1	—
Cuts and Stabs . . .	41	—	—	—	1	—	1	—	—	—	1	2	6	1	5	—
Other Violent Causes . .	160	—	1	—	—	1	4	—	—	—	12	2	8	4	4	—
Not specified . . .	735	27	6	9	15	64	71	4	14	9	44	5	9	28	38	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—MALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	8	12	3	9	1	32	34	208	6	54	3	3	1	—	9	7	9	4
Apoplexy	5	23	23	14	4	71	65	223	6	79	10	5	5	3	18	22	10	6
Paralysis	12	28	16	21	7	56	39	237	12	121	8	10	1	4	22	28	16	5
Delirium Tremens	—	—	1	1	—	3	3	16	1	6	—	—	—	1	1	1	—	1
Chorea	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Epilepsy	1	6	3	6	1	11	10	31	2	25	2	2	—	1	1	3	1	1
Tetanus	—	3	—	1	—	3	3	6	—	2	—	1	—	—	1	1	—	1
Insanity	—	1	—	—	—	—	—	3	—	2	—	—	—	—	2	5	—	—
Convulsions	3	18	11	10	—	48	27	261	4	61	9	2	1	1	5	10	6	4
Brain Disease	—	16	11	12	3	53	57	172	4	72	3	6	—	6	7	7	7	4
Pericarditis	—	—	—	1	—	2	1	13	1	9	—	1	1	1	—	3	—	—
Aneurism	—	1	—	1	—	3	5	16	1	17	—	—	—	—	—	1	—	1
Heart Disease	11	71	50	36	17	113	122	430	33	280	33	25	7	14	41	50	33	27
Laryngitis	1	3	3	1	1	6	9	22	—	7	2	1	—	—	1	—	4	1
Bronchitis	26	139	72	57	11	337	283	1837	43	451	36	20	8	26	43	80	26	25
Pleurisy	—	7	5	5	—	3	6	50	4	22	3	1	3	4	1	6	1	3
Pneumonia	8	53	31	29	12	149	113	810	15	220	11	7	5	11	18	36	24	15
Asthma	—	9	6	9	—	10	28	90	5	12	—	—	—	—	—	2	1	1
Lung Disease	—	3	5	1	1	22	8	53	—	25	1	3	—	—	—	—	—	2
Teething	5	15	14	2	—	53	33	164	4	38	2	3	1	1	1	5	1	4
Quinsey	—	—	3	2	1	6	1	14	—	5	1	1	—	—	1	2	—	—
Gastritis	—	7	4	2	2	4	9	39	—	3	1	—	—	—	1	3	1	2
Enteritis	3	20	11	5	4	50	36	210	5	23	3	6	2	3	6	10	4	8
Peritonitis	—	8	2	4	—	13	9	52	3	24	5	3	—	—	5	10	7	5
Ascites	—	1	—	2	—	2	2	7	—	1	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	2	1	3	—	3	7	17	1	10	3	3	1	1	—	1	2	2
Hernia	—	2	1	3	1	4	2	17	—	9	—	1	—	1	1	2	—	—
Ileus	2	3	1	2	—	5	5	20	1	8	—	2	1	—	2	3	1	1
Intussusception	1	—	—	—	—	3	2	7	—	5	—	—	—	1	2	—	—	—
Stricture of Intestines	—	3	1	1	—	3	1	3	—	—	1	1	—	—	—	—	1	—
Stomach Disease	2	18	11	12	1	18	32	95	4	43	1	5	2	—	6	9	4	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	3	2	8	1	11	7	35	2	6	1	—	1	—	—	4	—	3
Jaundice	—	2	—	1	—	8	7	17	1	15	1	2	—	—	1	3	2	1
Liver Disease	2	20	6	8	4	34	16	103	3	44	6	2	—	4	5	15	5	6
Spleen Disease	—	—	—	—	1	1	2	3	—	—	—	1	—	—	—	—	—	—
Nephritis	2	1	1	1	1	2	6	21	—	6	1	—	—	—	—	3	—	1
Nephria	3	4	2	2	2	7	13	59	2	39	2	—	1	2	3	5	—	5
Addison's Disease	1	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	3	—	3	—	1	6	9	1	6	—	—	—	—	2	2	—	1
Diabetes	—	—	—	—	2	—	3	9	—	4	3	—	—	3	2	3	—	—
Stone	—	1	—	5	—	1	2	7	1	6	—	—	—	1	—	1	1	2
Cystitis	2	4	2	—	—	5	8	11	—	10	—	3	—	—	1	1	3	3
Stricture of Urethra	—	—	—	2	—	1	—	2	—	2	—	—	—	—	—	—	—	—
Kidney Disease	—	5	3	2	—	9	15	56	2	23	1	2	2	1	3	7	5	2
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Bone Disease	—	1	—	1	—	1	2	12	—	11	—	—	—	—	2	2	—	—
Rheumatism	—	1	1	3	—	12	7	17	1	3	—	1	—	1	—	1	1	—
Joint Disease	2	1	2	1	1	11	8	40	1	23	—	1	—	1	1	3	—	—
Carbuncle	—	—	—	—	—	—	—	6	1	2	2	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	1	2	1	1	2	2	8	1	3	—	—	—	—	1	1	—	2
Intemperance	—	3	1	2	2	10	10	44	4	17	1	3	—	—	1	1	—	3
Privation	—	—	1	—	—	—	1	2	—	2	—	—	—	—	—	—	—	—
Want of Breast Milk	—	2	—	2	—	3	1	31	—	11	—	1	—	3	—	1	—	1
Neglect	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Cold	—	1	—	4	—	2	2	5	—	1	—	2	1	—	—	1	—	1
Poison	—	1	—	—	—	1	5	5	1	2	—	—	—	—	1	—	3	1
Poisoned Wounds	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	4	1	2	—	8	7	32	1	10	—	—	—	—	—	3	—	7
Hanging, etc.	—	1	1	2	1	2	4	10	—	4	—	2	—	—	—	1	—	—
Suffocation	1	2	3	—	1	12	13	64	2	21	3	1	—	1	3	—	2	3
Drowning	1	17	22	24	10	39	29	126	3	21	2	3	1	1	—	3	6	4
Fracture and Contusion	5	24	18	8	1	52	75	269	14	89	3	3	1	4	8	15	4	6
Gunshot Wounds	—	—	—	1	—	3	—	6	—	3	—	—	—	—	—	—	—	—
Cuts and Stabs	—	1	—	—	—	2	4	10	1	5	1	—	—	—	—	—	—	—
Other Violent Causes	2	5	2	2	—	6	8	67	—	15	1	1	1	1	3	4	4	2
Not specified	3	25	7	43	7	35	27	135	10	17	12	1	2	2	7	26	21	11

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	41444	294	292	411	211	904	837	86	440	492	2289	337	2899	1347	1804	74
SPECIFIED CAUSES	40772	259	289	409	196	831	767	86	436	489	2251	333	2884	1324	1762	74
I. Zymotic Class	8652	34	21	115	26	220	118	11	56	77	354	55	494	208	389	12
II. Diseases of Uncer. Seat	1669	13	16	13	9	32	36	1	23	35	115	19	139	81	78	2
III. Tubercular Class	6370	32	26	37	24	65	68	9	53	55	349	46	453	153	214	10
IV. Brain and Nervous Sys.	3543	8	21	28	19	44	54	9	52	50	235	29	271	127	155	9
V. Organs of Circulation	2329	10	8	29	7	28	35	3	31	32	170	25	205	122	113	12
VI. Respiratory Organs	7296	12	64	62	22	101	114	7	72	98	395	48	583	211	308	7
VII. Organs of Digestion	2720	9	18	17	5	48	42	6	27	46	153	28	163	80	109	3
VIII. Urinary Organs	525	—	4	9	—	9	7	—	3	8	37	4	35	27	24	2
IX. Organs of Generation	660	9	5	11	3	13	19	4	9	9	37	6	48	24	27	1
X. Organs of Locomotion	270	5	1	—	4	6	6	1	5	3	17	3	15	8	8	—
XI. Skin, etc.	38	—	1	—	1	—	1	—	1	—	1	—	4	3	1	—
XII. Malformation	128	1	2	—	—	1	2	—	1	—	9	1	13	3	7	—
XIII. Premature Debility	1714	3	7	19	3	11	21	13	21	17	97	12	144	55	65	1
XIV. Atrophy	295	2	1	—	—	5	5	1	1	3	14	—	21	4	10	—
XV. Age	3716	117	92	64	70	233	230	21	75	46	235	50	229	190	209	11
XVI. Sudden Deaths	46	—	—	—	—	—	—	—	—	—	1	—	3	3	9	—
XVII. Violent Deaths	801	4	2	5	3	15	9	—	6	10	32	7	64	25	36	4
I. Small-pox	29	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—
Measles	505	10	1	—	1	4	6	—	2	—	1	—	6	12	4	—
Scarlatina	2340	—	3	82	9	21	10	1	6	8	41	10	94	41	127	5
Diphtheria	447	—	—	1	—	2	6	1	5	3	31	5	39	27	29	2
Hooping-cough	1322	11	—	6	—	63	12	—	4	2	67	9	89	19	28	—
Croup	466	2	—	3	2	63	5	1	1	4	21	—	22	13	33	—
Thrush	13	—	—	—	—	—	—	—	1	—	3	—	1	1	—	—
Diarrhoea	1117	1	4	7	2	14	5	1	5	11	60	13	113	31	47	1
Dysentery	100	—	2	1	1	—	—	—	3	2	6	2	6	3	9	2
Cholera	55	1	1	1	—	—	1	—	—	—	1	1	1	1	4	—
Influenza	117	1	3	2	3	11	1	—	2	6	7	2	12	4	3	—
Purpura	18	—	—	—	—	—	—	—	—	—	2	—	3	1	1	—
Ague	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Worms	12	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—
Typhus	296	3	—	—	—	10	36	—	1	6	8	3	14	7	12	—
Enteric Fever	854	4	3	4	4	5	7	1	7	12	49	7	39	20	38	—
Relapsing Fever	9	—	2	—	—	1	—	—	—	1	1	—	—	—	2	—
Simple Cont. Fever	54	—	—	—	—	2	2	—	—	—	—	1	3	2	3	—
Infantile Remittent	43	1	—	—	1	—	—	—	—	1	—	—	1	3	3	—
Metria	389	—	1	4	1	12	15	4	16	13	18	—	18	6	24	—
Rheumatic Fever	98	—	1	1	1	7	3	—	—	—	10	1	9	4	7	—
Erysipelas	199	—	—	3	—	4	6	2	1	7	14	1	10	7	8	—
Pyæmia	59	—	—	—	—	1	—	—	—	1	2	—	4	3	—	—
Syphilis	96	—	—	—	—	—	2	—	2	—	2	—	10	2	5	—
Noma	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	9	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	41	1	—	1	1	1	—	—	2	3	2	—	2	1	6	—
Dropsy	332	8	6	2	1	11	5	—	3	6	14	2	26	15	15	2
Abscess	99	—	—	—	1	1	2	—	2	1	4	1	6	—	4	—
Ulcer	36	—	—	3	—	3	—	—	—	2	—	—	2	2	2	—
Fistula	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Mortification	85	1	—	—	—	—	4	—	1	2	8	2	9	4	2	—
Cancer	1068	3	10	7	6	15	25	1	15	20	87	14	94	58	49	—
Gout	6	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
III. Scrofula	324	1	7	—	1	2	3	—	—	5	26	3	20	7	16	1
Tabes Mesenterica	487	—	3	3	—	3	3	1	3	1	8	1	22	8	19	1
Phthisis	4673	30	16	27	22	56	56	7	43	45	257	39	363	128	149	7
Hydrocephalus	886	1	—	7	1	4	6	1	7	4	58	3	48	10	30	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—FEMALES.

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	253	1199	817	801	223	2970	2451	12088	412	4152	363	345	120	220	554	861	443	455
SPECIFIED CAUSES . .	249	1176	813	763	218	2946	2426	11952	403	4137	360	340	117	219	551	835	432	445
Zymotic Class . . .	40	267	214	128	42	698	535	2803	108	945	64	91	28	44	146	165	71	73
Uncertain Seat . . .	20	42	46	34	11	100	76	381	12	198	16	12	4	10	17	39	19	20
Tubercular Class . .	40	171	169	103	46	540	446	2225	47	524	41	29	16	37	72	134	70	66
Brain, etc.	31	102	64	60	23	245	200	939	37	437	29	28	9	17	58	77	41	35
Heart, etc.	16	82	33	41	16	122	161	449	36	291	28	35	11	15	37	62	40	24
Respiratory Organs .	36	178	115	96	31	525	332	2510	58	786	62	49	12	35	77	134	85	71
Digestive Organs . .	11	97	33	56	7	204	174	837	35	271	25	29	12	12	45	53	23	42
Urinary Organs . . .	3	13	5	9	2	33	38	127	3	72	6	7	2	5	5	14	6	6
Generative Organs . .	5	14	12	15	1	46	39	190	6	50	9	11	1	5	13	7	5	6
Locomotive Organs .	2	7	4	6	1	27	13	76	2	28	1	2	—	1	7	6	3	2
Skin	—	—	—	1	—	6	3	8	—	3	—	1	—	—	1	1	—	1
Malformation	—	6	3	—	—	5	10	31	—	22	—	3	1	—	—	3	3	1
Premature Debility . .	8	53	25	19	8	129	129	552	22	154	25	11	6	13	24	26	6	15
Atrophy	4	10	2	5	2	56	23	91	—	21	1	1	—	2	2	4	1	3
Age	29	107	66	182	24	164	199	465	26	236	46	27	12	8	38	94	51	70
Sudden Deaths . . .	—	1	1	—	—	1	5	18	2	2	—	—	—	—	—	—	—	—
Violent Deaths . . .	4	26	21	8	4	45	43	250	9	97	7	4	3	15	9	16	8	10
Small-pox	—	3	—	—	—	6	2	2	—	4	—	—	—	—	—	—	2	—
Measles	2	7	13	4	—	112	24	245	1	20	2	6	—	—	2	14	4	2
Scarlatina	8	63	72	26	9	139	173	680	50	374	17	37	20	10	94	65	28	17
Diphtheria	1	16	16	14	3	22	23	109	6	53	5	3	2	—	4	8	9	2
Whooping-cough . . .	—	31	34	11	1	130	48	590	13	132	3	4	1	2	1	2	—	9
Croup	10	13	7	18	5	22	16	120	3	59	2	8	—	—	5	5	—	3
Thrush	—	—	—	—	—	3	1	—	—	1	—	—	—	—	—	1	—	—
Diarrhoea	6	39	22	9	1	75	73	370	13	126	9	7	3	8	7	15	5	13
Dysentery	—	4	—	2	2	3	5	28	1	9	1	2	—	—	2	2	1	1
Cholera	—	—	—	—	2	6	7	11	1	5	2	2	—	1	4	1	1	—
Influenza	2	10	1	5	—	—	12	3	—	11	—	7	—	—	2	2	3	2
Purpura	—	—	—	—	—	2	—	5	—	2	—	1	—	1	—	—	—	—
Ague	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	2	—	—	1	4	2	—	—	—	—	—	—	—	—	—	—
Typhus	3	20	9	3	—	24	20	68	—	32	2	3	—	—	8	2	—	2
Enteric Fever	4	23	13	23	14	97	62	277	8	48	12	7	1	10	10	24	10	11
Relapsing Fever . . .	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	—	5	2	—	—	5	11	13	—	1	1	—	1	—	—	—	—	—
Infantile Remittent . .	—	2	—	—	1	8	—	16	—	4	1	—	—	—	—	—	—	—
Metria	2	13	9	5	—	16	26	121	6	26	5	1	—	—	—	12	5	6
Rheumatic Fever . . .	—	3	7	5	—	2	5	16	1	8	—	1	—	—	2	2	—	2
Erysipelas	1	9	4	3	1	14	15	62	3	9	1	2	—	2	1	6	1	2
Pyæmia	1	3	3	—	3	3	3	19	—	5	—	—	—	4	2	2	—	—
Syphilis	—	1	—	—	—	6	4	38	2	16	1	—	—	—	2	1	2	—
Noma	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. . .	—	—	—	—	—	2	—	5	—	—	—	—	—	—	—	—	—	1
Hæmorrhage	—	—	1	—	1	—	2	7	—	7	—	—	—	—	—	—	2	1
Dropsy	11	10	12	12	1	34	10	90	1	22	2	—	—	—	—	7	2	2
Abscess	1	2	6	1	—	8	7	32	1	13	2	—	1	—	—	1	—	2
Ulcer	—	—	1	—	—	1	1	11	—	6	—	—	—	—	—	1	—	1
Fistula	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Mortification	—	1	5	1	1	6	4	14	—	13	1	—	—	—	3	2	—	1
Cancer	8	29	20	20	8	51	52	226	10	134	11	12	3	10	14	28	15	13
Gout	—	—	1	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—
Scrofula	—	7	10	2	2	26	18	96	2	35	3	3	1	2	1	9	6	9
Tabes Mesenterica . .	2	12	6	3	—	41	47	210	10	49	4	5	2	—	10	7	2	1
Phthisis	29	123	127	87	39	400	309	1604	22	348	28	12	11	28	49	106	54	52
Hydrocephalus	9	29	26	11	5	73	72	315	13	92	6	9	2	7	12	12	8	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—FEMALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cr. marty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	439	1	2	7	—	3	8	—	3	6	23	2	35	10	20	—
Apoplexy . . .	872	—	3	6	3	10	2	2	9	14	54	9	85	28	31	1
Paralysis . . .	1123	3	9	11	10	14	24	7	28	15	61	9	88	61	66	6
Delirium Tremens . . .	9	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Chorea . . .	12	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1
Epilepsy . . .	136	1	1	1	—	2	2	—	1	3	12	1	8	3	6	—
Tetanus . . .	12	—	—	—	—	3	1	—	1	—	1	—	—	—	1	—
Insanity . . .	42	1	1	—	—	—	1	—	—	—	3	1	1	—	—	—
Convulsions . . .	423	2	2	1	2	5	9	—	3	5	32	3	39	5	10	—
Brain Disease . . .	475	—	3	2	4	5	7	—	7	7	49	3	15	20	20	1
V. Pericarditis . . .	48	1	2	1	—	—	1	1	—	—	—	1	5	1	4	2
Aneurism . . .	42	—	1	1	1	1	—	—	—	2	3	2	2	5	1	—
Heart Disease . . .	2239	9	5	27	6	27	34	2	31	30	167	22	198	116	108	10
VI. Laryngitis . . .	79	—	—	—	1	—	—	1	1	—	8	—	3	5	2	—
Bronchitis . . .	5111	6	47	46	12	47	72	5	51	65	297	43	428	142	204	6
Pleurisy . . .	118	1	—	1	—	6	2	1	2	4	3	—	3	5	8	—
Pneumonia . . .	1609	2	9	11	4	16	20	—	14	24	72	5	131	45	80	1
Asthma . . .	218	3	6	4	5	27	17	—	4	4	12	—	12	11	13	—
Lung Disease . . .	161	—	2	—	—	5	3	—	—	1	3	—	6	3	1	—
VII. Teething . . .	396	1	1	1	—	3	3	2	4	6	22	—	18	8	24	—
Quinsey . . .	32	—	1	1	1	1	2	—	—	—	3	—	4	1	—	—
Gastritis . . .	118	2	—	—	—	2	2	—	2	1	2	1	4	7	11	—
Enteritis . . .	517	—	1	3	1	10	5	3	5	6	15	4	29	11	15	1
Peritonitis . . .	257	1	1	—	—	2	8	—	2	3	17	2	11	6	6	1
Ascites . . .	42	—	1	—	1	2	—	—	1	1	2	—	6	1	1	—
Ulceration of Intestines	109	1	1	1	—	—	—	—	—	3	13	6	12	1	2	—
Hernia . . .	62	—	1	2	—	3	—	—	1	1	7	—	2	5	1	—
Ileus . . .	106	1	1	1	1	3	3	—	—	4	8	—	10	2	6	—
Intussusception . . .	29	—	—	—	—	—	—	—	—	1	5	—	4	1	2	—
Stricture of Intestines	18	—	—	—	—	—	—	—	—	1	3	—	—	1	1	—
Stomach Disease . . .	440	2	3	1	1	11	8	1	5	8	26	7	29	14	16	—
Pancreas Disease . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	127	1	1	1	—	—	2	—	1	2	5	2	9	4	7	1
Jaundice . . .	90	—	1	2	—	5	2	—	—	2	9	3	6	2	4	—
Liver Disease . . .	364	—	5	4	—	6	7	—	6	6	15	3	17	16	13	—
Spleen Disease . . .	12	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—
VIII. Nephritis . . .	75	—	1	3	—	1	3	—	—	—	4	—	8	3	6	—
Nephria . . .	224	—	1	3	—	3	1	—	2	3	10	—	16	11	11	2
Addison's Disease . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Ischuria . . .	10	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—
Diabetes . . .	44	—	—	1	—	1	1	—	—	—	3	1	2	4	—	—
Stone . . .	9	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—
Cystitis . . .	22	—	—	—	—	2	1	—	—	2	—	2	1	2	1	—
Stricture of Urethra . . .	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Kidney Disease . . .	139	—	2	2	—	2	1	—	1	3	14	1	7	6	5	—
IX. Paramenia . . .	17	—	1	—	—	—	—	—	—	1	2	—	—	—	2	—
Ovarian Dropsy . . .	65	2	1	1	—	1	1	—	—	1	4	—	8	3	4	—
Childbirth . . .	459	7	3	9	2	6	15	4	6	4	21	4	35	18	17	—
Organs of Generation	119	—	—	1	1	6	3	—	3	3	10	2	5	3	4	1
X. Bone Disease . . .	47	—	—	—	—	—	—	—	—	—	6	1	3	1	1	—
Rheumatism . . .	129	5	—	—	4	4	4	—	4	3	5	2	4	3	5	—
Joint Disease . . .	94	—	1	—	—	2	2	1	1	—	6	—	8	4	2	—
XI. Carbuncle . . .	7	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Phlegmon . . .	9	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Skin Disease . . .	22	—	1	—	1	—	—	—	1	—	1	—	2	2	1	—
XVII. Intemperance . . .	86	—	—	—	—	1	—	—	—	—	2	—	4	2	4	—
Privation . . .	8	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Want of Breast Milk . . .	54	—	—	—	—	2	—	—	—	—	2	1	—	—	5	—
Neglect . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	15	1	—	—	—	—	1	—	—	1	—	—	1	—	2	—
Poison . . .	17	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	137	2	1	2	—	3	3	—	2	1	7	1	7	3	10	—
Hanging, etc. . .	18	—	—	—	—	1	—	—	—	—	2	—	3	1	—	—
Suffocation . . .	144	—	—	1	—	1	1	—	2	4	6	—	21	2	3	—
Drowning . . .	77	—	1	1	1	2	—	—	2	1	2	2	5	4	2	—
Fracture and Contusion	170	1	—	—	2	5	2	—	—	3	8	3	16	9	6	4
Gunshot Wounds . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	15	—	—	—	—	—	—	—	—	—	1	—	3	1	1	—
Other Violent Causes . . .	55	—	—	1	—	—	2	—	—	—	1	—	2	2	3	—
Not specified . . .	672	35	3	2	15	73	70	—	4	3	38	4	15	23	42	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1875.—FEMALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	3	11	6	5	4	21	22	161	4	55	5	—	1	1	2	8	7	3
Apoplexy	12	19	25	20	9	67	51	208	12	107	10	10	2	1	16	17	17	12
Paralysis	8	40	10	21	4	76	64	234	10	141	9	10	2	6	23	29	8	16
Delirium Tremens . .	—	1	—	—	—	1	2	—	—	2	—	—	—	—	1	—	—	—
Chorea	—	1	1	—	—	—	1	4	—	2	—	—	—	—	—	—	—	—
Epilepsy	1	2	4	3	3	7	9	39	1	15	1	3	2	—	2	1	1	1
Tetanus	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	1	—	—
Insanity	—	1	—	1	—	6	—	22	—	—	—	—	1	—	—	3	—	—
Convulsions	3	11	9	6	1	23	13	155	4	52	1	4	1	2	3	10	6	1
Brain Disease	4	16	9	4	2	44	37	114	6	63	3	1	—	6	11	8	2	2
Pericarditis	—	2	1	—	—	1	2	13	1	4	—	2	—	—	1	1	—	1
Aneurism	—	1	1	—	1	—	2	8	1	7	—	1	—	—	—	—	—	1
Heart Disease	16	79	31	41	15	121	157	428	34	280	28	32	11	15	36	61	40	22
Laryngitis	1	—	2	—	2	6	4	26	—	12	—	—	—	1	2	1	1	—
Bronchitis	27	119	77	65	16	367	223	1815	37	533	44	31	9	19	56	94	59	49
Pleurisy	—	5	4	—	—	7	5	27	1	18	2	1	2	2	2	3	2	2
Pneumonia	6	40	22	22	9	113	86	551	20	180	15	13	2	12	16	32	23	13
Asthma	2	6	3	7	2	12	8	39	—	13	1	2	—	1	1	2	—	1
Lung Disease	—	8	7	2	2	20	6	52	—	30	—	2	—	—	—	2	—	6
Teething	2	18	8	2	—	42	32	152	3	27	1	—	3	3	1	5	1	3
Quinsey	—	—	1	—	—	2	2	6	—	3	—	—	—	—	1	2	1	—
Gastritis	1	1	1	—	—	10	6	41	—	14	2	—	—	—	1	3	1	2
Enteritis	2	22	3	8	1	50	32	209	11	27	1	7	1	3	15	2	5	9
Peritonitis	—	10	—	3	1	20	14	78	5	36	3	3	2	3	2	5	6	6
Ascites	—	2	—	2	—	4	5	10	—	1	—	—	—	—	1	1	—	—
Ulceration of Intestines	—	2	3	4	1	4	3	18	2	18	2	2	—	—	1	7	—	2
Hernia	—	1	2	1	—	6	2	17	2	4	1	1	1	—	—	—	1	—
Ileus	1	3	—	4	—	5	5	16	2	16	1	4	—	1	2	3	1	2
Intussusception . . .	1	1	—	2	—	—	1	4	1	1	—	—	2	—	3	—	—	—
Stricture of Intestines	—	—	—	—	—	1	4	2	—	3	2	—	—	—	—	—	—	—
Stomach Disease . . .	—	18	7	14	1	21	36	116	4	55	2	7	1	1	6	13	3	3
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Hepatitis	—	7	1	5	—	8	7	42	—	6	3	—	—	—	2	4	2	4
Jaundice	—	3	1	1	—	3	8	20	2	7	—	—	—	—	4	2	1	2
Liver Disease	4	9	6	10	3	27	14	104	3	52	7	5	1	1	6	5	1	8
Spleen Disease	—	—	—	—	—	1	3	2	—	—	—	—	—	—	—	1	—	1
Nephritis	2	—	1	1	1	3	3	15	1	15	—	1	—	—	1	2	—	—
Nephria	1	7	2	5	—	14	20	55	1	27	2	2	—	4	3	9	4	5
Addison's Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	3	—	2	—	1	—	—	—	1	—	—
Diabetes	—	2	—	3	—	2	4	12	—	6	—	1	—	—	1	—	—	—
Stone	—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—
Cystitis	—	1	—	—	—	3	1	—	—	5	—	—	—	—	—	1	—	—
Stricture of Urethra .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	3	2	—	1	11	9	38	1	17	4	2	2	1	—	1	2	1
Paramenia	—	1	1	—	—	—	1	4	—	2	—	—	—	1	1	—	—	—
Ovarian Dropsy	1	—	1	1	—	2	8	8	1	10	3	2	—	—	—	1	1	—
Childbirth	4	11	9	8	1	31	20	149	4	32	6	8	1	2	9	5	3	5
Organs of Generation .	—	2	1	6	—	13	10	29	1	6	—	1	—	2	3	1	1	1
Bone Disease	—	—	—	—	—	2	2	14	2	7	—	1	—	—	3	2	2	—
Rheumatism	1	3	1	6	—	13	6	35	—	12	1	—	—	1	2	3	1	1
Joint Disease	1	4	3	—	1	12	5	27	—	9	—	1	—	—	2	1	—	1
Carbuncle	—	—	—	1	—	—	1	1	—	2	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	2	—	3	—	—	—	1	—	—	1	—	—	—
Skin Disease	—	—	—	—	—	4	2	4	—	1	—	—	—	—	—	1	—	1
Intemperance	—	2	1	—	1	8	9	25	3	21	—	—	—	1	1	—	—	1
Privation	—	—	—	1	—	1	—	3	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk .	1	2	—	—	—	6	—	21	—	5	—	—	1	6	—	1	—	1
Neglect	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cold	—	1	—	—	—	—	3	4	—	—	—	—	—	—	—	—	1	—
Poison	—	—	2	—	—	—	2	6	—	2	—	—	—	—	1	2	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	6	6	4	—	1	8	42	—	13	1	2	—	2	1	4	3	2
Hanging, etc. . . .	—	2	—	—	—	1	1	2	—	3	—	—	—	—	—	2	—	—
Suffocation	1	4	3	—	—	9	6	42	1	23	1	1	1	2	1	2	1	5
Drowning	—	4	3	2	2	4	4	24	2	1	2	—	—	1	3	1	1	—
Fracture and Contusion	2	2	2	—	1	6	10	55	3	19	3	—	1	2	1	2	1	1
Gunshot Wounds . . .	—	—	1	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	1	—	—	—	3	—	2	—	1	—	1	—	—	—	1	—	—
Other Violent Causes .	—	2	3	1	—	4	—	22	—	8	—	—	—	1	1	1	1	—
Not specified	4	23	4	38	5	24	25	136	9	15	3	5	3	1	3	26	11	10

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1875.—BOTH SEXES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	30983	15384	5044	3305	2011	2180	1364	1060	635
SPECIFIED CAUSES	30844	15297	5039	3299	2006	2157	1358	1058	630
I. Zymotic Class	6567	3269	1191	605	315	580	262	240	105
II. Diseases of Uncertain Seat	1007	408	209	108	91	64	54	47	26
III. Tubercular Class	5183	2802	726	532	322	340	217	153	91
IV. Brain and Nervous System	2861	1336	515	304	222	192	145	91	56
V. Organs of Circulation	1533	590	381	177	128	101	47	58	51
VI. Respiratory Organs	6863	3701	941	807	415	403	268	230	98
VII. Organs of Digestion	1891	975	285	160	130	129	103	69	40
VIII. Urinary Organs	477	210	106	54	44	25	12	10	16
IX. Organs of Generation	237	120	38	27	20	10	13	4	5
X. Organs of Locomotion	228	93	52	21	22	18	11	5	6
XI. Skin, etc.	31	10	3	3	5	4	2	3	1
XII. Malformation	106	38	32	17	10	5	1	2	1
XIII. Premature Debility	1488	707	187	213	98	110	61	64	48
XIV. Atrophy	213	98	17	23	8	34	18	9	6
XV. Age	1020	339	166	131	122	61	107	34	60
XVI. Sudden Deaths	42	30	3	4	—	2	1	2	—
XVII. Violent Deaths	1097	571	187	113	54	79	36	37	20
I. Small-pox	41	2	—	—	25	—	13	1	—
Measles	541	344	22	4	1	89	65	1	15
Scarlatina	1596	732	510	129	19	81	42	65	18
Diphtheria	261	109	72	19	21	23	3	6	8
Whooping-cough	1334	717	193	142	85	143	16	32	6
Croup	336	160	54	16	24	22	12	37	11
Thrush	20	3	1	3	6	2	4	—	1
Diarrhœa	1059	489	145	177	63	71	43	47	24
Dysentery	48	21	9	2	2	1	4	6	3
Cholera	29	11	7	1	—	7	2	—	1
Influenza	28	8	9	2	6	1	—	2	—
Purpura	25	13	4	2	—	3	2	1	—
Ague	—	—	—	—	—	—	—	—	—
Worms	5	4	—	—	—	1	—	—	—
Typhus	211	96	27	14	4	35	9	16	10
Enteric Fever	509	284	41	41	29	77	26	10	1
Relapsing Fever	5	1	1	—	1	—	1	—	1
Simple Continued Fever	28	16	1	—	1	6	3	—	1
Infantile Remittent	35	21	5	2	—	1	5	1	—
Metria	93	54	17	9	6	1	2	3	1
Rheumatic Fever	54	20	14	12	6	—	1	—	1
Erysipelas	137	80	19	10	9	6	5	5	3
Pyæmia	35	22	9	2	—	2	—	—	—
Syphilis	124	53	31	17	7	6	4	6	—
Noma	4	3	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	9	6	—	—	—	2	—	1	—
II. Hæmorrhage	26	11	3	4	1	2	—	4	1
Dropsy	214	108	10	26	11	25	17	14	3
Abscess	100	42	23	10	6	5	8	4	2
Ulcer	28	18	4	—	1	1	1	3	—
Fistula	5	2	2	—	—	—	—	1	—
Mortification	65	19	14	7	9	8	2	5	1
Cancer	564	208	150	60	63	23	26	15	19
Gout	5	—	3	1	—	—	—	1	—
III. Scrofula	274	142	37	21	23	31	7	9	4
Tabes Mesenterica	484	300	74	35	12	23	8	21	11
Phthisis	3609	1973	451	408	226	243	154	84	70
Hydrocephalus	816	387	164	68	61	43	48	39	6

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR
1875.—BOTH SEXES. (Continued.)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	417	223	81	45	21	22	7	13	5
Apoplexy	655	285	118	81	51	39	45	20	16
Paralysis	671	263	138	74	50	46	48	30	22
Delirium Tremens	21	10	6	2	—	2	1	—	—
Chorea	4	2	2	—	—	—	—	—	—
Epilepsy	104	41	22	9	14	9	5	4	—
Tetanus	13	5	2	1	3	2	—	—	—
Insanity	22	16	—	—	3	2	1	—	—
Convulsions	539	295	68	74	33	31	16	17	5
Brain Disease	415	196	78	18	47	39	22	7	8
V. Pericarditis	35	17	9	3	—	1	1	2	2
Aneurism	55	21	20	4	4	1	1	2	2
Heart Disease	1443	552	352	170	124	99	45	54	47
VI. Laryngitis	69	36	9	4	7	3	4	6	—
Bronchitis	4781	2587	603	579	325	266	203	153	65
Pleurisy	81	34	24	7	2	2	1	8	3
Pneumonia	1633	885	258	201	64	95	51	53	26
Asthma	134	76	13	13	13	6	8	1	4
Lung Disease	165	83	34	3	4	31	1	9	—
VII. Teething	380	220	32	25	22	45	16	10	10
Quinsey	25	9	7	3	3	2	1	—	—
Gastritis	59	36	8	6	3	5	1	—	—
Enteritis	375	237	25	34	9	32	30	5	3
Peritonitis	151	61	29	16	15	6	10	10	4
Ascites	21	10	2	1	3	2	3	—	—
Ulceration of Intestines	62	19	22	9	6	—	4	1	1
Hernia	47	20	10	1	5	2	6	—	3
Ileus	66	26	17	9	4	4	1	2	3
Intussusception	25	8	5	6	4	1	1	—	—
Stricture of Intestines	13	4	3	—	2	2	2	—	—
Stomach Disease	244	117	55	16	18	11	5	18	4
Pancreas Disease	1	—	1	—	—	—	—	—	—
Hepatitis	81	49	5	7	5	1	11	1	2
Jaundice	57	19	11	5	11	4	2	4	1
Liver Disease	277	137	53	21	17	12	10	18	9
Spleen Disease	7	3	—	1	3	—	—	—	—
VIII. Nephritis	69	28	14	17	5	—	2	1	2
Nephria	185	79	47	22	11	10	5	5	6
Addison's Disease	1	—	—	—	1	—	—	—	—
Ischuria	15	6	3	2	4	—	—	—	—
Diabetes	23	13	8	—	1	1	—	—	—
Stone	16	7	5	—	3	1	—	—	—
Cystitis	34	7	7	4	5	4	2	1	4
Stricture of Urethra	5	2	1	—	—	1	—	—	1
Kidney Disease	129	68	21	9	14	8	3	3	3
IX. Paramenia	4	3	1	—	—	—	—	—	—
Ovarian Dropsy	23	8	9	4	1	—	—	1	—
Childbirth	172	92	27	19	11	9	9	1	4
Organs of Generation	38	17	1	4	8	1	4	2	1
X. Bone Disease	55	20	16	6	7	1	2	1	2
Rheumatism	71	33	10	2	6	10	6	2	2
Joint Disease	102	40	26	13	9	7	3	2	2
XI. Carbuncle	5	2	2	—	—	—	—	1	—
Phlegmon	3	—	—	—	—	3	—	—	—
Skin Disease	23	8	1	3	5	1	2	2	1
XVII. Intemperance	112	56	28	4	2	13	2	3	4
Privation	7	3	1	2	—	—	1	—	—
Want of Breast Milk	60	34	12	—	4	7	1	—	2
Neglect	2	2	—	—	—	—	—	—	—
Cold	8	5	—	1	—	1	—	1	—
Poison	13	6	3	1	1	—	—	1	1
Poisoned Wounds	1	1	—	—	—	—	—	—	—
Burns and Scalds	79	40	12	17	3	1	3	3	—
Hanging, etc.	17	9	3	4	1	—	—	—	—
Suffocation	148	66	29	27	7	10	6	2	1
Drowning	143	92	3	9	8	15	10	6	—
Fracture and Contusion	380	190	75	37	18	25	10	17	8
Gunshot Wounds	7	3	1	—	1	1	—	1	—
Cuts and Stabs	21	9	4	4	—	2	1	—	1
Other Violent Causes	99	55	16	7	9	4	2	3	3
Not specified	139	87	5	6	5	23	6	2	5

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during
the YEAR 1875.—MALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	15272	7649	2487	1621	929	1085	666	520	315
SPECIFIED CAUSES	15207	7610	2484	1620	926	1073	662	519	313
I. Zymotic Class	3211	1580	594	315	148	284	131	109	50
II. Diseases of Uncertain Seat	405	157	84	41	39	26	27	17	14
III. Tubercular Class	2516	1343	406	248	139	158	98	72	52
IV. Brain and Nervous System	1505	716	259	163	111	116	70	43	27
V. Organs of Circulation	731	283	187	79	53	52	22	35	20
VI. Respiratory Organs	3443	1914	445	392	198	203	135	108	48
VII. Organs of Digestion	907	466	129	70	58	71	58	35	20
VIII. Urinary Organs	271	122	60	32	29	8	6	5	9
IX. Organs of Generation	1	1	—	—	—	—	—	—	—
X. Organs of Locomotion	117	43	29	11	14	8	6	3	3
XI. Skin, etc.	21	8	2	2	4	1	2	1	1
XII. Malformation	63	25	15	11	7	4	—	—	1
XIII. Premature Debility	794	380	99	118	47	50	36	41	23
XIV. Atrophy	85	44	13	7	1	10	6	2	2
XV. Age	338	111	43	47	37	24	36	14	26
XVI. Sudden Deaths	24	15	2	3	—	2	1	1	—
XVII. Violent Deaths	775	402	117	81	41	56	28	33	17
I. Small-pox	26	2	—	—	16	—	7	1	—
Measles	271	169	11	2	1	48	31	1	8
Scarlatina	781	348	261	72	6	41	18	25	10
Diphtheria	135	66	35	9	11	9	2	1	2
Hooping-cough	619	322	92	81	34	64	8	15	3
Croup	182	87	31	7	12	12	8	20	5
Thrush	13	3	—	3	3	1	3	—	—
Diarrhoea	530	243	67	87	33	38	24	27	11
Dysentery	27	10	5	—	2	1	3	3	3
Cholera	17	7	4	1	—	4	1	—	—
Influenza	12	6	1	1	3	1	—	—	—
Purpura	18	9	2	1	—	3	2	1	—
Ague	—	—	—	—	—	—	—	—	—
Worms	2	2	—	—	—	—	—	—	—
Typhus	108	52	14	6	4	18	5	4	5
Enteric Fever	233	135	20	20	14	32	9	3	—
Relapsing Fever	4	1	1	—	—	—	1	—	1
Simple Continued Fever	12	6	—	—	1	3	2	—	—
Infantile Remittent	16	11	3	1	—	—	1	—	—
Metria	—	—	—	—	—	—	—	—	—
Rheumatic Fever	28	12	7	8	—	—	1	—	—
Erysipelas	81	47	14	4	3	5	3	3	2
Pyæmia	19	13	6	—	—	—	—	—	—
Syphilis	71	25	20	11	5	4	2	4	—
Noma	2	1	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	4	3	—	—	—	—	—	1	—
II. Hæmorrhage	19	8	1	3	—	2	—	4	1
Dropsy	86	44	3	10	6	12	9	1	1
Abscess	53	20	12	7	3	1	5	3	2
Ulcer	14	8	2	—	1	—	1	2	—
Fistula	4	2	2	—	—	—	—	—	—
Mortification	27	10	5	2	2	6	—	2	—
Cancer	199	65	58	18	27	5	12	4	10
Gout	3	—	1	1	—	—	—	1	—
III. Scrofula	146	74	23	13	11	15	3	4	3
Tabes Mesenterica	267	166	43	20	6	9	4	13	6
Phthisis	1654	892	239	174	95	111	67	37	39
Hydrocephalus	49	211	101	41	27	23	24	18	4

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during
the YEAR 1875.—MALES. (Continued.)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	224	124	41	21	11	13	6	6	2
Apoplexy	318	141	52	38	25	21	23	9	9
Paralysis	309	122	65	32	25	27	15	12	11
Delirium Tremens	19	10	5	2	—	1	1	—	—
Chorea	1	—	1	—	—	—	—	—	—
Epilepsy	58	19	12	5	9	7	2	4	—
Tetanus	11	3	2	1	3	2	—	—	—
Insanity	2	1	—	—	1	—	—	—	—
Convulsions	325	183	35	51	13	20	10	9	4
Brain Disease	238	113	46	13	24	25	13	3	1
V. Pericarditis	18	9	5	—	—	—	1	2	1
Aneurism	40	15	14	4	2	1	1	2	1
Heart Disease	673	259	168	75	51	51	20	31	18
VI. Laryngitis	29	15	4	3	1	2	3	1	—
Bronchitis	2261	1242	271	273	147	129	98	69	32
Pleurisy	48	23	11	4	2	1	—	6	1
Pneumonia	951	548	138	106	37	53	30	25	14
Asthma	70	46	5	5	8	1	3	1	1
Lung Disease	84	40	16	1	3	17	1	6	—
VII. Teething	207	118	19	10	10	27	11	7	5
Quinsey	14	4	4	1	2	2	1	—	—
Gastritis	28	20	2	3	2	1	—	—	—
Enteritis	176	111	10	14	4	16	17	3	1
Peritonitis	67	23	10	9	9	4	4	4	4
Ascites	10	4	1	1	2	1	1	—	—
Ulceration of Intestines	25	10	5	4	2	—	3	1	—
Hernia	25	11	7	—	2	1	3	—	1
Ileus	34	15	5	6	2	1	1	1	3
Intussusception	14	5	4	3	—	1	1	—	—
Stricture of Intestines	5	2	—	—	—	1	2	—	—
Stomach Disease	94	45	24	3	5	5	1	10	1
Pancreas Disease	—	—	—	—	—	—	—	—	—
Hepatitis	41	22	4	2	3	1	7	—	2
Jaundice	29	9	7	2	4	2	2	3	—
Liver Disease	134	65	27	12	9	8	4	6	3
Spleen Disease	4	2	—	—	2	—	—	—	—
VIII. Nephritis	32	16	4	10	1	—	—	—	1
Nephria	97	43	28	10	6	2	3	2	3
Addison's Disease	1	—	—	—	1	—	—	—	—
Ischuria	12	5	2	2	3	—	—	—	—
Diabetes	10	7	3	—	—	—	—	—	—
Stone	14	6	5	—	2	1	—	—	—
Cystitis	28	7	5	4	5	2	1	1	3
Stricture of Urethra	5	2	1	—	—	1	—	—	1
Kidney Disease	72	36	12	6	11	2	2	2	1
IX. Paramenia	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—
Organs of Generation	1	1	—	—	—	—	—	—	—
X. Bone Disease	28	9	9	4	3	—	1	1	1
Rheumatism	27	11	2	—	5	4	4	—	1
Joint Disease	62	23	18	7	6	4	1	2	1
XI. Carbuncle	3	2	1	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	1	—	—	—
Skin Disease	17	6	1	2	4	—	2	1	1
XVII. Intemperance	61	34	12	2	1	7	1	2	2
Privation	2	—	1	1	—	—	—	—	—
Want of Breast Milk	34	19	7	—	3	3	—	—	2
Neglect	2	2	—	—	—	—	—	—	—
Cold	5	2	—	1	—	1	—	1	—
Poison	7	3	2	—	1	—	—	—	1
Poisoned Wounds	1	1	—	—	—	—	—	—	—
Burns and Scalds	40	17	6	10	1	1	3	2	—
Hanging, etc.	12	7	2	3	—	—	—	—	—
Suffocation	77	35	11	16	5	6	2	2	—
Drowning	127	81	2	8	7	13	10	6	—
Fracture and Contusion	309	151	59	31	14	21	9	16	8
Gunshot Wounds	7	3	1	—	1	1	—	1	—
Cuts and Stabs	17	7	3	4	—	1	1	—	1
Other Violent Causes	74	40	11	5	8	2	2	3	3
Not specified	65	39	3	1	3	12	4	1	2

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during
the YEAR 1875.—FEMALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	15711	7735	2557	1684	1082	1095	698	540	320
SPECIFIED CAUSES	15637	7687	2555	1679	1080	1084	696	539	317
I. Zymotic Class	3356	1689	597	290	167	296	131	131	55
II. Diseases of Uncertain Seat	602	251	125	67	52	38	27	30	12
III. Tubercular Class	2667	1459	320	284	183	182	119	81	39
IV. Brain and Nervous System	1356	620	256	141	111	76	75	48	29
V. Organs of Circulation	802	307	194	98	75	49	25	23	31
VI. Respiratory Organs	3420	1787	496	415	217	200	133	122	50
VII. Organs of Digestion	984	509	156	90	72	58	45	34	20
VIII. Urinary Organs	206	88	46	22	15	17	6	5	7
IX. Organs of Generation	236	119	38	27	20	10	13	4	5
X. Organs of Locomotion	111	50	23	10	8	10	5	2	3
XI. Skin, etc.	10	2	1	1	1	3	—	2	—
XII. Malformation	43	13	17	6	3	1	1	2	—
XIII. Premature Debility	694	327	88	95	51	60	25	23	25
XIV. Atrophy	128	54	4	16	7	24	12	7	4
XV. Age	682	228	123	84	85	37	71	20	34
XVI. Sudden Deaths	18	15	1	1	—	—	—	1	—
XVII. Violent Deaths	322	169	70	32	13	23	8	4	3
I. Small-pox	15	—	—	—	9	—	6	—	—
Measles	270	175	11	2	—	41	34	—	7
Scarlatina	815	384	249	57	13	40	24	40	8
Diphtheria	126	43	37	10	10	14	1	5	6
Hooping-cough	715	395	101	61	51	79	8	17	3
Croup	154	73	23	9	12	10	4	17	6
Thrush	7	—	1	—	3	1	1	—	1
Diarrhoea	529	246	78	90	30	33	19	20	13
Dysentery	21	11	4	2	—	—	1	3	—
Cholera	12	4	3	—	—	3	1	—	1
Influenza	16	2	8	1	3	—	—	2	—
Purpura	7	4	2	1	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—
Worms	3	2	—	—	—	1	—	—	—
Typhus	103	44	13	8	—	17	4	12	5
Enteric Fever	276	149	21	21	15	45	17	7	1
Relapsing Fever	1	—	—	—	1	—	—	—	—
Simple Continued Fever	16	10	1	—	—	3	1	—	1
Infantile Remittent	19	10	2	1	—	1	4	1	—
Metria	93	54	17	9	6	1	2	3	1
Rheumatic Fever	26	8	7	4	6	—	—	—	1
Erysipelas	56	33	5	6	6	1	2	2	1
Pyæmia	16	9	3	2	—	2	—	—	—
Syphilis	53	28	11	6	2	2	2	2	—
Noma	2	2	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	5	3	—	—	—	2	—	—	—
II. Hæmorrhage	7	3	2	1	1	—	—	—	—
Dropsy	128	64	7	16	5	13	8	13	2
Abscess	47	22	11	3	3	4	3	1	—
Ulcer	14	10	2	—	—	1	—	1	—
Fistula	1	—	—	—	—	—	—	1	—
Mortification	38	9	9	5	7	2	2	3	1
Cancer	365	143	92	42	36	18	14	11	9
Gout	2	—	2	—	—	—	—	—	—
III. Scrofula	128	68	14	8	12	16	4	5	1
Tabes Mesenterica	217	134	31	15	6	14	4	8	5
Phthisis	1955	1081	212	234	131	132	87	47	31
Hydrocephalus	367	176	63	27	34	20	24	21	2

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during
the YEAR 1875.—FEMALES. (Continued.)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	193	99	40	24	10	9	1	7	3
Apoplexy	337	144	66	43	26	18	22	11	7
Paralysis	362	141	73	42	25	19	33	18	11
Delirium Tremens	2	—	1	—	—	1	—	—	—
Chorea	3	2	1	—	—	—	—	—	—
Epilepsy	46	22	10	4	5	2	3	—	—
Tetanus	2	2	—	—	—	—	—	—	—
Insanity	20	15	—	—	2	2	1	—	—
Convulsions	214	112	33	23	20	11	6	8	1
Brain Disease	177	83	32	5	23	14	9	4	7
V. Pericarditis	17	8	4	3	—	1	—	—	1
Aneurism	15	6	6	—	2	—	—	—	1
Heart Disease	770	293	184	95	73	48	25	23	29
VI. Laryngitis	40	21	5	1	6	1	1	5	—
Bronchitis	2520	1345	332	306	178	137	105	84	33
Pleurisy	33	11	13	3	—	1	1	2	2
Pneumonia	682	337	120	95	27	42	21	28	12
Asthma	64	30	8	8	5	5	5	—	3
Lung Disease	81	43	18	2	1	14	—	3	—
VII. Teething	173	102	13	15	12	18	5	3	5
Quinsey	11	5	3	2	1	—	—	—	—
Gastritis	31	16	6	3	1	4	1	—	—
Enteritis	199	126	15	20	5	16	13	2	2
Peritonitis	84	38	19	7	6	2	6	6	—
Ascites	11	6	1	—	1	1	2	—	—
Ulceration of Intestines	37	9	17	5	4	—	1	—	1
Hernia	22	9	3	1	3	1	3	—	2
Ileus	32	11	12	3	2	3	—	1	—
Intussusception	11	3	1	3	4	—	—	—	—
Stricture of Intestines	8	2	3	—	2	1	—	—	—
Stomach Disease	150	72	31	13	13	6	4	8	3
Pancreas Disease	1	—	1	—	—	—	—	—	—
Hepatitis	40	27	1	5	2	—	4	1	—
Jaundice	28	10	4	3	7	2	—	1	1
Liver Disease	143	72	26	9	8	4	6	12	6
Spleen Disease	3	1	—	1	1	—	—	—	—
VIII. Nephritis	37	12	10	7	4	—	2	1	1
Nephria	88	36	19	12	5	8	2	3	3
Addison's Disease	—	—	—	—	—	—	—	—	—
Ischuria	3	1	1	—	1	—	—	—	—
Diabetes	13	6	5	—	1	1	—	—	—
Stone	2	1	—	—	1	—	—	—	—
Cystitis	6	—	2	—	—	2	1	—	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—
Kidney Disease	57	32	9	3	3	6	1	1	2
IX. Paramenia	4	3	1	—	—	—	—	—	—
Ovarian Dropsy	23	8	9	4	1	—	—	1	—
Childbirth	172	92	27	19	11	9	9	1	4
Organs of Generation	37	16	1	4	8	1	4	2	1
X. Bone Disease	27	11	7	2	4	1	1	—	1
Rheumatism	44	22	8	2	1	6	2	2	1
Joint Disease	40	17	8	6	3	3	2	—	1
XI. Carbuncle	2	—	1	—	—	—	—	1	—
Phlegmon	2	—	—	—	—	2	—	—	—
Skin Disease	6	2	—	1	1	1	—	1	—
XVII. Intemperance	51	22	16	2	1	6	1	1	2
Privation	5	3	—	1	—	—	1	—	—
Want of Breast Milk	26	15	5	—	1	4	1	—	—
Neglect	—	—	—	—	—	—	—	—	—
Cold	3	3	—	—	—	—	—	—	—
Poison	6	3	1	1	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—
Burns and Scalds	39	23	6	7	2	—	—	1	—
Hanging, etc.	5	2	1	1	1	—	—	—	—
Suffocation	71	31	18	11	2	4	4	—	1
Drowning	16	11	1	1	1	2	—	—	—
Fracture and Contusion	71	39	16	6	4	4	1	1	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	2	1	—	—	1	—	—	—
Other Violent Causes	25	15	5	2	1	2	—	—	—
Not specified	74	48	2	5	2	11	2	1	3

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1875.—BOTH SEXES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dunfries.
ALL CAUSES	9802	415	482	312	355	342	295	356	339	499	770	462	905	1981	428	333	517	416	595
SPECIFIED CAUSES	9698	412	482	312	354	335	285	352	336	495	768	457	904	1961	405	327	516	414	583
I. Zymotic Class	2084	62	63	59	47	64	61	49	76	67	215	116	223	445	78	55	125	154	125
II. Diseases of Uncer. Seat	294	20	25	14	10	12	8	13	11	13	13	12	20	51	17	11	19	6	19
III. Tubercular Class	1666	55	65	55	51	58	40	56	69	76	151	73	159	371	64	70	102	63	88
IV. Brain and Nervous Sys.	969	52	53	34	62	28	37	34	22	40	66	36	77	224	28	33	42	34	67
V. Organs of Circulation	506	28	41	34	38	19	11	41	15	41	38	15	28	55	20	10	14	24	34
VI. Respiratory Organs	1788	78	79	30	53	83	42	61	59	91	144	91	179	418	88	49	80	59	104
VII. Organs of Digestion	605	29	37	22	23	22	15	27	19	34	36	29	52	99	24	36	38	20	43
VIII. Urinary Organs	124	11	10	3	11	4	6	7	2	11	5	1	12	14	7	3	5	6	6
IX. Organs of Generation	77	3	5	2	3	2	4	2	4	3	5	4	7	17	3	4	4	3	2
X. Organs of Locomotion	53	3	5	1	—	4	1	1	2	2	5	2	7	12	2	2	3	1	—
XI. Skin, etc.	13	1	2	1	—	1	—	—	—	1	—	—	1	6	—	—	—	—	—
XII. Malformation	28	1	4	1	1	3	—	1	—	1	—	1	2	7	1	3	1	—	1
XIII. Premature Debility	525	16	43	14	11	8	21	18	16	29	40	45	45	108	19	18	34	21	19
XIV. Atrophy	70	1	3	1	2	1	2	—	3	10	1	1	9	16	2	3	4	4	7
XV. Age	561	45	25	30	25	18	31	26	25	49	30	16	51	64	30	22	14	14	46
XVI. Sudden Deaths	19	—	1	—	—	1	2	1	1	5	—	3	—	3	1	—	1	—	—
XVII. Violent Deaths	316	7	21	11	17	7	4	15	12	22	19	12	32	51	21	8	30	5	22
I. Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	144	1	2	—	—	1	1	4	8	1	31	5	19	58	—	2	3	—	8
Scarlatina	617	9	6	26	3	15	14	6	16	12	76	49	45	106	23	6	35	119	51
Diphtheria	102	1	6	6	9	5	9	3	5	2	7	4	6	16	4	1	2	1	15
Hooping-cough	303	1	20	3	10	10	3	3	15	5	29	12	48	88	11	14	29	2	—
Croup	96	5	4	4	5	2	5	2	—	3	7	4	8	26	2	2	4	5	8
Thrush	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhoea	286	15	9	9	7	6	13	11	11	18	16	15	30	69	13	7	24	2	11
Dysentery	35	—	—	—	—	2	5	—	2	1	2	2	—	8	2	2	3	2	4
Cholera	18	1	1	—	—	—	—	—	2	1	5	3	1	2	—	—	1	—	1
Influenza	7	—	—	1	2	—	2	1	—	—	—	1	—	—	—	—	—	—	—
Purpura	6	1	2	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Worms	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Typhus	80	7	2	1	1	7	—	10	4	10	14	3	3	4	—	6	—	8	—
Enteric Fever	204	3	8	—	5	8	3	4	7	8	12	6	36	49	12	8	13	9	13
Relapsing Fever	2	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Simple Cont. Fever	9	—	—	2	—	—	2	—	—	—	—	1	1	—	—	—	1	—	—
Infantile Remittent	7	—	—	—	—	1	—	1	—	—	—	2	—	—	1	—	—	2	—
Metria	60	11	1	—	1	1	3	1	2	1	6	3	4	7	5	2	5	—	7
Rheumatic Fever	17	1	1	—	2	2	1	1	1	—	1	1	3	2	—	—	—	1	—
Erysipelas	43	4	—	2	2	1	—	—	2	3	3	2	7	4	3	4	3	1	2
Pyæmia	15	—	—	1	—	1	—	—	1	—	1	3	2	1	2	1	—	1	1
Syphilis	27	2	1	4	—	1	—	—	—	1	3	—	9	2	—	—	1	1	2
Noma	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	6	—	—	1	—	1	—	1	—	—	—	1	1	—	1	—	—	—	—
Dropsy	62	1	9	3	1	1	3	2	5	—	1	5	2	15	1	6	5	—	2
Abscess	31	1	1	—	—	2	—	1	2	2	1	1	4	5	6	2	3	—	—
Ulcer	3	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—
Mortification	15	2	—	—	—	1	—	1	2	—	—	—	2	—	—	—	1	1	2
Cancer	170	15	15	8	9	7	5	8	2	10	8	5	10	26	9	3	10	5	15
Gout	4	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
III. Scrofula	76	2	4	4	7	4	1	3	2	3	1	1	18	14	1	2	3	—	6
Tabes Mesenterica	170	1	1	6	1	6	3	5	14	13	15	10	16	32	8	5	10	18	6
Phthisis	1121	45	49	30	41	37	28	44	37	47	111	48	99	244	38	54	66	40	63
Hydrocephalus	299	7	11	15	2	11	8	4	16	13	24	14	26	81	17	9	23	5	13

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1875.—BOTH SEXES. (Continued.)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis . . .	130	3	5	5	7	4	10	3	2	1	7	8	15	33	1	8	14	1	3
Apoplexy . . .	207	7	17	12	17	5	8	5	11	14	16	12	21	22	8	3	5	12	12
Paralysis . . .	296	16	17	8	24	11	9	9	1	17	16	5	13	87	9	16	7	14	17
Delirium Tremens . . .	9	—	—	—	—	1	—	1	—	—	1	1	2	1	—	—	2	—	—
Chorea . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy . . .	47	4	1	1	3	2	2	4	1	2	2	—	8	11	2	—	—	—	4
Tetanus . . .	9	1	1	—	—	2	2	—	—	—	—	—	—	—	1	—	—	1	1
Insanity . . .	16	3	—	—	1	—	—	—	—	—	—	—	—	4	—	—	—	—	8
Convulsions . . .	145	8	5	5	5	2	1	8	4	1	12	5	11	45	4	5	10	4	10
Brain Disease . . .	109	10	7	3	5	1	5	4	3	5	12	5	7	21	3	1	3	2	12
V. Pericarditis . . .	11	—	—	1	2	1	—	—	1	—	—	1	1	2	1	—	—	—	1
Aneurism . . .	7	—	2	—	2	—	—	—	—	1	—	—	—	2	—	—	—	—	—
Heart Disease . . .	488	28	39	33	34	18	11	41	14	40	38	14	27	51	19	10	14	24	33
VI. Laryngitis . . .	17	—	—	1	—	—	—	2	4	—	1	—	1	3	—	2	2	—	1
Bronchitis . . .	1169	44	57	23	37	46	22	40	37	59	106	66	112	262	70	33	41	48	66
Pleurisy . . .	35	3	—	2	1	2	2	3	—	1	2	3	3	4	—	2	—	2	5
Pneumonia . . .	489	22	16	3	14	30	16	14	12	27	27	21	52	142	15	7	32	8	31
Asthma . . .	54	8	2	—	1	5	1	—	1	3	5	1	9	5	2	5	5	1	—
Lung Disease . . .	24	1	4	1	—	—	1	2	5	1	3	—	2	2	1	—	—	—	1
VII. Teething . . .	85	3	2	1	2	4	9	5	6	7	5	7	5	14	2	6	7	—	—
Quinsey . . .	14	1	—	2	—	—	—	—	2	—	—	1	—	3	—	1	1	—	3
Gastritis . . .	38	—	—	1	—	2	—	1	2	1	2	1	2	2	5	11	4	1	3
Enteritis . . .	117	6	7	6	2	2	2	5	1	3	15	8	10	23	3	2	10	5	7
Peritonitis . . .	60	4	3	3	2	2	—	4	—	2	1	3	9	8	5	1	4	—	9
Ascites . . .	7	—	1	1	1	—	1	—	—	1	—	—	2	—	—	—	—	—	—
Ulceration of Intestines	23	—	5	2	1	1	—	—	1	—	1	—	—	5	2	1	2	1	1
Hernia . . .	8	—	—	—	2	—	—	—	—	1	—	1	4	—	—	—	—	—	—
Ileus . . .	18	5	2	—	1	—	—	—	—	1	1	—	2	1	1	—	—	1	3
Intussusception . . .	7	1	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	2	—
Stricture of Intestines	5	1	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—
Stomach Disease . . .	98	5	12	3	5	3	—	6	4	4	2	3	6	22	3	8	2	1	9
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	33	—	1	1	1	1	1	2	—	3	1	—	3	10	2	3	1	—	3
Jaundice . . .	27	2	2	—	2	2	—	—	—	3	—	—	2	6	1	1	—	3	3
Liver Disease . . .	63	1	1	2	4	3	2	4	3	6	6	4	5	5	—	2	7	6	2
Spleen Disease . . .	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . .	10	1	1	—	—	—	1	1	—	1	—	—	1	3	—	—	—	—	1
Nephria . . .	43	4	1	1	4	2	2	2	1	2	2	—	8	4	2	1	2	4	1
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	6	—	—	—	—	1	—	—	—	1	—	—	1	1	1	—	—	—	1
Diabetes . . .	11	2	—	1	1	—	—	—	—	2	—	—	—	2	1	1	—	1	—
Stone . . .	6	1	—	—	2	—	—	—	—	—	—	—	—	2	—	1	—	—	—
Cystitis . . .	13	—	2	—	—	1	2	3	1	1	2	—	—	—	—	—	—	—	1
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	35	3	6	1	4	—	1	1	—	4	1	1	2	2	3	—	3	1	2
IX. Paramenia . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Ovarian Dropsy . . .	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	60	2	5	1	2	1	3	2	4	3	4	2	7	13	2	2	4	2	1
Organs of Generation	14	1	—	—	1	1	—	—	—	—	1	2	—	3	1	2	—	1	1
X. Bone Disease . . .	9	—	2	—	—	1	—	—	—	2	—	—	3	—	—	—	—	1	—
Rheumatism . . .	22	1	2	1	—	3	—	—	1	—	1	—	1	7	1	2	2	—	—
Joint Disease . . .	22	2	1	—	—	—	1	1	1	—	4	2	3	5	1	—	1	—	—
XI. Carbuncle . . .	4	1	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
Phlegmon . . .	4	—	1	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Skin Disease . . .	5	—	1	—	—	1	—	—	—	1	—	—	1	1	—	—	—	—	—
XVII. Intemperance . . .	15	1	2	2	—	1	—	1	—	4	2	—	—	1	—	—	1	—	—
Privation . . .	3	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—
Want of Breast Milk	9	1	—	—	—	1	1	—	—	—	—	—	1	2	2	—	—	—	1
Neglect . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	3	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—
Poison . . .	6	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	2	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	31	1	—	—	—	1	—	—	4	2	—	2	3	4	2	3	3	—	4
Hanging, etc. . .	11	—	1	1	1	—	—	2	1	2	—	—	1	—	1	—	—	—	1
Suffocation . . .	51	—	12	4	1	1	1	1	3	1	1	—	4	9	4	1	5	—	3
Drowning . . .	56	1	1	2	9	—	—	4	—	6	—	2	5	13	2	—	9	—	2
Fracture and Contusion	94	1	5	2	4	3	—	3	3	4	11	4	11	15	6	3	8	2	9
Gunshot Wounds . . .	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Cuts and Stabs . . .	5	—	—	—	2	—	—	—	—	—	1	—	—	1	—	—	1	—	—
Other Violent Causes	30	2	—	—	—	—	2	1	1	2	3	3	3	4	2	1	3	1	2
Not specified . . .	104	3	—	—	1	7	10	4	3	4	2	5	1	20	23	6	1	2	12

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1875.—MALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	4984	210	210	160	177	181	134	181	168	259	399	255	440	1002	226	168	291	200	323
SPECIFIED CAUSES . .	4925	208	210	160	176	177	131	178	167	256	398	252	440	993	212	165	291	198	313
I. Zymotic Class . . .	1005	30	28	29	25	32	23	25	35	34	106	62	95	220	32	24	60	75	70
II. Diseases of Uncer. Seat	126	7	8	11	5	5	4	5	4	6	6	3	4	25	7	5	11	2	8
III. Tubercular Class . .	818	30	26	25	21	32	20	23	38	32	69	32	80	183	38	37	51	28	53
IV. Brain and Nervous Sys.	541	35	20	18	33	23	20	22	11	20	33	25	45	119	18	20	23	17	39
V. Organs of Circulation	275	15	17	16	24	14	8	22	8	19	22	6	17	33	11	4	9	13	17
VI. Respiratory Organs . .	969	43	46	21	19	40	16	33	27	52	81	54	91	225	50	30	58	29	54
VII. Organs of Digestion . .	303	16	17	11	11	10	7	16	13	17	19	12	28	46	13	17	25	4	21
VIII. Urinary Organs . . .	75	9	8	1	8	3	3	5	2	7	4	1	7	5	3	—	3	3	3
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	18	—	2	—	—	—	—	—	2	1	3	—	2	3	1	2	2	—	—
XI. Skin, etc.	5	—	—	—	—	1	—	—	—	1	—	—	—	3	—	—	—	—	—
XII. Malformation	10	—	1	—	—	1	—	—	—	—	—	—	1	5	—	1	1	—	—
XIII. Premature Debility . .	305	8	21	12	8	6	10	11	10	20	24	32	28	56	8	9	18	13	11
XIV. Atrophy	29	1	1	—	1	—	1	—	2	4	—	1	3	5	1	1	2	2	4
XV. Age	217	10	5	9	7	6	16	8	10	23	12	11	20	23	14	8	5	8	22
XVI. Sudden Deaths . . .	13	—	—	—	—	—	1	1	—	4	—	3	—	3	—	—	—	—	—
XVII. Violent Deaths . . .	217	4	10	7	14	4	2	7	5	16	19	10	19	39	16	7	23	4	11
I. Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	76	1	—	—	—	1	1	2	4	—	14	2	10	31	—	—	2	—	8
Scarlatina	310	5	4	7	2	7	4	6	5	4	44	28	16	63	9	2	19	57	28
Diphtheria	53	—	3	5	8	2	3	1	3	2	5	3	3	2	—	1	—	1	11
Hooping-cough	124	—	11	2	3	3	2	3	7	1	11	3	19	36	5	6	11	1	—
Croup	58	4	1	4	1	—	2	2	—	3	4	4	4	15	1	2	3	1	7
Thrush	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhoea	151	10	5	5	4	2	4	5	5	11	7	8	15	34	9	4	18	1	4
Dysentery	17	—	—	—	—	2	2	—	2	—	—	2	—	4	—	—	1	1	3
Cholera	11	—	—	—	—	—	—	—	2	1	3	3	—	1	—	—	—	—	1
Influenza	2	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Purpura	4	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Worms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	40	3	—	—	—	7	—	2	2	8	7	1	1	3	—	2	—	4	—
Enteric Fever	102	3	4	—	5	6	2	3	5	2	5	2	16	26	6	3	3	5	6
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever	7	—	—	2	—	—	2	—	—	—	1	1	1	—	—	—	—	—	—
Infantile Remittent	4	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	2	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Erysipelas	21	3	—	2	1	—	—	—	—	1	2	1	2	2	1	3	2	1	—
Pyæmia	5	—	—	—	—	1	—	—	—	—	—	2	1	—	—	1	—	—	—
Syphilis	13	—	—	2	—	1	—	—	—	1	3	—	5	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	32	1	3	3	1	—	2	1	1	—	1	2	1	8	1	3	2	—	2
Abscess	19	1	1	—	—	1	—	—	1	2	—	—	2	3	5	1	2	—	—
Ulcer	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—
Mortification	7	—	—	—	—	—	—	1	1	—	1	—	—	1	—	—	1	1	1
Cancer	58	4	4	6	4	3	2	2	1	3	2	1	1	11	1	1	6	1	5
Gout	3	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
III. Scrofula	38	1	1	2	4	3	—	2	—	2	1	—	9	7	—	2	1	—	3
Tabes Mesenterica	102	—	1	3	1	2	3	4	9	5	8	5	9	22	4	3	8	9	6
Phthisis	504	27	14	12	15	21	11	16	17	17	51	19	46	110	20	26	29	16	37
Hydrocephalus	174	2	10	8	1	6	6	1	12	8	9	8	16	44	14	6	13	3	7

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1875.—MALES. (Continued.)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis . . .	69	1	—	4	3	3	6	3	2	1	2	6	6	17	1	4	7	1	2
Apoplexy . . .	118	5	5	6	10	5	3	5	7	7	8	8	15	13	5	1	3	7	5
Paralysis . . .	159	10	5	3	15	8	4	5	1	8	7	4	5	46	6	11	4	5	12
Delirium Tremens . . .	7	—	—	—	—	1	—	—	—	—	—	1	2	1	—	—	2	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	22	2	—	1	1	1	2	2	—	—	1	—	4	5	—	—	—	—	3
Tetanus . . .	8	1	1	—	—	2	1	—	—	—	—	—	—	—	1	—	—	1	1
Insanity . . .	8	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
Convulsions . . .	83	6	3	3	1	2	1	4	—	—	7	4	6	27	4	4	4	2	5
Brain Disease . . .	67	7	6	1	3	1	3	3	1	4	8	2	7	10	1	—	3	1	6
V. Pericarditis . . .	5	—	—	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	1
Aneurism . . .	5	—	1	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Heart Disease . . .	265	15	16	15	21	14	8	22	8	18	22	6	16	31	11	4	9	13	16
VI. Laryngitis . . .	11	—	—	1	—	—	—	2	3	—	1	—	—	2	—	1	1	—	—
Bronchitis . . .	627	25	32	17	13	24	5	23	15	35	56	41	59	140	36	20	28	25	33
Pleurisy . . .	24	3	—	2	1	1	2	2	—	1	2	1	2	3	—	—	—	—	4
Pneumonia . . .	265	11	10	1	5	15	8	5	7	15	16	12	23	75	12	4	25	4	17
Asthma . . .	33	4	2	—	—	—	—	—	—	1	5	—	7	3	2	5	4	—	—
Lung Disease . . .	9	—	2	—	—	—	1	1	2	—	1	—	—	2	—	—	—	—	—
VII. Teething . . .	42	2	2	1	2	—	4	3	4	3	5	3	4	5	1	1	2	—	—
Quinsey . . .	9	1	—	—	—	—	—	—	2	—	—	1	—	2	—	1	1	—	1
Gastritis . . .	22	—	—	1	—	1	—	1	2	1	1	—	1	—	2	5	4	—	3
Enteritis . . .	63	3	5	4	1	1	—	3	1	1	5	3	8	13	2	2	5	1	5
Peritonitis . . .	29	—	2	2	1	1	—	2	—	2	—	1	4	3	4	1	2	—	4
Ascites . . .	3	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
Ulceration of Intestines	7	—	1	—	1	1	—	—	—	—	—	—	—	2	—	—	2	—	—
Hernia . . .	4	—	—	—	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—
Ileus . . .	6	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Intussusception . . .	2	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Stricture of Intestines	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Stomach Disease . . .	44	2	4	1	1	2	—	2	3	3	2	—	2	11	1	5	2	—	3
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	16	—	1	—	—	1	—	1	—	1	1	—	1	6	1	—	1	—	2
Jaundice . . .	13	2	1	—	1	1	—	—	—	1	—	—	1	2	1	—	—	1	2
Liver Disease . . .	39	—	1	2	3	1	2	4	1	3	5	3	2	1	—	2	6	2	1
Spleen Disease . . .	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . .	6	1	1	—	—	—	1	1	—	—	—	—	1	1	—	—	—	—	—
Nephria . . .	22	3	—	1	3	1	—	1	1	2	1	—	4	2	—	—	1	2	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	5	—	—	—	—	1	—	—	—	1	—	—	1	—	1	—	—	—	1
Diabetes . . .	3	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Stone . . .	3	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . .	12	—	2	—	—	1	1	3	1	1	2	—	—	—	—	—	—	—	1
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	24	3	5	—	3	—	1	—	—	2	1	1	1	2	1	—	2	1	1
IX. Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease . . .	2	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Rheumatism . . .	6	—	1	—	—	—	—	—	1	—	—	—	1	—	—	2	1	—	—
Joint Disease . . .	10	—	—	—	—	—	—	—	1	—	3	—	1	3	1	—	1	—	—
XI. Carbuncle . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . .	11	1	1	2	—	—	—	1	—	2	2	—	—	1	—	—	1	—	—
Privation . . .	3	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—
Want of Breast Milk . . .	3	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Poison . . .	3	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	13	—	—	—	—	1	—	1	1	—	—	2	1	1	2	2	1	—	1
Hanging, etc. . .	5	—	—	—	1	—	—	—	1	1	—	—	1	—	1	—	—	—	—
Suffocation . . .	29	—	5	3	1	1	—	—	1	—	1	—	3	7	3	1	3	—	—
Drowning . . .	48	1	1	2	8	—	—	2	—	6	—	2	3	12	2	—	8	—	1
Fracture and Contusion . . .	72	—	3	—	3	2	—	2	2	4	11	3	6	13	4	3	6	2	8
Gunshot Wounds . . .	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Cuts and Stabs . . .	4	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	1	—	—
Other Violent Causes . . .	24	1	—	—	—	—	1	1	—	2	3	2	3	3	2	1	3	1	1
Not specified . . .	59	2	—	—	1	4	3	3	1	3	1	3	—	9	14	3	—	2	10

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1875.—FEMALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	4818	205	272	152	178	161	161	175	171	240	371	207	465	979	202	165	226	216	272
SPECIFIED CAUSES	4773	204	272	152	178	158	154	174	169	239	370	205	464	968	193	162	225	216	270
I. Zymotic Class	1079	32	35	30	22	32	38	24	41	33	109	54	128	225	46	31	65	79	55
II. Diseases of Uncer. Seat	168	13	17	3	5	7	4	8	7	7	7	9	16	26	10	6	8	4	11
III. Tubercular Class	848	25	39	30	30	26	20	33	31	44	82	41	79	188	26	33	51	35	35
IV. Brain and Nervous Sys.	428	17	33	16	29	5	17	12	11	20	33	11	32	105	10	13	19	17	28
V. Organs of Circulation	231	13	24	18	14	5	3	19	7	22	16	9	11	22	9	6	5	11	17
VI. Respiratory Organs	819	35	33	9	34	43	26	28	32	39	63	37	88	193	38	19	22	30	50
VII. Organs of Digestion	302	13	20	11	12	12	8	11	6	17	17	17	24	53	11	19	13	16	22
VIII. Urinary Organs	49	2	2	2	3	1	3	2	—	4	1	—	5	9	4	3	2	3	3
IX. Organs of Generation	77	3	5	2	3	2	4	2	4	3	5	4	7	17	3	4	4	3	2
X. Organs of Locomotion	35	3	3	1	—	4	1	1	—	1	2	2	5	9	1	—	1	1	—
XI. Skin, etc.	8	1	2	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—
XII. Malformation	18	1	3	1	1	2	—	1	—	1	—	1	1	2	1	2	—	—	1
XIII. Premature Debility	220	8	22	2	3	2	11	7	6	9	16	13	17	52	11	9	16	8	8
XIV. Atrophy	41	—	2	1	1	1	1	—	1	6	1	—	6	11	1	2	2	2	3
XV. Age	344	35	20	21	18	12	15	18	15	26	18	5	31	41	16	14	9	6	24
XVI. Sudden Deaths	7	—	1	—	—	1	1	—	1	1	—	—	—	—	1	—	1	—	—
XVII. Violent Deaths	99	3	11	4	3	3	2	8	7	6	—	2	13	12	5	1	7	1	11
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	68	—	2	—	—	—	—	2	4	1	17	3	9	27	—	2	1	—	—
Scarlatina	307	4	2	19	1	8	10	—	11	8	32	21	29	43	14	4	16	62	23
Diphtheria	49	1	3	1	1	3	6	2	2	—	2	1	3	14	4	—	2	—	4
Hooping-cough	179	1	9	1	7	7	1	—	8	4	18	9	29	52	6	8	18	1	—
Croup	38	1	3	—	4	2	3	—	—	—	3	—	4	11	1	—	1	4	1
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	135	5	4	4	3	4	9	6	6	7	9	7	15	35	4	3	6	1	7
Dysentery	18	—	—	—	—	—	3	—	—	1	2	—	—	4	2	2	2	1	1
Cholera	7	1	1	—	—	—	—	—	—	—	2	—	1	1	—	—	1	—	—
Influenza	5	—	—	1	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Typhus	40	4	2	1	1	—	—	8	2	2	7	2	2	1	—	4	—	4	—
Enteric Fever	102	—	4	—	—	2	1	1	2	6	7	4	20	23	6	5	10	4	7
Relapsing Fever	2	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Simple Cont. Fever	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
Infantile Remittent	3	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—
Metria	60	11	1	—	1	1	3	1	2	1	6	3	4	7	5	2	5	—	7
Rheumatic Fever	14	1	1	—	2	2	—	1	1	—	1	1	1	2	—	—	—	1	—
Erysipelas	22	1	—	—	1	1	—	—	2	2	1	1	5	2	2	1	1	—	2
Pyæmia	10	—	—	1	—	—	—	—	1	—	1	1	1	1	2	—	—	1	1
Syphilis	14	2	1	2	—	—	—	—	—	—	—	—	4	2	—	—	1	—	2
Noma	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—
Dropsy	30	—	6	—	—	1	1	1	4	—	—	3	1	7	—	3	3	—	—
Abscess	12	—	—	—	—	1	—	1	1	—	1	1	2	2	1	1	1	—	—
Ulcer	2	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	8	2	—	—	—	1	—	—	1	—	—	—	2	1	—	—	—	—	1
Cancer	112	11	11	2	5	4	3	6	1	7	6	4	9	15	8	2	4	4	10
Gout	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
III. Scrofula	38	1	3	2	3	1	1	1	2	1	—	1	9	7	1	—	2	—	3
Tabes Mesenterica	68	1	—	3	—	4	—	1	5	8	7	5	7	10	4	2	2	9	—
Phthisis	617	18	35	18	26	16	17	28	20	30	60	29	53	134	18	28	37	24	26
Hydrocephalus	125	5	1	7	1	5	2	3	4	5	15	6	10	37	3	3	10	2	6

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1875.—FEMALES. (Continued.)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis . . .	61	2	5	1	4	1	4	—	—	—	5	2	9	16	—	4	7	—	1
Apoplexy . . .	89	2	12	6	7	—	5	—	4	7	8	4	6	9	3	2	2	5	7
Paralysis . . .	137	6	12	5	9	3	5	4	—	9	9	1	8	41	3	5	3	9	5
Delirium Tremens . . .	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Chorea . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy . . .	25	2	1	—	2	1	—	2	1	2	1	—	4	6	2	—	—	—	1
Tetanus . . .	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . .	8	—	—	—	1	—	—	—	—	—	—	—	—	4	—	—	—	—	3
Convulsions . . .	62	2	2	2	4	—	—	4	4	1	5	1	5	18	—	1	6	2	5
Brain Disease . . .	42	3	1	2	2	—	2	1	2	1	4	3	—	11	2	1	—	1	6
V. Pericarditis . . .	6	—	—	—	1	1	—	—	1	—	—	1	—	1	1	—	—	—	—
Aneurism . . .	2	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Heart Disease . . .	223	13	23	18	13	4	3	19	6	22	16	8	11	20	8	6	5	11	17
VI. Laryngitis . . .	6	—	—	—	—	—	—	—	1	—	—	—	1	1	—	1	—	—	1
Bronchitis . . .	542	19	25	6	24	22	17	17	22	24	50	25	53	122	34	13	13	23	33
Pleurisy . . .	11	—	—	—	—	1	—	1	—	—	—	2	1	1	—	2	—	2	1
Pneumonia . . .	224	11	6	2	9	15	8	9	5	12	11	9	29	67	3	3	7	4	14
Asthma . . .	21	4	—	—	1	5	1	—	1	2	—	1	2	2	—	—	1	1	—
Lung Disease . . .	15	1	2	1	—	—	—	1	3	1	2	—	2	—	1	—	—	—	1
VII. Teething . . .	43	1	—	—	—	4	5	2	2	4	—	4	1	9	1	5	5	—	—
Quinsey . . .	5	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
Gastritis . . .	16	—	—	—	—	1	—	—	—	—	1	1	1	2	3	6	—	1	—
Enteritis . . .	54	3	2	2	1	1	2	2	—	2	10	5	2	10	1	—	5	4	2
Peritonitis . . .	31	4	1	1	1	1	—	2	—	—	1	2	5	5	1	—	2	—	5
Ascites . . .	4	—	1	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Ulceration of Intestines	16	—	4	2	—	—	—	—	1	—	1	—	—	3	2	1	—	1	1
Hernia . . .	4	—	—	—	1	—	—	—	—	1	—	1	1	—	—	—	—	—	—
Ileus . . .	12	1	2	—	1	—	—	—	—	1	1	—	2	—	—	—	—	1	3
Intussusception . . .	5	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	2	—
Stricture of Intestines	3	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
Stomach Disease . . .	54	3	8	2	4	1	—	4	1	1	—	3	4	11	2	3	—	1	6
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	17	—	—	1	1	—	1	1	—	2	—	—	2	4	1	3	—	—	1
Jaundice . . .	14	—	1	—	1	1	—	—	—	2	—	—	1	4	—	1	—	2	1
Liver Disease . . .	24	1	—	—	1	2	—	—	2	3	1	1	3	4	—	—	1	4	1
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . .	4	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1
Nephria . . .	21	1	1	—	1	1	2	1	—	—	1	—	4	2	2	1	1	2	1
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diabetes . . .	8	1	—	1	1	—	—	—	—	1	—	—	—	2	—	1	—	1	—
Stone . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Cystitis . . .	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	11	—	1	1	1	—	—	1	—	2	—	—	1	—	2	—	1	—	1
IX. Paramenia . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Ovarian Dropsy . . .	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	60	2	5	1	2	1	3	2	4	3	4	2	7	13	2	2	4	2	1
Organs of Generation . . .	14	1	—	—	1	1	—	—	—	—	1	2	—	3	1	2	—	1	1
X. Bone Disease . . .	7	—	1	—	—	1	—	—	—	1	—	—	3	—	—	—	—	1	—
Rheumatism . . .	16	1	1	1	—	3	—	—	—	—	1	—	—	7	1	—	1	—	—
Joint Disease . . .	12	2	1	—	—	—	1	1	—	—	1	2	2	2	—	—	—	—	—
XI. Carbuncle . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	4	—	1	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Skin Disease . . .	3	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
XVII. Intemperance . . .	4	—	1	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	6	—	—	—	—	1	—	—	—	—	—	—	1	2	1	—	—	—	1
Neglect . . .	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cold . . .	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Poison . . .	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	18	1	—	—	—	—	—	1	3	2	—	—	2	3	—	1	2	—	3
Hanging, etc. . .	6	—	1	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—	1
Suffocation . . .	22	—	7	1	—	—	1	1	2	1	—	—	1	2	1	—	—	—	3
Drowning . . .	8	—	—	—	1	—	—	2	—	—	—	—	2	1	—	—	1	—	1
Fracture and Contusion . . .	22	1	2	2	1	1	—	1	1	—	—	1	5	2	2	—	2	—	1
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	6	1	—	—	—	—	1	—	1	—	—	1	—	1	—	—	—	—	1
Not specified . . .	45	1	—	—	—	3	7	1	2	1	1	2	1	11	9	3	1	—	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1875.—BOTH SEXES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
ALL CAUSES	18285	74	118	469	360	113	329	446	649	118	571	516	1205	386	1158
SPECIFIED CAUSES	17956	72	118	466	350	111	326	445	603	117	566	506	1177	383	1132
I. Zymotic Class	4128	13	8	174	159	10	54	62	119	18	92	67	273	53	285
II. Diseases of Uncer. Seat	607	6	5	8	9	3	11	26	23	11	30	25	42	22	39
III. Tubercular Class	2788	11	18	43	25	11	38	51	83	10	75	76	146	65	171
IV. Brain and Nervous Sys. . . .	1629	7	11	38	17	17	53	57	61	10	52	53	114	48	90
V. Organs of Circulation	1077	6	4	27	8	7	27	27	35	7	44	61	78	24	68
VI. Respiratory Organs	2851	8	34	75	45	14	44	89	90	17	103	80	177	54	179
VII. Organs of Digestion	1327	2	9	15	21	12	22	46	47	14	42	28	89	23	99
VIII. Urinary Organs	316	1	4	10	3	1	1	14	18	3	10	13	34	9	13
IX. Organs of Generation	129	2	1	8	1	1	4	5	4	—	2	1	9	4	7
X. Organs of Locomotion	113	—	1	1	3	1	2	4	4	2	2	4	6	2	4
XI. Skin, etc.	23	—	—	—	—	—	1	—	—	—	—	2	1	—	1
XII. Malformation	79	—	—	1	—	—	1	4	11	—	6	4	5	1	3
XIII. Premature Debility	901	1	3	24	3	12	15	19	29	5	34	21	54	26	55
XIV. Atrophy	103	—	—	—	1	—	1	5	4	—	2	—	6	9	12
XV. Age	1187	15	13	33	37	20	40	25	55	15	58	48	81	33	68
XVI. Sudden Deaths	21	—	—	—	—	1	—	—	—	—	1	2	7	—	2
XVII. Violent Deaths	677	—	7	9	18	1	12	11	20	5	13	21	55	10	36
I. Small-pox	21	—	—	—	—	—	—	—	—	—	—	—	—	—	7
Measles	149	1	—	—	—	—	2	—	—	—	1	—	6	1	2
Scarlatina	1380	—	—	140	33	—	7	9	24	—	12	17	90	12	77
Diphtheria	221	—	—	1	—	—	8	2	6	1	14	2	27	2	17
Hooping-cough	419	8	—	2	58	—	1	4	3	3	7	7	15	2	36
Croup	244	—	—	6	30	3	1	7	3	1	8	3	17	15	19
Thrush	4	—	—	—	—	—	1	—	—	—	1	—	2	—	—
Diarrhoea	488	—	4	5	2	1	5	9	32	7	6	7	35	7	37
Dysentery	47	—	—	2	—	—	4	—	3	1	6	2	2	—	6
Cholera	35	1	—	—	—	—	—	—	1	—	—	—	3	—	1
Influenza	54	—	—	2	8	—	2	1	3	—	9	2	2	2	9
Purpura	11	—	—	—	—	—	—	—	1	—	—	—	2	—	2
Ague	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Worms	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	157	—	—	—	8	—	2	5	4	—	—	2	14	1	23
Enteric Fever	487	2	1	7	1	1	10	11	18	3	17	16	30	4	19
Relapsing Fever	4	—	—	—	—	—	—	1	—	—	—	—	1	—	—
Simple Cont. Fever	31	—	1	—	4	—	—	—	—	—	1	—	—	1	4
Infantile Remittent	26	1	—	—	—	—	1	1	—	1	—	—	2	—	3
Metria	124	—	1	3	6	3	7	4	9	—	1	1	11	2	7
Rheumatic Fever	40	—	1	1	1	—	—	2	3	—	2	2	2	1	2
Erysipelas	109	—	—	3	8	2	1	4	7	1	4	4	8	2	9
Pyæmia	36	—	—	—	—	—	1	2	1	—	1	1	—	1	3
Syphilis	36	—	—	2	—	—	1	—	1	—	2	1	2	—	2
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
II. Hæmorrhage	21	—	—	—	—	—	2	2	1	—	1	1	4	—	—
Dropsy	114	1	—	2	3	1	1	5	2	—	1	7	8	10	10
Abscess	35	—	—	—	2	—	2	—	1	—	1	—	3	1	1
Ulcer	10	—	—	—	2	—	—	3	—	—	—	—	1	—	—
Fistula	4	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Mortification	35	—	—	1	—	—	1	3	1	3	2	—	3	1	3
Cancer	378	5	5	5	2	2	5	13	16	8	25	16	23	10	25
Gout	10	—	—	—	—	—	—	—	—	—	—	1	—	—	—
III. Scrofula	158	—	1	3	2	—	—	7	15	—	6	3	17	—	9
Tabes Mesenterica	265	—	2	—	—	1	4	1	1	1	9	5	6	3	18
Phthisis	1901	10	13	28	21	8	27	35	50	7	54	58	95	46	112
Hydrocephalus	464	1	2	12	2	2	7	8	17	2	6	10	28	16	32

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1875.—BOTH SEXES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	988	437	249	1678	2459	2866	515	712	326	151	97	369	254	236	204	232
SPECIFIED CAUSES . .	986	423	249	1666	2437	2771	510	708	320	151	97	366	254	226	196	224
Zymotic Class . . .	279	102	63	408	489	678	161	158	49	51	35	64	59	75	33	37
Uncertain Seat . . .	38	12	5	47	79	65	15	27	10	3	2	19	6	3	11	5
Tubercular Class . .	187	69	54	335	426	457	77	100	35	12	9	62	36	30	43	33
Brain, etc.	85	36	26	119	224	208	44	72	28	17	6	30	40	24	21	21
Heart, etc.	51	24	21	64	141	115	41	46	30	14	6	26	18	18	27	12
Respiratory Organs .	126	56	33	293	363	506	66	123	50	23	11	70	35	22	25	40
Digestive Organs . .	46	22	15	131	182	249	37	54	28	10	8	19	16	19	8	14
Urinary Organs . . .	8	5	5	13	53	31	5	14	6	4	3	9	4	8	7	7
Generative Organs . .	3	3	—	17	19	18	2	5	4	—	—	4	3	1	1	—
Locomotive Organs .	4	3	2	20	16	18	3	3	—	—	—	2	2	2	1	1
Skin	2	—	—	3	4	3	2	—	1	—	—	—	—	—	—	3
Malformation . . .	8	—	—	6	11	9	—	4	1	1	1	1	—	—	—	1
Premature Debility .	42	19	6	89	143	140	20	45	30	6	8	23	10	7	2	10
Atrophy	5	3	1	15	17	17	1	2	—	1	—	1	—	—	—	—
Age	65	56	10	53	155	118	19	30	39	5	8	14	18	14	12	30
Sudden Deaths . . .	—	—	—	1	5	2	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	37	13	8	52	110	137	17	25	9	4	—	22	7	3	5	10
Small-pox	—	—	—	—	3	3	—	7	—	—	—	1	—	—	—	—
Measles	6	2	—	60	6	47	1	2	1	—	—	—	4	3	4	—
Scarlatina	125	35	31	111	154	182	86	61	7	36	28	16	34	36	13	4
Diphtheria	20	9	5	9	25	38	6	6	5	1	—	1	1	7	8	—
Whooping-cough . .	41	2	2	60	36	84	20	8	4	2	1	2	3	—	—	8
Croup	14	12	3	19	20	34	2	17	1	1	—	1	—	4	—	3
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	24	15	1	53	69	85	17	13	9	6	2	11	4	10	1	11
Dysentery	—	1	3	1	4	7	—	1	1	1	—	—	—	1	—	1
Cholera	—	—	2	1	9	8	—	2	—	—	—	2	5	—	—	—
Influenza	1	1	—	—	9	1	—	—	1	—	—	—	—	—	1	—
Purpura	—	—	—	1	1	1	1	—	—	—	—	1	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Typhus	16	—	—	6	27	32	1	10	2	—	1	—	2	1	—	—
Enteric Fever . . .	14	23	8	57	62	94	15	19	10	1	3	16	3	11	5	6
Relapsing Fever . .	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Simple Cont. Fever .	1	—	—	1	9	6	1	—	1	—	—	1	—	—	—	—
Infantile Remittent .	—	—	2	8	1	3	—	—	1	—	—	1	—	—	—	1
Metria	7	1	—	6	12	24	4	5	3	—	—	4	—	—	1	2
Rheumatic Fever . .	4	—	—	3	9	1	1	2	—	2	—	—	1	—	—	—
Erysipelas	2	1	3	9	18	16	—	—	1	1	—	2	1	1	—	1
Pyæmia	2	—	3	1	4	7	2	3	—	—	—	4	—	—	—	—
Syphilis	1	—	—	2	9	4	4	2	2	—	—	—	1	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	1	—	3	3	—	—	—	—	—	—	—	—	2	—
Dropsy	6	3	—	16	13	15	2	2	2	—	—	—	—	1	1	2
Abscess	4	1	—	2	4	8	2	—	1	—	—	—	1	—	—	1
Ulcer	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—
Fistula	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—
Mortification . . .	3	—	—	4	4	1	1	1	1	—	—	—	1	—	—	1
Cancer	22	8	4	24	52	37	10	21	5	3	1	17	4	2	7	1
Gout	2	—	—	—	1	—	—	2	1	—	1	2	—	—	—	—
Scrofula	12	1	1	9	27	14	5	8	2	2	—	5	3	3	3	—
Tabes Mesenterica .	3	1	1	36	47	84	14	14	2	—	—	4	1	5	2	—
Phthisis	141	57	41	242	287	279	41	62	24	9	8	43	22	20	34	27
Hydrocephalus . . .	31	10	11	48	65	80	17	16	7	1	1	10	10	2	4	6

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1875.—BOTH SEXES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
IV. Cephalitis	225	1	-	6	-	1	4	9	7	-	3	6	19	11	10
Apoplexy	404	2	2	10	2	3	11	18	17	4	16	12	22	10	19
Paralysis	452	2	4	14	6	9	24	13	10	2	16	25	45	18	31
Delirium Tremens	15	-	-	-	-	1	-	-	2	-	-	-	3	-	-
Chorea	5	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Epilepsy	64	1	3	1	3	-	2	5	1	-	1	3	4	1	1
Tetanus	8	-	-	-	-	1	-	-	1	-	-	-	-	-	1
Insanity	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	186	1	-	2	-	-	5	5	6	2	11	2	9	4	11
Brain Disease	266	-	1	5	5	2	7	7	17	1	5	5	12	4	17
V. Pericarditis	12	-	1	-	-	1	-	-	1	-	1	-	1	-	-
Aneurism	26	-	-	2	-	-	1	3	2	2	-	2	1	-	2
Heart Disease	1039	6	3	25	8	6	26	24	32	5	43	59	76	24	66
VI. Laryngitis	34	-	-	-	2	1	-	1	-	-	5	1	1	2	1
Bronchitis	1853	5	27	54	16	8	31	60	55	13	65	58	127	39	129
Pleurisy	87	1	-	-	5	2	-	2	1	-	1	4	9	-	2
Pneumonia	728	1	6	18	11	3	11	22	29	4	26	12	37	12	40
Asthma	96	1	1	3	7	-	2	4	2	-	5	3	3	1	1
Lung Disease	53	-	-	-	4	-	-	-	3	-	1	2	-	-	6
VII. Teething	230	-	-	-	1	4	2	10	16	1	5	4	15	5	19
Quinsey	13	-	-	1	1	-	-	-	-	-	1	-	1	-	-
Gastritis	47	-	-	-	1	1	3	-	-	-	1	-	8	1	4
Enteritis	271	-	-	5	3	4	1	6	6	-	4	5	14	5	16
Peritonitis	104	1	-	-	2	1	1	1	1	-	4	3	3	-	6
Ascites	18	-	1	-	2	-	-	1	-	-	2	-	2	-	3
Ulceration of Intestines	51	-	-	1	-	1	1	3	4	4	-	1	3	-	2
Hernia	32	-	-	1	1	-	-	-	2	1	-	1	5	-	1
Ileus	51	-	-	1	1	-	-	6	3	-	8	-	5	2	4
Intussusception	15	-	-	-	-	-	-	-	4	1	-	-	1	2	1
Stricture of Intestines	9	-	-	-	-	-	1	1	-	-	-	1	1	-	3
Stomach Disease	207	-	2	1	3	-	8	8	7	3	6	1	12	2	21
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	41	-	-	-	-	1	-	2	-	1	3	-	4	-	4
Jaundice	50	1	1	2	2	-	1	2	1	-	2	-	6	-	3
Liver Disease	180	-	5	3	4	-	4	5	3	3	9	11	9	6	12
Spleen Disease	8	-	-	-	-	-	-	1	-	-	1	-	-	-	-
VIII. Nephritis	37	-	-	5	-	-	-	-	3	-	-	1	6	2	-
Nephria	120	1	1	1	-	-	-	9	2	-	3	8	15	4	6
Addison's Disease	4	-	-	-	-	-	-	1	-	-	-	-	1	1	1
Ischuria	15	-	-	-	-	1	-	-	1	-	-	-	-	-	1
Diabetes	18	-	1	1	-	-	-	-	-	-	-	3	-	-	1
Stone	5	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Cystitis	25	-	-	-	1	-	-	-	-	-	1	-	1	-	-
Stricture of Urethra	2	-	-	-	1	-	-	2	2	-	1	-	2	2	1
Kidney Disease	90	-	2	3	1	-	1	2	10	3	5	1	8	-	3
IX. Paramenia	7	-	-	-	-	-	-	-	-	-	-	-	2	-	1
Ovarian Dropsy	15	1	-	-	-	-	-	1	-	-	1	-	1	1	-
Childbirth	80	1	1	7	1	1	3	2	3	-	1	1	5	3	5
Organs of Generation	27	-	-	1	-	-	1	2	1	-	-	-	1	-	1
X. Bone Disease	10	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Rheumatism	46	-	-	1	1	1	2	3	2	2	-	2	3	-	2
Joint Disease	57	-	1	-	1	-	-	1	1	-	2	2	3	2	2
XI. Carbuncle	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Phlegmon	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	18	-	-	-	-	-	1	-	-	-	-	1	1	-	1
XVII. Intemperance	42	-	-	1	-	-	-	-	1	-	1	2	3	-	1
Privation	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	37	-	-	-	-	-	-	-	-	-	1	-	5	1	2
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	12	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Poisoned Wounds	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Burns and Scalds	63	-	-	2	1	-	3	1	1	-	-	4	4	1	4
Hanging, etc.	9	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Suffocation	62	-	-	-	-	-	3	3	4	-	3	-	2	-	2
Drowning	163	-	4	1	15	-	4	5	7	5	3	6	18	-	10
Fracture and Contusion	229	-	2	4	2	1	2	2	4	-	3	5	16	6	11
Gunshot Wounds	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	12	-	-	-	-	-	-	-	1	-	-	-	4	-	-
Other Violent Causes	31	-	1	1	-	-	-	-	2	-	-	2	-	2	5
Not specified	329	2	-	3	10	2	3	1	46	1	5	10	28	3	26

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1875.—BOTH SEXES. (Continued.)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis . . .	6	5	5	16	40	48	6	5	3	1	—	1	3	4	4	1
Apoplexy . . .	30	11	11	32	54	42	13	19	7	2	3	4	8	5	9	6
Paralysis . . .	18	9	5	23	45	43	12	19	8	6	2	8	16	9	2	8
Delirium Tremens . . .	1	1	—	1	3	—	—	—	—	—	—	1	1	—	—	1
Chorea . . .	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	6	2	1	3	10	4	2	1	3	3	—	1	1	—	—	1
Tetanus . . .	—	1	—	—	1	2	—	—	—	—	—	1	—	—	—	—
Insanity . . .	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Convulsions . . .	11	4	—	20	18	32	6	12	6	2	1	3	3	5	3	2
Brain Disease . . .	12	3	4	24	52	34	5	15	1	3	—	11	8	1	3	2
Pericarditis . . .	—	—	—	1	1	1	1	1	—	—	—	1	—	1	—	—
Aneurism . . .	—	—	1	1	6	—	1	—	—	—	—	—	—	—	—	2
Heart Disease . . .	51	24	20	62	134	114	39	45	30	14	6	25	18	17	27	10
Laryngitis . . .	1	—	—	2	10	2	—	—	1	—	—	1	2	—	1	—
Bronchitis . . .	81	35	15	191	228	318	42	96	36	12	8	39	19	12	16	18
Pleurisy . . .	4	2	—	4	8	22	4	2	4	1	—	6	1	—	1	1
Pneumonia . . .	31	16	13	85	89	141	18	21	9	6	3	23	13	9	6	13
Asthma . . .	5	1	2	7	22	16	2	3	—	—	—	1	—	1	1	2
Lung Disease . . .	4	2	3	4	6	7	—	1	—	4	—	—	—	—	—	6
Teething . . .	13	2	—	26	38	38	4	14	2	2	1	3	1	4	—	—
Quinsey . . .	—	1	—	4	2	2	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	2	2	2	4	2	12	—	1	—	—	1	—	—	—	—	1
Enteritis . . .	10	4	2	25	35	83	11	9	3	—	—	6	9	1	1	3
Peritonitis . . .	—	—	1	13	15	26	7	5	4	1	1	3	2	—	4	3
Ascites . . .	—	—	—	1	3	3	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . .	1	2	1	2	7	5	3	2	4	—	—	1	—	1	—	2
Hernia . . .	2	1	1	2	3	6	1	1	—	—	—	1	—	1	1	—
Ileus . . .	1	1	—	2	3	6	3	2	—	—	—	1	—	1	—	1
Intussusception . . .	—	—	—	1	1	—	1	—	—	—	3	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
Stomach Disease . . .	10	1	1	13	47	30	4	5	3	5	1	1	2	8	2	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	1	2	1	6	3	5	—	3	4	—	—	—	—	—	—	1
Jaundice . . .	1	—	—	5	6	5	1	6	1	—	—	—	1	2	—	1
Liver Disease . . .	5	6	5	26	14	27	2	6	5	2	1	3	1	1	—	2
Spleen Disease . . .	—	—	1	1	3	1	—	—	—	—	—	—	—	—	—	—
Nephritis . . .	1	1	2	3	6	3	1	1	—	—	—	—	1	1	—	—
Nephria . . .	2	1	2	5	21	13	2	4	3	—	1	5	—	4	3	4
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	2	—	1	2	2	1	1	—	—	—	—	—	2	—	1
Diabetes . . .	—	—	1	1	2	3	—	1	1	1	—	2	—	—	—	—
Stone . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cystitis . . .	1	—	—	—	5	2	—	2	—	1	—	—	1	1	1	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Kidney Disease . . .	4	—	—	3	17	8	1	4	2	2	2	2	2	—	2	2
Paramenia . . .	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—
Ovarian Dropsy . . .	1	—	—	2	3	—	1	—	3	—	—	—	—	—	—	—
Childbirth . . .	1	1	—	10	8	16	1	4	1	—	—	2	—	1	1	—
Organs of Generation . . .	—	2	—	5	7	2	—	—	—	—	—	2	2	—	—	—
Bone Disease . . .	—	1	—	—	1	2	2	—	—	—	—	—	1	—	1	—
Rheumatism . . .	1	2	—	8	7	4	1	1	—	—	—	1	1	—	—	1
Joint Disease . . .	3	—	2	12	8	12	—	2	—	—	—	1	—	2	—	—
Carbuncle . . .	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	2	—	—	3	3	2	1	—	—	—	—	—	—	—	—	3
Intemperance . . .	2	—	2	3	10	6	4	1	1	—	—	1	2	1	—	—
Privation . . .	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	1	1	13	—	3	—	1	—	9	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	1	—	1	1	2	—	—	—	—	—	—	—	—	1	—
Poison . . .	1	—	—	1	6	1	—	—	—	—	—	—	—	—	2	—
Poisoned Wounds . . .	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	1	—	—	4	9	15	—	4	—	—	—	1	1	1	—	6
Hanging, etc. . .	—	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . .	2	—	1	4	12	13	1	4	1	1	—	3	2	—	—	1
Drowning . . .	15	5	4	12	19	20	1	1	2	2	—	2	—	1	1	—
Fracture and Contusion . . .	11	3	1	16	48	57	11	9	3	—	—	6	2	—	1	3
Gunshot Wounds . . .	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	—	—	1	2	1	—	2	1	—	—	—	—	—	—	—
Other Violent Causes . . .	3	2	—	3	—	9	—	—	1	—	—	—	—	—	—	—
Not specified . . .	2	14	—	12	22	95	5	4	6	—	—	3	—	10	8	8

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1875.—MALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
ALL CAUSES . . .	9026	37	56	240	170	54	136	208	318	57	276	235	570	189	557
SPECIFIED CAUSES . .	8849	36	56	237	166	52	135	207	292	57	274	231	557	187	544
I. Zymotic Class . .	1997	6	4	87	66	3	25	29	51	9	32	28	131	20	132
II. Diseases of Uncer. Seat	234	4	1	4	1	2	1	6	9	5	8	8	16	7	16
III. Tubercular Class .	1334	4	12	24	14	4	12	29	38	3	38	48	66	33	74
IV. Brain and Nervous Sys.	866	5	6	23	9	9	23	35	33	5	29	26	66	25	42
V. Organs of Circulation	505	3	2	15	3	5	15	11	20	5	21	24	33	10	29
VI. Respiratory Organs .	1431	3	12	40	26	10	19	34	36	7	48	27	70	28	104
VII. Organs of Digestion .	660	2	2	6	8	8	16	19	23	7	23	13	50	12	46
VIII. Urinary Organs .	192	1	3	4	2	1	1	11	14	2	8	8	19	7	7
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	58	—	1	1	2	1	—	1	2	1	1	2	6	1	1
XI. Skin, etc. . . .	11	—	—	—	—	—	—	—	—	—	—	—	—	—	1
XII. Malformation . .	47	—	—	1	—	—	—	4	6	—	4	3	2	1	—
XIII. Premature Debility .	502	—	—	9	1	3	4	9	21	1	24	13	28	19	31
XIV. Atrophy	44	—	—	—	1	—	—	2	1	—	1	—	1	5	5
XV. Age	444	8	6	16	17	4	11	9	23	7	26	17	25	12	27
XVI. Sudden Deaths . .	7	—	—	—	—	1	—	—	—	—	—	—	3	—	1
XVII. Violent Deaths . .	517	—	7	7	16	1	8	8	15	5	11	14	41	7	28
I. Small-pox	12	—	—	—	—	—	—	—	—	—	—	—	—	—	4
Measles	68	—	—	—	—	—	—	—	—	—	—	—	5	—	—
Scarlatina	717	—	—	69	19	—	4	4	12	—	4	7	41	6	38
Diphtheria	98	—	—	1	—	—	4	2	3	1	4	—	17	1	7
Hooping-cough	199	5	—	1	22	—	—	3	1	2	4	4	6	2	17
Croup	119	—	—	4	9	2	1	3	1	1	3	2	7	5	8
Thrush	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Diarrhœa	263	—	3	2	1	—	3	6	19	3	1	5	16	2	18
Dysentery	18	—	—	1	—	—	1	—	—	1	2	1	1	—	3
Cholera	13	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Influenza	20	—	—	—	5	—	1	—	2	—	1	—	1	—	5
Purpura	7	—	—	—	—	—	—	—	—	—	—	—	1	—	2
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	95	—	—	—	3	—	2	1	1	—	—	1	8	—	13
Enteric Fever	224	1	—	5	—	1	6	5	6	—	7	5	14	1	6
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	14	—	1	—	2	—	—	—	—	—	—	—	—	1	1
Infantile Remittent . .	17	—	—	—	—	—	1	—	—	1	—	—	2	—	2
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	21	—	—	1	—	—	—	2	2	—	—	—	1	1	2
Erysipelas	56	—	—	1	5	—	1	2	3	—	4	3	7	1	3
Pyæmia	13	—	—	—	—	—	1	1	—	—	1	—	—	—	1
Syphilis	18	—	—	2	—	—	—	—	1	—	1	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
II. Hæmorrhage	9	—	—	—	—	—	—	1	1	—	—	1	1	—	—
Dropsy	45	—	—	—	—	1	—	—	1	—	1	4	1	4	4
Abscess	20	—	—	—	1	—	—	—	1	—	—	—	2	—	1
Ulcer	4	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Fistula	4	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Mortification	16	—	—	1	—	—	—	2	—	3	1	—	2	1	2
Cancer	128	4	1	3	—	1	1	2	4	2	6	3	10	2	9
Gout	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	92	—	1	3	1	—	—	5	12	—	3	2	9	—	4
Tabes Mesenterica . .	150	—	2	—	—	—	1	1	1	—	5	5	3	1	11
Phthisis	864	4	7	15	13	3	10	17	17	2	26	35	41	22	45
Hydrocephalus	228	—	2	6	—	1	1	6	8	1	4	6	13	10	14

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1875.—MALES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	483	222	124	817	1221	1527	276	348	152	76	47	175	129	115	105	106
SPECIFIED CAUSES . .	482	213	124	810	1210	1474	274	345	149	76	47	173	129	113	98	101
Zymotic Class . . .	145	55	39	208	235	340	83	75	19	26	21	26	33	40	18	11
Uncertain Seat . . .	9	6	2	18	34	34	6	14	4	—	1	10	3	—	4	1
Tubercular Class . .	67	33	23	159	205	217	53	44	18	8	3	28	20	16	25	16
Brain, etc.	41	21	11	66	118	124	22	32	16	8	3	15	23	9	10	11
Heart, etc.	30	11	10	30	59	59	21	22	15	6	3	14	7	7	11	4
Respiratory Organs .	64	29	13	137	203	288	38	63	20	12	5	38	15	13	10	19
Digestive Organs . .	28	12	9	57	87	132	13	28	16	5	1	8	8	11	4	6
Urinary Organs . . .	4	4	4	7	28	19	4	7	4	1	1	4	3	5	4	5
Generative Organs .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs .	1	1	1	9	7	13	1	2	—	—	—	1	1	1	—	—
Skin	2	—	—	—	1	2	2	—	1	—	—	—	—	—	—	2
Malformation . . .	6	—	—	3	7	3	—	4	1	—	—	1	—	—	—	1
Premature Debility .	26	8	2	56	72	84	10	23	13	5	8	11	7	4	2	8
Atrophy	4	—	—	4	9	9	1	1	—	—	—	—	—	—	—	—
Age	25	20	3	15	59	41	6	13	17	2	1	8	5	5	6	10
Sudden Deaths . .	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Violent Deaths . .	30	13	7	41	85	108	14	17	5	3	—	9	4	2	4	7
Small-pox	—	—	—	—	1	2	—	4	—	—	—	1	—	—	—	—
Measles	4	1	—	27	3	24	—	—	—	—	—	—	3	—	1	—
Scarlatina	70	23	23	57	74	99	46	27	3	18	15	7	20	21	8	2
Diphtheria	6	1	5	4	9	15	3	3	1	—	—	1	1	4	5	—
Hooping-cough . . .	21	—	1	26	20	37	10	6	2	1	1	2	3	—	—	2
Croup	8	8	1	15	10	17	1	7	—	1	—	1	—	3	—	1
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	15	9	1	34	33	53	7	7	4	4	2	4	2	5	—	4
Dysentery	—	1	1	—	2	3	—	1	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	4	4	—	1	—	—	—	1	1	—	—	—
Influenza	—	—	—	—	4	—	—	—	1	—	—	—	—	—	—	—
Purpura	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	11	—	—	4	19	22	1	6	1	—	1	—	—	1	—	—
Enteric Fever . . .	8	11	2	29	27	46	9	10	4	—	2	6	3	5	4	1
Relapsing Fever . .	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Simple Cont. Fever .	—	—	—	—	4	4	1	—	—	—	—	—	—	—	—	—
Infantile Remittent .	—	—	2	5	1	1	—	—	—	—	—	1	—	—	—	1
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . .	—	—	—	2	7	—	—	1	—	2	—	—	—	—	—	—
Erysipelas	1	1	2	4	9	7	—	—	1	—	—	1	—	—	—	—
Pyæmia	—	—	1	—	2	2	2	2	—	—	—	—	—	—	—	—
Syphilis	1	—	—	1	5	2	2	—	2	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	2	2	—	—	—	—	—	—	—	—	1	—
Dropsy	1	3	—	5	6	9	1	2	1	—	—	—	—	—	1	—
Abscess	1	1	—	1	2	8	1	—	—	—	—	—	1	—	—	—
Ulcer	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—
Mortification . . .	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	1
Cancer	6	2	2	9	21	14	3	10	2	—	—	8	2	—	1	—
Gout	1	—	—	—	1	—	—	2	1	—	1	2	—	—	—	—
Scrofula	5	—	—	5	14	12	3	2	1	1	—	4	2	2	1	—
Tabes Mesenterica .	3	1	1	19	25	48	9	6	—	—	—	4	1	2	1	—
Phthisis	45	29	16	109	135	124	32	24	13	6	3	16	14	10	20	11
Hydrocephalus . . .	14	3	6	26	31	33	9	12	4	1	—	4	3	2	3	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS, of the COUNTIES of SCOTLAND
during the YEAR 1875.—MALES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
IV. Cephalitis . . .	136	—	—	3	—	1	3	7	5	—	2	4	11	8	5
Apoplexy . . .	201	2	2	6	1	1	4	12	6	1	8	7	16	3	9
Paralysis . . .	208	1	2	8	3	3	8	7	6	1	9	11	21	11	12
Delirium Tremens . .	15	—	—	—	—	1	—	—	2	—	—	—	3	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	34	1	2	1	2	—	1	2	—	—	—	1	3	—	1
Tetanus . . .	6	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Insanity . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	122	1	—	1	—	—	3	2	3	2	7	1	6	3	6
Brain Disease . . .	143	—	—	4	3	2	4	5	11	1	3	2	6	—	8
V. Pericarditis . . .	6	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Aneurism . . .	16	—	—	1	—	—	1	3	2	1	—	—	—	—	1
Heart Disease . . .	483	3	2	14	3	4	14	8	17	4	21	24	33	10	28
VI. Laryngitis . . .	19	—	—	—	2	—	—	1	—	—	3	—	1	1	1
Bronchitis . . .	879	1	9	26	7	6	15	20	21	5	22	18	48	20	70
Pleurisy . . .	49	—	—	—	2	1	—	1	—	—	1	2	3	—	2
Pneumonia . . .	393	1	2	12	7	3	3	11	13	2	18	5	18	7	29
Asthma . . .	67	1	1	2	5	—	1	1	—	—	4	2	—	—	1
Lung Disease . . .	24	—	—	—	3	—	—	—	2	—	—	—	—	—	1
VII. Teething . . .	116	—	—	—	1	2	1	4	7	1	3	2	10	3	7
Quinsey . . .	9	—	—	1	1	—	—	—	—	—	1	—	1	—	—
Gastritis . . .	23	—	—	—	1	1	2	—	—	—	1	1	3	—	3
Enteritis . . .	141	—	—	3	—	2	—	5	2	—	2	2	6	3	7
Peritonitis . . .	39	1	—	—	1	1	1	—	—	—	—	1	1	—	3
Ascites . . .	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Ulceration of Intestines	29	—	—	—	—	1	1	1	2	3	—	1	2	—	1
Hernia . . .	16	—	—	—	—	—	—	—	1	1	—	—	4	—	—
Ileus . . .	28	—	—	1	1	—	—	3	2	—	4	—	4	1	2
Intussusception . . .	9	—	—	—	—	—	—	—	3	1	—	—	1	1	—
Stricture of Intestines	5	—	—	—	—	—	1	—	—	—	—	—	—	—	3
Stomach Disease . . .	105	—	—	1	1	—	6	2	3	1	5	—	3	2	11
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	19	—	—	—	—	1	—	1	—	—	1	—	4	—	—
Jaundice . . .	26	1	—	—	—	—	1	—	—	—	1	—	5	—	1
Liver Disease . . .	88	—	2	—	2	—	3	3	3	—	5	6	5	2	7
Spleen Disease . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . .	18	—	—	2	—	—	—	—	3	—	—	—	1	1	—
Nephria . . .	60	1	—	—	—	—	—	7	2	—	2	6	8	3	2
Addison's Disease . .	3	—	—	—	—	—	—	1	—	—	—	—	—	1	1
Ischuria . . .	13	—	—	—	—	1	—	—	1	—	—	—	—	—	1
Diabetes . . .	9	—	1	—	—	—	—	—	—	—	—	2	—	—	—
Stone . . .	5	—	—	—	1	—	—	—	—	—	1	—	1	—	—
Cystitis . . .	21	—	—	—	—	—	—	2	2	—	1	—	2	2	—
Stricture of Urethra . .	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Kidney Disease . . .	61	—	2	2	1	—	1	1	6	2	4	—	6	—	3
IX. Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease . . .	5	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Rheumatism . . .	20	—	—	1	1	1	—	—	1	1	—	1	3	—	—
Joint Disease . . .	33	—	1	—	—	—	—	1	1	—	1	1	3	1	1
XI. Carbuncle . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	9	—	—	—	—	—	—	—	—	—	—	—	—	—	1
XVII. Intemperance . . .	22	—	—	1	—	—	—	—	—	—	—	2	1	—	—
Privation . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	25	—	—	—	—	—	—	—	—	—	1	—	4	—	1
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	7	—	—	—	—	—	—	—	—	—	1	1	1	—	—
Poison . . .	9	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Poisoned Wounds . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	28	—	—	1	—	—	1	1	—	—	—	2	—	1	1
Hanging, etc. . .	8	—	—	—	—	—	—	—	—	—	1	—	2	—	—
Suffocation . . .	36	—	—	—	—	—	2	2	2	—	2	—	—	—	1
Drowning . . .	143	—	4	1	14	—	3	4	7	5	3	5	16	—	9
Fracture and Contusion .	201	—	2	4	2	1	2	1	3	—	3	3	13	4	11
Gunshot Wounds . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	11	—	—	—	—	—	—	—	1	—	—	—	4	—	—
Other Violent Causes . .	21	—	1	—	—	—	—	—	2	—	—	—	—	2	4
Not specified . . .	177	1	—	3	4	2	1	1	26	—	2	4	13	2	13

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1875.—MALES. (Continued.)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	4	1	10	25	30	5	4	2	1	—	—	2	1	1	—
Apoplexy	12	3	4	20	31	24	3	6	3	—	2	3	3	3	3	3
Paralysis	10	5	4	7	15	22	6	9	3	3	1	3	11	3	1	2
Delirium Tremens . .	1	1	—	1	3	—	—	—	—	—	—	1	1	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	2	—	2	4	1	1	1	2	1	—	1	1	—	—	1
Tetanus	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Convulsions	8	3	—	15	12	21	4	8	5	1	—	1	2	2	3	2
Brain Disease	6	2	2	11	27	24	3	3	1	2	—	6	3	—	2	2
Pericarditis	—	—	—	1	—	—	—	1	—	—	—	1	—	1	—	—
Aneurism	—	—	—	1	4	—	1	—	—	—	—	—	—	—	—	1
Heart Disease	30	11	10	28	55	59	20	21	15	6	3	13	7	6	11	3
Laryngitis	—	—	—	1	6	1	—	—	1	—	—	—	—	—	1	—
Bronchitis	39	15	5	85	126	181	24	47	13	6	3	23	7	6	4	7
Pleurisy	3	2	—	1	3	15	3	2	3	—	—	4	1	—	—	—
Pneumonia	17	10	7	43	45	73	9	13	3	3	2	11	7	6	4	9
Asthma	3	1	—	5	19	15	2	1	—	—	—	—	—	1	1	1
Lung Disease	2	1	1	2	4	3	—	—	—	3	—	—	—	—	—	2
Teething	7	1	—	11	16	23	2	8	1	2	—	1	1	2	—	—
Quinsey	—	1	—	2	—	2	—	—	—	—	—	—	—	—	—	—
Gastritis	1	2	2	1	1	3	—	—	—	—	—	—	—	—	—	1
Enteritis	8	2	1	10	21	48	4	5	3	—	—	3	2	1	—	1
Peritonitis	—	—	—	3	6	9	2	2	3	—	—	—	2	—	3	—
Ascites	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	1	—	—	5	3	1	2	3	—	—	1	—	—	—	1
Hernia	1	1	1	—	2	2	—	1	—	—	—	1	—	1	—	—
Ileus	1	—	—	1	1	3	1	1	—	—	—	—	—	1	—	1
Intussusception . . .	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Stomach Disease . . .	6	—	1	7	23	18	2	2	1	2	—	—	2	5	1	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	2	1	3	1	2	—	—	1	—	—	—	—	—	—	1
Jaundice	—	—	—	4	5	2	—	4	1	—	—	—	—	1	—	—
Liver Disease	3	2	2	13	4	15	1	3	2	1	—	2	1	—	—	1
Spleen Disease	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—
Nephritis	—	1	1	2	4	2	—	—	—	—	—	—	—	1	—	—
Nephria	—	—	2	2	7	6	2	2	2	—	1	1	—	2	—	2
Addison's Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	2	—	1	2	1	1	1	—	—	—	—	—	1	—	1
Diabetes	—	—	1	—	1	1	—	—	1	—	—	2	—	—	—	—
Stone	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cystitis	1	—	—	—	4	2	—	1	—	1	—	—	1	1	1	—
Stricture of Urethra .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	2	10	7	1	2	1	—	—	1	2	—	2	2
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	—	1	—	—	—	2	—	—	—	—	—	—	1	—	—	—
Rheumatism	—	—	—	4	3	2	1	1	—	—	—	—	—	—	—	—
Joint Disease	1	—	1	5	4	9	—	1	—	—	—	1	—	1	—	—
Carbuncle	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	—	—	—	1	2	1	—	—	—	—	—	—	—	—	2
Intemperance	1	—	1	2	5	4	2	—	1	—	—	—	1	1	—	—
Privation	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk .	—	—	—	—	1	11	—	3	—	1	—	3	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	1	4	1	—	—	—	—	—	—	—	—	2	—
Poisoned Wounds . . .	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	—	—	4	5	6	—	1	—	—	—	—	—	—	—	5
Hanging, etc. . . .	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	—	1	3	7	9	1	2	—	—	—	1	1	—	—	—
Drowning	14	5	4	10	18	13	1	1	1	2	—	1	—	1	1	—
Fracture and Contusion	10	3	1	16	41	54	10	7	1	—	—	4	2	—	1	2
Gunshot Wounds . . .	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	2	1	—	2	1	—	—	—	—	—	—	—
Other Violent Causes .	1	2	—	1	—	7	—	—	1	—	—	—	—	—	—	—
Not specified	1	9	—	7	11	53	2	3	3	—	—	2	—	2	7	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1875.—FEMALES.

DISEASES.	Total Small Towns	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
ALL CAUSES . . .	9259	37	62	229	190	59	193	238	331	61	295	281	635	197	601
SPECIFIED CAUSES . . .	9107	36	62	229	184	59	191	238	311	60	292	275	620	196	588
I. Zymotic Class . . .	2131	7	4	87	93	7	29	33	68	9	60	39	142	33	153
II. Diseases of Uncer. Seat	373	2	4	4	8	1	10	20	14	6	22	17	26	15	23
III. Tubercular Class . .	1454	7	6	19	11	7	26	22	45	7	37	28	80	32	97
IV. Brain and Nervous Sys.	763	2	5	15	8	8	30	22	28	5	23	27	48	23	48
V. Organs of Circulation	572	3	2	12	5	2	12	16	15	2	23	37	45	14	39
VI. Respiratory Organs . .	1420	5	22	35	19	4	25	55	54	10	55	53	107	26	75
VII. Organs of Digestion .	667	—	7	9	13	4	6	27	24	7	19	15	39	11	53
VIII. Urinary Organs . . .	124	—	1	6	1	—	—	3	4	1	2	5	15	2	6
IX. Organs of Generation	129	2	1	8	1	1	4	5	4	—	2	1	9	4	7
X. Organs of Locomotion	55	—	—	—	1	—	2	3	2	1	1	2	—	1	3
XI. Skin, etc.	12	—	—	—	—	—	1	—	—	—	—	2	1	—	—
XII. Malformation . . .	32	—	—	—	—	—	1	—	5	—	2	1	3	—	3
XIII. Premature Debility .	399	1	3	15	2	9	11	10	8	4	10	8	26	7	24
XIV. Atrophy	59	—	—	—	—	—	1	3	3	—	1	—	5	4	7
XV. Age	743	7	7	17	20	16	29	16	32	8	32	31	56	21	41
XVI. Sudden Deaths . . .	14	—	—	—	—	—	—	—	—	—	1	2	4	—	1
XVII. Violent Deaths . . .	160	—	—	2	2	—	4	3	5	—	2	7	14	3	8
I. Small-pox	9	—	—	—	—	—	—	—	—	—	—	—	—	—	3
Measles	81	1	—	—	—	—	2	—	—	—	1	—	1	1	2
Scarlatina	663	—	—	71	14	—	3	5	12	—	8	10	49	6	39
Diphtheria	123	—	—	—	—	—	4	—	3	—	10	2	10	1	10
Hooping-cough	220	3	—	1	36	—	1	1	2	1	3	3	9	—	19
Croup	125	—	—	2	21	1	—	4	2	—	5	1	10	10	11
Thrush	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Diarrhœa	225	—	1	3	1	1	2	3	13	4	5	2	19	5	19
Dysentery	29	—	—	1	—	—	3	—	3	—	4	1	1	—	3
Cholera	22	1	—	—	—	—	—	—	1	—	—	—	2	—	—
Influenza	34	—	—	2	3	—	1	1	1	—	8	2	1	2	4
Purpura	4	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Worms	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	62	—	—	—	5	—	—	4	3	—	—	1	6	1	10
Enteric Fever	263	1	1	2	1	—	4	6	12	3	10	11	16	3	13
Relapsing Fever	2	—	—	—	—	—	—	1	—	—	—	—	1	—	—
Simple Cont. Fever	17	—	—	—	2	—	—	—	—	—	1	—	—	—	3
Infantile Remittent	9	1	—	—	—	—	—	1	—	—	—	—	—	—	1
Metria	124	—	1	3	6	3	7	4	9	—	1	1	11	2	7
Rheumatic Fever	19	—	1	—	1	—	—	—	1	—	2	2	1	—	—
Erysipelas	53	—	—	2	3	2	—	2	4	1	—	1	1	1	6
Pyæmia	23	—	—	—	—	—	—	1	1	—	—	1	—	1	2
Syphilis	18	—	—	—	—	—	1	—	—	—	1	1	2	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	12	—	—	—	—	—	2	1	—	—	1	—	3	—	—
Dropsy	69	1	—	2	3	—	1	5	1	—	—	3	7	6	6
Abscess	15	—	—	—	1	—	2	—	—	—	1	—	1	1	—
Ulcer	6	—	—	—	2	—	—	2	—	—	—	—	1	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	19	—	—	—	—	—	1	1	1	—	1	—	1	—	1
Cancer	250	1	4	2	2	1	4	11	12	6	19	13	13	8	16
Gout	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—
III. Scrofula	66	—	—	—	1	—	—	2	3	—	3	1	8	—	5
Tabes Mesenterica	115	—	—	—	—	1	3	—	—	1	4	—	3	2	7
Phthisis	1037	6	6	13	8	5	17	18	33	5	28	23	54	24	67
Hydrocephalus	236	1	—	6	2	1	6	2	9	1	2	4	15	6	18

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1875.—FEMALES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayt.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	505	215	125	861	1238	1339	239	364	174	75	50	194	125	121	99	126
SPECIFIED CAUSES . .	504	210	125	856	1227	1297	236	363	171	75	50	193	125	113	98	123
Zymotic Class . . .	134	47	24	200	254	338	78	83	30	25	14	38	26	35	15	26
Uncertain Seat . . .	29	6	3	29	45	31	9	13	6	3	1	9	3	3	7	4
Tubercular Class . .	120	36	31	176	221	240	24	56	17	4	6	34	16	14	18	17
Brain, etc.	44	15	15	53	106	84	22	40	12	9	3	15	17	15	11	10
Heart, etc.	21	13	11	34	82	56	20	24	15	8	3	12	11	11	16	8
Respiratory Organs .	62	27	20	156	160	218	28	60	30	11	6	32	20	9	15	21
Digestive Organs . .	18	10	6	74	95	117	24	26	12	5	7	11	8	8	4	8
Urinary Organs . . .	4	1	1	6	25	12	1	7	2	3	2	5	1	3	3	2
Generative Organs . .	3	3	—	17	19	18	2	5	4	—	—	4	3	1	1	—
Locomotive Organs .	3	2	1	11	9	5	2	1	—	—	—	1	1	1	1	1
Skin	—	—	—	3	3	1	—	—	—	—	—	—	—	—	—	1
Malformation	2	—	—	3	4	6	—	—	—	1	1	—	—	—	—	—
Premature Debility . .	16	11	4	33	71	56	10*	22	17	1	—	12	3	3	—	2
Atrophy	1	3	1	11	8	8	—	1	—	1	—	1	—	—	—	—
Age	40	36	7	38	96	77	13	17	22	3	7	6	13	9	6	20
Sudden Deaths . . .	—	—	—	1	4	1	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	7	—	1	11	25	29	3	8	4	1	—	13	3	1	1	3
Small-pox	—	—	—	—	2	1	—	3	—	—	—	—	—	—	—	—
Measles	2	1	—	33	3	23	1	2	1	—	—	—	1	3	3	—
Scarlatina	55	12	8	54	80	83	40	34	4	18	13	9	14	15	5	2
Diphtheria	14	8	—	5	16	23	3	3	4	1	—	—	—	3	3	—
Hooping-cough . . .	20	2	1	34	16	47	10	2	2	1	—	—	—	—	—	6
Croup	6	4	2	4	10	17	1	10	1	—	—	—	—	1	—	2
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	9	6	—	19	36	32	10	6	5	2	—	7	2	5	1	7
Dysentery	—	—	2	1	2	4	—	—	1	1	—	—	—	1	—	1
Cholera	—	—	2	1	5	4	—	1	—	—	—	1	4	—	—	—
Influenza	1	1	—	—	5	1	—	—	—	—	—	—	—	—	1	—
Purpura	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Typhus	5	—	—	2	8	10	—	4	1	—	—	—	2	—	—	—
Enteric Fever	6	12	6	28	35	48	6	9	6	1	1	10	—	6	1	5
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	1	—	—	1	5	2	—	—	1	—	—	1	—	—	—	—
Infantile Remittent . .	—	—	—	3	—	2	—	—	1	—	—	—	—	—	—	—
Metria	7	1	—	6	12	24	4	5	3	—	—	4	—	—	1	2
Rheumatic Fever . . .	4	—	—	1	2	1	1	1	—	—	—	—	1	—	—	—
Erysipelas	1	—	1	5	9	9	—	—	—	1	—	1	1	1	—	1
Pyæmia	2	—	2	1	2	5	—	1	—	—	—	4	—	—	—	—
Syphilis	—	—	—	1	4	2	2	2	—	—	—	—	1	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	1	—	1	1	—	—	—	—	—	—	—	—	1	—
Dropsy	5	—	—	11	7	6	1	—	1	—	—	—	—	1	—	2
Abscess	3	—	—	1	2	—	1	—	1	—	—	—	—	—	—	1
Ulcer	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	2	4	1	—	1	1	—	—	—	1	—	—	—
Cancer	16	6	2	15	31	23	7	11	3	3	1	9	2	2	6	1
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	7	1	1	4	13	2	2	6	1	1	—	1	1	1	2	—
Tabes Mesenterica . .	—	—	—	17	22	36	5	8	2	—	—	—	—	3	1	—
Phthisis	96	28	25	133	152	155	9	38	11	3	5	27	8	10	14	16
Hydrocephalus	17	7	5	22	34	47	8	4	3	—	1	6	7	—	1	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1875.—FEMALES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
IV. Cephalitis	89	1	-	3	-	-	1	2	2	-	1	2	8	3	5
Apoplexy	203	-	-	4	1	2	7	6	11	3	8	5	6	7	10
Paralysis	244	1	2	6	3	6	16	6	4	1	7	14	24	7	19
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	5	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Epilepsy	30	-	1	-	1	-	1	3	1	-	1	2	1	1	-
Tetanus	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Insanity	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	64	-	-	1	-	-	2	3	3	-	4	1	3	1	5
Brain Disease	123	-	1	1	2	-	3	2	6	-	2	3	6	4	9
V. Pericarditis	6	-	1	-	-	-	-	-	-	-	1	-	1	-	-
Aneurism	10	-	-	1	-	-	-	-	-	1	-	2	1	-	1
Heart Disease	556	3	1	11	5	2	12	16	15	1	22	35	43	14	38
VI. Laryngitis	15	-	-	-	-	1	-	-	-	-	2	1	-	1	-
Bronchitis	974	4	18	28	9	2	16	40	34	8	43	40	79	19	59
Pleurisy	38	1	-	-	3	1	-	1	1	-	-	2	6	-	-
Pneumonia	335	-	4	6	4	-	8	11	16	2	8	7	19	5	11
Asthma	29	-	-	1	2	-	1	3	2	-	1	1	3	1	-
Lung Disease	29	-	-	-	1	-	-	-	1	-	1	2	-	-	5
VII. Teething	114	-	-	-	-	2	1	6	9	-	2	2	5	2	12
Quinsey	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	24	-	-	-	-	-	1	-	-	-	-	-	5	1	1
Enteritis	130	-	-	2	3	2	1	1	4	-	2	3	8	2	9
Peritonitis	65	-	-	-	1	-	-	1	1	-	2	2	2	-	3
Ascites	15	-	1	-	2	-	-	1	-	-	2	-	1	-	2
Ulceration of Intestines	22	-	-	1	-	-	-	2	2	1	-	-	1	-	1
Hernia	16	-	-	1	1	-	-	-	1	-	-	1	1	-	1
Ileus	23	-	-	-	-	-	-	3	1	-	4	-	1	1	2
Intussusception	6	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Stricture of Intestines	4	-	-	-	-	-	-	1	-	-	-	1	1	-	-
Stomach Disease	102	-	2	-	2	-	2	6	4	2	1	1	9	-	10
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	22	-	-	-	-	-	-	1	-	1	2	-	-	-	4
Jaundice	24	-	1	2	2	-	-	2	1	-	1	-	1	-	2
Liver Disease	92	-	3	3	2	-	1	2	-	3	4	5	4	4	5
Spleen Disease	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-
VIII. Nephritis	19	-	-	3	-	-	-	-	-	-	-	1	5	1	-
Nephria	60	-	1	1	-	-	-	2	-	-	1	2	7	1	4
Addison's Disease	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Ischuria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	9	-	-	1	-	-	-	-	-	-	-	1	-	-	1
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	4	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	29	-	-	1	-	-	-	1	4	1	1	1	2	-	-
IX. Paramenia	7	-	-	-	-	-	-	-	-	-	-	-	2	-	1
Ovarian Dropsy	15	1	-	-	-	-	-	1	-	-	1	-	1	1	-
Childbirth	80	1	1	7	1	1	3	2	3	-	1	1	5	3	5
Organs of Generation	27	-	-	1	-	-	1	2	1	-	-	-	1	-	1
X. Bone Disease	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Rheumatism	26	-	-	-	-	-	2	3	1	1	-	1	-	-	2
Joint Disease	24	-	-	-	1	-	-	-	-	-	1	1	-	1	1
XI. Carbuncle	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Phlegmon	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	9	-	-	-	-	-	1	-	-	-	-	1	1	-	-
XVII. Intemperance	20	-	-	-	-	-	-	-	1	-	1	-	2	-	1
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	35	-	-	1	1	-	2	-	1	-	-	2	4	-	3
Hanging, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	26	-	-	-	-	-	1	1	2	-	1	-	2	-	1
Drowning	20	-	-	-	1	-	1	1	-	-	-	1	2	-	1
Fracture and Contusion	28	-	-	-	-	-	-	1	1	-	-	2	3	2	-
Gunshot Wounds	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	10	-	-	1	-	-	-	-	-	-	-	2	-	-	1
Not specified	152	1	-	-	6	-	2	-	20	1	3	6	15	1	13

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1875.—FEMALES. (Continued.)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis . . .	5	1	4	6	15	18	1	1	1	—	—	1	1	3	3	1
Apoplexy . . .	18	8	7	12	23	18	10	13	4	2	1	1	5	2	6	3
Paralysis . . .	8	4	1	16	30	21	6	10	5	3	1	5	5	6	1	6
Delirium Tremens . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . .	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	3	—	1	1	6	3	1	—	1	2	—	—	—	—	—	—
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Insanity . . .	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	3	1	—	5	6	11	2	4	1	1	1	2	1	3	—	—
Brain Disease . . .	6	1	2	13	25	10	2	12	—	1	—	5	5	1	1	—
Pericarditis . . .	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Aneurism . . .	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	1
Heart Disease . . .	21	13	10	34	79	55	19	24	15	8	3	12	11	11	16	7
Laryngitis . . .	1	—	—	1	4	1	—	—	—	—	—	1	2	—	—	—
Bronchitis . . .	42	20	10	106	102	137	18	49	23	6	5	16	12	6	12	11
Pleurisy . . .	1	—	—	3	5	7	1	—	1	1	—	2	—	—	1	1
Pneumonia . . .	14	6	6	42	44	68	9	8	6	3	1	12	6	3	2	4
Asthma . . .	2	—	2	2	3	1	—	2	—	—	—	1	—	—	—	1
Lung Disease . . .	2	1	2	2	2	4	—	1	—	1	—	—	—	—	—	4
Teething . . .	6	1	—	15	22	15	2	6	1	—	1	2	—	2	—	—
Quinsey . . .	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	1	—	—	3	1	9	—	1	—	—	1	—	—	—	—	—
Enteritis . . .	2	2	1	15	14	35	7	4	—	—	—	3	7	—	1	2
Peritonitis . . .	—	—	1	10	9	17	5	3	1	1	1	3	—	—	1	3
Ascites . . .	—	—	—	1	3	2	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . .	1	1	1	2	2	2	2	—	1	—	—	—	—	1	—	1
Hernia . . .	1	—	—	2	1	4	1	—	—	—	—	—	—	—	1	—
Ileus . . .	—	1	—	1	2	3	2	1	—	—	—	1	—	—	—	—
Intussusception . . .	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Stomach Disease . . .	4	1	—	6	24	12	2	3	2	3	1	1	—	3	1	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	—	—	—	3	2	3	—	3	3	—	—	—	—	—	—	—
Jaundice . . .	1	—	—	1	1	3	1	2	—	—	—	—	1	1	—	1
Liver Disease . . .	2	4	3	13	10	12	1	3	3	1	1	1	—	1	—	1
Spleen Disease . . .	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . .	1	—	1	1	2	1	1	1	—	—	—	—	1	—	—	—
Nephria . . .	2	1	—	3	14	7	—	2	1	—	—	4	—	2	3	2
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Diabetes . . .	—	—	—	1	1	2	—	1	—	1	—	—	—	—	—	—
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . .	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	1	—	—	1	7	1	—	2	1	2	2	1	—	—	—	—
Paramenia . . .	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—
Ovarian Dropsy . . .	1	—	—	2	3	—	1	—	3	—	—	—	—	—	—	—
Childbirth . . .	1	1	—	10	8	16	1	4	1	—	—	2	—	1	1	—
Organs of Generation . . .	—	2	—	5	7	2	—	—	—	—	—	2	2	—	—	—
Bone Disease . . .	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	—
Rheumatism . . .	1	2	—	4	4	2	—	—	—	—	—	1	1	—	—	1
Joint Disease . . .	2	—	1	7	4	3	—	1	—	—	—	—	—	1	—	—
Carbuncle . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	1
Intemperance . . .	1	—	1	1	5	2	2	1	—	—	—	1	1	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	1	—	2	—	—	—	—	—	6	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
Poison . . .	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	1	—	—	—	4	9	—	3	—	—	—	1	1	1	—	1
Hanging, etc. . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . .	—	—	—	1	5	4	—	2	1	1	—	2	1	—	—	1
Drowning . . .	1	—	—	2	1	7	—	—	1	—	—	1	—	—	—	—
Fracture and Contusion . . .	1	—	—	—	7	3	1	2	2	—	—	2	—	—	—	1
Gunshot Wounds . . .	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	2	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—
Not specified . . .	1	5	—	5	11	42	3	1	3	—	—	1	—	8	1	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—BOTH SEXES.

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincaidine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
ALL CAUSES . . .	20303	331	415	1006	540	58	429	529	1776	506	616	1449	1575	156	94
SPECIFIED CAUSES . . .	19768	323	385	945	522	56	414	518	1745	498	604	1413	1540	155	90
I. Zymotic Class . . .	3565	48	63	108	50	8	38	77	242	78	107	225	304	31	16
II. Diseases of Uncer. Seat . . .	796	12	18	42	19	—	24	29	69	20	35	85	60	4	6
III. Tubercular Class . . .	2596	35	43	107	53	3	53	72	234	77	67	175	164	23	12
IV. Brain and Nervous Sys. . .	1903	28	33	59	47	4	47	67	202	44	48	140	158	16	12
V. Organs of Circulation . . .	1345	28	16	45	31	2	31	37	159	33	52	106	106	17	3
VI. Respiratory Organs . . .	3043	48	43	142	73	8	78	87	255	78	85	209	263	20	17
VII. Organs of Digestion . . .	1495	20	16	65	38	4	41	41	130	38	34	98	105	5	3
VIII. Urinary Organs . . .	406	10	8	20	10	—	9	14	58	10	16	33	23	3	2
IX. Organs of Generation . . .	187	3	3	10	8	3	5	4	13	6	9	18	12	1	1
X. Organs of Locomotion . . .	114	—	7	6	4	1	3	2	12	2	—	8	7	2	2
XI. Skin, etc.	24	1	1	2	—	—	—	—	1	2	1	4	1	—	—
XII. Malformation	76	—	—	1	1	—	—	2	6	3	2	5	6	—	1
XIII. Premature Debility . . .	839	7	8	17	13	6	16	19	84	19	34	40	65	8	3
XIV. Atrophy	93	—	2	5	5	1	—	—	5	—	—	—	7	1	—
XV. Age	2526	73	111	287	159	13	63	50	203	61	87	215	193	16	8
XVI. Sudden Deaths	17	—	—	—	—	—	—	—	3	—	1	4	5	—	—
XVII. Violent Deaths	743	10	13	29	11	3	6	17	69	27	26	48	61	8	4
I. Small-pox	13	—	—	—	—	—	—	—	5	—	—	—	—	—	—
Measles	157	—	1	11	4	—	—	—	2	—	2	14	6	—	1
Scarlatina	1102	18	27	21	2	2	5	13	26	12	17	46	117	19	4
Diphtheria	269	2	—	6	1	1	1	8	50	13	21	33	13	2	—
Hooping-cough	296	7	—	13	3	1	4	2	23	14	17	22	22	—	—
Croup	224	2	10	11	5	—	2	—	12	1	7	16	27	—	—
Thrush	9	—	—	—	—	—	—	—	1	—	—	1	—	2	—
Diarrhoea	424	5	7	13	2	—	5	13	35	16	8	32	27	2	7
Dysentery	55	—	1	2	—	—	—	2	9	3	2	4	8	2	—
Cholera	32	1	—	—	—	—	—	—	—	1	—	—	7	1	—
Influenza	79	4	3	4	1	—	1	5	7	2	1	3	—	—	—
Purpura	14	—	—	—	1	—	—	—	1	—	2	2	—	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	4	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Typhus	107	—	—	3	8	—	2	2	9	4	3	7	11	—	2
Enteric Fever	395	4	9	9	10	3	6	15	36	8	11	19	31	3	1
Relapsing Fever	3	—	—	1	—	—	—	—	—	—	—	—	—	—	1
Simple Cont. Fever	28	—	—	—	1	—	—	1	—	1	2	1	5	—	—
Infantile Remittent	15	—	1	—	—	—	—	—	—	—	—	3	3	—	—
Metria	108	1	1	3	3	1	9	9	3	—	6	4	9	—	—
Rheumatic Fever	57	2	1	6	2	—	—	1	4	2	1	3	4	—	—
Erysipelas	116	2	1	3	7	—	2	6	14	—	5	10	9	—	—
Pyæmia	24	—	—	2	—	—	—	—	3	—	1	3	1	—	—
Syphilis	25	—	—	—	—	—	1	—	2	1	—	1	3	—	—
Noma	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	7	—	1	—	—	—	—	—	—	—	1	—	—	—	—
II. Hæmorrhage	35	1	1	1	—	—	1	3	2	—	—	4	3	1	—
Dropsy	129	1	1	9	3	—	2	1	12	2	5	17	10	2	6
Abscess	47	1	1	1	2	—	—	2	2	1	3	5	2	—	—
Ulcer	18	3	—	2	—	—	—	—	—	—	1	2	2	—	—
Fistula	3	—	—	1	—	—	—	—	—	—	—	1	—	—	—
Mortification	45	—	—	2	2	—	6	1	2	3	3	7	—	—	—
Cancer	514	6	15	25	12	—	15	21	51	14	23	49	42	1	—
Gout	5	—	—	1	—	—	—	1	—	—	—	—	1	—	—
III. Scrofula	182	3	2	3	2	—	—	8	18	4	5	12	15	2	—
Tabes Mesenterica	196	4	1	6	2	—	—	3	8	2	2	9	17	3	—
Phthisis	1878	27	38	93	44	3	50	55	181	66	44	139	105	15	8
Hydrocephalus	340	1	2	5	5	—	3	6	27	5	16	15	27	3	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—BOTH SEXES.

DISEASES.	Stirling.	Dunbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Hd dington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	836	311	803	618	1278	1583	338	1378	375	514	143	47	412	1087	508	592
SPECIFIED CAUSES . . .	818	305	769	600	1254	1550	324	1357	366	508	138	47	404	1054	487	579
Zymotic Class . . .	161	74	112	134	300	417	55	247	73	123	32	8	78	201	70	85
Uncertain Seat . . .	21	15	33	10	30	39	9	60	15	20	4	2	14	57	18	26
Tubercular Class . . .	88	36	124	100	191	218	53	151	44	55	16	5	49	184	76	88
Brain, etc.	85	25	73	66	108	112	28	182	36	40	11	3	50	81	58	40
Heart, etc.	45	17	36	28	69	61	30	112	31	47	13	4	36	72	38	40
Respiratory Organs . . .	152	52	98	88	181	260	59	229	65	58	17	6	46	156	92	78
Digestive Organs . . .	75	25	57	59	93	138	22	97	22	49	13	4	40	70	31	62
Urinary Organs . . .	12	3	13	9	24	18	4	38	7	8	2	3	6	25	5	13
Generative Organs . . .	5	5	3	6	12	14	4	3	5	11	1	1	7	4	4	6
Locomotive Organs . . .	5	1	4	2	7	6	1	5	1	4	—	1	7	10	3	1
Skin	—	—	1	—	—	2	—	2	1	1	—	—	2	2	—	—
Malformation	6	2	—	—	8	11	1	6	1	2	—	—	3	5	2	2
Premature Debility . . .	55	9	20	34	68	97	19	54	15	27	12	2	21	36	7	24
Atrophy	4	1	1	11	15	10	—	11	3	1	—	1	—	2	3	4
Age	68	18	159	35	96	84	19	110	37	46	10	4	32	124	63	82
Sudden Deaths	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—
Violent Deaths	36	22	35	18	52	62	18	50	9	16	7	3	13	25	17	28
Small-pox	1	—	—	—	—	2	—	1	—	—	—	—	—	—	2	2
Measles	4	14	6	14	7	14	1	15	3	9	—	—	2	23	1	3
Scarlatina	43	14	24	42	122	169	23	92	29	35	11	1	29	83	30	26
Diphtheria	7	—	8	3	16	29	5	14	2	3	5	—	8	6	5	7
Hooping-cough	20	11	8	14	21	46	4	17	6	10	1	2	1	3	—	4
Croup	8	3	24	8	8	21	4	13	2	15	2	—	5	6	2	10
Thrush	—	—	—	2	1	—	—	—	—	1	—	—	—	1	—	—
Diarrhœa	26	13	6	13	39	41	6	42	7	13	6	2	8	13	8	9
Dysentery	1	1	3	2	2	4	1	2	1	1	—	—	1	2	1	—
Cholera	2	—	1	1	4	3	1	2	3	2	—	—	—	1	1	1
Influenza	7	—	6	—	10	1	—	1	—	10	—	—	4	4	2	3
Purpura	—	—	—	3	1	1	—	1	—	1	—	—	—	—	1	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Typhus	5	2	3	2	4	11	1	6	2	10	—	1	3	3	1	2
Enteric Fever	20	8	10	14	32	31	2	31	11	8	5	—	10	33	9	6
Relapsing Fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever	2	1	—	—	7	1	—	—	—	—	1	—	—	4	1	—
Infantile Remittent	—	—	1	—	1	3	—	1	1	—	—	1	—	—	—	—
Metria	5	—	4	7	7	17	2	1	2	1	—	—	—	7	2	4
Rheumatic Fever	2	2	6	2	3	3	1	1	—	1	1	—	2	3	1	3
Erysipelas	4	3	—	6	8	13	3	3	2	2	—	1	3	6	2	3
Pyæmia	2	—	1	—	2	3	—	1	—	—	—	—	1	2	—	—
Syphilis	1	1	1	1	2	2	1	3	1	—	—	—	1	1	1	1
Noma	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	1
Hæmorrhage	—	—	1	—	1	—	1	7	—	1	—	—	—	4	1	2
Dropsy	7	5	12	3	7	8	1	3	1	1	—	—	—	6	4	—
Abscess	2	2	—	—	5	2	—	5	1	—	1	—	2	3	2	2
Ulcer	—	2	—	—	1	—	—	2	—	—	—	—	—	2	—	1
Fistula	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Mortification	1	1	3	1	—	2	—	3	1	—	—	—	2	1	2	2
Cancer	11	5	17	6	16	27	7	39	12	17	3	1	10	41	9	19
Gout	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Scrofula	2	1	6	3	15	19	6	17	5	2	2	1	1	12	4	12
Tabes Mesenterica	11	1	3	12	20	30	7	11	5	11	3	2	4	10	6	3
Phthisis	58	24	104	72	124	123	29	111	29	27	9	1	38	142	56	63
Hydrocephalus	17	10	11	13	32	46	11	12	5	15	2	1	6	20	10	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—BOTH SEXES. (Continued.)

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
IV. Cephalitis	210	7	1	6	8	—	5	13	29	5	—	8	19	—	—
Apoplexy	461	5	5	14	5	—	7	22	42	10	15	27	35	5	7
Paralysis	653	11	15	18	22	4	18	15	59	14	19	70	58	9	2
Delirium Tremens	10	—	—	1	—	—	—	1	1	—	—	—	1	—	—
Chorea	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Epilepsy	77	1	1	5	2	—	—	2	8	3	—	3	10	—	1
Tetanus	18	—	—	2	1	—	2	—	2	1	—	1	—	—	—
Insanity	16	—	—	1	—	—	—	—	1	1	—	—	—	—	—
Convulsions	174	—	6	8	5	—	5	4	24	3	5	6	14	—	2
Brain Disease	281	4	5	4	4	—	10	10	36	7	9	25	21	1	—
V. Pericarditis	32	2	—	1	1	1	—	1	1	1	—	1	4	2	—
Aneurism	25	—	2	1	—	—	—	2	2	1	2	7	—	—	—
Heart Disease	1288	26	14	43	30	1	31	34	156	31	50	98	102	15	3
VI. Laryngitis	37	1	1	1	—	—	2	—	3	2	—	4	2	1	—
Bronchitis	1920	34	20	69	55	6	52	47	167	63	55	126	177	14	14
Pleurisy	88	3	2	7	3	—	5	6	4	—	3	2	1	2	—
Pneumonia	786	6	11	22	9	2	15	30	72	13	25	62	71	3	2
Asthma	152	4	9	37	5	—	4	3	7	—	2	11	9	—	1
Lung Disease	60	—	—	6	1	—	—	1	2	—	—	4	3	—	—
VII. Teething	145	2	1	5	3	—	7	3	2	2	3	4	24	—	2
Quinsey	23	1	1	1	—	—	—	—	4	—	—	1	—	—	—
Gastritis	77	—	—	4	3	—	2	1	3	1	3	9	6	—	—
Enteritis	248	3	3	7	3	1	7	8	14	5	3	12	13	2	—
Peritonitis	148	1	1	4	5	—	2	5	17	4	3	8	7	1	—
Ascites	17	—	2	—	—	—	1	—	1	—	2	1	—	—	—
Ulceration of Intestines	73	—	1	1	—	—	2	2	17	7	1	4	5	—	—
Hernia	41	1	—	5	1	—	2	1	7	1	3	3	—	—	—
Ileus	97	2	2	6	4	1	2	3	20	2	2	8	10	—	1
Intussusception	16	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Stricture of Intestines	11	—	—	1	—	—	—	—	2	—	—	—	1	—	—
Stomach Disease	240	2	3	15	7	1	8	6	21	8	5	22	10	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	78	1	1	2	1	—	1	1	6	2	2	4	11	1	—
Jaundice	54	2	1	5	2	1	—	2	6	5	1	5	2	—	—
Liver Disease	218	5	—	8	7	—	7	7	10	1	6	14	15	1	—
Spleen Disease	9	—	—	—	2	—	—	—	—	—	—	1	—	—	—
VIII. Nephritis	34	—	—	3	3	—	—	—	1	1	3	2	3	—	2
Nephria	102	3	1	3	—	—	6	2	15	1	3	9	4	2	—
Addison's Disease	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	32	1	1	3	1	—	—	—	5	1	1	1	4	—	—
Diabetes	29	—	—	2	—	—	—	—	3	1	1	4	1	—	—
Stone	36	3	4	3	2	—	—	2	3	—	3	3	—	—	—
Cystitis	36	1	—	1	1	—	—	3	5	3	1	3	—	—	—
Stricture of Urethra	6	—	—	1	—	—	—	—	2	—	—	—	1	—	—
Kidney Disease	128	2	2	4	3	—	3	7	24	3	4	11	10	1	—
IX. Paramenia	4	—	—	—	—	—	—	1	2	—	—	—	—	—	—
Ovarian Dropsy	21	1	—	1	—	—	—	—	3	—	2	3	2	—	—
Childbirth	124	2	2	3	7	3	3	2	7	4	7	13	8	—	1
Organs of Generation	38	—	1	6	1	—	2	1	1	2	—	2	2	1	—
X. Bone Disease	17	—	1	—	—	—	—	—	2	1	—	—	—	—	—
Rheumatism	58	—	6	5	2	—	2	1	4	1	—	4	5	1	1
Joint Disease	39	—	—	1	2	1	1	1	6	—	—	4	2	1	1
XI. Carbuncle	9	1	—	—	—	—	—	—	—	2	—	1	—	—	—
Phlegmon	4	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Skin Disease	11	—	1	1	—	—	—	—	—	—	1	3	1	—	—
XVII. Intemperance	39	—	1	1	—	—	—	—	1	1	1	2	3	—	—
Privation	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Want of Breast Milk	19	—	1	2	—	—	—	—	2	1	—	1	3	—	—
Neglect	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	27	—	2	—	1	1	—	1	—	—	2	2	4	1	—
Poison	11	—	—	—	—	—	—	—	2	—	—	1	1	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	61	1	—	5	—	—	1	2	4	2	—	2	8	—	—
Hanging, etc.	23	—	—	1	—	—	—	—	3	1	1	1	1	2	—
Suffocation	67	1	2	1	1	—	2	4	8	—	1	1	2	1	2
Drowning	182	6	2	4	6	2	2	1	27	7	7	16	12	—	1
Fracture and Contusion	229	2	4	14	—	—	1	9	17	10	8	18	19	4	1
Gunshot Wounds	11	—	—	—	—	—	—	—	2	1	—	1	1	—	—
Cuts and Stabs	18	—	1	—	1	—	—	—	1	2	3	1	2	—	—
Other Violent Causes	52	—	—	1	2	—	—	—	2	2	3	1	5	—	—
Not specified	535	8	30	61	18	2	15	11	31	8	12	36	35	1	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—BOTH SEXES. (Continued.)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	10	1	7	8	8	19	4	10	5	2	2	-	7	8	12	6
Apoplexy	18	7	20	22	32	33	5	29	13	4	-	-	14	25	15	12
Paralysis	28	7	24	15	25	28	10	75	9	14	1	2	15	33	20	13
Delirium Tremens . .	-	-	-	-	1	-	1	2	-	-	-	-	1	1	-	-
Chorea	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Epilepsy	3	-	5	1	5	4	1	13	-	2	2	-	2	-	2	1
Tetanus	2	-	-	1	3	-	-	-	-	1	-	-	-	1	-	1
Insanity	2	-	1	3	-	3	-	1	-	-	1	-	2	-	-	-
Convulsions	10	5	10	4	9	9	2	16	4	4	1	-	1	10	4	3
Brain Disease	11	5	6	12	25	16	5	35	5	4	-	1	8	3	5	4
Pericarditis	2	-	-	-	2	3	1	1	-	3	1	-	1	2	-	1
Aneurism	-	1	1	-	-	1	1	2	-	1	-	-	-	1	-	-
Heart Disease	43	16	35	28	67	57	28	109	31	43	12	4	35	69	38	39
Laryngitis	-	-	1	3	2	2	-	4	1	1	-	-	1	-	4	1
Bronchitis	89	31	60	44	113	163	38	132	44	39	9	6	32	107	58	56
Pleurisy	7	5	3	3	-	9	1	6	1	1	4	-	-	5	1	4
Pneumonia	39	10	24	31	56	66	17	68	17	14	4	-	13	40	29	15
Asthma	14	3	9	1	6	10	3	8	1	2	-	-	-	3	-	-
Lung Disease	3	3	1	6	4	10	-	11	1	1	-	-	-	1	-	2
Teething	9	3	1	8	15	17	3	9	1	1	3	1	1	6	2	7
Quinsey	-	2	1	1	1	3	-	1	1	1	-	-	2	2	-	-
Gastritis	3	1	-	4	10	7	-	8	3	-	-	-	1	4	1	3
Enteritis	21	3	6	13	15	43	5	11	1	13	3	-	7	8	4	14
Peritonitis	8	2	3	4	5	13	1	16	4	5	1	-	5	9	6	8
Ascites	-	-	3	-	3	2	-	-	-	-	-	-	1	1	-	-
Ulceration of Intestines	2	2	5	1	2	1	-	3	1	5	1	-	-	6	2	2
Hernia	2	1	2	-	-	3	1	2	1	2	1	-	1	1	-	-
Ileus	2	-	4	3	5	-	-	3	1	6	1	-	3	2	2	2
Intussusception . . .	-	-	2	-	2	1	-	1	-	-	-	1	3	-	-	-
Stricture of Intestines	-	1	1	-	2	-	-	-	1	1	-	-	-	-	1	-
Stomach Disease . . .	9	4	17	10	15	20	4	20	-	7	2	-	9	7	3	5
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	4	2	6	1	7	4	2	3	-	-	1	-	2	6	1	6
Jaundice	2	-	-	-	6	3	2	1	-	2	-	-	1	-	3	2
Liver Disease	13	4	6	13	4	20	4	19	8	5	-	2	4	17	6	12
Spleen Disease	-	-	-	1	1	1	-	-	-	1	-	-	-	1	-	1
Nephritis	-	1	1	-	2	1	-	5	1	1	-	-	-	3	-	1
Nephria	3	1	2	1	8	5	1	10	1	2	-	1	2	9	1	6
Addison's Disease . .	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Ischuria	2	-	1	-	3	1	-	4	-	1	-	-	2	-	-	-
Diabetes	1	-	3	-	3	1	-	1	2	-	-	1	2	3	-	-
Stone	1	-	2	-	3	1	1	1	-	-	-	1	-	1	-	2
Cystitis	1	-	-	2	1	2	-	5	-	2	-	-	-	1	1	3
Stricture of Urethra .	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	4	1	1	6	2	7	2	12	3	2	2	-	-	8	3	1
Paramenia	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Ovarian Dropsy	-	-	-	-	5	-	-	-	-	2	-	-	-	1	1	-
Childbirth	4	4	1	3	5	11	3	-	5	8	1	-	7	3	2	5
Organs of Generation .	1	1	2	3	2	3	1	3	-	1	-	-	-	-	1	1
Bone Disease	1	-	-	-	1	1	-	1	-	1	-	-	3	4	1	-
Rheumatism	2	-	4	1	5	2	-	2	1	1	-	1	1	4	2	-
Joint Disease	2	1	-	1	1	3	1	2	-	2	-	-	3	2	-	1
Carbuncle	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
Skin Disease	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-
Intemperance	3	-	2	-	3	5	3	6	-	3	-	-	-	-	-	4
Privation	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Want of Breast Milk . .	2	-	2	-	-	-	-	1	-	-	1	-	-	1	-	2
Neglect	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Cold	1	-	3	-	4	-	-	-	-	2	1	-	-	1	-	1
Poison	-	1	-	-	-	1	1	-	-	-	-	-	-	2	1	1
Poisoned Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	4	2	6	1	4	2	1	4	1	2	-	1	-	4	1	3
Hanging, etc. . . .	1	-	-	1	2	1	-	4	-	2	-	-	-	2	-	-
Suffocation	3	1	-	1	5	4	2	9	3	1	1	-	2	-	2	7
Drowning	7	10	17	6	8	7	4	12	2	1	1	-	3	2	5	4
Fracture and Contusion	12	6	3	7	22	30	6	7	3	3	2	-	5	8	4	4
Gunshot Wounds . . .	-	1	1	-	-	3	-	1	-	-	-	-	-	-	-	-
Cuts and Stabs	2	-	-	1	1	-	1	-	-	1	-	-	-	1	-	-
Other Violent Causes . .	1	1	-	1	3	9	-	4	-	1	1	2	3	4	4	2
Not specified	18	6	34	18	24	33	14	21	9	6	5	-	8	33	21	13

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—MALES.

DISEASES.	Total Mainland- Rural	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
ALL CAUSES	9925	149	204	462	248	31	182	275	900	230	298	703	728	82	38
SPECIFIED CAUSES	9638	143	189	431	238	29	169	267	885	225	293	681	710	81	37
I. Zymotic Class	1693	20	37	51	25	4	11	33	123	32	50	111	127	19	9
II. Diseases of Uncer. Seat	322	3	9	21	5	—	11	14	20	7	10	33	19	2	1
III. Tubercular Class	1299	17	19	57	30	1	26	39	113	38	34	89	76	13	4
IV. Brain and Nervous Sys.	961	15	14	27	24	3	25	39	106	20	19	69	73	7	4
V. Organs of Circulation	657	11	9	24	17	1	12	21	79	10	24	52	46	5	1
VI. Respiratory Organs	1532	21	21	65	33	5	31	44	131	40	48	101	131	13	7
VII. Organs of Digestion	784	12	11	37	19	2	20	22	73	17	23	53	55	2	3
VIII. Urinary Organs	270	7	8	13	7	—	6	9	40	7	12	18	18	1	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	57	—	3	2	4	—	—	2	5	—	—	5	4	2	1
XI. Skin, etc.	17	1	—	2	—	—	—	—	1	2	1	3	1	—	—
XII. Malformation	45	—	—	—	1	—	—	2	5	2	2	3	4	—	1
XIII. Premature Debility	454	3	5	10	4	2	6	12	46	11	22	18	39	7	2
XIV. Atrophy	32	—	2	—	1	—	—	—	1	—	—	—	4	1	—
XV. Age	967	26	41	105	60	8	17	20	85	19	33	90	67	5	—
XVI. Sudden Deaths	10	—	—	—	—	—	—	—	2	—	1	3	2	—	—
XVII. Violent Deaths	538	7	10	17	8	3	4	10	55	20	14	33	44	4	3
I. Small-pox	8	—	—	—	—	—	—	—	4	—	—	—	—	—	—
Measles	88	—	—	7	3	—	—	—	1	—	1	9	3	—	—
Scarlatina	558	7	18	14	1	1	2	10	10	2	10	23	57	14	2
Diphtheria	130	1	—	4	—	—	—	5	32	8	7	14	3	—	—
Hooping-cough	128	2	—	7	1	1	1	1	9	6	9	9	11	—	—
Croup	118	1	8	4	4	—	1	—	5	1	6	10	9	—	—
Thrush	5	—	—	—	—	—	—	—	1	—	—	1	—	1	—
Diarrhoea	205	1	5	3	2	—	2	5	18	7	1	16	12	—	6
Dysentery	26	—	—	2	—	—	—	—	6	1	2	2	3	—	—
Cholera	19	—	—	—	—	—	—	—	—	—	—	—	5	1	—
Influenza	27	4	—	1	—	—	—	—	4	—	—	1	—	—	—
Purpura	9	—	—	—	1	—	—	—	—	—	2	1	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	49	—	—	1	3	—	1	—	4	1	1	6	5	—	—
Enteric Fever	201	2	5	5	4	2	3	9	14	4	7	11	12	3	—
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Simple Cont. Fever	10	—	—	—	—	—	—	1	—	—	—	—	2	—	—
Infantile Remittent	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	21	1	—	—	2	—	—	1	1	1	1	2	—	—	—
Pyæmia	53	1	1	2	4	—	1	1	10	—	2	5	3	—	—
Syphilis	15	—	—	1	—	—	—	—	2	—	—	1	1	—	—
Noma	14	—	—	—	—	—	—	—	2	1	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III. 3	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—
II. Hæmorrhage	17	—	—	—	—	—	1	1	1	—	—	3	—	1	—
Dropsy	47	1	—	3	1	—	—	—	4	—	1	7	4	—	1
Abscess	24	1	—	1	1	—	—	1	1	—	1	5	—	—	—
Ulcer	4	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	27	—	—	2	—	—	6	—	2	1	—	4	—	—	—
Cancer	197	1	9	13	3	—	4	12	12	6	8	13	13	1	—
Gout	4	—	—	1	—	—	—	—	—	—	—	—	1	—	—
III. Scrofula	99	3	1	2	—	—	—	5	7	1	4	7	9	1	—
Tabes Mesenterica	113	1	1	3	1	—	—	2	6	2	2	6	5	2	—
Phthisis	904	13	16	49	25	1	24	28	88	32	22	65	43	8	3
Hydrocephalus	183	—	1	3	4	—	2	4	12	3	6	11	19	2	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—MALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	413	170	400	302	676	813	165	687	186	244	73	21	199	542	241	263
SPECIFIED CAUSES .	404	165	386	290	664	799	157	677	177	243	71	21	194	526	229	257
Zymotic Class . .	71	35	52	63	161	190	25	113	39	57	18	2	37	106	34	38
Uncertain Seat . .	10	5	14	4	13	15	6	30	5	11	1	1	4	30	8	10
Tubercular Class . .	47	18	77	37	92	110	30	84	20	30	6	2	28	90	33	39
Brain, etc. . . .	43	16	34	25	67	67	13	89	19	21	5	1	26	38	37	15
Heart, etc. . . .	21	12	16	14	28	37	14	62	18	20	5	1	21	33	19	24
Respiratory Organs .	77	31	51	52	111	152	29	121	33	20	11	3	19	72	31	28
Digestive Organs . .	42	16	29	32	48	64	11	42	9	25	8	3	19	40	19	28
Urinary Organs . .	7	2	8	5	16	14	2	24	3	4	2	3	5	16	3	9
Generative Organs .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs .	2	—	2	1	6	3	1	3	—	2	—	1	2	5	1	—
Skin	—	—	—	—	—	1	—	2	1	—	—	—	1	1	—	—
Malformation . . .	4	1	—	—	3	6	1	3	1	—	—	—	3	2	—	1
Premature Debility .	33	6	12	23	35	46	7	33	7	17	6	1	8	21	1	11
Atrophy	1	1	—	2	7	3	—	2	2	1	—	—	—	—	3	1
Age	20	7	62	17	37	40	6	34	13	22	5	2	13	55	26	32
Sudden Deaths . .	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Violent Deaths . .	26	15	29	15	40	50	12	35	6	13	4	1	8	17	14	21
Small-pox	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
Measles	1	7	5	10	4	9	1	8	2	3	—	—	1	12	—	1
Scarlatina	19	8	12	21	69	83	13	41	16	16	4	—	11	47	16	11
Diphtheria	3	—	5	1	11	10	2	6	1	1	3	—	4	3	1	5
Hooping-cough . .	8	5	1	5	11	20	1	5	5	7	—	—	1	1	—	1
Croup	6	2	10	4	5	8	2	4	1	7	2	—	4	3	2	9
Thrush	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Diarrhœa	12	6	4	9	18	19	3	20	3	8	3	1	4	8	6	3
Dysentery	—	1	2	1	2	1	—	—	1	—	—	—	—	2	—	—
Cholera	2	—	1	—	4	3	—	1	1	—	—	—	—	—	—	1
Influenza	2	—	3	—	3	1	—	—	—	3	—	—	2	2	—	1
Purpura	—	—	—	2	1	—	—	1	—	—	—	—	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	3	—	—	1	1	6	1	3	1	7	—	1	1	1	1	—
Enteric Fever . . .	11	3	4	7	18	19	—	20	5	2	5	—	4	19	3	—
Relapsing Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever .	—	—	—	—	2	1	—	—	—	—	—	—	—	3	1	—
Infantile Remittent .	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . .	—	—	2	1	1	—	1	1	—	—	1	—	2	1	1	1
Erysipelas	1	2	—	—	5	5	—	1	1	1	—	—	3	2	—	2
Pyæmia	1	—	1	—	2	3	—	—	—	—	—	—	—	1	2	—
Syphilis	1	1	1	—	2	1	1	2	—	—	—	—	—	1	—	1
Noma	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. .	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Hæmorrhage	—	—	1	—	—	—	1	2	—	1	—	—	—	4	—	1
Dropsy	4	2	4	1	4	5	1	1	—	1	—	—	—	—	2	—
Abscess	1	—	—	—	1	—	—	4	—	—	—	—	2	2	2	1
Ulcer	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Fistula	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Mortification . . .	1	—	2	1	—	1	—	3	1	—	—	—	—	—	2	1
Cancer	4	2	7	2	8	9	4	19	4	8	1	—	2	23	2	7
Gout	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Scrofula	1	—	5	1	11	13	6	7	3	—	1	—	1	6	1	3
Tabes Mesenterica .	7	—	—	6	10	20	2	9	3	6	1	2	3	6	5	2
Phthisis	30	13	64	24	57	54	16	60	12	18	3	—	21	66	22	27
Hydrocephalus . . .	9	5	8	6	14	23	6	8	2	6	1	—	3	12	5	7

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—MALES. (Continued.)

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
IV. Cephalitis	117	3	1	3	3	-	3	9	18	3	-	3	12	-	-
Apoplexy	225	3	2	5	5	-	5	14	25	4	6	11	15	4	2
Paralysis	295	6	5	9	10	3	6	6	27	6	6	34	24	3	1
Delirium Tremens	5	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	45	-	1	4	2	-	-	2	2	2	-	2	6	-	1
Tetanus	13	-	-	-	1	-	1	-	2	1	-	1	-	-	-
Insanity	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions	100	-	4	3	2	-	4	2	15	-	1	3	7	-	-
Brain Disease	154	3	1	2	1	-	6	5	16	4	6	15	9	-	-
V. Pericarditis	16	1	-	1	1	-	-	1	1	-	-	1	2	-	-
Aneurism	11	-	1	-	-	-	-	-	1	-	1	5	-	-	-
Heart Disease	630	10	8	23	16	1	12	20	77	10	23	46	44	5	1
VI. Laryngitis	21	1	-	1	-	-	1	-	1	2	-	-	-	1	-
Bronchitis	922	16	8	33	23	3	17	22	82	28	31	57	91	8	6
Pleurisy	54	2	2	4	3	-	3	3	2	-	3	1	-	2	-
Pneumonia	437	1	7	11	5	2	9	17	43	10	14	36	33	2	1
Asthma	71	1	4	14	2	-	1	2	2	-	-	4	5	-	-
Lung Disease	27	-	-	2	-	-	-	-	1	-	-	3	2	-	-
VII. Teething	83	1	1	2	2	-	4	3	1	2	2	3	14	-	2
Quinsey	14	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Gastritis	32	-	-	2	1	-	1	-	2	-	2	2	1	-	-
Enteritis	124	2	2	5	2	-	3	3	8	1	1	6	9	1	-
Peritonitis	74	1	1	3	1	-	-	3	7	2	2	4	4	-	-
Ascites	6	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Ulceration of Intestines	41	-	1	1	-	-	2	1	10	2	-	4	4	-	-
Hernia	22	-	-	3	1	-	1	-	4	1	3	1	-	-	-
Ileus	61	1	1	3	3	1	2	2	15	2	2	6	5	-	1
Intussusception	9	-	-	1	-	-	-	1	-	-	-	1	-	-	-
Stricture of Intestines	8	-	-	1	-	-	-	-	1	-	-	-	1	-	-
Stomach Disease	118	1	2	8	3	-	5	4	12	3	4	12	4	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	36	-	1	2	-	-	-	-	3	1	2	-	5	-	-
Jaundice	32	2	1	2	1	1	-	2	5	2	1	4	-	-	-
Liver Disease	120	4	-	4	3	-	2	3	3	1	3	9	8	1	-
Spleen Disease	4	-	-	-	2	-	-	-	-	-	-	1	-	-	-
VIII. Nephritis	20	-	-	2	-	-	-	-	1	1	2	1	2	-	1
Nephria	51	1	1	1	-	-	4	1	10	1	2	3	3	-	-
Addison's Disease	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	28	1	1	3	1	-	-	-	4	1	1	-	4	-	-
Diabetes	15	-	-	1	-	-	-	-	1	-	1	1	1	-	-
Stone	32	3	4	3	2	-	-	2	1	-	2	3	-	-	-
Cystitis	26	1	-	-	1	-	-	1	5	1	-	2	-	-	-
Stricture of Urethra	5	-	-	1	-	-	-	-	1	-	-	-	1	-	-
Kidney Disease	90	1	2	2	3	-	2	5	17	3	4	8	7	1	-
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Bone Disease	9	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Rheumatism	26	-	2	2	2	-	-	1	1	-	-	3	3	1	-
Joint Disease	22	-	-	-	2	-	-	1	3	-	-	2	1	1	1
XI. Carbuncle	7	1	-	-	-	-	-	-	-	2	-	1	-	-	-
Phlegmon	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Skin Disease	8	-	-	1	-	-	-	-	-	-	1	2	1	-	-
XVII. Intemperance	28	-	1	-	-	-	-	-	1	1	1	2	2	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	9	-	1	-	-	-	-	-	1	-	-	1	-	-	-
Neglect	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	20	-	2	-	-	1	-	-	-	-	1	2	2	1	-
Poison	6	-	-	-	-	-	-	-	1	-	-	1	1	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	21	-	-	3	-	-	1	1	-	1	-	1	2	-	-
Hanging, etc.	17	-	-	-	-	-	-	-	2	1	1	-	1	2	-
Suffocation	42	-	2	-	-	-	1	1	6	-	-	-	2	1	1
Drowning	154	5	1	4	6	2	1	1	26	5	4	13	12	-	1
Fracture and Contusion	183	2	2	9	-	-	1	7	14	7	3	11	17	-	1
Gunshot Wounds	9	-	-	-	-	-	-	-	2	1	-	1	1	-	-
Cuts and Stabs	9	-	1	-	1	-	-	-	-	2	1	-	1	-	-
Other Violent Causes	39	-	-	1	1	-	-	-	2	2	3	1	3	-	-
Not specified	287	6	15	31	10	2	13	8	15	5	5	22	18	1	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—MALES. (Continued.)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis . . .	4	—	3	3	6	13	1	3	1	2	1	—	6	4	8	4
Apoplexy . . .	9	4	10	7	19	13	3	12	7	5	3	—	8	14	7	3
Paralysis . . .	11	5	9	7	9	17	6	35	5	7	—	1	6	14	14	3
Delirium Tremens . . .	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	3	—	2	—	5	2	1	8	—	1	—	—	—	—	1	—
Tetanus . . .	2	—	—	1	2	—	—	—	1	—	—	—	—	—	—	1
Insanity . . .	1	—	—	—	—	2	—	1	—	—	—	—	2	—	—	—
Convulsions . . .	8	3	5	3	8	8	—	9	4	1	1	—	1	4	2	—
Brain Disease . . .	5	4	5	4	18	12	1	20	2	4	—	—	3	1	5	2
Pericarditis . . .	—	—	—	—	1	2	1	1	—	1	1	—	—	1	—	—
Aneurism . . .	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—
Heart Disease . . .	21	12	15	14	27	35	13	60	18	19	4	1	21	31	19	24
Laryngitis . . .	—	—	1	—	2	2	—	2	1	1	—	—	1	—	3	1
Bronchitis . . .	46	18	32	25	66	90	19	64	23	14	5	3	11	47	16	18
Pleurisy . . .	3	2	3	1	—	6	1	3	—	1	3	—	—	3	—	3
Pneumonia . . .	19	7	11	23	37	38	6	44	8	4	3	—	7	21	12	6
Asthma . . .	8	3	4	1	3	8	3	5	—	—	—	—	—	1	—	—
Lung Disease . . .	1	1	—	2	3	8	—	3	1	—	—	—	—	—	—	—
Teething . . .	5	3	1	4	9	7	2	4	1	1	1	—	—	3	1	4
Quinsey . . .	—	1	1	1	1	3	—	1	1	1	—	—	1	1	—	—
Gastritis . . .	3	1	—	2	6	4	—	1	1	—	—	—	1	1	—	1
Enteritis . . .	10	2	3	7	9	18	1	5	—	6	2	—	3	6	2	7
Peritonitis . . .	3	2	1	2	1	5	1	8	2	3	—	—	3	7	3	5
Ascites . . .	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . .	1	1	2	—	2	—	—	2	—	3	1	—	—	1	2	1
Hernia . . .	2	—	1	—	—	1	—	1	—	1	—	—	1	1	—	—
Ileus . . .	1	—	1	2	4	—	—	1	—	2	1	—	2	2	1	—
Intussusception . . .	—	—	—	—	1	1	—	1	—	—	—	1	2	—	—	—
Stricture of Intestines . . .	—	1	1	—	1	—	—	—	—	1	—	—	—	—	1	—
Stomach Disease . . .	5	2	9	5	4	11	2	7	—	3	2	—	4	2	2	2
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	2	1	4	—	4	2	2	2	—	—	1	—	—	2	—	2
Jaundice . . .	1	—	—	—	1	2	1	1	—	2	—	—	—	—	2	1
Liver Disease . . .	9	2	3	9	4	9	2	8	4	1	—	2	2	14	5	5
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Nephritis . . .	—	1	—	—	2	1	—	2	1	—	—	—	—	2	—	1
Nephria . . .	1	1	1	—	3	3	—	7	—	—	—	1	1	3	—	3
Addison's Disease . . .	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	2	—	1	—	3	1	—	3	—	—	—	—	2	—	—	—
Diabetes . . .	—	—	—	—	1	—	—	1	2	—	—	1	2	3	—	—
Stone . . .	1	—	2	—	2	1	1	1	—	—	—	1	—	1	—	2
Cystitis . . .	1	—	—	2	1	2	—	3	—	2	—	—	—	—	1	3
Stricture of Urethra . . .	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	2	—	1	3	2	6	1	7	—	2	2	—	—	7	2	—
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease . . .	1	—	—	—	1	1	—	1	—	—	—	—	1	2	—	—
Rheumatism . . .	1	—	2	—	4	—	—	—	—	1	—	1	—	1	1	—
Joint Disease . . .	—	—	—	1	1	2	1	2	—	1	—	—	1	2	—	—
Carbuncle . . .	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—
Intemperance . . .	2	—	2	—	1	4	2	3	—	3	—	—	—	—	—	3
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	1	—	2	—	—	—	—	1	—	—	—	—	—	1	—	1
Neglect . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cold . . .	1	—	3	—	2	—	—	—	—	2	1	—	—	1	—	1
Poison . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	2	—	2	—	2	—	1	1	—	—	—	—	—	2	—	2
Hanging, etc. . .	1	—	—	1	2	1	—	2	—	2	—	—	—	1	—	—
Suffocation . . .	1	—	—	1	5	3	1	6	3	1	—	—	—	1	—	3
Drowning . . .	6	8	16	6	5	5	2	12	1	1	1	—	2	1	5	4
Fracture and Contusion . . .	11	6	3	6	19	29	4	7	2	3	1	—	4	7	3	4
Gunshot Wounds . . .	—	—	1	—	—	2	—	1	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	—	1	—	1	3	6	—	1	—	1	1	1	2	4	3	2
Not specified . . .	9	5	14	12	12	14	8	10	9	1	2	—	5	16	12	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—FEMALES.

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
ALL CAUSES	10378	182	211	544	292	27	247	254	876	276	318	746	847	74	56
SPECIFIED CAUSES	10130	180	196	514	284	27	245	251	860	273	311	732	830	74	53
I. Zymotic Class	1872	28	26	57	25	4	27	44	119	46	57	114	177	12	7
II. Diseases of Uncer. Seat	474	9	9	21	14	—	13	15	49	13	25	52	41	2	5
III. Tubercular Class	1297	18	24	50	23	2	27	33	121	39	33	86	88	10	8
IV. Brain and Nervous Sys. . . .	942	13	19	32	23	1	22	28	96	24	29	71	85	9	8
V. Organs of Circulation	688	17	7	21	14	1	19	16	80	23	28	54	60	12	2
VI. Respiratory Organs	1511	27	22	77	40	3	47	43	124	38	37	108	132	7	10
VII. Organs of Digestion	711	8	5	28	19	2	21	19	57	21	11	45	50	3	—
VIII. Urinary Organs	136	3	—	7	3	—	3	5	18	3	4	15	5	2	1
IX. Organs of Generation	187	3	3	10	8	3	5	4	13	6	9	18	12	1	1
X. Organs of Locomotion	57	—	4	4	—	1	3	—	7	2	—	3	3	—	1
XI. Skin, etc.	7	—	1	—	—	—	—	—	—	—	—	1	—	—	—
XII. Malformation	31	—	—	1	—	—	—	—	1	1	—	2	2	—	—
XIII. Premature Debility	385	4	3	7	9	4	10	7	38	8	12	22	26	1	1
XIV. Atrophy	61	—	—	5	4	1	—	—	4	—	—	—	3	—	—
XV. Age	1559	47	70	182	99	5	46	30	118	42	54	125	126	11	8
XVI. Sudden Deaths	7	—	—	—	—	—	—	—	1	—	—	1	3	—	—
XVII. Violent Deaths	205	3	3	12	3	—	2	7	14	7	12	15	17	4	1
I. Small-pox	5	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Measles	69	—	1	4	1	—	—	—	1	—	1	5	3	—	1
Scarlatina	544	11	9	7	1	1	3	3	16	10	7	23	60	5	2
Diphtheria	139	1	—	2	1	1	1	3	18	5	14	19	10	2	—
Hooping-cough	168	5	—	6	2	—	3	1	14	8	8	13	11	—	—
Croup	106	1	2	7	1	—	1	—	7	—	1	6	18	—	—
Thrush	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhoea	219	4	2	10	—	—	3	8	17	9	7	16	15	2	1
Dysentery	29	—	1	—	—	—	—	2	3	2	—	2	5	2	—
Cholera	13	1	—	—	—	—	—	—	—	1	—	—	2	—	—
Influenza	52	—	3	3	1	—	1	5	3	2	1	2	—	—	—
Purpura	5	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	4	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Typhus	58	—	—	2	5	—	1	2	5	3	2	1	6	—	2
Enteric Fever	194	2	4	4	6	1	3	6	22	4	4	8	19	—	1
Relapsing Fever	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever	18	—	—	—	1	—	—	—	—	1	2	1	3	—	—
Infantile Remittent	11	—	1	—	—	—	—	—	—	—	—	3	2	—	—
Metria	108	1	1	3	3	1	9	9	3	—	6	4	9	—	—
Rheumatic Fever	36	1	1	6	—	—	—	—	3	1	—	1	4	—	—
Erysipelas	63	1	—	1	3	—	1	5	4	—	3	5	6	—	—
Pyæmia	9	—	—	1	—	—	—	—	1	—	1	2	—	—	—
Syphilis	11	—	—	—	—	—	1	—	—	—	—	1	3	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	18	1	1	1	—	—	—	2	1	—	—	1	3	—	—
Dropsy	82	—	1	6	2	—	2	1	8	2	4	10	6	2	5
Abscess	23	—	1	—	1	—	—	1	1	1	2	—	2	—	—
Ulcer	14	3	—	1	—	—	—	—	—	—	1	2	1	—	—
Fistula	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Mortification	18	—	—	—	2	—	—	1	—	2	3	3	—	—	—
Cancer	317	5	6	12	9	—	11	9	39	8	15	36	29	—	—
Gout	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
III. Scrofula	83	—	1	1	2	—	—	3	11	3	1	5	6	1	—
Tabes Mesenterica	83	3	—	3	1	—	—	1	2	—	—	3	12	1	—
Phthisis	974	14	22	44	19	2	26	27	93	34	22	74	62	7	5
Hydrocephalus	157	1	1	2	1	—	1	2	15	2	10	4	8	1	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—FEMALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	423	141	403	316	602	770	173	691	189	270	70	26	213	545	267	329
SPECIFIED CAUSES . .	414	140	383	310	590	751	167	680	189	265	67	26	210	528	258	322
Zymotic Class . . .	90	39	60	71	139	227	30	134	34	66	14	6	41	95	36	47
Uncertain Seat . . .	11	10	19	6	17	24	3	30	10	9	3	1	10	27	10	16
Tubercular Class . .	41	18	47	63	99	108	23	67	24	25	10	3	21	94	43	49
Brain, etc.	42	9	39	41	41	45	15	93	17	19	6	2	24	43	21	25
Heart, etc.	24	5	20	14	41	24	16	50	13	27	8	3	15	39	19	16
Respiratory Organs .	75	21	47	36	70	108	30	108	32	38	6	3	27	84	61	50
Digestive Organs . .	33	9	28	27	45	74	11	55	13	24	5	1	21	30	12	34
Urinary Organs . . .	5	1	5	4	8	4	2	14	4	4	—	—	1	9	2	4
Generative Organs . .	5	5	3	6	12	14	4	3	5	11	1	1	7	4	4	6
Locomotive Organs .	3	1	2	1	1	3	—	2	1	2	—	—	5	5	2	1
Skin	—	—	1	—	—	1	—	—	—	1	—	—	1	1	—	—
Malformation . . .	2	1	—	—	5	5	—	3	—	2	—	—	—	3	2	1
Premature Debility .	22	3	8	11	33	51	12	21	8	10	6	1	13	15	6	13
Atrophy	3	—	1	9	8	7	—	9	1	—	—	1	—	2	—	3
Age	48	11	97	18	59	44	13	76	24	24	5	2	19	69	37	50
Sudden Deaths . . .	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	10	7	6	3	12	12	6	15	3	3	3	2	5	8	3	7
Small-pox	—	—	—	—	—	1	—	1	—	—	—	—	—	—	2	—
Measles	3	7	1	4	3	5	—	7	1	6	—	—	1	11	1	2
Scarlatina	24	6	12	21	53	86	10	51	13	19	7	1	18	36	14	15
Diphtheria	4	—	3	2	5	19	3	8	1	2	2	—	4	3	4	2
Whooping-cough . .	12	6	7	9	10	26	3	12	1	3	1	2	—	2	—	3
Croup	2	1	14	4	3	13	2	9	1	8	—	—	1	3	—	1
Thrush	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—
Diarrhœa	14	7	2	4	21	22	3	22	4	5	3	1	4	5	2	6
Dysentery	1	—	1	1	—	3	1	2	—	1	—	—	1	—	1	—
Cholera	—	—	—	1	—	—	1	1	2	2	—	—	—	1	1	—
Influenza	5	—	3	—	7	—	—	1	—	7	—	—	2	2	2	2
Purpura	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Typhus	2	2	3	1	3	5	—	3	1	3	—	—	2	2	—	2
Enteric Fever	9	5	6	7	14	12	2	11	6	6	—	—	6	14	6	6
Relapsing Fever . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever .	2	1	—	—	5	—	—	—	—	—	1	—	—	1	—	—
Infantile Remittent .	—	—	—	—	—	3	—	1	—	—	—	1	—	—	—	—
Metria	5	—	4	7	7	17	2	1	2	1	—	—	—	7	2	4
Rheumatic Fever . .	2	2	4	1	2	3	—	—	—	1	—	—	—	2	—	2
Erysipelas	3	1	—	6	3	8	3	2	1	1	—	1	—	4	—	1
Pyæmia	1	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—
Syphilis	—	—	—	1	—	1	—	1	1	—	—	—	1	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. .	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1
Hæmorrhage	—	—	—	—	1	—	—	5	—	—	—	—	—	—	1	1
Dropsy	3	3	8	2	3	3	—	2	1	—	—	—	—	6	2	—
Abscess	1	2	—	—	4	2	—	1	1	—	1	—	—	1	—	1
Ulcer	—	1	—	—	1	—	—	2	—	—	—	—	—	1	—	1
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	1	1	—	—	1	—	—	—	—	—	—	2	1	—	1
Cancer	7	3	10	4	8	18	3	20	8	9	2	1	8	18	7	12
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	1	1	1	2	4	6	—	10	2	2	1	1	—	6	3	9
Tabes Mesenterica . .	4	1	3	6	10	10	5	2	2	5	2	—	1	4	1	1
Phthisis	28	11	40	48	67	69	13	51	17	9	6	1	17	76	34	36
Hydrocephalus . . .	8	5	3	7	18	23	5	4	3	9	1	1	3	8	5	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—FEMALES. (Continued.)

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
IV. Cephalitis	93	4	—	3	5	—	2	4	11	2	—	5	7	—	—
Apoplexy	236	2	3	9	—	—	2	8	17	6	9	16	20	1	—
Paralysis	358	5	10	9	12	1	12	9	32	8	13	36	34	6	1
Delirium Tremens	5	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Chorea	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Epilepsy	32	1	—	1	—	—	—	—	6	1	—	1	4	—	—
Tetanus	5	—	—	2	—	—	1	—	—	—	—	—	—	—	—
Insanity	9	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Convulsions	74	—	2	5	3	—	1	2	9	3	4	3	7	—	2
Brain Disease	127	1	4	2	3	—	4	5	20	3	3	10	12	1	—
V. Pericarditis	16	1	—	—	—	1	—	—	—	1	—	—	2	2	—
Aneurism	14	—	1	1	—	—	—	2	1	1	1	2	—	—	—
Heart Disease	658	16	6	20	14	—	19	14	79	21	27	52	53	10	2
VI. Laryngitis	16	—	1	—	—	—	1	—	2	—	—	4	2	—	—
Bronchitis	998	18	12	36	32	3	35	25	85	35	24	69	86	6	8
Pleurisy	34	1	—	3	—	—	2	3	2	—	—	1	1	—	—
Pneumonia	349	5	4	11	4	—	6	13	29	3	11	26	38	1	1
Asthma	81	3	5	23	3	—	3	1	5	—	2	7	4	—	1
Lung Disease	33	—	—	4	1	—	—	1	1	—	—	1	1	—	—
VII. Teething	62	1	—	3	1	—	3	—	1	—	1	1	10	—	—
Quinsey	9	1	1	1	—	—	—	—	2	—	—	1	—	—	—
Gastritis	45	—	—	2	2	—	1	1	1	1	1	7	5	—	—
Enteritis	124	1	1	2	1	1	4	5	6	4	2	6	4	1	—
Peritonitis	74	—	—	1	4	—	2	2	10	2	1	4	3	1	—
Ascites	11	—	1	—	—	—	1	—	1	—	1	1	—	—	—
Ulceration of Intestines	32	—	—	—	—	—	—	1	7	5	1	—	1	—	—
Hernia	19	1	—	2	—	—	1	1	3	—	—	2	—	—	—
Ileus	36	1	1	3	1	—	—	1	5	—	—	2	5	—	—
Intussusception	7	—	—	—	—	—	—	1	—	—	—	1	1	—	—
Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	122	1	1	7	4	1	3	2	9	5	1	10	6	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	42	1	—	—	1	—	1	1	3	1	—	4	6	1	—
Jaundice	22	—	—	3	1	—	—	—	1	3	—	1	2	—	—
Liver Disease	98	1	—	4	4	—	5	4	7	—	3	5	7	—	—
Spleen Disease	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	14	—	—	1	3	—	—	—	—	—	1	1	1	—	1
Nephria	51	2	—	2	—	—	2	1	5	—	1	6	1	2	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	4	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Diabetes	14	—	—	1	—	—	—	—	2	1	—	3	—	—	—
Stone	4	—	—	—	—	—	—	—	2	—	1	—	—	—	—
Cystitis	10	—	—	1	—	—	—	2	—	2	1	1	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Kidney Disease	38	1	—	2	—	—	1	2	7	—	—	3	3	—	—
IX. Paramenia	4	—	—	—	—	—	—	1	2	—	—	—	—	—	—
Ovarian Dropsy	21	1	—	1	—	—	—	—	3	—	2	3	2	—	—
Childbirth	124	2	2	3	7	3	3	2	7	4	7	13	8	—	1
Organs of Generation	38	—	1	6	1	—	2	1	1	2	—	2	2	1	—
X. Bone Disease	8	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Rheumatism	32	—	4	3	—	—	2	—	3	1	—	1	2	—	1
Joint Disease	17	—	—	1	—	1	1	—	3	—	—	2	1	—	—
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	3	—	1	—	—	—	—	—	—	—	—	1	—	—	—
CVII. Intemperance	11	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Privation	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Want of Breast Milk	10	—	—	2	—	—	—	—	1	1	—	—	3	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	7	—	—	—	1	—	—	1	—	—	1	—	2	—	—
Poison	5	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	40	1	—	2	—	—	—	1	4	1	—	1	6	—	—
Hanging, etc.	6	—	—	1	—	—	—	—	1	—	—	1	—	—	—
Suffocation	25	1	—	1	1	—	1	3	2	—	1	1	—	—	1
Drowning	28	1	1	—	—	—	1	—	1	2	3	3	—	—	—
Fracture and Contusion	46	—	2	5	—	—	—	2	3	3	5	7	2	4	—
Gunshot Wounds	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	9	—	—	—	—	—	—	—	1	—	2	1	1	—	—
Other Violent Causes	13	—	—	—	1	—	—	—	—	—	—	—	2	—	—
Not specified	248	2	15	30	8	—	2	3	16	3	7	14	17	—	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.—FEMALES. (Continued.)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	6	1	4	5	2	6	3	7	4	—	1	—	1	4	4	2
Apoplexy	9	3	10	15	13	20	2	17	6	8	1	—	6	11	8	9
Paralysis	17	2	15	8	16	11	4	40	4	7	1	1	9	19	6	10
Delirium Tremens . .	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—
Chorea	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Epilepsy	—	—	3	1	—	2	—	5	—	1	2	—	2	—	1	1
Tetanus	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Insanity	1	—	1	3	—	1	—	—	—	—	1	—	—	—	—	—
Convulsions	2	2	5	1	1	1	2	7	—	3	—	—	—	6	2	1
Brain Disease	6	1	1	8	7	4	4	15	3	—	—	1	5	2	—	2
Pericarditis	2	—	—	—	1	1	—	—	—	2	—	—	1	1	—	1
Aneurism	—	1	—	—	—	1	1	1	—	1	—	—	—	—	—	—
Heart Disease	22	4	20	14	40	22	15	49	13	24	8	3	14	38	19	15
Laryngitis	—	—	—	3	—	—	—	2	—	—	—	—	—	—	1	—
Bronchitis	43	13	28	19	47	73	19	68	21	25	4	3	21	60	42	38
Pleurisy	4	3	—	2	—	3	—	3	1	—	1	—	—	2	1	1
Pneumonia	20	3	13	8	19	28	11	24	9	10	1	—	6	19	17	9
Asthma	6	—	5	—	3	2	—	3	1	2	—	—	—	2	—	—
Lung Disease	2	2	1	4	1	2	—	8	—	1	—	—	—	1	—	2
Teething	4	—	—	4	6	10	1	5	—	—	2	1	1	3	1	3
Quinsey	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Gastritis	—	—	—	2	4	3	—	7	2	—	—	—	—	3	1	2
Enteritis	11	1	3	6	6	25	4	6	1	7	1	—	4	2	2	7
Peritonitis	5	—	2	2	4	8	—	8	2	2	1	—	2	2	3	3
Ascites	—	—	1	—	2	1	—	—	—	—	—	—	1	1	—	—
Ulceration of Intestines	1	1	3	1	—	1	—	1	1	2	—	—	—	5	—	1
Hernia	—	1	1	—	—	2	1	1	1	1	1	—	—	—	1	—
Ileus	1	—	3	1	1	—	—	2	1	4	—	—	1	—	—	2
Intussusception . . .	—	—	2	—	1	—	—	—	—	—	—	—	1	—	—	—
Stricture of Intestines	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Stomach Disease . . .	4	2	8	5	11	9	2	13	—	4	—	—	5	5	1	3
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	1	2	1	3	2	—	1	—	—	—	—	2	4	1	4
Jaundice	1	—	—	—	5	1	1	—	—	—	—	—	1	—	1	1
Liver Disease	4	2	3	4	—	11	2	11	4	4	—	—	2	3	1	7
Spleen Disease	—	—	—	1	1	1	—	—	—	—	—	—	—	1	—	1
Nephritis	—	—	1	—	—	—	—	3	—	1	—	—	—	1	—	—
Nephria	2	—	1	1	5	2	1	3	1	2	—	—	1	6	1	3
Addison's Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
Diabetes	1	—	3	—	2	1	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—
Stricture of Urethra .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	1	—	3	—	1	1	5	3	—	—	—	—	1	1	1
Paramenia	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Ovarian Dropsy	—	—	—	—	5	—	—	—	—	2	—	—	—	1	1	—
Childbirth	4	4	1	3	5	11	3	—	5	8	1	—	7	3	2	5
Organs of Generation .	1	1	2	3	2	3	1	3	—	1	—	—	—	—	1	1
Bone Disease	—	—	—	—	—	—	—	—	—	1	—	—	2	2	1	—
Rheumatism	1	—	2	1	1	2	—	2	1	—	—	—	1	3	—	—
Joint Disease	2	1	—	—	—	1	—	—	—	1	—	—	2	—	—	1
Carbuncle	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Intemperance	1	—	—	—	2	1	1	3	—	—	—	—	—	—	—	1
Privation	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk . .	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Poison	—	1	—	—	—	1	—	—	—	—	—	—	—	2	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	2	2	4	1	2	2	—	3	1	2	—	1	—	2	1	1
Hanging, etc. . . .	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—
Suffocation	2	1	—	—	—	1	1	3	—	—	1	—	—	—	—	4
Drowning	1	2	1	—	3	2	2	—	1	—	—	—	3	1	—	—
Fracture and Contusion .	1	—	—	1	3	1	2	—	1	—	1	—	1	1	1	—
Gunshot Wounds . . .	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—
Other Violent Causes . .	1	—	—	—	—	3	—	3	—	—	—	1	1	—	1	—
Not specified	9	1	20	6	12	19	6	11	—	5	3	—	3	17	9	7

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875.

DISEASES.	BOTH SEXES.							MALES.							FEMALES.						
	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
ALL CAUSES . . .	2394	412	442	331	645	369	195	1116	155	212	161	305	186	97	1278	257	230	170	340	183	98
SPECIFIED CAUSES . .	2094	352	433	265	525	336	183	969	129	206	132	246	166	90	1125	223	227	133	279	170	93
Zymotic Class . . .	380	39	29	132	112	36	32	166	12	12	62	51	15	14	214	27	17	70	61	21	18
Uncertain Seat . . .	89	15	19	4	23	16	12	37	4	7	1	14	7	4	52	11	12	3	9	9	8
Tubercular Class . .	217	37	46	12	58	36	28	113	12	26	8	38	16	13	104	25	20	4	20	20	15
Brain, etc.	109	13	27	11	20	25	13	55	7	11	7	6	19	5	54	6	16	4	14	6	8
Heart, etc.	76	10	16	4	15	19	12	40	3	10	2	7	11	7	36	7	6	2	8	8	5
Respiratory Organs .	256	19	84	10	76	44	23	130	12	42	5	37	22	12	126	7	42	5	39	22	11
Digestive Organs . .	120	20	24	11	26	32	7	64	11	13	4	16	14	6	56	9	11	7	10	18	1
Urinary Organs . . .	29	2	10	1	7	7	2	19	2	7	-	5	4	1	10	-	3	1	2	3	1
Generative Organs . .	31	7	4	2	8	9	1	-	-	-	-	-	-	-	31	7	4	2	8	9	1
Locomotive Organs .	20	5	2	1	8	4	-	8	-	1	-	5	2	-	12	5	1	1	3	2	-
Skin	3	-	1	-	-	1	1	2	-	-	-	-	1	1	1	-	1	-	-	-	-
Malformation	5	1	3	-	1	-	-	1	-	1	-	-	-	-	4	1	2	-	1	-	-
Premature Debility .	36	5	8	2	11	3	7	20	3	4	-	7	3	3	16	2	4	2	4	-	4
Atrophy	11	4	3	-	2	1	1	5	2	2	-	1	-	-	6	2	1	-	1	1	1
Age	637	161	138	64	145	96	33	249	51	53	33	49	47	16	388	110	85	31	96	49	17
Sudden Deaths . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths . . .	75	14	19	11	13	7	11	60	10	17	10	10	5	8	15	4	2	1	3	2	3
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	31	9	2	-	16	3	1	14	-	1	-	11	1	1	17	9	1	-	5	2	-
Scarlatina	25	-	6	-	11	4	4	14	-	3	-	6	2	3	11	-	3	-	5	2	1
Diphtheria	14	-	-	-	5	4	5	4	-	-	-	1	1	2	10	-	-	-	4	3	3
Whooping-cough . . .	79	14	-	43	14	6	2	39	6	-	22	5	4	2	40	8	-	21	9	2	-
Croup	75	3	-	59	7	3	3	32	1	-	24	4	3	-	43	2	-	35	3	-	3
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa	13	3	3	3	-	2	2	4	2	-	-	-	1	1	9	1	3	3	-	1	1
Dysentery	3	-	2	-	-	1	-	-	-	-	-	-	-	-	3	-	2	-	-	1	-
Cholera	2	-	2	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
Influenza	18	1	6	10	-	1	-	8	-	3	5	-	-	-	10	1	3	5	-	1	-
Purpura	2	1	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Typhus	60	5	-	13	41	-	1	27	2	-	10	14	-	1	33	3	-	3	27	-	-
Enteric Fever	30	3	2	-	8	5	12	11	-	-	-	7	-	4	19	3	2	-	1	5	8
Relapsing Fever . . .	3	-	3	-	-	-	-	1	-	1	-	-	-	-	2	-	2	-	-	-	-
Simple Cont. Fever . .	2	-	1	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-
Infantile Remittent .	2	-	1	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	1
Metria	4	-	-	3	1	-	-	-	-	-	-	-	-	-	4	-	-	3	1	-	-
Rheumatic Fever . . .	6	-	-	-	4	2	-	3	-	-	-	2	1	-	3	-	-	-	2	1	-
Erysipelas	8	-	-	1	2	5	-	3	-	-	1	-	2	-	5	-	-	-	2	3	-
Pyæmia	2	-	1	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	1
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Dropsy	29	8	8	2	5	5	1	6	1	2	-	2	1	-	23	7	6	2	3	4	1
Abscess	7	-	-	-	4	2	1	5	-	-	-	3	1	1	2	-	-	-	1	1	-
Ulcer	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	4	2	1	-	-	-	1	2	1	1	-	-	-	-	2	1	-	-	-	-	1
Cancer	46	4	10	2	14	9	7	22	2	4	1	9	5	1	24	2	6	1	5	4	6
Gout	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Scrofula	14	2	9	-	1	1	1	5	1	2	-	1	1	-	9	1	7	-	-	-	1
Tabes Mesenterica . .	7	-	4	-	2	-	1	3	-	1	-	1	-	1	4	-	3	-	1	-	-
Phthisis	190	35	30	12	55	32	26	100	11	20	8	36	13	12	90	24	10	4	19	19	14
Hydrocephalus	6	-	3	-	-	3	-	5	-	3	-	-	2	-	1	-	-	-	-	1	-

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1875. (Continued.)

DISEASES.	BOTH SEXES.						MALES.						FEMALES								
	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness. ^F	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
Cephalitis	9	1	4	-	2	2	-	6	1	2	-	1	2	-	3	-	2	-	1	-	-
Apoplexy	13	2	6	-	-	3	2	6	2	3	-	-	1	-	7	-	3	-	-	2	2
Paralysis	41	3	10	6	7	9	6	19	1	3	4	1	7	3	22	2	7	2	6	2	3
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	9	3	-	-	1	2	3	6	2	-	-	1	2	1	3	1	-	-	-	-	2
Tetanus	6	-	-	4	2	-	-	4	-	-	3	1	-	-	2	-	-	1	1	-	-
Insanity	3	2	-	-	1	-	-	1	1	-	-	-	-	-	2	1	-	-	1	-	-
Convulsions	12	2	3	-	4	2	1	3	-	1	-	-	2	-	9	2	2	-	4	-	1
Brain Disease	15	-	3	1	3	7	1	9	-	1	-	2	5	1	6	-	2	1	1	2	-
Pericarditis	5	1	1	1	1	1	-	2	-	-	1	-	1	-	3	1	1	-	1	-	-
Aneurism	3	-	3	-	-	-	-	2	-	2	-	-	-	-	1	-	1	-	-	-	-
Heart Disease	68	9	12	3	14	18	12	36	3	8	1	7	10	7	32	6	4	2	7	8	5
Laryngitis	4	-	-	-	1	-	3	2	-	-	-	1	-	1	2	-	-	-	-	-	2
Bronchitis	141	7	56	4	35	27	12	64	5	27	2	14	10	6	77	2	29	2	21	17	6
Pleurisy	17	-	4	1	12	-	-	15	-	4	1	10	-	-	2	-	-	-	2	-	-
Pneumonia	49	5	14	1	10	11	8	30	3	9	-	5	8	5	19	2	5	1	5	3	3
Asthma	40	7	7	4	16	6	-	17	4	1	2	6	4	-	23	3	6	2	10	2	-
Lung Disease	5	-	3	-	2	-	-	2	-	1	-	1	-	-	3	-	2	-	1	-	-
Teething	5	1	1	-	2	1	-	1	-	-	-	1	-	-	4	1	1	-	1	1	-
Quinsey	5	-	1	-	3	-	1	2	-	-	-	1	-	1	3	-	1	-	2	-	-
Gastritis	6	2	-	1	3	-	-	4	-	-	1	3	-	-	2	2	-	-	-	-	-
Enteritis	19	2	4	5	2	3	3	9	2	3	-	1	-	8	10	-	1	5	1	3	-
Peritonitis	9	1	3	-	1	4	-	6	-	2	-	1	3	-	3	1	1	-	-	1	-
Ascites	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Ulcer of Intestines	3	1	1	-	1	-	-	1	-	-	-	1	-	-	2	1	1	-	-	-	-
Hernia	2	-	1	-	-	1	-	1	-	-	-	-	1	-	1	1	1	-	-	-	-
Ileus	10	4	3	-	2	1	-	7	3	2	-	1	1	-	3	1	1	-	1	-	-
Intussusception	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Strict. of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	26	4	5	3	5	8	1	14	2	4	1	4	3	-	12	2	1	2	1	5	1
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	8	1	1	-	1	5	-	2	-	-	-	2	-	-	6	1	1	-	1	3	-
Jaundice	8	2	2	-	2	2	-	6	2	2	-	1	1	-	2	-	-	-	1	1	-
Liver Disease	17	2	2	2	3	6	2	10	2	-	2	1	3	2	7	-	2	-	2	3	-
Spleen Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Nephria	10	1	2	1	2	4	-	6	1	2	-	2	1	-	4	-	-	1	-	3	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	4	1	-	-	3	-	-	4	1	-	-	3	-	-	-	-	-	-	-	-	-
Diabetes	2	-	1	-	-	-	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-
Stone	5	-	3	-	-	2	-	5	-	3	-	-	2	-	-	-	-	-	-	-	-
Cystitis	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	6	-	3	-	1	1	1	2	-	1	-	-	1	-	4	-	2	-	1	-	1
Paramenia	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Ovarian Dropsy	4	1	1	-	1	1	-	-	-	-	-	-	-	-	4	1	1	-	1	1	-
Childbirth	23	6	2	2	6	6	1	-	-	-	-	-	-	-	23	6	2	2	6	6	1
Organs of Generation	3	-	-	-	1	2	-	-	-	-	-	-	-	-	3	-	-	-	1	2	-
Bone Disease	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Rheumatism	16	5	-	1	7	3	-	5	-	-	-	4	1	-	11	5	-	1	3	2	-
Joint Disease	3	-	2	-	-	1	-	2	-	1	-	-	1	-	1	-	1	-	-	-	-
Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	3	-	1	-	-	1	1	2	-	-	-	-	1	1	1	-	1	-	-	-	-
Intemperance	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	3	1	-	-	2	-	-	2	-	-	-	2	-	-	1	1	-	-	-	-	-
Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	7	4	1	-	2	-	-	2	2	-	-	-	-	-	5	2	1	-	2	-	-
Hanging, etc.	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Suffocation	2	1	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Drowning	49	6	15	11	5	4	8	44	6	14	10	5	3	6	5	-	1	1	-	1	2
Fracture & Contusion	9	2	2	-	2	2	1	6	1	2	-	1	2	-	3	1	-	-	1	-	1
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	3	-	-	-	2	1	-	2	-	-	-	2	-	-	1	-	-	-	-	1	-
Not specified	300	60	9	66	120	33	12	147	26	6	29	59	20	7	153	34	3	37	61	13	5

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	81767	7743	3044	5533	6798	3319	2213	1677	4202	2121	2676	2940	2582
SPECIFIED CAUSES	80360	7169	2935	5437	6708	3287	2186	1658	4136	2087	2644	2910	2556
I. Zymotic Class	16724	867	782	1814	2742	1698	1291	1030	2170	658	470	482	393
II. Diseases of Uncertain Seat	2793	45	16	29	31	24	17	14	56	38	36	31	50
III. Tubercular Class	12450	217	330	771	977	479	308	235	816	595	1293	1448	1103
IV. Brain and Nervous System	7471	466	260	405	406	176	136	82	296	267	166	110	115
V. Organs of Circulation	4537	16	9	11	7	2	6	4	48	85	109	108	118
VI. Respiratory Organs	14801	1080	843	1544	1687	621	276	177	356	136	180	233	259
VII. Organs of Digestion	5438	581	314	591	598	134	52	39	121	72	106	115	143
VIII. Urinary Organs	1352	10	2	7	20	16	16	17	50	36	55	61	53
IX. Organs of Generation	661	1	—	—	—	1	—	—	—	2	29	98	111
X. Organs of Locomotion	528	3	1	3	4	12	7	13	49	76	48	17	15
XI. Skin, etc.	94	10	10	8	10	6	2	2	2	1	—	—	1
XII. Malformation	294	249	21	7	5	2	2	3	3	—	—	1	1
XIII. Premature Debility	3789	3352	248	189	—	—	—	—	—	—	—	—	—
XIV. Atrophy	490	—	—	—	147	49	25	8	34	13	9	9	9
XV. Age	5931	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	99	11	14	1	1	—	1	1	1	—	—	1	1
XVII. Violent Deaths	2908	261	85	57	73	67	47	33	134	108	143	196	184
I. Small-pox	76	5	5	3	2	2	—	—	4	6	11	12	7
Measles	1022	14	24	189	386	151	81	52	93	11	6	5	3
Scarlatina	4720	21	47	272	636	748	663	561	1248	287	87	56	37
Diphtheria	867	20	12	54	133	125	114	92	193	46	21	9	3
Hooping-cough	2431	161	213	591	736	310	168	111	130	7	1	—	—
Croup	975	38	38	118	256	181	137	82	112	8	—	—	1
Thrush	34	22	3	5	2	1	—	—	1	—	—	—	—
Diarrhoea	2270	357	331	432	400	76	26	24	31	14	10	17	12
Dysentery	188	11	15	11	15	5	1	1	2	—	1	—	8
Cholera	116	10	13	21	18	5	—	1	4	—	1	5	2
Influenza	186	7	1	8	5	2	4	2	1	2	1	1	3
Purpura	58	5	2	2	6	1	2	1	3	3	—	5	6
Ague	3	—	—	—	—	—	—	—	—	1	—	—	—
Worms	15	—	—	—	3	3	4	1	3	—	1	—	—
Typhus	615	4	3	9	18	14	15	13	60	48	59	37	41
Enteric Fever	1625	3	6	30	61	51	52	66	224	183	213	192	128
Relapsing Fever	17	—	—	—	—	—	1	—	1	3	2	1	4
Simple Continued Fever	98	1	2	2	13	5	3	5	15	6	2	7	3
Infantile Remittent	85	5	7	9	17	10	10	9	18	—	—	—	—
Metria	389	—	—	—	—	—	—	—	—	1	18	90	93
Rheumatic Fever	174	—	—	—	1	—	—	3	16	22	25	18	24
Erysipelas	413	93	17	26	10	4	3	3	4	2	7	13	6
Pyæmia	112	9	1	1	6	1	6	1	3	7	3	8	8
Syphilis	212	80	40	27	13	2	1	—	1	—	1	6	4
Noma	6	—	1	—	1	—	—	—	2	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	17	1	1	4	4	1	—	2	1	—	—	—	—
II. Hæmorrhage	89	11	—	2	1	1	1	—	3	4	2	1	6
Dropsy	548	8	3	3	10	13	18	9	27	13	10	8	9
Abscess	220	11	7	14	13	4	4	2	17	14	13	6	16
Ulcer	60	4	3	2	1	1	3	—	3	1	—	1	—
Fistula	15	—	—	—	—	—	—	—	1	—	2	1	1
Mortification	164	8	—	5	2	3	—	—	—	3	1	2	1
Cancer	1672	3	3	3	4	2	1	3	5	3	8	12	17
Gout	25	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	704	16	26	49	67	44	29	24	68	76	83	62	34
Tabes Mesenterica	1122	83	84	151	268	127	62	36	147	58	31	16	22
Phthisis	8699	25	47	93	166	120	67	67	342	461	1179	1370	1047
Hydrocephalus	1925	93	173	478	476	188	150	108	259	—	—	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES. (Contd.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	991	26	65	105	123	52	58	29	129	156	59	32	19
Apoplexy	1740	19	18	64	54	22	19	20	38	22	25	13	23
Paralysis	2113	3	—	1	4	2	3	3	7	7	9	10	17
Delirium Tremens	55	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	14	—	—	1	1	—	1	2	1	2	2	1	—
Epilepsy	301	6	3	6	6	3	1	2	7	25	21	15	20
Tetanus	54	17	1	2	2	—	—	—	3	7	2	3	2
Insanity	61	1	—	—	—	—	—	—	—	1	—	2	4
Convulsions	1056	377	149	190	182	68	36	15	39	—	—	—	—
Brain Disease	1086	17	24	36	34	29	18	11	72	47	48	34	29
V. Pericarditis	95	—	—	3	—	—	—	2	8	10	8	4	7
Aneurism	116	—	1	—	—	—	—	—	—	—	—	1	2
Heart Disease	4326	16	8	8	7	2	6	2	40	75	101	103	109
VI. Laryngitis	161	7	6	20	20	9	11	6	10	3	1	6	5
Bronchitis	9864	846	688	1193	1241	434	160	114	191	61	57	49	99
Pleurisy	308	9	3	4	12	7	8	3	15	6	15	24	19
Pneumonia	3685	188	138	311	391	161	91	51	125	61	97	140	122
Asthma	476	1	—	—	2	—	—	—	3	—	1	—	4
Lung Disease	307	29	8	16	21	10	6	3	12	5	9	14	10
VII. Teething	845	1	57	355	385	42	3	—	2	—	—	—	—
Quinsey	80	13	10	9	13	7	3	3	4	1	3	—	1
Gastritis	227	25	12	14	17	6	5	2	8	4	2	5	2
Enteritis	1030	257	117	132	102	46	15	16	39	18	21	24	18
Peritonitis	472	33	14	20	9	8	3	7	18	12	31	29	46
Ascites	64	—	—	—	2	—	2	—	2	3	4	2	2
Ulceration of Intestines	212	3	3	2	6	1	3	1	5	4	8	11	12
Hernia	130	4	3	1	1	1	—	—	1	1	3	2	4
Ileus	242	24	9	4	3	1	1	—	4	3	8	9	7
Intussusception	64	3	16	7	3	1	2	—	2	—	3	2	1
Stricture of Intestines	38	—	—	—	—	—	—	—	1	1	1	2	—
Stomach Disease	815	103	66	40	47	15	8	4	19	15	7	7	23
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	241	15	2	—	4	2	2	2	4	2	5	6	8
Jaundice	196	76	5	2	1	1	—	1	2	—	—	5	3
Liver Disease	755	24	—	5	4	3	4	2	9	8	10	9	16
Spleen Disease	26	—	—	—	1	—	1	1	1	—	—	2	—
VIII. Nephritis	151	1	1	4	9	6	8	3	26	4	5	5	6
Nephria	460	1	—	2	3	4	5	8	16	18	26	34	21
Addison's Disease	8	—	—	—	—	—	—	—	—	1	1	2	—
Ischuria	72	1	1	—	—	2	—	—	1	—	3	2	3
Diabetes	83	—	—	—	—	—	—	—	1	5	8	5	10
Stone	68	—	—	1	1	—	—	1	—	—	1	1	1
Cystitis	109	1	—	—	—	—	—	—	1	—	4	2	3
Stricture of Urethra	13	—	—	—	—	—	—	1	—	—	—	—	—
Kidney Disease	388	6	—	—	7	4	3	4	5	8	7	10	9
IX. Paramenia	17	—	—	—	—	—	—	—	—	1	2	2	2
Ovarian Dropsy	65	—	—	—	—	—	—	—	—	—	6	5	2
Childbirth	459	—	—	—	—	—	—	—	—	—	18	85	95
Organs of Generation	120	1	—	—	—	1	—	—	—	1	3	6	12
X. Bone Disease	92	1	—	—	2	5	2	2	8	17	13	5	2
Rheumatism	213	—	—	—	—	1	—	2	4	6	7	3	4
Joint Disease	223	2	1	3	2	6	5	9	37	53	28	9	9
XI. Carbuncle	22	1	—	—	2	—	—	—	—	—	—	—	—
Phlegmon	12	—	—	1	—	3	—	1	—	—	—	—	1
Skin Disease	60	9	10	7	8	3	2	1	2	1	—	—	—
XVII. Intemperance	209	—	—	—	—	—	—	—	—	—	1	2	5
Privation	15	—	—	—	1	—	2	1	—	—	1	—	1
Want of Breast Milk	125	82	23	19	1	—	—	—	—	—	—	—	—
Neglect	4	2	1	—	—	—	—	—	—	—	—	—	—
Cold	50	1	1	—	1	1	—	—	—	—	1	3	2
Poison	42	2	—	—	2	3	—	2	1	1	3	1	—
Poisoned Wounds	3	—	—	—	—	—	1	—	—	—	—	—	—
Burns and Scalds	241	1	1	12	35	36	21	15	34	8	6	5	6
Hanging, etc.	61	—	—	—	—	—	—	—	—	1	2	4	4
Suffocation	330	149	53	17	6	2	1	1	6	3	4	8	9
Drowning	593	3	2	3	17	15	6	3	35	34	46	70	56
Fracture and Contusion	941	2	1	3	8	5	13	8	41	43	58	85	83
Gunshot Wounds	23	—	—	—	—	—	—	—	2	1	2	1	3
Cuts and Stabs	56	1	—	—	—	1	—	—	1	6	3	2	2
Other Violent Causes	215	18	3	3	2	4	3	3	14	11	16	15	13
Not specified	1407	574	109	96	90	32	27	19	66	34	32	30	26

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1875.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	40323	4316	1723	3030	3565	1704	1141	802	2137	1055	1320	1436	1192
SPECIFIED CAUSES	39588	3991	1670	2970	3519	1685	1130	797	2103	1037	1302	1418	1179
I. Zymotic Class	7072	453	419	936	1421	849	638	470	1040	307	229	191	144
II. Diseases of Uncertain Seat	1124	26	9	13	12	15	7	4	29	19	29	15	24
III. Tubercular Class	6080	127	181	444	514	248	168	128	440	261	571	703	503
IV. Brain and Nervous System	3928	291	160	241	233	94	75	43	176	150	85	61	59
V. Organs of Circulation	2208	7	7	4	2	1	4	2	26	38	54	46	53
VI. Respiratory Organs	7505	616	510	851	901	335	157	83	166	65	93	127	136
VII. Organs of Digestion	2718	324	178	328	301	72	30	19	62	35	58	50	50
VIII. Urinary Organs	827	7	2	3	12	11	10	13	28	18	24	28	32
IX. Organs of Generation	1	1	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	258	2	1	1	1	8	3	8	30	48	23	10	9
XI. Skin, etc.	56	7	6	5	8	2	2	—	—	—	—	—	—
XII. Malformation	166	143	14	1	3	1	—	2	2	—	—	—	—
XIII. Premature Debility	2075	1840	127	108	—	—	—	—	—	—	—	—	—
XIV. Atrophy	195	—	—	—	71	18	14	3	12	6	6	4	4
XV. Age	2215	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	53	5	8	—	1	—	—	1	1	—	—	1	1
XVII. Violent Deaths	2107	142	48	35	39	31	22	21	91	90	130	182	164
I. Small-pox	47	4	4	3	2	1	—	—	3	1	5	9	2
Measles	517	8	15	98	202	78	40	26	37	4	3	3	1
Scarlatina	2380	11	32	151	336	379	335	263	629	138	49	23	14
Diphtheria	420	12	7	30	67	67	56	43	84	22	11	3	1
Hooping-cough	1109	70	95	270	352	139	77	49	57	—	—	—	—
Croup	509	21	20	60	147	90	70	35	57	7	—	—	1
Thrush	21	14	1	2	2	1	—	—	1	—	—	—	—
Diarrhœa	1153	189	185	238	220	44	12	9	16	3	6	9	6
Dysentery	88	5	6	7	10	3	—	1	2	—	—	—	4
Cholera	61	1	11	9	8	2	—	—	2	—	1	3	2
Influenza	69	4	1	5	2	1	1	1	1	2	1	1	2
Purpura	40	3	2	2	5	—	2	1	3	1	—	4	2
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	3	—	—	—	1	—	1	—	1	—	—	—	—
Typhus	319	1	1	6	12	5	8	7	24	22	32	22	28
Enteric Fever	771	2	4	18	29	27	23	25	100	88	104	90	57
Relapsing Fever	8	—	—	—	—	—	1	—	1	1	—	1	1
Simple Continued Fever	44	—	—	1	6	1	1	2	7	3	—	4	2
Infantile Remittent	42	3	3	7	6	6	6	4	7	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	76	—	—	—	1	—	—	1	7	10	10	7	14
Erysipelas	214	45	9	13	3	3	1	2	1	—	5	7	3
Pyæmia	53	4	1	1	2	—	3	—	—	4	2	3	3
Syphilis	116	55	21	11	6	2	1	—	—	—	—	2	1
Noma	3	—	1	—	—	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	8	1	—	4	2	—	—	1	—	—	—	—	—
II. Hæmorrhage	48	5	—	—	1	1	—	—	2	3	1	1	5
Dropsy	216	7	2	1	4	9	4	4	13	7	6	3	4
Abscess	121	9	3	7	4	2	1	—	7	6	13	3	9
Ulcer	24	2	2	—	—	—	1	—	3	1	—	1	—
Fistula	13	—	—	—	—	—	—	—	1	—	2	1	1
Mortification	79	2	—	3	2	1	—	—	—	1	1	2	—
Cancer	604	1	2	2	1	2	1	—	3	1	6	4	5
Gout	19	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	380	10	16	28	33	23	15	13	40	43	41	38	20
Tabes Mesenterica	635	51	51	97	143	64	39	21	96	33	14	6	9
Phthisis	4026	13	31	51	83	59	35	36	163	185	516	659	474
Hydrocephalus	1039	53	83	268	255	102	79	58	141	—	—	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1875.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	1213	1189	1216	1344	1358	1458	1744	1753	1912	1728	1123	606	175	53	9	21	
SPECIFIED CAUSES . . .	1199	1174	1200	1327	1334	1431	1744	1753	1912	1728	1123	606	175	53	9	19	
Zymotic Class . . .	116	85	92	88	83	75	86	97	96	83	46	19	7	1	—	1	
Uncertain Seat . . .	23	33	48	77	99	124	119	127	107	100	33	24	5	2	—	1	
Tubercular Class . . .	425	334	267	237	175	143	107	64	27	7	4	—	—	—	—	2	
Brain, etc.	107	100	120	131	167	207	266	315	315	275	163	75	17	1	—	1	
Heart, etc.	83	115	127	139	155	187	245	296	273	203	99	35	7	—	—	—	
Respiratory Organs . . .	176	211	251	310	369	362	446	372	413	313	162	58	17	4	1	—	
Digestive Organs . . .	59	94	77	126	113	140	149	142	161	97	36	17	—	—	—	—	
Urinary Organs . . .	35	28	49	40	42	51	67	65	91	89	56	24	2	—	—	—	
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs . . .	11	8	10	7	6	10	17	10	14	13	5	3	—	—	—	—	
Skin	—	1	2	3	1	2	3	2	6	4	2	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	4	5	5	7	10	26	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	129	196	357	510	503	348	118	45	8	1	
Sudden Deaths	4	5	3	4	3	4	3	3	1	3	1	—	1	—	—	—	
Violent Deaths	156	155	149	158	111	100	107	64	51	31	13	3	1	—	—	13	
Small-pox	3	3	1	4	—	—	—	—	—	1	1	—	—	—	—	—	
Measles	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	9	3	2	3	—	2	—	—	—	—	—	—	—	—	—	1	
Diphtheria	3	1	1	1	3	2	2	—	1	2	1	—	—	—	—	—	
Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	10	6	3	11	12	10	18	34	32	38	19	17	5	1	—	—	
Dysentery	2	3	5	4	4	1	5	4	13	5	4	—	—	—	—	—	
Cholera	—	2	4	2	2	3	1	2	6	—	—	—	—	—	—	—	
Influenza	—	—	—	1	4	4	—	8	9	9	10	—	2	—	—	—	
Purpura	2	—	2	1	—	1	1	—	3	4	1	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	25	22	28	16	12	10	12	12	3	9	2	—	—	—	—	—	
Enteric Fever	39	28	26	18	23	17	19	13	12	4	4	1	—	—	—	—	
Relapsing Fever	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . . .	2	—	1	1	—	7	2	3	1	—	—	—	—	—	—	—	
Infantile Remittent . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	5	4	4	6	2	1	2	1	—	1	—	—	—	—	—	—	
Erysipelas	5	9	9	13	13	15	19	16	10	9	3	1	—	—	—	—	
Pyæmia	4	2	2	2	6	2	3	4	3	1	1	—	—	—	—	—	
Syphilis	4	2	2	4	2	—	1	—	2	—	—	—	—	—	—	—	
Noma	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	1	3	5	2	1	2	4	4	5	—	2	—	—	—	—	—	
Dropsy	2	4	6	13	12	20	18	23	19	18	10	6	—	1	—	—	
Abscess	5	3	5	8	8	7	5	7	2	5	2	—	—	—	—	—	
Ulcer	—	—	—	—	2	4	2	3	1	1	1	—	—	—	—	—	
Fistula	2	—	—	1	—	3	—	—	1	1	—	—	—	—	—	—	
Mortification	—	3	2	2	3	2	4	6	10	18	5	9	3	—	—	—	
Cancer	13	19	29	49	71	83	84	83	67	55	12	7	2	1	—	1	
Gout	—	1	1	2	2	3	2	1	2	2	1	2	—	—	—	—	
Scrofula	8	7	12	6	5	8	5	5	2	2	—	—	—	—	—	—	
Tabes Mesenterica . . .	2	3	—	1	1	2	—	1	—	1	—	—	—	—	—	—	
Phthisis	415	324	255	230	169	133	102	58	25	4	4	—	—	—	—	2	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1875.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	552	14	33	56	72	30	31	17	65	91	32	20	12
Apoplexy	868	17	8	38	27	9	12	9	29	11	9	10	8
Paralysis	990	3	—	1	3	2	2	2	2	6	2	6	12
Delirium Tremens	46	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	2	—	—	—	—	—	1	—	—	—	1	—	—
Epilepsy	165	4	3	4	6	1	1	1	5	15	13	6	10
Tetanus	42	15	1	—	2	—	—	—	3	6	2	2	1
Insanity	19	—	—	—	—	—	—	—	—	1	—	—	—
Convulsions	633	226	98	118	105	35	19	7	25	—	—	—	—
Brain Disease	611	12	17	24	18	17	9	7	47	20	26	17	15
V. Pericarditis	47	—	—	1	—	—	—	2	6	4	1	1	6
Aneurism	74	—	1	—	—	—	—	—	—	—	—	1	2
Heart Disease	2087	7	6	3	2	1	4	—	20	34	53	44	45
VI. Laryngitis	82	4	2	7	16	8	5	2	3	1	—	1	2
Bronchitis	4753	472	423	666	657	237	93	58	82	26	26	25	42
Pleurisy	190	7	2	3	6	4	5	2	12	2	11	18	12
Pneumonia	2076	114	78	168	209	80	50	21	64	35	54	75	74
Asthma	258	1	—	—	1	—	—	—	1	—	1	—	1
Lung Disease	146	18	5	7	12	6	4	—	4	1	1	8	5
VII. Teething	449	1	37	195	187	25	2	—	2	—	—	—	—
Quinsey	48	6	9	7	9	4	2	1	1	1	1	—	1
Gastritis	109	13	5	6	10	4	1	—	4	—	—	2	1
Enteritis	513	136	62	70	51	23	9	7	25	7	9	8	6
Peritonitis	215	20	8	13	5	5	3	5	8	8	19	13	9
Ascites	22	—	—	—	1	—	1	—	1	2	1	1	—
Ulceration of Intestines	103	1	1	1	3	—	1	1	3	3	3	3	6
Hernia	68	4	3	1	1	1	—	—	1	1	3	1	3
Ileus	136	13	7	2	1	1	1	—	1	3	7	6	3
Intussusception	35	1	11	5	2	—	1	—	1	—	3	1	1
Stricture of Intestines	20	—	—	—	—	—	—	—	1	1	1	—	—
Stomach Disease	375	61	31	24	29	5	4	—	7	2	3	1	9
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	114	5	2	—	2	2	1	2	2	2	4	3	2
Jaundice	106	48	2	1	—	—	—	1	1	—	—	2	1
Liver Disease	391	15	—	3	—	2	3	1	3	5	4	8	8
Spleen Disease	14	—	—	—	—	—	1	1	1	—	—	1	—
VIII. Nephritis	76	1	1	2	6	3	4	1	13	1	2	2	3
Nephria	236	—	—	1	2	3	3	6	10	7	11	14	13
Addison's Disease	7	—	—	—	—	—	—	—	—	1	1	1	—
Ischuria	62	1	1	—	—	2	—	—	1	—	2	1	2
Diabetes	39	—	—	—	—	—	—	—	—	2	2	3	7
Stone	59	—	—	—	1	—	—	1	—	—	—	1	1
Cystitis	87	—	—	—	—	—	—	—	1	—	4	1	3
Stricture of Urethra	12	—	—	—	—	—	—	1	—	—	—	—	—
Kidney Disease	249	5	—	—	3	3	3	4	3	7	2	5	3
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	1	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	45	1	—	—	—	2	2	1	4	10	6	3	—
Rheumatism	84	—	—	—	—	—	—	2	1	4	2	1	2
Joint Disease	129	1	1	1	1	6	1	5	25	34	15	6	7
XI. Carbuncle	15	—	—	—	2	—	—	—	—	—	—	—	—
Phlegmon	3	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	38	7	6	5	6	2	2	—	—	—	—	—	—
XVII. Intemperance	123	—	—	—	—	—	—	—	—	—	1	1	5
Privation	7	—	—	—	1	—	—	1	—	—	—	—	—
Want of Breast Milk	71	44	16	11	—	—	—	—	—	—	—	—	—
Neglect	3	1	1	—	—	—	—	—	—	—	—	—	—
Cold	35	1	1	—	1	1	—	—	—	—	1	2	2
Poison	25	—	—	—	2	1	—	2	—	1	2	—	—
Poisoned Wounds	3	—	—	—	—	—	1	—	—	—	—	—	—
Burns and Scalds	104	1	1	8	13	17	10	8	15	4	3	4	3
Hanging, etc.	43	—	—	—	—	—	—	—	—	1	2	2	3
Suffocation	186	77	24	12	4	1	1	1	3	2	8	8	8
Drowning	516	2	1	2	12	7	4	1	31	33	44	67	52
Fracture and Contusion	771	2	1	—	4	3	5	6	35	34	58	83	75
Gunshot Wounds	19	—	—	—	—	—	—	—	—	1	2	1	2
Cuts and Stabs	41	—	—	—	—	—	—	—	—	4	3	2	2
Other Violent Causes	160	14	3	2	2	1	1	2	9	9	12	12	12
Not specified	735	325	53	60	46	19	11	5	34	18	18	18	13

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1875.—MALES. (*Continued.*)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	15	8	8	7	10	6	7	5	5	3	1	3	1	-	-	-	
Apoplexy . . .	18	25	27	37	54	50	94	110	105	74	55	24	7	-	-	1	
Paralysis . . .	25	21	39	47	54	85	111	129	145	153	91	42	7	-	-	-	
Delirium Tremens . .	13	8	10	6	4	1	1	1	1	-	-	-	-	-	-	-	
Chorea . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy . . .	12	13	10	9	9	15	4	7	11	4	1	-	-	1	-	-	
Tetanus . . .	-	-	2	-	3	2	1	1	-	1	-	-	-	-	-	-	
Insanity . . .	2	-	3	2	3	4	-	2	1	1	-	-	-	-	-	-	
Convulsions . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Brain Disease . . .	22	25	21	23	30	44	48	60	47	39	15	6	2	-	-	-	
Pericarditis . . .	2	6	-	4	3	1	2	6	-	2	-	-	-	-	-	-	
Aneurism . . .	6	12	14	7	8	6	6	7	4	-	-	-	-	-	-	-	
Heart Disease . . .	75	97	113	128	144	180	237	283	269	201	99	35	7	-	-	-	
Laryngitis . . .	5	6	1	5	3	3	-	3	2	3	-	-	-	-	-	-	
Bronchitis . . .	52	73	97	150	185	210	268	230	268	228	118	48	14	4	1	-	
Pleurisy . . .	13	7	9	8	14	13	13	10	11	8	-	-	-	-	-	-	
Pneumonia . . .	92	107	126	108	125	101	122	85	93	49	34	9	3	-	-	-	
Asthma . . .	6	11	10	27	35	28	36	34	32	25	8	1	-	-	-	-	
Lung Disease . . .	8	7	8	12	7	7	7	10	7	-	2	-	-	-	-	-	
Teething . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Quinsey . . .	2	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	
Gastritis . . .	3	4	6	11	1	10	7	3	9	7	2	-	-	-	-	-	
Enteritis . . .	11	11	7	13	12	11	5	14	9	4	1	2	-	-	-	-	
Peritonitis . . .	5	13	8	10	9	5	20	9	12	4	3	1	-	-	-	-	
Ascites . . .	-	2	2	4	1	-	3	-	1	-	2	-	-	-	-	-	
Ulceration of Intestines	4	5	5	11	10	6	9	10	11	6	-	-	-	-	-	-	
Hernia . . .	1	2	2	5	3	6	4	6	9	7	2	2	-	-	-	-	
Ileus . . .	6	8	2	4	5	9	8	8	15	15	8	3	-	-	-	-	
Intussusception . . .	-	1	1	1	-	-	2	1	1	2	-	-	-	-	-	-	
Stricture of Intestines	-	-	1	1	2	1	4	4	2	1	1	-	-	-	-	-	
Stomach Disease . . .	6	8	8	22	19	28	27	23	34	13	8	3	-	-	-	-	
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hepatitis . . .	5	9	5	9	13	5	11	12	7	8	2	1	-	-	-	-	
Jaundice . . .	1	1	5	3	-	8	5	5	5	11	3	3	-	-	-	-	
Liver Disease . . .	15	30	24	31	37	50	41	44	43	18	4	2	-	-	-	-	
Spleen Disease . . .	-	-	-	1	1	1	2	2	2	1	-	-	-	-	-	-	
Nephritis . . .	3	1	3	3	2	2	5	5	10	1	2	-	-	-	-	-	
Nephria . . .	16	13	25	22	21	22	12	16	3	10	6	-	-	-	-	-	
Addison's Disease . .	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	
Ischuria . . .	1	2	1	1	2	-	7	7	11	8	7	4	1	-	-	-	
Diabetes . . .	3	1	1	3	4	3	4	3	1	1	1	-	-	-	-	-	
Stone . . .	-	1	1	1	1	5	7	6	10	12	6	4	1	-	-	-	
Cystitis . . .	1	1	3	1	1	5	11	10	15	22	4	4	-	-	-	-	
Stricture of Urethra .	1	2	2	1	-	-	1	1	2	-	-	1	-	-	-	-	
Kidney Disease . . .	10	6	11	8	11	14	19	17	39	35	30	11	-	-	-	-	
Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ovarian Dropsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bone Disease . . .	2	2	2	1	2	1	3	-	3	-	-	-	-	-	-	-	
Rheumatism . . .	5	1	5	4	2	7	10	9	10	13	4	2	-	-	-	-	
Joint Disease . . .	4	5	3	2	2	2	4	1	1	-	1	1	-	-	-	-	
Carbuncle . . .	-	1	-	2	1	-	1	2	2	2	2	-	-	-	-	-	
Phlegmon . . .	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	
Skin Disease . . .	-	-	2	-	-	2	2	-	2	2	-	-	-	-	-	-	
Intemperance . . .	15	25	14	21	16	7	10	4	2	2	-	-	-	-	-	-	
Privation . . .	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Neglect . . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Cold . . .	4	1	5	2	3	3	2	3	1	1	-	1	-	-	-	-	
Poison . . .	-	1	3	6	1	-	4	1	-	-	1	-	-	-	-	-	
Poisoned Wounds . . .	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
Burns and Scalds . . .	5	-	3	2	-	-	1	2	3	1	-	-	-	-	-	-	
Hanging, etc. . . .	3	4	3	2	5	3	5	5	3	-	2	-	-	-	-	-	
Suffocation . . .	12	2	2	5	3	3	5	4	5	3	-	-	-	-	-	-	
Drowning . . .	41	42	38	35	31	14	23	11	6	6	-	-	-	-	-	13	
Fracture and Contusion	57	59	63	69	43	54	44	31	21	11	10	2	1	-	-	-	
Gunshot Wounds . . .	3	3	1	1	-	2	1	1	1	-	-	-	-	-	-	-	
Cuts and Stabs . . .	3	6	2	5	2	4	3	1	3	1	-	-	-	-	-	-	
Other Violent Causes	12	12	15	8	6	9	6	1	6	6	-	-	-	-	-	-	
Not specified . . .	14	15	16	17	24	27	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1875.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.												
		AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
ALL CAUSES	41444	3427	1321	2503	3233	1615	1072	875	2065	1066	1356	1504	1390	
SPECIFIED CAUSES	40772	3178	1265	2467	3189	1602	1056	861	2033	1050	1342	1492	1377	
I. Zymotic Class	8652	414	363	878	1321	849	653	560	1130	351	241	291	249	
II. Diseases of Uncer. Seat	1669	19	7	16	19	9	10	10	27	19	7	16	26	
III. Tubercular Class	6370	90	149	327	463	231	140	107	376	334	722	745	600	
IV. Brain and Nervous Sys.	3543	175	100	164	173	82	61	39	120	117	81	49	56	
V. Organs of Circulation	2329	9	2	7	5	1	2	2	22	47	55	62	65	
VI. Respiratory Organs	7296	464	333	693	786	286	119	94	190	71	87	106	123	
VII. Organs of Digestion	2720	257	136	263	297	62	22	20	59	37	48	65	93	
VIII. Urinary Organs	525	3	—	4	8	5	6	4	22	18	31	33	21	
IX. Organs of Generation	660	—	—	—	—	1	—	—	—	2	29	98	111	
X. Organs of Locomotion	270	1	—	2	3	4	4	5	19	28	25	7	6	
XI. Skin, etc.	38	3	4	3	2	4	—	2	2	1	—	—	1	
XII. Malformation	128	106	7	6	2	1	2	1	1	—	—	1	1	
XIII. Premature Debility	1714	1512	121	81	—	—	—	—	—	—	—	—	—	
XIV. Atrophy	295	—	—	—	76	31	11	5	22	7	3	5	5	
XV. Age	3716	—	—	—	—	—	—	—	—	—	—	—	—	
XVI. Sudden Deaths	46	6	6	1	—	—	1	—	—	—	—	—	—	
XVII. Violent Deaths	801	119	37	22	34	36	25	12	43	18	13	14	20	
I. Small-pox	29	1	1	—	—	1	—	—	1	5	6	3	5	
Measles	505	6	9	91	184	73	41	26	56	7	3	2	2	
Scarlatina	2340	10	15	121	300	369	328	298	619	149	38	33	23	
Diphtheria	447	8	5	24	66	58	58	49	109	24	10	6	2	
Whooping-cough	1322	91	118	321	384	171	91	62	73	7	1	—	—	
Croup	466	17	18	58	109	91	67	47	55	1	—	—	—	
Thrush	13	8	2	3	—	—	—	—	—	—	—	—	—	
Diarrhoea	1117	168	146	194	180	32	14	15	15	11	4	8	6	
Dysentery	100	6	9	4	5	2	1	—	—	—	1	—	4	
Cholera	55	9	2	12	10	3	—	1	2	—	—	2	—	
Influenza	117	3	—	3	3	1	3	1	—	—	—	—	1	
Purpura	18	2	—	—	1	1	—	—	—	2	—	1	4	
Ague	2	—	—	—	—	—	—	—	—	1	—	—	—	
Worms	12	—	—	—	2	3	3	1	2	—	1	—	—	
Typhus	296	3	2	3	6	9	7	6	36	26	27	15	13	
Enteric Fever	854	1	2	12	32	24	29	41	124	95	109	102	71	
Relapsing Fever	9	—	—	—	—	—	—	—	—	2	2	—	3	
Simple Cont. Fever	54	1	2	1	7	4	2	3	8	3	2	3	1	
Infantile Remittent	43	2	4	2	11	4	4	5	11	—	—	—	—	
Metria	389	—	—	—	—	—	—	—	—	1	18	90	93	
Rheumatic Fever	98	—	—	—	—	—	—	2	9	12	15	11	10	
Erysipelas	199	48	8	13	7	1	2	1	3	2	2	6	3	
Pyæmia	59	5	—	—	4	1	3	1	3	3	1	5	5	
Syphilis	96	25	19	16	7	—	—	—	1	—	1	4	3	
Noma	3	—	—	—	1	—	—	—	2	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Diseases	9	—	1	—	2	1	—	1	1	—	—	—	—	
II. Hæmorrhage	41	6	—	2	—	—	1	—	1	1	1	—	1	
Dropsy	332	1	1	2	6	4	4	5	14	6	4	5	5	
Abscess	99	2	4	7	9	2	3	2	10	8	—	3	7	
Ulcer	36	2	1	2	1	1	2	—	—	—	—	—	—	
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	85	6	—	2	—	2	—	—	—	2	—	—	1	
Cancer	1068	2	1	1	3	—	—	3	2	2	2	8	12	
Gout	6	—	—	—	—	—	—	—	—	—	—	—	—	
III. Scrofula	324	6	10	21	34	21	14	11	28	33	42	24	14	
Tabes Mesenterica	487	32	33	54	125	63	23	15	51	25	17	10	13	
Phthisis	4673	12	16	42	83	61	32	31	179	276	663	711	573	
Hydrocephalus	886	40	90	210	221	86	71	50	118	—	—	—	—	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1875.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	1381	1345	1345	1253	1428	1581	1935	2016	2372	2145	1755	958	356	121	15	11
SPECIFIED CAUSES . . .	1361	1325	1323	1228	1393	1546	1935	2016	2372	2145	1755	958	356	121	15	11
Zymotic Class . . .	212	161	132	90	92	81	103	109	135	111	81	35	8	1	—	1
Uncertain Seat . . .	52	71	107	150	175	199	197	156	142	115	76	31	9	2	1	1
Tubercular Class . . .	544	432	357	240	184	120	88	60	35	16	4	3	2	1	—	—
Brain, etc.	61	89	115	119	165	219	272	309	367	327	183	68	23	7	—	2
Heart, etc.	92	122	113	124	153	211	250	293	297	223	122	38	8	2	—	2
Respiratory Organs . . .	125	173	209	260	311	369	523	518	572	428	278	128	36	10	—	4
Digestive Organs . . .	78	79	103	122	148	177	167	171	152	87	48	23	5	1	—	—
Urinary Organs . . .	30	34	42	31	37	37	39	38	38	20	15	8	1	—	—	—
Generative Organs . . .	121	121	66	33	22	10	11	12	10	4	7	2	—	—	—	—
Locomotive Organs . . .	7	10	14	19	9	10	17	25	28	16	8	2	1	—	—	—
Skin	4	—	—	—	2	3	3	—	2	1	1	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	10	5	17	9	32	57	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	212	294	556	768	910	608	257	97	14	—
Sudden Deaths . . .	—	3	4	1	9	4	2	4	4	1	—	—	—	—	—	—
Violent Deaths . . .	25	25	44	30	54	49	51	27	34	28	22	12	6	—	—	1
Small-pox	1	1	—	1	1	—	1	—	—	1	—	—	—	—	—	—
Measles	2	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—
Scarlatina	13	9	3	5	2	1	—	1	1	1	—	1	—	—	—	—
Diphtheria	5	6	3	2	3	2	1	2	3	—	1	—	—	—	—	—
Whooping-cough . . .	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Croup	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	10	11	13	12	14	23	28	37	48	63	42	20	3	—	—	—
Dysentery	1	3	4	1	1	6	9	9	16	9	4	3	2	—	—	—
Cholera	2	—	2	—	3	2	1	3	1	—	—	—	—	—	—	—
Influenza	—	—	4	2	1	3	10	17	22	12	21	6	3	1	—	—
Purpura	1	2	—	1	2	—	—	1	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	20	19	22	20	16	11	9	9	9	4	3	1	—	—	—	—
Enteric Fever	50	28	20	16	28	16	17	10	15	10	2	—	—	—	—	—
Relapsing Fever . . .	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	1	—	3	—	3	—	7	1	2	—	—	—	—	—	—	—
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	86	58	39	3	1	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	4	6	4	9	2	3	5	2	3	—	—	1	—	—	—	—
Erysipelas	5	6	7	12	7	12	12	10	14	9	6	3	—	—	—	—
Pyæmia	7	7	5	2	3	—	—	2	1	—	1	—	—	—	—	—
Syphilis	3	4	3	2	4	2	2	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. . .	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Hæmorrhage	5	1	4	1	4	4	2	1	3	3	—	—	—	—	—	—
Dropsy	9	13	15	13	24	30	40	38	38	28	13	11	3	—	—	—
Abscess	4	7	5	3	6	5	2	4	1	2	2	1	—	—	—	—
Ulcer	—	1	1	1	2	5	5	5	2	1	4	—	—	—	—	—
Fistula	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Mortification	—	1	—	3	3	1	6	4	8	15	17	11	2	1	—	—
Cancer	34	48	80	129	136	154	141	100	90	66	39	8	4	1	1	1
Gout	—	—	1	—	—	—	1	3	—	—	1	—	—	—	—	—
Scrofula	9	10	11	10	9	6	4	3	2	2	—	—	—	—	—	—
Tabes Mesenterica . . .	10	3	5	2	1	3	—	1	1	—	—	—	—	—	—	—
Phthisis	525	419	341	228	174	111	84	56	32	14	4	3	2	1	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1875.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	439	12	32	49	51	22	27	12	64	65	27	12	7
Apoplexy	872	2	10	26	27	13	7	11	9	11	16	3	15
Paralysis	1123	—	—	—	1	—	1	1	5	1	7	4	5
Delirium Tremens	9	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	12	—	—	1	1	—	—	2	1	2	1	1	—
Epilepsy	136	2	—	2	—	2	—	1	2	10	8	9	10
Tetanus	12	2	—	2	—	—	—	—	—	1	—	1	1
Insanity	42	1	—	—	—	—	—	—	—	—	—	2	4
Convulsions	423	151	51	72	77	33	17	8	14	—	—	—	—
Brain Disease	475	5	7	12	16	12	9	4	25	27	22	17	14
V. Pericarditis	48	—	—	2	—	—	—	—	2	6	7	3	1
Aneurism	42	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	2239	9	2	5	5	1	2	2	20	41	48	59	64
VI. Laryngitis	79	3	4	13	4	1	6	4	7	2	1	5	3
Bronchitis	5111	374	265	527	584	197	67	56	109	35	31	24	57
Pleurisy	118	2	1	1	6	3	3	1	3	4	4	6	7
Pneumonia	1609	74	60	143	182	81	41	30	61	26	43	65	48
Asthma	218	—	—	—	1	—	—	—	2	—	—	—	3
Lung Disease	161	11	3	9	9	4	2	3	8	4	8	6	5
VII. Teething	396	—	20	160	198	17	1	—	—	—	—	—	—
Quinsey	32	7	1	2	4	3	1	2	3	—	2	—	—
Gastritis	118	12	7	8	7	2	4	2	4	4	2	3	1
Enteritis	517	121	55	62	51	23	6	9	14	11	12	16	12
Peritonitis	257	13	6	7	4	3	—	2	10	4	12	16	37
Ascites	42	—	—	—	1	—	1	—	1	1	3	1	2
Ulceration of Intestines	109	2	2	1	3	1	2	—	2	1	5	8	6
Hernia	62	—	—	—	—	—	—	—	—	—	—	1	1
Ileus	106	11	2	2	2	—	—	—	3	—	1	3	4
Intussusception	29	2	5	2	1	1	1	—	1	—	—	1	—
Stricture of Intestines	18	—	—	—	—	—	—	—	—	—	—	2	—
Stomach Disease	440	42	35	16	18	10	4	4	12	13	4	6	14
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	127	10	—	—	2	—	1	—	2	—	1	3	6
Jaundice	90	28	3	1	1	1	—	—	1	—	—	3	2
Liver Disease	364	9	—	2	4	1	1	1	6	3	6	1	8
Spleen Disease	12	—	—	—	1	—	—	—	—	—	—	1	—
VIII. Nephritis	75	—	—	2	3	3	4	2	13	3	3	3	3
Nephria	224	1	—	1	1	1	2	2	6	11	15	20	8
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	1	—
Ischuria	10	—	—	—	—	—	—	—	—	—	1	1	1
Diabetes	44	—	—	—	—	—	—	—	1	3	6	2	3
Stone	9	—	—	1	—	—	—	—	—	—	1	—	—
Cystitis	22	1	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	139	1	—	—	4	1	—	—	2	1	5	5	6
IX. Paramenia	17	—	—	—	—	—	—	—	—	1	2	2	2
Ovarian Dropsy	65	—	—	—	—	—	—	—	—	—	6	5	2
Childbirth	459	—	—	—	—	—	—	—	—	—	18	85	95
Organs of Generation	119	—	—	—	—	1	—	—	—	1	3	6	12
X. Bone Disease	47	—	—	—	2	3	—	1	4	7	7	2	2
Rheumatism	129	—	—	—	—	1	—	—	3	2	5	2	2
Joint Disease	94	1	—	2	1	—	4	4	12	19	13	3	2
XI. Carbuncle	7	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	9	—	—	1	—	3	—	1	—	—	—	—	1
Skin Disease	22	2	4	2	2	1	—	1	2	1	—	—	—
XVII. Intemperance	86	—	—	—	—	—	—	—	—	—	—	1	—
Privation	8	—	—	—	—	—	2	—	—	—	1	—	1
Want of Breast Milk	54	38	7	8	1	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	15	—	—	—	—	—	—	—	—	—	—	1	—
Poison	17	2	—	—	—	2	—	—	1	—	1	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	137	—	—	4	22	19	11	7	19	4	3	1	3
Hanging, etc.	18	—	—	—	—	—	—	—	—	—	—	2	1
Suffocation	144	72	29	5	2	1	—	—	5	—	2	—	1
Drowning	77	1	1	1	5	8	2	2	4	1	2	3	4
Fracture and Contusion	170	—	—	3	4	2	8	2	6	9	—	2	8
Gunshot Wounds	4	—	—	—	—	—	—	—	2	—	—	—	1
Cuts and Stabs	15	1	—	—	—	1	—	—	1	2	—	—	—
Other Violent Causes	55	4	—	1	—	3	2	1	5	2	4	3	1
Not specified	672	249	56	36	44	13	16	14	32	16	14	12	13

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1875.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	9	9	4	9	4	9	5	6	—	1	3	—	—	—	—	—
Apoplexy . . .	12	23	36	37	66	89	95	99	93	87	60	19	5	1	—	—
Paralysis . . .	8	25	28	31	55	85	133	150	218	200	99	43	18	4	—	1
Delirium Tremens . . .	—	1	4	1	—	—	—	2	1	—	—	—	—	—	—	—
Chorea . . .	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—
Epilepsy . . .	10	13	14	9	13	3	8	6	9	3	2	—	—	—	—	—
Tetanus . . .	—	1	1	—	1	—	—	1	—	1	—	—	—	—	—	—
Insanity . . .	4	4	4	1	4	4	2	4	5	1	—	1	—	—	—	1
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	18	13	23	30	22	29	29	41	41	34	18	5	—	2	—	—
Pericarditis . . .	3	4	1	—	3	2	2	6	4	1	1	—	—	—	—	—
Aneurism . . .	1	3	4	5	4	2	9	5	6	2	1	—	—	—	—	—
Heart Disease . . .	88	115	108	119	146	207	239	282	287	220	120	38	8	2	—	2
Laryngitis . . .	4	5	2	2	3	2	—	3	2	2	—	1	—	—	—	—
Bronchitis . . .	51	84	123	155	208	251	364	388	445	338	232	106	31	6	—	3
Pleurisy . . .	6	7	8	10	6	5	11	7	13	1	3	—	—	—	—	—
Pneumonia . . .	51	70	62	65	62	75	100	78	78	62	32	13	4	2	—	1
Asthma . . .	4	2	11	17	22	23	33	33	29	18	10	7	1	2	—	—
Lung Disease . . .	9	5	3	11	10	13	15	9	5	7	1	1	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	1	—	2	2	1	1	—	—	—	—	—	—	—
Gastritis . . .	4	5	4	5	8	8	5	7	8	4	4	—	—	—	—	—
Enteritis . . .	12	5	8	16	10	14	11	14	10	16	5	3	—	1	—	—
Peritonitis . . .	23	17	21	12	12	17	13	11	9	4	1	2	1	—	—	—
Ascites . . .	1	1	2	1	3	6	3	6	4	2	3	—	—	—	—	—
Ulceration of Intestines . . .	7	5	5	7	8	10	9	8	8	5	4	—	—	—	—	—
Hernia . . .	1	1	3	7	8	4	7	13	7	5	3	1	—	—	—	—
Ileus . . .	—	1	5	6	10	8	11	13	7	8	3	5	1	—	—	—
Intussusception . . .	1	2	—	—	—	1	2	4	5	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	1	3	—	—	1	2	5	3	1	—	—	—	—	—	—
Stomach Disease . . .	10	13	14	24	29	38	33	39	34	14	10	3	1	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hepatitis . . .	5	4	11	11	11	15	12	11	8	7	5	1	1	—	—	—
Jaundice . . .	1	3	5	4	5	3	6	5	7	2	4	4	1	—	—	—
Liver Disease . . .	11	21	22	26	43	48	48	34	40	19	6	4	—	—	—	—
Spleen Disease . . .	2	—	—	2	1	2	2	—	1	—	—	—	—	—	—	—
Nephritis . . .	1	4	3	4	1	2	5	6	4	6	—	—	—	—	—	—
Nephria . . .	15	18	17	15	20	16	15	11	18	5	5	1	—	—	—	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	2	—	—	1	—	2	1	—	—	1	—	—	—	—
Diabetes . . .	5	4	2	3	5	4	4	2	—	—	—	—	—	—	—	—
Stone . . .	—	—	1	—	—	—	1	—	1	3	—	1	—	—	—	—
Cystitis . . .	1	2	3	—	—	3	1	1	3	—	4	1	1	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Kidney Disease . . .	8	6	14	9	11	11	13	16	10	6	6	4	—	—	—	—
Paramenia . . .	1	3	1	4	1	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	3	5	6	7	9	5	4	3	4	2	3	1	—	—	—	—
Childbirth . . .	108	101	44	6	2	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	9	12	15	16	10	5	7	9	6	2	4	1	—	—	—	—
Bone Disease . . .	3	3	3	7	1	—	—	1	—	—	—	1	—	—	—	—
Rheumatism . . .	1	3	7	7	5	7	15	20	25	14	8	1	1	—	—	—
Joint Disease . . .	3	4	4	5	3	3	2	4	3	2	—	—	—	—	—	—
Carbuncle . . .	1	—	—	—	1	2	—	—	2	—	—	—	—	—	—	—
Phlegmon . . .	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Skin Disease . . .	2	—	—	—	1	—	3	—	—	—	1	—	—	—	—	—
Intemperance . . .	9	7	15	9	14	11	12	4	1	2	1	—	—	—	—	—
Privation . . .	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	1	1	2	3	2	1	1	3	—	—	—	—	—	—
Poison . . .	—	3	3	1	1	1	1	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	2	2	1	5	4	6	3	6	6	1	6	2	—	—	—	—
Hanging, etc. . .	2	2	1	—	4	3	—	2	1	—	—	—	—	—	—	—
Suffocation . . .	—	2	5	2	6	4	4	—	2	1	1	—	—	—	—	—
Drowning . . .	4	5	8	3	8	5	5	—	—	4	—	—	—	—	—	1
Fracture and Contusion . . .	4	2	6	6	9	12	15	12	18	17	10	9	6	—	—	—
Gunshot Wounds . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	1	2	—	—	1	3	1	1	1	—	—	—	—	—	—	—
Other Violent Causes . . .	2	—	4	3	4	1	5	1	4	—	4	1	—	—	—	—
Not specified . . .	20	20	22	25	35	35	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
ALL CAUSES	30983	2999	1276	2477	3278	1569	959	702	1688	742	1017	1147	1013
SPECIFIED CAUSES	38844	2945	1263	2465	3263	1565	957	698	1681	742	1015	1146	1012
I. Zymotic Class	6567	394	367	833	1268	747	489	381	750	179	168	161	137
II. Diseases of Uncertain Seat	1007	18	8	13	14	14	7	8	36	16	17	17	22
III. Tubercular Class	5183	74	131	314	454	244	174	130	369	232	510	569	416
IV. Brain and Nervous System	2861	236	110	198	234	88	69	35	141	89	54	40	49
V. Organs of Circulation	1533	5	3	2	6	—	4	2	17	42	42	53	60
VI. Respiratory Organs	6863	471	383	751	934	356	149	100	191	55	70	109	133
VII. Organs of Digestion	1891	229	101	235	250	58	17	15	53	34	38	45	48
VIII. Urinary Organs	477	2	2	2	9	6	12	7	25	12	24	27	24
IX. Organs of Generation	237	1	—	—	—	1	—	—	—	—	13	41	37
X. Organs of Locomotion	228	3	1	2	2	7	7	3	29	39	29	9	9
XI. Skin, etc.	31	4	1	3	5	4	—	1	—	—	—	—	—
XII. Malformation	106	90	9	2	1	1	2	1	—	—	—	—	—
XIII. Premature Debility	1488	1302	100	86	—	—	—	—	—	—	—	—	—
XIV. Atrophy	213	—	—	—	63	18	13	7	21	7	4	2	4
XV. Age	1020	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	42	4	8	—	—	—	—	—	1	—	—	—	1
XVII. Violent Deaths	1097	112	39	24	23	21	14	8	48	37	46	73	72
I. Small-pox	41	2	3	2	1	1	—	—	—	4	9	7	4
Measles	541	6	11	104	222	79	41	28	42	3	2	1	1
Scarlatina	1596	4	16	74	213	273	235	190	427	80	35	21	15
Diphtheria	261	6	4	25	49	49	34	26	43	10	5	1	—
Hooping-cough	1334	62	108	315	420	191	94	63	78	2	1	—	—
Croup	336	11	14	49	95	64	44	28	30	1	—	—	—
Thrush	20	13	3	2	1	1	—	—	—	—	—	—	—
Diarrhœa	1059	192	166	215	199	38	9	13	17	9	5	8	5
Dysentery	48	4	3	7	6	1	—	—	—	—	—	—	2
Cholera	99	3	5	2	3	3	—	—	—	—	1	2	1
Influenza	28	1	—	1	2	—	—	1	1	1	—	1	2
Purpura	25	3	—	1	2	1	1	1	—	1	—	2	4
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	5	—	—	—	1	1	1	—	1	—	1	—	—
Typhus	211	—	—	—	3	3	3	1	13	11	15	17	19
Enteric Fever	509	1	4	8	25	27	21	19	68	48	76	65	44
Relapsing Fever	5	—	—	—	—	—	1	—	—	1	—	1	1
Simple Continued Fever	28	1	—	—	5	2	1	1	8	2	—	1	—
Infantile Remittent	35	1	1	1	4	8	2	6	12	—	—	—	—
Metria	93	—	—	—	—	—	—	—	—	—	4	23	21
Rheumatic Fever	54	—	—	—	1	—	—	2	3	5	8	3	11
Erysipelas	137	28	8	9	4	2	—	1	3	—	2	2	1
Pyæmia	35	6	—	—	1	—	1	—	2	1	3	3	2
Syphilis	124	50	20	14	8	2	1	—	—	—	1	3	4
Noma	4	—	1	—	1	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	9	—	—	4	2	1	—	1	1	—	—	—	—
II. Hæmorrhage	26	2	—	1	1	—	—	—	—	1	—	—	1
Dropsy	214	7	1	1	5	11	4	6	19	5	6	4	5
Abscess	100	3	6	7	7	—	1	1	11	6	6	4	8
Ulcer	28	3	—	1	—	—	1	—	3	1	—	—	—
Fistula	5	—	—	—	—	—	—	—	—	—	1	1	—
Mortification	65	1	—	2	—	2	—	—	—	1	1	2	1
Cancer	564	2	1	1	1	1	1	1	3	2	3	6	7
Gout	5	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	274	3	10	18	34	30	17	17	39	25	31	21	6
Tabes Mesenterica	484	30	33	64	129	63	34	21	63	19	11	5	3
Phthisis	3609	14	14	46	88	58	41	40	168	188	468	543	407
Hydrocephalus	816	27	74	186	203	93	82	52	99	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	417	10	26	60	74	21	25	12	54	49	17	11	9
Apoplexy	655	9	9	29	27	13	11	10	20	11	11	4	12
Paralysis	671	1	—	—	3	1	1	1	1	2	5	4	9
Delirium Tremens	21	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	4	—	—	—	1	—	1	1	—	1	—	—	—
Epilepsy	104	1	—	—	3	—	—	—	2	8	8	9	6
Tetanus	13	3	—	—	1	—	—	—	1	3	—	2	—
Insanity	22	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	539	203	64	89	101	35	20	6	21	—	—	—	—
Brain Disease	415	9	11	20	24	18	11	5	42	15	13	9	11
V. Pericarditis	35	—	—	1	—	—	—	2	3	4	4	1	4
Aneurism	55	—	—	—	—	—	—	—	—	—	—	—	2
Heart Disease	1443	5	3	1	6	—	4	—	14	38	38	52	54
VI. Laryngitis	69	2	1	7	8	4	6	3	4	1	—	4	5
Bronchitis	4781	362	310	564	689	271	92	64	109	26	25	26	56
Pleurisy	81	—	—	1	3	1	1	1	6	1	5	10	7
Pneumonia	1633	84	67	168	216	71	45	30	66	24	37	62	59
Asthma	134	—	—	—	1	—	—	—	1	—	—	—	1
Lung Disease	165	23	5	11	17	9	5	2	5	3	3	7	5
VII. Teething	380	—	22	153	182	21	1	—	1	—	—	—	—
Quinsey	25	6	3	2	3	4	1	—	3	—	—	—	—
Gastritis	59	8	4	8	7	1	2	—	3	2	—	3	1
Enteritis	375	111	39	51	34	21	5	7	17	8	5	7	5
Peritonitis	151	9	5	3	3	1	1	4	7	8	17	10	17
Ascites	21	—	—	—	1	—	—	—	1	1	—	1	1
Ulceration of Intestines	62	1	—	2	2	1	1	1	3	2	5	5	1
Hernia	47	—	—	—	1	—	—	—	—	1	1	1	1
Ileus	66	14	3	2	1	1	—	—	2	—	2	4	1
Intussusception	25	2	5	2	1	—	—	—	2	—	—	2	1
Stricture of Intestines	13	—	—	—	—	—	—	—	—	1	—	1	—
Stomach Disease	244	39	19	9	14	5	3	1	9	5	2	1	10
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	81	5	1	—	—	1	1	2	1	—	3	3	3
Jaundice	57	24	—	1	—	—	—	—	—	—	—	2	—
Liver Disease	277	10	—	2	1	2	2	—	4	6	3	3	7
Spleen Disease	7	—	—	—	—	—	—	—	—	—	—	2	—
VIII. Nephritis	69	—	1	2	5	2	7	1	15	2	2	1	2
Nephria	185	—	—	—	2	2	2	3	5	5	11	13	14
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	1	—
Ischuria	15	1	1	—	—	—	—	—	1	—	2	—	2
Diabetes	23	—	—	—	—	—	—	—	—	2	2	3	1
Stone	16	—	—	—	—	—	—	1	—	—	1	1	1
Cystitis	34	—	—	—	—	—	—	—	1	—	3	1	—
Stricture of Urethra	5	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	129	1	—	—	2	2	3	2	3	3	3	7	4
IX. Paramenia	4	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	23	—	—	—	—	—	—	—	—	—	2	4	1
Childbirth	172	—	—	—	—	—	—	—	—	—	10	35	33
Organs of Generation	38	1	—	—	—	1	—	—	—	—	1	2	3
X. Bone Disease	55	1	—	—	1	2	2	—	5	11	11	2	1
Rheumatism	71	—	—	—	—	1	—	—	3	3	5	2	3
Joint Disease	102	2	1	2	1	4	5	3	21	25	13	5	5
XI. Carbuncle	5	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	—	—	—	2	—	—	—	—	—	—	—
Skin Disease	23	4	1	3	5	2	—	1	—	—	—	—	—
XVII. Intemperance	112	—	—	—	—	—	—	—	—	—	1	2	1
Privation	7	—	—	—	1	—	—	—	—	—	1	—	1
Want of Breast Milk	60	36	12	12	—	—	—	—	—	—	—	—	—
Neglect	2	1	1	—	—	—	—	—	—	—	—	—	—
Cold	8	1	—	—	—	—	—	—	—	—	—	—	1
Poison	13	—	—	—	1	—	—	—	—	—	—	1	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	79	1	—	3	10	14	8	3	14	3	1	4	5
Hanging, etc.	17	—	—	—	—	—	—	—	—	—	1	1	1
Suffocation	148	65	24	5	3	2	—	—	3	1	—	3	5
Drowning	143	1	1	2	4	1	—	—	5	8	9	15	11
Fracture and Contusion	380	2	—	1	3	1	5	3	19	15	24	36	38
Gunshot Wounds	7	—	—	—	—	—	—	—	—	—	1	1	1
Cuts and Stabs	21	—	—	—	—	—	—	—	—	5	2	—	1
Other Violent Causes	99	5	1	1	1	3	1	2	7	5	6	10	7
Not specified	139	54	13	12	15	4	2	4	7	—	2	1	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	9	7	5	7	5	7	5	2	—	2	—	—	—	—	—	—
Apoplexy	10	21	30	42	53	55	79	68	61	47	16	5	2	—	—	—
Paralysis	10	23	25	36	44	60	105	92	109	74	42	17	6	—	—	—
Delirium Tremens	4	4	5	2	3	—	—	1	1	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	8	12	10	11	11	4	6	3	1	—	1	—	—	—	—	—
Tetanus	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Insanity	3	2	2	1	2	2	2	2	3	1	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	18	13	18	18	22	24	29	33	24	20	6	2	—	—	—	—
Pericarditis	2	1	—	2	4	1	1	3	1	1	—	—	—	—	—	—
Aneurism	5	12	9	4	7	5	5	2	3	1	—	—	—	—	—	—
Heart Disease	81	94	109	113	122	155	170	148	120	69	32	14	—	—	—	1
Laryngitis	3	7	3	2	3	2	—	2	2	—	—	—	—	—	—	—
Bronchitis	64	91	152	181	246	262	334	274	287	158	88	38	11	1	—	—
Pleurisy	6	4	3	7	5	4	6	3	4	1	2	—	—	—	—	—
Pneumonia	70	84	99	69	86	72	82	50	41	30	10	8	2	1	—	—
Asthma	6	7	7	13	25	19	19	15	13	5	2	—	—	—	—	—
Lung Disease	11	7	7	14	5	7	6	7	5	1	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—
Gastritis	2	3	4	2	3	1	3	1	—	1	—	—	—	—	—	—
Enteritis	7	3	4	9	7	8	5	8	8	4	1	1	—	—	—	—
Peritonitis	11	11	6	8	6	9	7	6	1	—	1	—	—	—	—	—
Ascites	1	2	2	4	2	2	1	1	1	—	—	—	—	—	—	—
Ulceration of Intestines	3	3	4	6	5	4	5	3	3	1	1	—	—	—	—	—
Hernia	1	—	5	8	7	5	3	5	4	2	2	—	—	—	—	—
Ileus	1	2	2	3	3	6	8	3	3	3	2	—	—	—	—	—
Intussusception	1	3	1	—	—	—	1	1	3	—	—	—	—	—	—	—
Stricture of Intestines	—	1	2	1	1	—	2	2	2	—	—	—	—	—	—	—
Stomach Disease	4	7	9	14	18	19	17	17	15	3	2	1	1	—	—	—
Pancreas Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hepatitis	5	7	8	8	6	10	8	3	2	2	2	—	—	—	—	—
Jaundice	—	—	3	4	3	2	5	3	3	3	2	2	—	—	—	—
Liver Disease	12	20	22	24	24	37	40	22	24	7	4	1	—	—	—	—
Spleen Disease	—	—	—	—	1	2	1	1	—	—	—	—	—	—	—	—
Nephritis	1	4	2	4	1	3	2	5	5	2	—	—	—	—	—	—
Nephria	19	16	17	22	16	16	5	7	6	3	1	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	1	2	—	—	—	2	1	1	—	1	—	—	—	—	—
Diabetes	1	—	2	1	3	2	4	2	—	—	—	—	—	—	—	—
Stone	—	1	1	—	1	2	2	1	2	2	—	—	—	—	—	—
Cystitis	—	1	2	—	1	4	4	2	5	7	2	1	—	—	—	—
Stricture of Urethra	—	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—
Kidney Disease	13	7	10	8	7	5	11	9	14	7	6	2	—	—	—	—
Paramenia	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	2	1	3	2	4	2	—	—	—	1	—	—	—	—	—
Childbirth	43	37	13	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	2	4	6	6	6	—	—	3	2	—	1	—	—	—	—	—
Bone Disease	3	2	4	5	1	1	—	—	2	—	—	1	—	—	—	—
Rheumatism	1	2	4	6	3	8	12	8	3	3	2	1	1	—	—	—
Joint Disease	2	4	4	1	1	—	2	—	1	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	1	1	—	2	1	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Skin Disease	2	—	2	—	1	1	—	—	—	1	—	—	—	—	—	—
Intemperance	19	17	16	19	14	5	11	4	1	1	1	—	—	—	—	—
Privation	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
Poison	—	1	3	4	1	—	2	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	1	1	2	—	2	3	1	—	—	—	—	—	—	—
Hanging, etc.	4	—	1	1	1	3	—	1	3	—	—	—	—	—	—	—
Suffocation	4	1	4	6	7	4	4	2	4	1	—	—	—	—	—	—
Drowning	17	13	15	10	15	6	5	1	2	1	—	—	—	—	—	1
Fracture and Contusion	23	27	31	24	23	24	34	14	14	12	5	1	1	—	—	—
Gunshot Wounds	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	2	1	1	1	2	2	1	1	—	—	—	—	—	—	—
Other Violent Causes	9	7	11	3	6	2	6	—	1	3	2	—	—	—	—	—
Not specified	3	4	4	3	4	6	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15272	1676	728	1322	1721	795	506	340	850	354	498	557	457
SPECIFIED CAUSES	15207	1649	722	1314	1718	792	504	339	845	354	496	557	457
I. Zymotic Class	3211	231	203	416	656	359	240	170	338	73	79	73	63
II. Diseases of Uncertain Seat	405	14	4	4	4	9	3	1	18	7	15	9	9
III. Tubercular Class	2516	38	73	184	235	128	94	74	208	98	228	265	168
IV. Brain and Nervous System	1505	151	67	115	131	46	38	20	84	49	28	22	27
V. Organs of Circulation	731	3	2	—	1	—	3	2	8	16	20	21	28
VI. Respiratory Organs	3443	276	229	398	507	194	87	46	89	26	34	63	68
VII. Organs of Digestion	907	111	61	128	133	32	11	10	29	15	25	21	14
VIII. Urinary Organs	271	2	2	1	6	3	9	5	17	9	9	15	15
IX. Organs of Generation	1	1	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	117	2	1	1	—	5	3	2	17	25	13	2	5
XI. Skin, etc.	21	4	1	3	4	2	—	—	—	—	—	—	—
XII. Malformation	63	54	6	—	1	1	—	1	—	—	—	—	—
XIII. Premature Debility	794	697	46	51	—	—	—	—	—	—	—	—	—
XIV. Atrophy	85	—	—	—	30	4	8	3	7	4	3	—	1
XV. Age	338	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	24	2	5	—	—	—	—	—	1	—	—	—	1
XVII. Violent Deaths	775	63	22	13	10	9	8	5	29	32	42	66	58
I. Small-pox	26	2	3	2	1	1	—	—	—	1	4	5	1
Measles	271	2	7	57	122	40	19	10	13	—	—	1	—
Scarlatina	781	3	12	45	114	130	108	94	201	35	18	10	5
Diphtheria	135	4	3	14	26	27	14	12	22	4	3	1	—
Hooping-cough	619	33	54	140	204	80	45	26	37	—	—	—	—
Croup	182	7	7	26	52	33	28	12	16	1	—	—	—
Thrush	13	10	1	—	1	1	—	—	—	—	—	—	—
Diarrhoea	530	108	92	104	101	22	6	5	9	2	3	6	2
Dysentery	27	4	1	5	4	1	—	—	—	—	—	—	1
Cholera	17	1	4	1	2	—	—	—	—	—	1	2	1
Influenza	12	1	—	1	—	—	—	—	1	1	—	1	1
Purpura	18	2	—	1	2	—	1	1	—	1	—	2	2
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	1	—	1	—	—	—	—	—	—
Typhus	108	—	—	—	2	1	2	1	4	5	8	10	16
Enteric Fever	233	—	3	4	11	14	12	5	26	18	36	30	23
Relapsing Fever	4	—	—	—	—	—	1	—	—	1	—	1	—
Simple Continued Fever	12	—	—	—	3	—	—	—	3	1	—	—	—
Infantile Remittent	16	—	1	1	—	5	2	3	4	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	28	—	—	—	1	—	—	—	1	2	3	1	8
Erysipelas	81	14	5	5	3	2	—	1	1	—	1	1	—
Pyæmia	19	3	—	—	—	—	—	—	—	1	2	2	2
Syphilis	71	37	9	6	6	2	1	—	—	—	—	—	1
Noma	2	—	1	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	4	—	—	4	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	19	2	—	—	1	—	—	—	—	1	—	—	1
Dropsy	86	6	1	—	1	8	1	1	10	1	4	1	3
Abscess	53	2	2	3	2	—	1	—	4	3	6	3	4
Ulcer	14	2	—	—	—	—	—	—	3	1	—	—	—
Fistula	4	—	—	—	—	—	—	—	—	—	1	—	—
Mortification	27	1	—	1	—	—	—	—	—	—	1	2	—
Cancer	199	1	1	—	—	1	1	—	1	1	3	2	1
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	146	2	8	6	14	14	10	9	24	15	16	12	4
Tabes Mesenterica	267	14	21	41	68	32	19	14	38	11	3	2	1
Phthisis	1654	7	11	27	44	28	17	25	92	72	209	251	163
Hydrocephalus	449	15	33	110	109	54	48	26	54	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875. —MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	224	6	10	31	43	12	13	7	27	27	10	6	6
Apoplexy	318	9	6	16	13	6	6	5	16	6	4	4	3
Paralysis	309	1	—	—	2	1	—	1	—	1	1	1	8
Delirium Tremens	19	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	1	—	—	—	—	—	1	—	—	—	—	—	—
Epilepsy	58	1	—	—	3	—	—	—	2	6	3	4	4
Tetanus	11	3	—	—	1	—	—	—	1	3	—	1	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	325	126	43	56	56	16	11	3	14	—	—	—	—
Brain Disease	238	5	8	12	13	11	7	4	24	6	10	6	5
V. Pericarditis	18	—	—	—	—	—	—	2	1	2	1	—	3
Aneurism	40	—	—	—	—	—	—	—	—	—	—	—	2
Heart Disease	673	3	2	—	1	—	3	—	7	14	19	21	23
VI. Laryngitis	29	1	—	4	4	4	2	—	1	—	—	1	2
Bronchitis	2261	204	184	305	365	150	54	33	51	12	11	12	23
Pleurisy	48	—	—	1	1	—	1	1	4	—	3	9	5
Pneumonia	951	57	42	82	126	35	27	12	32	13	20	38	37
Asthma	70	—	—	—	1	—	—	—	—	—	—	—	—
Lung Disease	84	14	3	6	10	5	3	—	1	1	—	3	1
VII. Teething	207	—	13	81	97	14	1	—	1	—	—	—	—
Quinsey	14	2	3	2	2	2	1	—	1	—	—	—	—
Gastritis	28	3	1	3	2	1	1	—	3	—	—	2	—
Enteritis	176	50	25	28	16	10	3	4	10	2	3	1	1
Peritonitis	67	5	3	3	2	—	1	3	4	5	12	4	3
Ascites	10	—	—	—	1	—	—	—	1	—	—	1	—
Ulceration of Intestines	25	—	—	1	1	—	—	1	2	2	3	2	—
Hernia	25	—	—	—	1	—	—	—	—	1	1	1	1
Ileus	34	7	1	2	1	1	—	—	1	—	2	2	—
Intussusception	14	1	4	2	1	—	—	—	1	—	—	1	1
Stricture of Intestines	5	—	—	—	—	—	—	—	—	1	—	—	—
Stomach Disease	94	24	10	3	9	2	1	—	2	—	1	1	4
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	41	—	1	—	—	1	1	2	1	—	2	2	—
Jaundice	29	13	—	1	—	—	—	—	—	—	—	—	—
Liver Disease	134	6	—	2	—	1	2	—	2	4	1	3	4
Spleen Disease	4	—	—	—	—	—	—	—	—	—	—	1	—
VIII. Nephritis	32	—	1	1	3	1	4	—	9	1	1	—	1
Nephria	97	—	—	—	2	1	2	2	3	3	4	8	9
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	1	—
Ischuria	12	1	1	—	—	—	—	—	1	—	1	—	2
Diabetes	10	—	—	—	—	—	—	—	—	2	—	1	1
Stone	14	—	—	—	—	—	—	1	—	—	—	1	1
Cystitis	28	—	—	—	—	—	—	—	1	—	3	1	—
Stricture of Urethra	5	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	72	1	—	—	1	1	3	2	3	3	—	3	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	1	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	28	1	—	—	—	1	2	—	3	6	5	—	—
Rheumatism	27	—	—	—	—	—	—	—	1	2	2	—	1
Joint Disease	62	1	1	1	—	4	1	2	13	17	6	2	4
XI. Carbuncle	3	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	17	4	1	3	4	2	—	—	—	—	—	—	—
XVII. Intemperance	61	—	—	—	—	—	—	—	—	—	1	1	1
Privation	2	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	34	19	10	5	—	—	—	—	—	—	—	—	—
Neglect	2	1	1	—	—	—	—	—	—	—	—	—	—
Cold	5	1	—	—	—	—	—	—	—	—	—	—	1
Poison	7	—	—	—	1	—	—	—	—	—	—	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	40	1	—	2	2	6	6	2	6	2	1	4	3
Hanging, etc.	12	—	—	—	—	—	—	—	—	—	1	1	1
Suffocation	77	34	9	4	2	1	—	—	1	1	—	3	4
Drowning	127	1	1	2	1	—	—	—	4	8	8	15	8
Fracture and Contusion	309	2	—	—	2	1	2	2	15	12	24	34	31
Gunshot Wounds	7	—	—	—	—	—	—	—	—	—	1	1	1
Cuts and Stabs	17	—	—	—	—	—	—	—	—	4	2	—	1
Other Violent Causes	74	4	1	—	1	1	—	1	3	5	4	7	7
Not specified	65	27	6	8	3	3	2	1	5	—	2	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15711	1323	548	1155	1557	774	453	362	838	388	519	590	556
SPECIFIED CAUSES	15637	1296	541	1151	1545	773	453	359	836	388	519	589	555
I. Zymotic Class	3356	163	164	417	612	388	249	211	412	106	89	88	74
II. Diseases of Uncertain Seat	602	4	4	9	10	5	4	7	18	9	2	8	13
III. Tubercular Class	2667	36	58	130	219	116	80	56	161	134	282	304	248
IV. Brain and Nervous System	1356	85	43	83	103	42	31	15	57	40	26	18	22
V. Organs of Circulation	802	2	1	2	5	—	1	—	9	26	22	32	32
VI. Respiratory Organs	3420	195	154	353	427	162	62	54	102	29	36	46	65
VII. Organs of Digestion	984	118	40	107	117	26	6	5	24	19	13	24	34
VIII. Urinary Organs	206	—	—	1	3	3	3	2	8	3	15	12	9
IX. Organs of Generation	236	—	—	—	—	1	—	—	—	—	13	41	37
X. Organs of Locomotion	111	1	—	1	2	2	4	1	12	14	16	7	4
XI. Skin, etc.	10	—	—	—	1	2	—	1	—	—	—	—	—
XII. Malformation	43	36	3	2	—	—	2	—	—	—	—	—	—
XIII. Premature Debility	694	605	54	35	—	—	—	—	—	—	—	—	—
XIV. Atrophy	128	—	—	—	33	14	5	4	14	3	1	2	3
XV. Age	682	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	18	2	3	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	322	49	17	11	13	12	6	3	19	5	4	7	14
I. Small-pox	15	—	—	—	—	—	—	—	—	3	5	2	3
Measles	270	4	4	47	100	39	22	18	29	3	2	—	1
Scarlatina	815	1	4	29	99	143	127	96	226	45	17	11	10
Diphtheria	126	2	1	11	23	22	20	14	21	6	2	—	—
Hooping-cough	715	29	54	175	216	111	49	37	41	2	1	—	—
Croup	154	4	7	23	43	31	16	14	—	—	—	—	—
Thrush	7	3	2	2	—	—	—	—	—	—	—	—	—
Diarrhoea	529	84	74	111	98	16	3	8	8	7	2	2	3
Dysentery	21	—	2	2	2	—	—	—	—	—	—	—	1
Cholera	12	2	1	1	1	3	—	—	—	—	—	—	—
Influenza	16	—	—	—	2	—	—	1	—	—	—	—	1
Purpura	7	1	—	—	—	1	—	—	—	—	—	—	2
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	3	—	—	—	—	1	—	—	1	—	1	—	—
Typhus	103	—	—	—	1	2	1	—	9	6	7	7	3
Enteric Fever	276	1	1	4	14	13	9	14	42	30	40	35	21
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	1
Simple Continued Fever	16	1	—	—	2	2	1	1	5	1	—	1	—
Infantile Remittent	19	1	—	—	4	3	—	3	8	—	—	—	—
Metria	93	—	—	—	—	—	—	—	—	—	4	23	21
Rheumatic Fever	26	—	—	—	—	—	—	2	2	3	5	2	3
Erysipelas	56	14	3	4	1	—	—	—	2	—	1	1	1
Pyæmia	16	3	—	—	1	—	1	—	2	—	1	1	—
Syphilis	53	13	11	8	2	—	—	—	—	—	1	3	3
Noma	2	—	—	—	1	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	5	—	—	—	2	1	—	1	1	—	—	—	—
II. Hæmorrhage	7	—	—	1	—	—	—	—	—	—	—	—	—
Dropsy	128	1	—	1	4	3	3	5	9	4	2	3	2
Abscess	47	1	4	4	5	—	—	1	7	3	—	1	4
Ulcer	14	1	—	1	—	—	1	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	38	—	—	1	—	2	—	—	—	1	—	—	1
Cancer	365	1	—	1	1	—	—	1	2	1	—	4	6
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	128	1	2	12	20	16	7	8	15	10	15	9	2
Tabes Mesenterica	217	16	12	23	61	31	15	7	25	8	8	3	2
Phthisis	1955	7	3	19	44	30	24	15	76	116	259	292	244
Hydrocephalus	367	12	41	76	94	39	34	26	45	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	193	4	16	29	31	9	12	5	27	22	7	5	3
Apoplexy	337	—	3	13	14	7	5	5	4	5	7	—	9
Paralysis	362	—	—	—	1	—	1	—	1	1	4	3	1
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	3	—	—	—	1	—	—	1	—	1	—	—	—
Epilepsy	46	—	—	—	—	—	—	—	—	2	5	5	2
Tetanus	2	—	—	—	—	—	—	—	—	—	—	1	—
Insanity	20	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	214	77	21	33	45	19	9	3	7	—	—	—	—
Brain Disease	177	4	3	8	11	7	4	1	18	9	3	3	6
V. Pericarditis	17	—	—	1	—	—	—	—	2	2	3	1	1
Aneurism	15	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	770	2	1	1	5	—	1	—	7	24	19	31	31
VI. Laryngitis	40	1	1	3	4	—	4	3	3	1	—	3	3
Bronchitis	2520	158	126	259	324	121	38	31	58	14	14	14	33
Pleurisy	33	—	—	—	2	1	—	—	2	1	2	1	2
Pneumonia	682	27	25	86	90	36	18	18	34	11	17	24	22
Asthma	64	—	—	—	—	—	—	—	1	—	—	—	1
Lung Disease	81	9	2	5	7	4	2	2	4	2	3	4	4
VII. Teething	173	—	9	72	85	7	—	—	—	—	—	—	—
Quinsey	11	4	—	—	1	2	—	—	2	—	—	—	—
Gastritis	31	5	3	5	5	—	1	—	—	2	—	1	1
Enteritis	199	61	14	23	18	11	2	3	7	6	2	6	4
Peritonitis	84	4	2	—	1	1	—	1	3	3	5	6	14
Ascites	11	—	—	—	—	—	—	—	—	1	—	—	1
Ulceration of Intestines	37	1	—	1	1	1	1	—	1	—	2	3	1
Hernia	22	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	32	7	2	—	—	—	—	—	1	—	—	2	1
Intussusception	11	1	1	—	—	—	—	—	1	—	—	1	—
Stricture of Intestines	8	—	—	—	—	—	—	—	—	—	—	1	—
Stomach Disease	150	15	9	6	5	3	2	1	7	5	1	—	6
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	40	5	—	—	—	—	—	—	—	—	—	—	—
Jaundice	28	11	—	—	—	—	—	—	—	—	1	1	3
Liver Disease	143	4	—	—	1	1	—	—	2	2	2	—	3
Spleen Disease	3	—	—	—	—	—	—	—	—	—	—	1	—
VIII. Nephritis	37	—	—	1	2	1	3	1	6	1	1	1	1
Nephria	88	—	—	—	—	1	—	1	2	2	7	5	5
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	—	—	1	—	—
Diabetes	13	—	—	—	—	—	—	—	—	—	2	2	—
Stone	2	—	—	—	—	—	—	—	—	—	1	—	—
Cystitis	6	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	57	—	—	—	1	1	—	—	—	—	3	4	3
IX. Paramenia	4	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	23	—	—	—	—	—	—	—	—	—	2	4	1
Childbirth	172	—	—	—	—	—	—	—	—	—	10	35	33
Organs of Generation	37	—	—	—	—	1	—	—	—	—	1	2	3
X. Bone Disease	27	—	—	—	1	1	—	—	2	5	6	2	1
Rheumatism	44	—	—	—	—	1	—	—	2	1	3	2	2
Joint Disease	40	1	—	1	1	—	4	1	8	8	7	3	1
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	2	—	—	—	—	2	—	—	—	—	—	—	—
Skin Disease	6	—	—	—	1	—	—	1	—	—	—	—	—
XVII. Intemperance	51	—	—	—	—	—	—	—	—	—	—	1	—
Privation	5	—	—	—	—	—	—	—	—	—	1	—	1
Want of Breast Milk	26	17	2	7	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	3	—	—	—	—	—	—	—	—	—	—	—	—
Poison	6	—	—	—	—	—	—	—	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	39	—	—	1	8	8	2	1	8	1	—	—	2
Hanging, etc.	5	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	71	31	15	1	1	1	—	—	2	—	—	—	1
Drowning	16	—	—	—	3	1	—	—	1	—	1	—	3
Fracture and Contusion	71	—	—	1	1	—	3	1	4	3	—	2	7
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	—	—	—	—	—	—	—	—	1	—	—	—
Other Violent Causes	25	1	—	1	—	2	1	1	4	—	2	3	—
Not specified	74	27	7	4	12	1	—	3	2	—	—	1	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	9802	946	405	785	904	435	273	236	515	238	345	330	335
SPECIFIED CAUSES	9698	908	397	773	894	435	272	233	511	237	341	329	332
I. Zymotic Class	2084	110	83	254	355	215	151	150	270	64	36	64	50
II. Diseases of Uncertain Seat	294	6	3	4	4	3	3	3	5	5	6	3	6
III. Tubercular Class	1666	39	49	128	138	80	47	26	105	85	195	160	144
IV. Brain and Nervous System	969	58	36	55	52	27	15	10	42	29	17	18	14
V. Organs of Circulation	506	1	2	3	1	—	—	—	5	7	14	8	16
VI. Respiratory Organs	1788	109	120	221	253	75	41	28	39	20	32	24	37
VII. Organs of Digestion	605	57	46	68	65	14	3	7	17	10	10	12	26
VIII. Urinary Organs	124	1	—	2	1	3	1	1	4	4	8	2	2
IX. Organs of Generation	77	—	—	—	—	—	—	—	—	—	2	14	18
X. Organs of Locomotion	53	—	—	—	1	2	—	1	5	5	2	3	—
XI. Skin, etc.	13	1	1	1	—	1	—	1	—	—	—	—	—
XII. Malformation	28	24	3	—	—	—	—	1	—	—	—	—	—
XIII. Premature Debility	525	463	35	27	—	—	—	—	—	—	—	—	—
XIV. Atrophy	70	—	—	—	17	10	4	1	1	—	1	8	1
XV. Age	561	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	19	1	2	1	—	—	—	1	—	—	—	—	—
XVII. Violent Deaths	316	38	17	9	7	5	7	3	18	8	18	18	18
I. Small-pox	1	—	—	—	—	—	—	—	—	—	—	1	—
Measles	144	2	2	28	53	24	11	10	12	1	—	—	—
Scarlatina	617	5	3	55	88	94	77	81	171	21	5	8	4
Diphtheria	102	3	2	10	14	14	12	17	20	5	—	—	—
Hooping-cough	303	26	24	67	89	44	20	18	13	1	—	—	—
Croup	96	3	3	17	28	16	12	9	8	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	286	44	36	56	53	13	7	2	3	2	—	5	—
Dysentery	35	2	3	1	4	4	1	—	—	—	—	—	2
Cholera	18	—	2	1	3	—	—	—	2	—	—	—	—
Influenza	7	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	6	1	1	—	—	—	1	—	—	—	—	—	1
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	1	—	—	1	—	—	—	—
Typhus	80	—	—	3	2	1	1	3	10	4	6	4	3
Enteric Fever	204	1	—	5	13	3	7	8	26	23	22	24	18
Relapsing Fever	2	—	—	—	—	—	—	—	—	1	—	—	1
Simple Continued Fever	9	—	—	—	1	1	—	1	—	—	—	1	—
Infantile Remittent	7	2	—	2	2	—	—	—	1	—	—	—	—
Metria	60	—	—	—	—	—	—	—	—	—	1	15	14
Rheumatic Fever	17	—	—	—	—	—	—	—	1	3	2	1	3
Erysipelas	43	10	1	6	1	—	1	1	—	—	—	2	1
Pyæmia	15	—	—	—	2	—	—	—	—	3	—	2	3
Syphilis	27	10	6	3	2	—	—	—	1	—	—	1	—
Noma	1	—	—	—	—	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	6	2	—	—	—	—	—	—	—	—	1	—	1
Dropsy	62	—	1	1	1	—	2	1	2	3	1	1	1
Abscess	31	2	—	2	2	2	1	—	2	1	2	1	2
Ulcer	3	—	2	—	—	1	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	1	—	1	—	—
Mortification	15	1	—	1	—	—	—	—	—	—	—	—	—
Cancer	170	1	—	—	1	—	—	2	—	1	1	1	2
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	76	3	2	8	10	6	1	2	2	6	7	5	7
Tabes Mesenterica	170	19	15	21	32	25	10	4	22	10	5	1	1
Phthisis	1121	2	13	15	26	17	9	5	44	69	183	154	136
Hydrocephalus	299	15	19	84	70	32	27	15	37	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1875.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	130	7	11	11	15	10	5	6	18	18	5	4	3
Apoplexy	207	—	2	10	6	5	2	1	6	—	2	3	1
Paralysis	296	—	—	—	—	—	—	1	4	1	2	4	1
Delirium Tremens	9	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy	47	—	—	3	—	—	—	—	—	1	3	1	3
Tetanus	9	2	—	1	—	—	—	—	1	1	1	—	—
Insanity	16	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	145	47	20	28	29	8	7	2	4	—	—	—	—
Brain Disease	109	2	3	2	2	4	1	—	9	7	4	5	5
V. Pericarditis	11	—	—	1	—	—	—	—	—	3	—	—	—
Aneurism	7	—	1	—	—	—	—	—	—	—	—	—	—
Heart Disease	488	1	1	2	1	—	—	—	5	4	14	8	16
VI. Laryngitis	17	1	3	3	2	1	—	—	—	—	—	—	—
Bronchitis	1169	90	97	174	178	46	21	22	18	10	11	6	18
Pleurisy	35	1	1	—	2	1	1	—	1	2	5	2	2
Pneumonia	489	16	18	42	70	27	19	6	18	8	15	15	17
Asthma	54	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	24	1	1	2	1	—	—	—	2	—	1	1	—
VII. Teething	85	—	7	45	30	2	1	—	—	—	—	—	—
Quinsey	14	1	3	4	2	—	—	1	1	—	—	—	—
Gastritis	38	6	3	2	5	3	—	—	1	2	1	1	—
Enteritis	117	19	13	10	14	3	1	3	8	4	4	—	5
Peritonitis	60	4	3	—	2	2	1	1	2	—	2	4	9
Ascites	7	—	—	—	—	—	—	—	—	1	1	—	—
Ulceration of Intestines	23	—	—	—	2	—	—	—	1	—	—	2	3
Hernia	8	1	—	—	—	1	—	—	—	—	—	—	—
Ileus	18	1	—	—	—	—	—	—	—	—	—	1	1
Intussusception	7	—	1	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	5	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	98	11	14	6	8	2	—	1	1	2	—	1	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	33	1	—	—	2	1	—	—	2	1	—	2	1
Jaundice	27	10	2	—	—	—	—	1	—	—	—	—	2
Liver Disease	63	3	—	—	—	—	—	—	—	—	2	1	2
Spleen Disease	2	—	—	—	—	—	—	—	1	—	—	—	—
VIII. Nephritis	10	—	—	1	—	1	—	—	2	—	—	—	1
Nephria	43	—	—	—	—	1	1	1	2	2	4	2	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	6	—	—	—	—	—	—	—	—	—	—	—	1
Diabetes	11	—	—	—	—	—	—	—	—	—	2	—	—
Stone	6	—	—	1	—	—	—	—	—	—	—	—	—
Cystitis	13	—	—	—	—	—	—	—	—	—	1	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	35	1	—	—	1	1	—	—	—	2	1	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	1
Childbirth	60	—	—	—	—	—	—	—	—	—	1	12	14
Organs of Generation	14	—	—	—	—	—	—	—	—	—	1	2	3
X. Bone Disease	9	—	—	—	—	1	—	—	2	—	—	—	—
Rheumatism	22	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	22	—	—	—	1	1	—	1	3	5	2	3	—
XI. Carbuncle	4	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	—	—	—	—	1	—	—	—	—	—
Skin Disease	5	1	1	1	—	1	—	—	—	—	—	—	—
XVII. Intemperance	15	—	—	—	—	—	—	—	—	—	—	—	1
Privation	3	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	9	3	5	1	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	3	—	—	—	—	—	—	—	—	—	—	—	—
Poison	6	1	—	—	—	—	—	—	1	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	31	—	1	2	7	2	4	2	4	1	1	—	1
Hanging, etc.	11	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	51	24	11	4	—	—	1	—	2	1	—	1	1
Drowning	56	2	—	—	—	1	—	—	4	3	7	4	5
Fracture and Contusion	94	—	—	1	—	2	2	1	5	2	6	9	8
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	5	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	30	7	—	1	—	—	—	—	2	1	4	2	2
Not specified	104	38	8	12	10	—	1	3	4	1	4	1	3

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4984	534	241	442	471	244	130	111	262	113	165	142	151
SPECIFIED CAUSES	4925	513	237	434	465	244	129	111	260	113	162	141	148
I. Zymotic Class	1005	51	40	139	172	132	67	68	130	27	17	20	16
II. Diseases of Uncertain Seat	126	3	2	—	3	1	1	1	1	4	6	—	3
III. Tubercular Class	818	26	26	73	81	43	23	12	56	43	79	70	68
IV. Brain and Nervous System	541	32	23	34	32	15	9	5	25	18	9	9	8
V. Organs of Circulation	275	1	2	3	1	—	—	—	2	2	5	2	7
VI. Respiratory Organs	969	62	84	123	127	36	21	16	21	7	20	12	23
VII. Organs of Digestion	303	39	27	40	35	7	3	4	9	4	3	5	7
VIII. Urinary Organs	75	1	—	1	—	2	—	—	2	2	4	1	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	18	—	—	—	1	1	—	1	2	1	1	3	—
XI. Skin, etc.	5	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	10	10	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	305	266	23	16	—	—	—	—	—	—	—	—	—
XIV. Atrophy	29	—	—	—	9	5	3	—	—	—	—	2	—
XV. Age	217	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	12	1	2	—	—	—	—	1	—	—	—	—	—
XVII. Violent Deaths	217	20	8	5	4	2	2	3	12	5	18	17	16
I. Small-pox	1	—	—	—	—	—	—	—	—	—	—	1	—
Measles	76	1	—	15	25	14	8	8	4	—	—	—	—
Scarlatina	310	2	2	29	42	52	36	33	96	7	3	4	2
Diphtheria	53	3	1	5	6	11	6	6	8	2	—	—	—
Hooping-cough	124	10	7	31	31	29	5	8	3	—	—	—	—
Croup	58	3	2	10	20	12	7	4	—	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	151	17	22	37	33	8	1	1	3	—	—	—	—
Dysentery	17	—	—	1	2	2	—	—	—	—	—	—	2
Cholera	11	—	2	—	1	—	—	—	1	—	—	—	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	4	—	1	—	—	—	1	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	40	—	—	3	2	1	—	2	3	—	4	2	2
Enteric Fever	102	1	—	4	8	3	2	4	11	15	10	10	9
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	7	—	—	—	1	—	—	1	—	—	—	1	—
Infantile Remittent	4	1	—	2	1	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	21	5	1	2	—	—	—	1	—	1	—	1	—
Pyæmia	5	—	—	—	—	—	1	—	—	2	—	—	—
Syphilis	13	7	2	—	—	—	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	1	—	—	—	—	—	—	—	—	1	—	—
Dropsy	32	—	1	—	—	—	1	1	—	3	1	—	—
Abscess	19	2	—	—	2	1	—	—	—	1	2	—	2
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	1	—	1	—	—
Mortification	7	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	58	—	—	—	1	—	—	—	—	—	1	—	1
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	38	1	—	4	7	2	—	2	1	2	3	3	6
Tabes Mesenterica	102	13	8	14	19	15	6	—	17	6	3	—	1
Phthisis	504	2	8	7	9	9	5	1	16	35	73	67	61
Hydrocephalus	174	10	10	48	46	17	12	9	22	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	69	3	6	5	8	7	4	3	9	11	2	2	2
Apoplexy	118	—	1	8	5	2	2	—	5	—	2	1	1
Paralysis	159	—	—	—	—	—	—	—	2	1	1	4	1
Delirium Tremens	7	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	22	—	—	2	—	—	—	—	—	1	2	—	1
Tetanus	8	2	—	—	—	—	—	—	1	1	1	—	—
Insanity	8	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	83	26	13	17	17	4	3	2	1	—	—	—	—
Brain Disease	67	1	3	2	2	2	—	—	7	4	1	2	3
V. Pericarditis	5	—	—	1	—	—	—	—	—	1	—	—	—
Aneurism	5	—	1	—	—	—	—	—	—	—	—	—	—
Heart Disease	265	1	1	2	1	—	—	—	2	1	5	2	7
VI. Laryngitis	11	—	1	2	2	1	—	—	—	—	—	—	—
Bronchitis	627	53	70	99	92	21	11	12	9	3	7	3	9
Pleurisy	24	—	1	—	—	—	1	—	1	1	4	2	2
Pneumonia	265	9	11	22	32	14	9	4	11	3	9	6	12
Asthma	33	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	9	—	1	—	1	—	—	—	—	—	—	1	—
VII. Teething	42	—	3	26	12	—	1	—	—	—	—	—	—
Quinsey	9	1	2	3	—	—	—	1	—	—	—	—	—
Gastritis	22	5	2	1	4	2	—	—	—	—	—	—	—
Enteritis	63	13	10	5	8	1	1	1	6	2	1	—	2
Peritonitis	29	1	2	—	2	2	1	1	1	—	1	2	2
Ascites	3	—	—	—	—	—	—	—	—	1	—	—	—
Ulceration of Intestines	7	—	—	—	2	—	—	—	—	—	—	—	—
Hernia	4	1	—	—	—	1	—	—	—	—	—	—	—
Ileus	6	1	—	—	—	—	—	—	—	—	—	1	—
Intussusception	2	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	44	7	7	4	5	—	—	—	—	—	—	—	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	16	1	—	—	2	1	—	—	1	1	—	1	—
Jaundice	13	6	1	—	—	—	—	1	—	—	—	—	—
Liver Disease	39	3	—	—	—	—	—	—	—	—	1	1	1
Spleen Disease	2	—	—	—	—	—	—	—	1	—	—	—	—
VIII. Nephritis	6	—	—	1	—	—	—	—	1	—	—	—	—
Nephria	22	—	—	—	—	1	—	—	1	—	1	1	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	5	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	3	—	—	—	—	—	—	—	—	—	1	—	—
Stone	3	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	12	—	—	—	—	—	—	—	—	—	1	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	24	1	—	—	—	1	—	—	—	2	1	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	6	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	10	—	—	—	1	1	—	1	2	1	1	3	—
XI. Carbuncle	3	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	11	—	—	—	—	—	—	—	—	—	—	—	1
Privation	3	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	3	—	3	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	13	—	1	1	4	1	1	2	1	—	1	—	—
Hanging, etc.	5	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	29	14	4	3	—	—	1	—	—	1	—	1	1
Drowning	48	1	—	—	—	1	—	—	4	2	7	4	5
Fracture and Contusion	72	—	—	—	—	—	—	1	5	1	6	9	8
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	24	5	—	1	—	—	—	—	2	1	4	2	1
Not specified	59	21	4	8	6	—	1	—	2	—	3	1	3

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	—	1	1	1	—	1	1	—	1	—	—	—	—	—	—
Apoplexy	5	2	4	2	11	6	12	14	14	8	8	5	—	—	—	—
Paralysis	9	2	9	9	9	17	17	21	24	16	11	6	—	—	—	—
Delirium Tremens	4	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	3	2	—	—	6	—	2	2	—	—	—	—	—	—	—
Tetanus	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—
Insanity	1	—	2	1	1	—	—	2	1	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	3	5	2	4	2	5	8	5	3	3	—	—	—	—	—	—
Pericarditis	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Aneurism	—	—	1	—	—	—	—	3	—	—	—	—	—	—	—	—
Heart Disease	9	18	12	15	20	20	40	35	34	29	10	1	—	—	—	—
Laryngitis	1	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	5	14	13	16	23	31	34	31	25	34	9	1	2	—	—	—
Pleurisy	1	1	3	—	2	1	1	3	—	—	—	—	—	—	—	—
Pneumonia	11	17	11	18	16	9	14	9	11	4	2	—	1	—	—	—
Asthma	1	1	1	6	2	9	5	5	—	3	—	—	—	—	—	—
Lung Disease	—	1	1	—	—	1	1	—	2	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis	—	—	2	3	—	2	1	—	—	—	—	—	—	—	—	—
Enteritis	2	3	1	3	—	1	—	1	1	1	—	—	—	—	—	—
Peritonitis	1	2	—	4	2	—	2	2	1	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Ileus	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Stomach Disease	—	1	1	4	1	4	4	2	1	1	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	1	1	—	—	—	2	2	1	—	—	1	—	—	—	—
Jaundice	—	—	2	—	—	3	—	—	—	—	—	—	—	—	—	—
Liver Disease	2	3	1	5	6	5	4	4	2	1	—	—	—	—	—	—
Spleen Disease	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—
Nephria	1	1	3	2	1	3	3	2	1	—	1	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	1	—	1	—	—	1	1	—	—	—	—	—
Diabetes	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—
Cystitis	—	—	—	1	—	1	4	3	—	2	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	1	1	—	3	3	2	1	2	3	3	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	1	—	1	1	1	1	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Intemperance	2	1	—	3	1	—	2	1	—	—	—	—	—	—	—	—
Privation	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	2	—	1	1	1	—	—	—	—	—	—	—	—	—
Suffocation	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	3	5	3	5	1	3	3	—	1	—	—	—	—	—	—	—
Fracture and Contusion	6	4	10	7	4	4	3	2	—	1	1	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	1	2	—	—	2	—	—	—	1	—	—	—	—	—	—
Not specified	1	2	1	1	3	2	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4818	412	164	343	433	191	143	125	253	125	180	188	184
SPECIFIED CAUSES	4773	395	160	339	429	191	143	122	251	124	179	188	184
I. Zymotic Class	1079	59	43	115	183	83	84	82	140	37	19	44	34
II. Diseases of Uncertain Seat	168	3	1	4	1	2	2	2	4	1	—	3	3
III. Tubercular Class	848	13	23	55	57	37	24	14	49	42	116	90	76
IV. Brain and Nervous System	428	26	13	21	20	12	6	5	17	11	8	9	6
V. Organs of Circulation	231	—	—	—	—	—	—	—	3	5	9	6	9
VI. Respiratory Organs	819	47	36	98	126	39	20	12	18	13	12	12	14
VII. Organs of Digestion	302	18	19	28	30	7	—	3	8	6	7	7	19
VIII. Urinary Organs	49	—	—	1	1	1	1	1	2	2	4	1	2
IX. Organs of Generation	77	—	—	—	—	—	—	—	—	—	2	14	18
X. Organs of Locomotion	35	—	—	—	—	1	—	—	3	4	1	—	—
XI. Skin, etc.	8	—	1	1	—	1	—	1	—	—	—	—	—
XII. Malformation	18	14	3	—	—	—	—	1	—	—	—	—	—
XIII. Premature Debility	220	197	12	11	—	—	—	—	—	—	—	—	—
XIV. Atrophy	41	—	—	—	8	5	1	1	1	—	1	1	1
XV. Age	344	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	7	—	—	1	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	99	18	9	4	3	3	5	—	6	3	—	1	2
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	68	1	2	13	28	10	3	2	8	1	—	—	—
Scarlatina	307	3	1	26	46	42	41	48	75	14	2	4	2
Diphtheria	49	—	1	5	8	3	6	11	12	3	—	—	—
Hooping-cough	179	16	17	36	58	15	15	10	10	1	—	—	—
Croup	38	—	1	7	8	4	5	5	8	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	135	27	14	19	20	5	6	1	—	2	—	5	—
Dysentery	18	2	3	—	2	2	1	—	—	—	—	—	—
Cholera	7	—	—	1	2	—	—	—	1	—	—	—	—
Influenza	5	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	1	—	—	—	—	—	—	—	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	40	—	—	—	—	—	1	1	7	4	2	2	1
Enteric Fever	102	—	—	1	5	—	5	4	15	8	12	14	9
Relapsing Fever	2	—	—	—	—	—	—	—	—	1	—	—	1
Simple Continued Fever	2	—	—	—	—	1	—	—	—	—	—	—	—
Infantile Remittent	3	1	—	—	1	—	—	—	1	—	—	—	—
Metria	60	—	—	—	—	—	—	—	—	—	1	15	14
Rheumatic Fever	14	—	—	—	—	—	—	—	1	2	2	1	2
Erysipelas	22	5	—	4	1	—	1	—	—	—	—	1	1
Pyæmia	10	—	—	—	2	—	—	—	—	1	—	2	3
Syphilis	14	3	4	3	2	—	—	—	1	—	—	—	—
Noma	1	—	—	—	—	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	1	—	—	—	—	—	—	—	—	—	—	1
Dropsy	30	—	—	1	1	—	1	—	2	—	—	1	1
Abscess	12	—	—	2	—	1	1	—	2	—	—	1	—
Ulcer	2	—	1	—	—	1	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	8	1	—	1	—	—	—	—	—	—	—	—	—
Cancer	112	1	—	—	—	—	—	2	—	1	—	1	1
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	38	2	2	4	3	4	1	—	1	4	4	2	1
Tabes Mesenterica	68	6	7	7	13	10	4	4	5	4	2	1	—
Phthisis	617	—	5	8	17	8	4	4	28	34	110	87	75
Hydrocephalus	125	5	9	36	24	15	15	6	15	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—FEMALES. (*Continued.*)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	61	4	5	6	7	3	1	3	9	7	3	2	1
Apoplexy	89	—	1	2	1	3	—	1	1	—	—	2	—
Paralysis	137	—	—	—	—	—	—	1	2	—	1	—	—
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy	25	—	—	1	—	—	—	—	—	—	1	1	2
Tetanus	1	—	—	1	—	—	—	—	—	—	—	—	—
Insanity	8	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	62	21	7	11	12	4	4	—	3	—	—	—	—
Brain Disease	42	1	—	—	—	2	1	—	2	3	3	3	2
V. Pericarditis	6	—	—	—	—	—	—	—	—	2	—	—	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	223	—	—	—	—	—	—	—	3	3	9	6	9
VI. Laryngitis	6	1	2	1	—	—	—	—	—	—	—	—	—
Bronchitis	542	37	27	75	86	25	10	10	9	7	4	3	9
Pleurisy	11	1	—	—	2	1	—	—	—	1	1	—	—
Pneumonia	224	7	7	20	38	13	10	2	7	5	6	9	5
Asthma	21	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	15	1	—	2	—	—	—	—	2	—	1	—	—
VII. Teething	43	—	4	19	18	2	—	—	—	—	—	—	—
Quinsey	5	—	1	1	2	—	—	—	1	—	—	—	—
Gastritis	16	1	1	1	1	1	—	—	1	2	1	1	—
Enteritis	54	6	3	5	6	2	—	2	2	2	3	—	3
Peritonitis	31	3	1	—	—	—	—	—	1	—	1	2	7
Ascites	4	—	—	—	—	—	—	—	—	—	1	—	—
Ulceration of Intestines	16	—	—	—	—	—	—	—	1	—	—	2	3
Hernia	4	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	12	—	—	—	—	—	—	—	—	—	—	—	1
Intussusception	5	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	54	4	7	2	3	2	—	1	1	2	—	1	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	17	—	—	—	—	—	—	—	1	—	—	1	1
Jaundice	14	4	1	—	—	—	—	—	—	—	—	—	2
Liver Disease	24	—	—	—	—	—	—	—	—	—	1	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	4	—	—	—	—	1	—	—	1	—	—	—	1
Nephria	21	—	—	—	—	—	1	1	1	2	3	1	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	1
Diabetes	8	—	—	—	—	—	—	—	—	—	1	—	—
Stone	3	—	—	1	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	11	—	—	—	1	—	—	—	—	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	1
Childbirth	60	—	—	—	—	—	—	—	—	—	1	12	14
Organs of Generation	14	—	—	—	—	—	—	—	—	—	1	2	3
X. Bone Disease	7	—	—	—	—	1	—	—	2	—	—	—	—
Rheumatism	16	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	12	—	—	—	—	—	—	—	1	4	1	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	—	—	—	—	1	—	—	—	—	—
Skin Disease	3	—	1	1	—	1	—	—	—	—	—	—	—
XVII. Intemperance	4	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	6	3	2	1	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	1	—	—	—	—	—	—	1	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	18	—	—	1	3	1	3	—	3	1	—	—	1
Hanging, etc.	6	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	22	10	7	1	—	—	—	—	2	—	—	—	—
Drowning	8	1	—	—	—	—	—	—	—	1	—	—	—
Fracture and Contusion	22	—	—	1	—	2	2	—	—	1	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	6	2	—	—	—	—	—	—	—	—	—	—	1
Not specified	45	17	4	4	4	—	—	3	2	1	1	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	3	1	—	1	—	3	—	1	—	—	1	—	—	—	—	—	
Apoplexy	—	2	8	3	5	9	17	12	8	7	5	2	—	—	—	—	
Paralysis	1	2	2	3	11	11	22	20	17	27	6	8	2	—	—	1	
Delirium Tremens	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	2	5	4	1	2	—	2	2	1	1	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	1	1	1	—	—	—	—	2	—	—	—	—	—	—	—	1	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	2	3	5	1	4	—	5	5	—	—	—	—	—	—	—	
Pericarditis	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	10	14	14	9	14	22	21	24	30	17	13	2	1	1	—	1	
Laryngitis	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	7	8	6	15	19	24	41	34	34	27	14	7	2	1	—	1	
Pleurisy	1	—	—	1	—	1	—	1	—	1	—	—	—	—	—	—	
Pneumonia	8	11	7	9	8	6	13	9	13	7	2	1	—	—	—	1	
Asthma	1	—	2	2	—	1	9	2	3	—	—	1	—	—	—	—	
Lung Disease	4	—	—	1	3	—	1	—	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	1	1	1	—	1	—	1	1	—	—	—	—	—	—	—	
Enteritis	2	1	2	4	1	4	1	—	—	3	2	—	—	—	—	—	
Peritonitis	4	3	2	1	2	1	1	1	—	—	—	1	—	—	—	—	
Ascites	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	1	—	—	—	1	3	3	1	1	—	—	—	—	—	—	—	
Hernia	—	—	—	1	—	1	—	—	1	1	—	—	—	—	—	—	
Ileus	—	—	—	1	—	3	1	3	1	1	—	1	—	—	—	—	
Intussusception	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	
Stomach Disease	2	—	1	1	1	7	2	6	8	—	1	1	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	1	1	—	3	—	2	1	4	—	1	1	—	—	—	—	—	
Jaundice	—	—	2	—	—	2	1	—	—	2	—	—	—	—	—	—	
Liver Disease	—	3	2	—	5	2	1	7	2	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Nephria	2	—	—	1	1	3	2	1	1	1	—	—	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	2	1	1	1	—	1	1	—	—	—	—	—	—	—	—	—	
Stone	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	1	2	—	2	1	1	1	1	—	1	—	—	—	—	—	
Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	16	12	4	1	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	1	1	—	2	—	—	2	2	—	—	—	—	—	—	—	—	
Bone Disease	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	1	—	—	—	2	2	3	5	—	3	—	—	—	—	—	
Joint Disease	1	—	—	2	1	1	—	1	—	—	—	—	—	—	—	—	
Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	
Poison	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	2	—	1	—	1	—	—	1	—	—	—	—	—	
Hanging, etc.	—	—	—	—	3	1	—	1	—	—	—	—	—	—	—	—	
Suffocation	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Drowning	—	—	2	2	1	1	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	2	—	1	—	1	2	1	2	2	2	3	—	—	—	—	—	
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	
Not specified	—	1	1	2	2	3	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	18285	1778	693	1267	1460	687	496	396	1025	559	618	669	553
SPECIFIED CAUSES	17956	1630	667	1241	1440	681	486	391	1015	553	608	666	548
I. Zymotic Class	4128	177	166	422	637	400	324	274	588	192	111	131	105
II. Diseases of Uncertain Seat	607	5	4	7	8	1	2	2	7	8	8	6	10
III. Tubercular Class	2788	60	87	205	211	83	47	42	191	159	299	332	229
IV. Brain and Nervous System	1629	70	51	89	66	36	34	20	58	65	36	28	19
V. Organs of Circulation	1077	6	1	1	—	1	—	1	20	23	28	13	17
VI. Respiratory Organs	2851	231	184	293	293	93	45	25	68	27	36	48	48
VII. Organs of Digestion	1327	143	87	158	166	31	13	5	28	10	27	26	36
VIII. Urinary Organs	316	5	—	1	7	5	2	4	13	12	16	17	16
IX. Organs of Generation	129	—	—	—	—	—	—	—	—	1	5	18	24
X. Organs of Locomotion	113	—	—	1	—	1	—	5	9	24	9	3	3
XI. Skin, etc.	23	4	5	3	1	—	1	—	—	1	—	—	—
XII. Malformation	79	68	6	3	—	1	—	—	—	—	—	1	—
XIII. Premature Debility	901	798	60	43	—	—	—	—	—	—	—	—	—
XIV. Atrophy	103	—	—	—	35	10	6	—	8	4	1	—	2
XV. Age	1187	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	21	3	3	—	—	—	1	—	—	—	—	—	—
XVII. Violent Deaths	677	60	13	15	16	19	11	13	25	27	32	43	39
I. Small-pox	21	2	2	1	1	—	—	—	3	2	2	2	2
Measles	149	2	4	30	61	23	12	8	6	2	—	—	—
Scarlatina	1380	5	15	80	201	222	195	172	348	90	21	10	6
Diphtheria	221	3	2	11	39	30	27	21	59	11	4	3	2
Hooping-cough	419	34	41	115	127	38	22	14	27	—	—	—	—
Croup	244	7	2	31	68	47	35	18	31	3	—	—	—
Thrush	4	2	—	2	—	—	—	—	—	—	—	—	—
Diarrhoea	488	73	76	93	86	14	5	7	4	1	2	2	4
Dysentery	47	—	3	3	2	—	—	—	1	—	—	—	2
Cholera	35	4	2	15	7	1	—	—	2	—	—	—	—
Influenza	54	—	—	1	1	—	—	1	—	—	—	—	1
Purpura	11	—	1	1	1	—	—	—	1	—	—	1	—
Ague	1	—	—	—	—	—	—	—	—	1	—	—	—
Worms	3	—	—	—	1	—	—	1	1	—	—	—	—
Typhus	157	4	2	5	7	6	5	5	18	18	13	7	11
Enteric Fever	487	—	2	12	16	13	14	21	77	52	53	58	35
Relapsing Fever	4	—	—	—	—	—	—	—	1	1	—	—	—
Simple Continued Fever	31	—	—	2	3	1	1	2	4	3	2	1	1
Infantile Remittent	26	1	3	4	7	2	4	3	2	—	—	—	—
Metria	124	—	—	—	—	—	—	—	—	1	5	32	31
Rheumatic Fever	40	—	—	—	—	—	—	—	2	3	7	7	7
Erysipelas	109	26	5	7	4	2	1	—	—	1	2	4	1
Pyæmia	36	1	—	1	3	1	3	1	1	1	—	2	2
Syphilis	36	13	6	8	1	—	—	—	—	—	—	2	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	—	1	—	—	—	—	—	—	—	—
II. Hæmorrhage	21	3	—	1	—	—	—	—	1	1	1	1	—
Dropsy	114	—	1	1	2	1	1	2	4	3	2	2	2
Abscess	35	2	1	3	3	—	—	—	1	4	2	—	2
Ulcer	10	—	—	1	1	—	1	—	—	—	—	1	—
Fistula	4	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	35	—	—	—	1	—	—	—	—	—	—	—	—
Cancer	378	—	2	1	1	—	—	—	1	—	3	2	5
Gout	10	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	158	5	10	14	11	3	4	1	14	23	24	13	4
Tabes Mesenterica	265	17	16	47	63	20	15	5	33	19	9	5	8
Phthisis	1901	6	8	19	26	22	9	14	80	117	266	314	217
Hydrocephalus	464	32	53	125	111	38	19	22	64	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	225	5	14	17	20	13	18	7	29	37	14	10	4
Apoplexy	404	6	4	16	10	1	4	5	4	6	4	3	5
Paralysis	452	—	—	1	1	1	1	1	1	1	—	—	—
Delirium Tremens	15	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	5	—	—	1	—	—	—	—	1	—	1	1	—
Epilepsy	64	4	—	2	1	1	—	—	4	6	4	3	3
Tetanus	8	1	—	1	—	—	—	—	—	1	1	1	—
Insanity	4	—	—	—	—	—	—	—	—	1	—	—	—
Convulsions	186	51	29	40	31	18	7	2	8	—	—	—	—
Brain Disease	266	3	4	11	3	2	4	5	11	13	12	10	7
V. Pericarditis	12	—	—	—	—	—	—	—	1	2	1	1	1
Aneurism	26	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	1039	6	1	1	—	1	—	1	19	21	27	12	16
VI. Laryngitis	34	—	1	5	7	2	4	1	3	—	1	1	—
Bronchitis	1853	180	150	230	215	55	21	14	38	10	9	7	17
Pleurisy	87	2	—	—	4	1	5	1	4	1	3	7	3
Pneumonia	728	46	33	55	66	35	14	8	19	14	19	30	23
Asthma	96	1	—	—	—	—	—	—	1	—	1	—	2
Lung Disease	53	2	—	3	1	—	1	1	3	2	3	3	3
VII. Teething	230	1	16	96	106	9	1	—	1	—	—	—	—
Quinsey	13	2	—	1	4	1	1	1	—	—	1	—	1
Gastritis	47	3	2	—	3	—	1	2	2	—	—	1	—
Enteritis	271	66	32	36	35	12	3	1	8	1	7	8	4
Peritonitis	104	5	4	10	2	3	—	—	4	1	5	5	8
Ascites	18	—	—	—	1	—	—	—	1	1	2	—	—
Ulceration of Intestines	51	1	2	—	2	—	—	—	—	1	1	2	5
Hernia	32	—	1	—	—	—	—	—	—	—	1	1	2
Ileus	51	5	2	1	—	—	1	—	—	1	5	—	3
Intussusception	15	1	8	—	1	1	—	—	—	—	1	—	—
Stricture of Intestines	9	—	—	—	—	—	—	—	1	—	—	—	—
Stomach Disease	207	35	17	13	9	5	2	1	6	4	3	4	6
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	41	1	1	—	1	—	1	—	—	—	—	1	3
Jaundice	50	15	2	—	1	—	—	—	1	—	—	1	1
Liver Disease	180	8	—	1	1	—	2	—	4	1	1	3	3
Spleen Disease	8	—	—	—	—	—	1	—	—	—	—	—	—
VIII. Nephritis	37	1	—	—	3	2	1	1	5	1	3	2	2
Nephria	120	1	—	1	1	1	1	2	6	9	9	10	5
Addison's Disease	4	—	—	—	—	—	—	—	—	1	—	1	—
Ischuria	15	—	—	—	—	1	—	—	—	—	1	2	—
Diabetes	18	—	—	—	—	—	—	—	—	1	1	—	6
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	25	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	2	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	90	3	—	—	3	1	—	1	2	—	2	2	2
IX. Paramenia	7	—	—	—	—	—	—	—	—	1	1	1	1
Ovarian Dropsy	15	—	—	—	—	—	—	—	—	—	2	1	—
Childbirth	80	—	—	—	—	—	—	—	—	—	2	15	22
Organs of Generation	27	—	—	—	—	—	—	—	—	—	—	1	1
X. Bone Disease	10	—	—	—	—	1	—	2	—	3	1	1	—
Rheumatism	46	—	—	—	—	—	—	1	—	2	2	1	—
Joint Disease	57	—	—	1	—	—	—	2	9	19	6	1	3
XI. Carbuncle	4	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	18	3	5	2	1	—	1	—	—	1	—	—	—
XVII. Intemperance	42	—	—	—	—	—	—	—	—	—	—	—	1
Privation	2	—	—	—	—	—	—	1	—	—	—	—	—
Want of Breast Milk	37	27	3	6	1	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	9	—	—	—	—	—	—	—	—	—	—	2	1
Poison	12	1	—	—	1	2	—	2	—	1	1	—	—
Poisoned Wounds	2	—	—	—	—	—	1	—	—	—	—	—	—
Burns and Scalds	63	—	—	5	4	9	3	5	5	2	3	—	—
Hanging, etc.	9	—	—	—	—	—	—	—	—	—	1	1	1
Suffocation	62	32	8	3	2	—	—	—	—	1	—	1	—
Drowning	163	—	1	1	5	6	2	2	11	10	11	17	20
Fracture and Contusion	229	—	—	—	3	1	3	3	8	10	14	20	14
Gunshot Wounds	4	—	—	—	—	—	—	—	1	—	—	—	1
Cuts and Stabs	12	—	—	—	—	—	—	—	—	—	1	1	—
Other Violent Causes	31	—	1	—	—	1	2	—	—	3	1	1	1
Not specified	329	148	26	26	20	6	10	5	10	6	10	3	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	7	3	3	5	6	4	1	5	1	—	1	1	—	—	—	—	
Apoplexy . . .	12	12	7	16	22	29	40	59	56	35	33	10	5	—	—	—	
Paralysis . . .	5	4	11	14	25	42	44	59	90	85	46	13	3	4	—	—	
Delirium Tremens . .	3	3	5	2	1	—	1	—	—	—	—	—	—	—	—	—	
Chorea . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . .	7	2	5	2	5	3	1	2	6	2	1	—	—	—	—	—	
Tetanus . . .	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	
Insanity . . .	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . .	9	9	6	16	12	17	20	27	29	22	10	3	1	—	—	—	
Pericarditis . . .	1	1	—	—	—	1	1	1	1	—	—	—	—	—	—	—	
Aneurism . . .	1	1	6	3	1	2	4	5	2	—	1	—	—	—	—	—	
Heart Disease . . .	31	40	45	51	67	83	97	168	146	116	66	22	2	—	—	—	
Laryngitis . . .	4	—	—	1	—	1	—	—	1	1	—	1	—	—	—	—	
Bronchitis . . .	15	22	24	52	66	80	111	130	128	135	75	49	17	2	—	1	
Pleurisy . . .	4	7	7	4	6	7	8	6	6	1	—	—	—	—	—	—	
Pneumonia . . .	21	31	26	29	34	38	48	46	47	28	15	2	1	—	—	—	
Asthma . . .	—	3	3	9	20	4	14	13	14	6	4	—	1	—	—	—	
Lung Disease . . .	1	2	—	3	4	6	7	4	1	1	1	1	—	—	—	—	
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . .	2	4	—	5	3	2	2	2	7	3	3	—	—	—	—	—	
Enteritis . . .	3	3	6	6	6	6	6	9	4	8	1	—	—	—	—	—	
Peritonitis . . .	7	4	9	5	1	6	11	6	4	3	1	—	—	—	—	—	
Ascites . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	4	3	2	4	6	3	1	5	6	2	1	—	—	—	—	—	
Hernia . . .	1	1	—	—	4	—	4	7	3	6	—	1	—	—	—	—	
Ileus . . .	3	3	2	2	3	2	4	4	2	2	3	3	—	—	—	—	
Intussusception . . .	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	2	1	2	2	—	1	—	—	—	—	—	
Stomach Disease . . .	6	6	5	10	14	11	15	9	14	8	2	2	—	—	—	—	
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . .	1	2	—	3	1	3	5	8	3	5	2	—	—	—	—	—	
Jaundice . . .	1	3	1	3	2	1	3	7	2	1	2	2	1	—	—	—	
Liver Disease . . .	9	13	11	10	22	34	16	14	12	13	1	1	—	—	—	—	
Spleen Disease . . .	—	—	—	1	1	1	2	—	2	—	—	—	—	—	—	—	
Nephritis . . .	1	1	2	2	2	—	2	3	2	1	—	—	—	—	—	—	
Nephria . . .	6	5	12	7	15	4	5	7	2	7	3	1	—	—	—	—	
Addison's Disease . .	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Ischuria . . .	—	—	—	1	—	—	1	4	2	1	1	1	—	—	—	—	
Diabetes . . .	1	1	—	—	3	—	2	2	1	—	—	—	—	—	—	—	
Stone . . .	—	—	—	—	—	1	2	1	—	1	—	—	—	—	—	—	
Cystitis . . .	2	1	2	—	—	1	2	4	4	7	—	1	—	—	—	—	
Stricture of Urethra . .	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Kidney Disease . . .	3	—	3	4	5	7	12	6	12	13	5	4	—	—	—	—	
Paramenia . . .	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . .	1	2	—	2	—	—	1	2	—	—	1	1	—	—	—	—	
Childbirth . . .	19	12	8	2	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . .	2	2	5	4	2	3	1	2	1	1	2	—	—	—	—	—	
Bone Disease . . .	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
Rheumatism . . .	2	—	4	2	1	—	2	7	13	7	1	1	—	—	—	—	
Joint Disease . . .	1	4	1	1	2	2	1	—	1	2	—	1	—	—	—	—	
Carbuncle . . .	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . .	—	—	—	—	—	1	3	—	—	1	—	—	—	—	—	—	
Intemperance . . .	2	6	8	5	7	7	4	2	—	—	—	—	—	—	—	—	
Privation . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . .	1	—	1	—	—	2	—	1	—	1	—	—	—	—	—	—	
Poison . . .	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	
Poisoned Wounds . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . .	3	2	3	2	2	4	2	3	3	—	3	—	—	—	—	—	
Hanging, etc. . .	1	1	—	1	—	—	1	2	—	—	—	—	—	—	—	—	
Suffocation . . .	4	—	1	—	2	2	1	2	—	2	1	—	—	—	—	—	
Drowning . . .	10	17	11	6	12	4	6	2	2	4	—	—	—	—	—	3	
Fracture and Contusion .	13	17	17	22	14	23	13	11	10	5	4	4	—	—	—	—	
Gunshot Wounds . . .	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Cuts and Stabs . . .	2	4	—	2	1	—	—	—	1	—	—	—	—	—	—	—	
Other Violent Causes . .	2	1	1	5	—	2	4	1	4	1	—	—	—	—	—	—	
Not specified . . .	6	5	10	10	12	11	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	9026	992	385	689	766	353	272	181	524	284	311	327	245
SPECIFIED CAUSES	8849	911	370	673	754	351	269	179	519	281	305	324	243
I. Zymotic Class	1997	83	91	223	347	202	169	119	288	92	54	49	31
II. Diseases of Uncertain Seat	234	3	2	5	3	1	2	2	5	4	5	4	5
III. Tubercular Class	1334	36	46	108	102	41	32	18	98	67	132	166	107
IV. Brain and Nervous System	866	47	32	58	38	18	21	12	40	38	23	15	6
V. Organs of Circulation	505	2	1	—	—	—	—	—	10	11	15	8	8
VI. Respiratory Organs	1431	120	107	156	160	55	28	11	28	18	20	21	20
VII. Organs of Digestion	660	90	43	89	76	15	6	1	14	6	15	10	16
VIII. Urinary Organs	192	4	—	—	3	4	1	4	5	4	8	7	9
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	58	—	—	—	—	1	—	2	6	17	3	3	2
XI. Skin, etc.	11	1	3	1	—	—	1	—	—	—	—	—	—
XII. Malformation	47	41	5	1	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	502	451	31	20	—	—	—	—	—	—	—	—	—
XIV. Atrophy	44	—	—	—	16	5	2	—	5	1	1	—	1
XV. Age	444	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	7	1	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	517	32	8	12	9	9	7	10	20	23	29	41	38
I. Small-pox	12	1	1	1	1	—	—	—	3	—	1	1	1
Measles	68	2	2	17	29	8	3	5	2	—	—	—	—
Scarlatina	717	4	9	41	110	121	109	77	175	46	14	4	4
Diphtheria	98	1	1	7	18	15	15	11	23	5	—	—	1
Hooping-cough	199	10	20	56	69	12	13	5	14	—	—	—	—
Croup	119	3	2	15	36	24	13	6	18	2	—	—	—
Thrush	2	—	—	2	—	—	—	—	—	—	—	—	—
Diarrhoea	263	41	43	52	55	9	2	3	—	1	—	2	2
Dysentery	18	—	2	1	2	—	—	—	1	—	—	—	1
Cholera	13	—	1	5	3	1	—	—	1	—	—	—	—
Influenza	20	—	—	—	1	—	—	1	—	—	—	—	1
Purpura	7	—	1	1	1	—	—	—	1	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	95	1	—	3	7	3	3	1	10	10	6	7	6
Enteric Fever	224	—	1	8	6	6	6	9	34	25	27	24	11
Relapsing Fever	2	—	—	—	—	—	—	—	1	—	—	—	—
Simple Continued Fever	14	—	—	1	2	1	1	—	2	1	—	1	1
Infantile Remittent	17	1	2	3	4	1	3	1	2	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	21	—	—	—	—	—	—	—	1	2	4	4	3
Erysipelas	56	13	2	5	—	1	—	—	—	—	2	3	—
Pyæmia	13	—	—	1	2	—	1	—	—	—	—	1	—
Syphilis	18	6	4	4	—	—	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	—	1	—	—	—	—	—	—	—	—
II. Hæmorrhage	9	1	—	—	—	—	—	—	1	1	—	1	—
Dropsy	45	—	—	1	2	1	1	2	2	3	1	1	—
Abscess	20	2	1	3	—	—	—	—	1	—	2	—	2
Ulcer	4	—	—	—	—	—	1	—	—	—	—	1	—
Fistula	4	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	16	—	—	—	1	—	—	—	—	—	—	—	—
Cancer	128	—	1	1	—	—	—	—	1	—	2	1	2
Gout	8	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	92	3	5	12	5	3	3	1	6	13	14	10	1
Tabes Mesenterica	150	12	8	29	32	9	12	2	21	12	5	2	2
Phthisis	864	3	5	10	14	11	7	4	36	42	113	154	104
Hydrocephalus	228	18	28	57	51	18	10	11	35	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1875.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . .	252	233	230	268	321	337	361	423	432	405	241	139	36	15	-	4	
SPECIFIED CAUSES .	247	233	227	262	314	331	361	423	432	405	241	139	36	15	-	4	
Zymotic Class . .	21	17	22	21	23	20	19	28	25	32	12	7	2	-	-	-	
Uncertain Seat . .	4	5	6	16	25	27	22	22	23	23	9	9	1	1	-	-	
Tubercular Class . .	85	67	58	34	43	40	26	15	7	2	3	-	-	-	-	1	
Brain, etc. . . .	28	18	18	32	29	52	60	75	81	64	40	15	6	-	-	-	
Heart, etc. . . .	19	14	24	30	33	44	46	82	72	48	27	11	-	-	-	-	
Respiratory Organs .	23	35	34	59	85	71	85	84	83	72	35	17	3	1	-	-	
Digestive Organs . .	23	24	19	21	31	34	30	32	28	25	8	4	-	-	-	-	
Urinary Organs . .	6	5	11	10	11	7	20	17	20	24	7	5	-	-	-	-	
Generative Organs .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Locomotive Organs .	2	2	3	1	1	-	2	3	5	3	-	2	-	-	-	-	
Skin	-	1	-	-	-	1	1	-	-	2	-	-	-	-	-	-	
Malformation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	-	3	1	-	3	6	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	24	45	74	100	96	68	24	13	-	-	
Sudden Deaths . .	-	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-	
Violent Deaths . .	36	42	31	37	30	29	24	20	14	9	3	1	-	-	-	3	
Small-pox	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	-	-	-	1	2	2	2	10	7	17	4	7	1	-	-	-	
Dysentery	-	-	3	1	-	-	1	1	2	3	-	-	-	-	-	-	
Cholera	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
Influenza	-	-	-	-	2	1	-	2	4	3	4	-	1	-	-	-	
Purpura	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	3	5	6	5	5	3	3	3	1	3	1	-	-	-	-	-	
Enteric Fever . . .	12	8	7	8	8	10	2	4	3	3	2	-	-	-	-	-	
Relapsing Fever . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Simple Cont. Fever .	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	
Infantile Remittent .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever . .	1	1	1	1	1	-	1	-	-	1	-	-	-	-	-	-	
Erysipelas	1	2	3	2	3	1	8	6	3	1	-	-	-	-	-	-	
Pyæmia	-	1	-	-	1	1	-	2	3	-	-	-	-	-	-	-	
Syphilis	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	-	1	-	1	-	-	1	-	2	-	-	-	-	-	-	-	
Dropsy	-	-	2	3	2	4	1	5	3	4	4	3	-	-	-	-	
Abscess	2	-	1	1	2	-	2	-	-	1	-	-	-	-	-	-	
Ulcer	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	
Mortification	-	1	-	1	1	-	-	2	4	3	-	2	1	-	-	-	
Cancer	2	3	3	10	19	20	17	14	12	12	4	3	-	1	-	-	
Gout	-	-	-	-	-	1	1	1	1	2	1	1	-	-	-	-	
Scrofula	1	4	4	-	1	4	-	-	1	1	-	-	-	-	-	-	
Tabes Mesenterica . .	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
Phthisis	83	62	54	34	42	35	26	14	6	1	3	-	-	-	-	1	
Hydrocephalus . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1875.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	136	4	9	12	12	6	10	4	17	25	8	8	1
Apoplexy	201	5	-	9	4	-	4	3	4	3	2	3	1
Paralysis	208	-	-	1	1	1	1	1	-	1	-	-	-
Delirium Tremens	15	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	34	2	-	2	1	-	-	-	2	3	3	1	1
Tetanus	6	1	-	-	-	-	-	-	-	1	1	1	-
Insanity	1	-	-	-	-	-	-	-	-	1	-	-	-
Convulsions	122	32	22	25	19	11	5	1	7	-	-	-	-
Brain Disease	143	3	1	9	1	-	1	3	10	4	9	2	3
V. Pericarditis	6	-	-	-	-	-	-	-	1	-	-	-	1
Aneurism	16	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	483	2	1	-	-	-	-	-	9	11	15	8	7
VI. Laryngitis	19	-	-	1	7	1	2	1	2	-	-	-	-
Bronchitis	879	94	91	120	119	35	15	7	11	6	5	4	4
Pleurisy	49	1	-	-	3	-	2	1	3	1	2	4	2
Pneumonia	393	23	16	34	31	19	8	2	9	11	11	10	11
Asthma	67	1	-	-	-	-	-	-	-	-	1	-	1
Lung Disease	24	1	-	1	-	-	1	-	3	-	1	3	2
VII. Teething	116	1	12	52	45	5	-	-	1	-	-	-	-
Quinsey	9	2	-	1	3	1	-	-	-	-	-	-	1
Gastritis	23	2	1	-	3	-	-	-	1	-	-	-	-
Enteritis	141	37	9	23	19	6	1	1	6	1	3	4	2
Peritonitis	39	4	1	4	-	2	-	-	1	1	4	2	2
Ascites	3	-	-	-	-	-	-	-	-	1	1	-	-
Ulceration of Intestines	29	1	1	-	-	-	-	-	-	-	-	1	4
Hernia	16	-	1	-	-	-	-	-	-	-	1	-	2
Ileus	23	3	2	-	-	-	1	-	-	1	4	-	1
Intussusception	9	-	6	-	1	-	-	-	-	-	1	-	-
Stricture of Intestines	5	-	-	-	-	-	-	-	1	-	-	-	-
Stomach Disease	105	24	8	9	5	1	2	-	3	1	-	-	1
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	19	-	1	-	-	-	-	-	-	-	-	-	1
Jaundice	26	12	1	-	-	-	-	-	1	-	-	-	1
Liver Disease	88	4	-	-	-	-	1	-	-	1	1	3	1
Spleen Disease	4	-	-	-	-	-	1	-	-	-	-	-	-
VIII. Nephritis	18	1	-	-	2	1	-	1	1	-	1	2	1
Nephria	60	-	-	-	-	1	1	2	4	3	5	2	2
Addison's Disease	3	-	-	-	-	-	-	-	-	1	-	-	-
Ischuria	13	-	-	-	-	1	-	-	-	-	1	1	-
Diabetes	9	-	-	-	-	-	-	-	-	-	-	-	3
Stone	5	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	21	-	-	-	-	-	-	-	-	-	-	-	1
Stricture of Urethra	2	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	61	3	-	-	1	1	-	1	-	-	1	2	2
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Bone Disease	5	-	-	-	-	1	-	1	-	1	-	1	-
Rheumatism	20	-	-	-	-	-	-	1	-	2	-	1	-
Joint Disease	33	-	-	-	-	-	-	-	6	14	3	1	2
XI. Carbuncle	2	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	9	1	3	1	-	-	1	-	-	-	-	-	-
XVII. Intemperance	22	-	-	-	-	-	-	-	-	-	-	-	1
Privation	2	-	-	-	-	-	-	1	-	-	-	-	-
Want of Breast Milk	25	17	2	6	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	7	-	-	-	-	-	-	-	-	-	-	1	1
Poison	9	-	-	-	1	1	-	2	-	1	1	-	-
Poisoned Wounds	2	-	-	-	-	-	1	-	-	-	-	-	-
Burns and Scalds	28	-	-	4	1	4	2	3	4	1	1	-	-
Hanging, etc.	8	-	-	-	-	-	-	-	-	-	1	1	1
Suffocation	36	15	5	2	1	-	-	-	-	1	-	1	-
Drowning	143	-	-	-	5	3	1	1	9	10	10	16	20
Fracture and Contusion	201	-	-	-	1	1	2	3	7	9	14	20	14
Gunshot Wounds	2	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	11	-	-	-	-	-	-	-	-	-	1	1	-
Other Violent Causes	21	-	1	-	-	-	1	-	-	1	1	1	1
Not specified	177	81	15	16	12	2	3	2	5	3	6	3	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1875.—MALES. (*Continued.*)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	6	1	2	1	3	2	1	2	1	—	—	1	—	—	—	—	
Apoplexy . . .	5	7	4	8	9	14	22	33	25	13	14	5	4	—	—	—	
Paralysis . . .	3	1	4	12	10	24	23	24	37	37	19	7	1	—	—	—	
Delirium Tremens	3	3	5	2	1	—	1	—	—	—	—	—	—	—	—	—	
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . .	5	1	2	2	—	3	—	1	3	1	1	—	—	—	—	—	
Tetanus . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Insanity . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . .	6	5	1	7	5	9	12	15	15	13	6	2	1	—	—	—	
Pericarditis . . .	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Aneurism . . .	1	1	4	3	—	2	1	3	1	—	—	—	—	—	—	—	
Heart Disease . .	17	12	20	27	33	41	44	79	71	48	27	11	—	—	—	—	
Laryngitis . . .	2	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	
Bronchitis . . .	8	10	15	29	38	34	47	44	45	54	25	15	3	1	—	—	
Pleurisy . . .	3	3	3	3	3	5	4	3	2	1	—	—	—	—	—	—	
Pneumonia . . .	10	18	15	19	25	26	24	25	24	13	7	2	—	—	—	—	
Asthma . . .	—	2	1	6	17	4	8	9	10	4	3	—	—	—	—	—	
Lung Disease . .	—	2	—	1	2	1	2	3	1	—	—	—	—	—	—	—	
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . .	2	2	—	3	—	1	1	—	4	2	1	—	—	—	—	—	
Enteritis . . .	3	2	4	2	5	3	2	5	1	2	—	—	—	—	—	—	
Peritonitis . . .	1	1	2	2	—	1	4	4	1	2	—	—	—	—	—	—	
Ascites . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	3	1	1	3	5	2	1	2	3	1	—	—	—	—	—	—	
Hernia . . .	1	1	—	—	1	—	1	1	3	4	—	—	—	—	—	—	
Ileus . . .	3	3	1	—	1	1	1	1	—	1	3	1	—	—	—	—	
Intussusception . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—	
Stomach Disease . .	2	3	4	4	6	6	8	4	8	3	2	1	—	—	—	—	
Pancreas Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . .	1	2	—	—	1	1	2	5	1	3	1	—	—	—	—	—	
Jaundice . . .	—	1	—	1	—	1	1	4	1	1	—	1	—	—	—	—	
Liver Disease . . .	6	8	6	6	11	17	7	6	3	6	—	1	—	—	—	—	
Spleen Disease . .	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	
Nephritis . . .	—	1	1	1	1	—	1	1	2	—	—	—	—	—	—	—	
Nephria . . .	3	2	7	5	6	2	3	5	1	5	1	—	—	—	—	—	
Addison's Disease	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Ischuria . . .	—	—	—	1	—	—	1	3	2	1	1	1	—	—	—	—	
Diabetes . . .	—	1	—	—	2	—	1	1	1	—	—	—	—	—	—	—	
Stone . . .	—	—	—	—	—	1	2	1	—	1	—	—	—	—	—	—	
Cystitis . . .	1	—	1	—	—	—	2	4	4	7	—	1	—	—	—	—	
Stricture of Urethra .	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Kidney Disease . .	2	—	1	3	2	4	8	2	10	10	5	3	—	—	—	—	
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bone Disease . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Rheumatism . . .	2	—	2	—	—	—	1	3	4	3	—	1	—	—	—	—	
Joint Disease . . .	—	2	1	1	1	—	1	—	—	—	—	1	—	—	—	—	
Carbuncle . . .	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . .	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	
Intemperance . . .	2	5	3	1	4	4	2	—	—	—	—	—	—	—	—	—	
Privation . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . .	1	—	1	—	—	1	—	1	—	1	—	—	—	—	—	—	
Poison . . .	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	
Poisoned Wounds . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . .	2	—	2	2	—	—	—	2	—	—	—	—	—	—	—	—	
Hanging, etc. . .	1	1	—	1	—	—	1	1	—	—	—	—	—	—	—	—	
Suffocation . . .	4	—	—	—	1	2	1	2	—	1	—	—	—	—	—	—	
Drowning . . .	9	16	9	6	10	2	6	2	2	3	—	—	—	—	—	3	
Fracture and Contusion	13	16	15	19	12	18	12	9	9	3	3	1	—	—	—	—	
Gunshot Wounds . .	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Cuts and Stabs . . .	2	3	—	2	1	—	—	—	1	—	—	—	—	—	—	—	
Other Violent Causes	2	1	1	5	—	1	1	1	2	1	—	—	—	—	—	—	
Not specified . . .	5	—	3	6	7	6	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	9259	786	308	578	694	334	224	215	501	275	307	342	308
SPECIFIED CAUSES	9107	719	297	568	686	330	217	212	496	272	303	342	305
I. Zymotic Class	2131	94	75	199	290	198	155	155	300	100	57	82	74
II. Diseases of Uncertain Seat	373	2	2	2	5	—	—	—	2	4	3	2	5
III. Tubercular Class	1454	24	41	97	109	42	15	24	93	92	167	166	122
IV. Brain and Nervous System	763	23	19	31	28	18	13	8	18	27	13	13	13
V. Organs of Circulation	572	4	—	1	—	1	—	1	10	12	13	5	9
VI. Respiratory Organs	1420	111	77	137	133	38	17	14	40	9	16	27	28
VII. Organs of Digestion	667	53	44	69	90	16	7	4	14	4	12	16	20
VIII. Urinary Organs	124	1	—	1	4	1	1	—	8	8	8	10	7
IX. Organs of Generation	129	—	—	—	—	—	—	—	—	1	5	18	24
X. Organs of Locomotion	55	—	—	1	—	—	—	3	3	7	6	—	1
XI. Skin, etc.	12	3	2	2	1	—	—	—	—	1	—	—	—
XII. Malformation	32	27	1	2	—	1	—	—	—	—	—	1	—
XIII. Premature Debility	399	347	29	23	—	—	—	—	—	—	—	—	—
XIV. Atrophy	59	—	—	—	19	5	4	—	3	3	—	—	1
XV. Age	743	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	14	2	2	—	—	—	1	—	—	—	—	—	—
XVII. Violent Deaths	160	28	5	3	7	10	4	3	5	4	3	2	1
I. Small-pox	9	1	1	—	—	—	—	—	—	2	1	1	1
Measles	81	—	2	13	32	15	9	3	4	2	—	—	—
Scarlatina	663	1	6	39	91	101	86	95	173	44	7	6	2
Diphtheria	123	2	1	4	21	15	12	10	36	6	4	3	1
Hooping-cough	220	24	21	59	58	26	9	9	13	—	—	—	—
Croup	125	4	—	16	32	23	22	12	13	1	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	225	32	33	41	31	5	3	4	4	—	2	—	2
Dysentery	29	—	1	2	—	—	—	—	—	—	—	—	1
Cholera	22	4	1	10	4	—	—	—	1	—	—	—	—
Influenza	34	—	—	1	—	—	—	—	—	—	—	—	—
Purpura	4	—	—	—	—	—	—	—	—	2	—	—	—
Ague	1	—	—	—	—	—	—	—	—	1	—	—	—
Worms	3	—	—	—	1	—	—	1	1	—	—	—	—
Typhus	62	3	2	2	—	3	2	4	8	8	7	—	5
Enteric Fever	263	—	1	4	10	7	8	12	43	27	26	34	24
Relapsing Fever	2	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever	17	—	—	1	1	—	—	2	2	2	2	—	—
Infantile Remittent	9	—	1	1	3	1	1	2	—	—	—	—	—
Metria	124	—	—	—	—	—	—	—	—	1	5	32	31
Rheumatic Fever	19	—	—	—	—	—	—	—	1	1	3	3	4
Erysipelas	53	13	3	2	4	1	1	—	—	1	—	1	1
Pyæmia	23	1	—	—	1	1	2	1	1	1	—	1	2
Syphilis	18	7	2	4	1	—	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	12	2	—	1	—	—	—	—	—	—	1	—	—
Dropsy	69	—	1	—	—	—	—	—	2	—	1	1	2
Abscess	15	—	—	—	3	—	—	—	—	4	—	—	—
Ulcer	6	—	—	1	1	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	19	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	250	—	1	—	1	—	—	—	—	—	1	1	3
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	66	2	5	2	6	—	1	—	8	10	10	3	3
Tabes Mesenterica	115	5	8	18	31	11	3	3	12	7	4	3	6
Phthisis	1037	3	3	9	12	11	2	10	44	75	153	160	113
Hydrocephalus	236	14	25	68	60	20	9	11	29	—	—	—	—

Periods of Life, in 1875.—FEMALES.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	272	294	256	245	293	333	396	504	568	507	411	205	79	19	4	1	
SPECIFIED CAUSES . .	271	289	249	241	288	328	396	504	568	507	411	205	79	19	4	1	
Zymotic Class . . .	53	48	30	18	20	16	26	32	46	37	18	6	2	—	—	—	
Uncertain Seat . . .	6	16	23	30	36	50	44	44	40	23	24	8	2	—	—	—	
Tubercular Class . .	113	103	68	53	39	27	20	18	13	5	2	—	1	—	—	—	
Brain, etc.	15	16	19	24	45	43	48	77	102	80	51	12	3	4	—	—	
Heart, etc.	14	28	27	24	35	42	56	92	77	68	40	11	2	—	—	—	
Respiratory Organs .	22	30	26	39	45	65	103	115	114	100	60	36	16	1	—	1	
Digestive Organs . .	15	18	19	28	34	40	42	44	35	27	10	5	1	—	—	—	
Urinary Organs . . .	7	4	9	4	14	6	8	10	3	6	2	2	—	—	—	—	
Generative Organs .	22	17	13	10	4	3	2	4	1	1	3	1	—	—	—	—	
Locomotive Organs .	1	2	2	2	2	2	1	5	10	6	1	—	—	—	—	—	
Skin	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	1	1	1	2	3	16	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	34	55	118	150	195	121	52	14	4	—	
Sudden Deaths . . .	—	—	1	—	—	2	1	2	3	—	—	—	—	—	—	—	
Violent Deaths . . .	2	6	11	7	10	16	9	6	6	4	5	3	—	—	—	—	
Small-pox	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	5	1	1	2	1	—	—	—	—	1	—	1	—	—	—	—	
Diphtheria	1	1	1	—	—	—	1	1	2	—	1	—	—	—	—	—	
Whooping-cough . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	—	4	3	1	2	3	5	5	16	19	7	2	1	—	—	—	
Dysentery	—	1	2	—	1	3	3	5	7	3	—	—	—	—	—	—	
Cholera	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Influenza	—	—	3	—	1	—	3	5	5	7	7	1	1	—	—	—	
Purpura	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	2	3	3	1	—	2	1	2	2	1	—	1	—	—	—	—	
Enteric Fever . . .	10	10	7	4	9	4	7	4	7	4	1	—	—	—	—	—	
Relapsing Fever . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Simple Cont. Fever .	—	—	1	—	2	—	2	1	1	—	—	—	—	—	—	—	
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	29	17	6	3	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . .	1	3	—	1	—	1	—	1	—	—	—	—	—	—	—	—	
Erysipelas	1	2	—	3	2	3	3	3	5	2	1	1	—	—	—	—	
Pyæmia	3	4	3	—	—	—	—	1	—	—	1	—	—	—	—	—	
Syphilis	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	1	—	1	1	3	—	—	1	1	—	—	—	—	—	—	—	
Dropsy	1	5	5	2	5	6	10	6	11	4	4	2	1	—	—	—	
Abscess	—	1	1	1	—	2	1	1	—	—	1	—	—	—	—	—	
Ulcer	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification . . .	—	—	—	1	—	1	3	1	1	3	5	4	—	—	—	—	
Cancer	4	10	16	25	27	39	29	33	27	16	14	2	1	—	—	—	
Gout	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
Scrofula	2	4	—	2	3	2	—	2	1	—	—	—	—	—	—	—	
Tabes Mesenterica .	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	109	99	66	51	36	25	20	16	12	5	2	—	1	—	—	—	
Hydrocephalus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1875.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	89	1	5	5	8	7	8	3	12	12	6	2	3
Apoplexy	203	1	4	7	6	1	—	2	—	3	2	—	4
Paralysis	244	—	—	—	—	—	—	—	1	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	5	—	—	1	—	—	—	—	1	—	1	1	—
Epilepsy	30	2	—	—	—	1	—	—	2	3	1	2	2
Tetanus	2	—	—	1	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	64	19	7	15	12	7	2	1	1	—	—	—	—
Brain Disease	123	—	3	2	2	2	3	2	1	9	3	8	4
V. Pericarditis	6	—	—	—	—	—	—	—	—	2	1	1	—
Aneurism	10	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	556	4	—	1	—	1	—	1	10	10	12	4	9
VI. Laryngitis	15	—	1	4	—	1	2	—	1	—	1	1	—
Bronchitis	974	86	59	110	96	20	6	7	27	4	4	3	13
Pleurisy	38	1	—	—	1	1	3	—	1	—	1	3	1
Pneumonia	335	23	17	21	35	16	6	6	10	3	8	20	12
Asthma	29	—	—	—	—	—	—	—	1	—	—	—	1
Lung Disease	29	1	—	2	1	—	—	1	—	2	2	—	1
VII. Teething	114	—	4	44	61	4	1	—	—	—	—	—	—
Quinsey	4	—	—	—	1	—	1	1	—	—	1	—	—
Gastritis	24	1	1	—	—	—	1	2	1	—	—	—	—
Enteritis	130	29	23	13	16	6	2	—	2	—	4	4	2
Peritonitis	65	1	3	6	2	1	—	—	3	—	1	3	6
Ascites	15	—	—	—	1	—	—	—	1	—	1	—	—
Ulceration of Intestines	22	—	1	—	2	—	—	—	—	1	1	1	1
Hernia	16	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	23	2	—	1	—	—	—	—	—	—	1	—	2
Intussusception	6	1	2	—	—	1	—	—	—	—	—	—	—
Stricture of Intestines	4	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	102	11	9	4	4	4	—	1	3	3	3	4	5
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	22	1	—	—	1	—	1	—	—	—	—	1	2
Jaundice	24	3	1	—	1	—	—	—	—	—	—	1	—
Liver Disease	92	4	—	1	1	—	1	—	4	—	—	—	2
Spleen Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	19	—	—	—	1	1	1	—	4	1	2	—	1
Nephria	60	1	—	1	1	—	—	—	2	6	4	8	3
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	1	—
Ischuria	2	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	9	—	—	—	—	—	—	—	—	1	1	—	3
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	29	—	—	—	2	—	—	—	2	—	1	—	—
IX. Paramenia	7	—	—	—	—	—	—	—	—	1	1	1	1
Ovarian Dropsy	15	—	—	—	—	—	—	—	—	—	2	1	—
Childbirth	80	—	—	—	—	—	—	—	—	—	2	15	22
Organs of Generation	27	—	—	—	—	—	—	—	—	—	—	1	1
X. Bone Disease	5	—	—	—	—	—	—	1	—	2	1	—	—
Rheumatism	26	—	—	—	—	—	—	—	—	—	2	—	—
Joint Disease	24	—	—	1	—	—	—	2	3	5	3	—	1
XI. Carbuncle	2	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	9	2	2	1	1	—	—	—	—	1	—	—	—
XVII. Intemperance	20	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	12	10	1	—	1	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	—	—	—	—	—	—	—	1	—
Poison	3	1	—	—	—	1	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	35	—	—	1	3	5	1	2	1	1	2	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	26	17	3	1	1	—	—	—	—	—	—	—	—
Drowning	20	—	1	1	—	3	1	1	2	—	1	1	—
Fracture and Contusion	28	—	—	—	2	—	1	—	1	1	—	—	—
Gunshot Wounds	2	—	—	—	—	—	—	—	1	—	—	—	1
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	10	—	—	—	—	1	1	—	—	2	—	—	—
Not specified	152	67	11	10	8	4	7	3	5	3	4	—	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1875.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	1	2	1	4	3	2	—	3	—	—	1	—	—	—	—	—
Apoplexy . . .	7	5	3	8	13	15	18	26	31	22	19	5	1	—	—	—
Paralysis . . .	2	3	7	2	15	18	21	35	53	48	27	6	2	4	—	—
Delirium Tremens . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	2	1	3	—	5	—	1	1	3	1	—	—	—	—	—	—
Tetanus . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Insanity . . .	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	3	4	5	9	7	8	8	12	14	9	4	1	—	—	—	—
Pericarditis . . .	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Aneurism . . .	—	—	2	—	1	—	3	2	1	—	1	—	—	—	—	—
Heart Disease . . .	14	28	25	24	34	42	53	89	75	68	39	11	2	—	—	—
Laryngitis . . .	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Bronchitis . . .	7	12	9	23	28	46	64	86	83	81	50	34	14	1	—	1
Pleurisy . . .	1	4	4	1	3	2	4	3	4	—	—	—	—	—	—	—
Pneumonia . . .	11	13	11	10	9	12	24	21	23	15	8	—	1	—	—	—
Asthma . . .	—	1	2	3	3	—	6	4	4	2	1	—	1	—	—	—
Lung Disease . . .	1	—	—	2	2	5	5	1	—	1	1	1	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	2	—	2	3	1	—	—	—	1	—	—	—	—	—	—
Enteritis . . .	—	1	2	4	1	3	4	4	3	6	1	—	—	—	—	—
Peritonitis . . .	6	3	7	3	1	5	7	2	3	1	1	—	—	—	—	—
Ascites . . .	—	—	1	—	2	3	1	3	—	1	1	—	—	—	—	—
Ulceration of Intestines . . .	1	2	1	1	1	1	—	3	3	1	1	—	—	—	—	—
Hernia . . .	—	—	—	—	3	—	3	6	—	2	—	1	—	—	—	—
Ileus . . .	—	—	1	2	2	1	3	3	2	1	—	2	—	—	—	—
Intussusception . . .	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—
Stomach Disease . . .	4	3	1	6	8	5	7	5	6	5	—	1	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	—	—	—	3	—	2	3	3	2	2	1	—	—	—	—	—
Jaundice . . .	1	2	1	2	2	—	2	3	1	—	2	1	1	—	—	—
Liver Disease . . .	3	5	5	4	11	17	9	8	9	7	1	—	—	—	—	—
Spleen Disease . . .	—	—	—	1	—	1	1	—	1	—	—	—	—	—	—	—
Nephritis . . .	1	—	1	1	1	—	1	2	—	1	—	—	—	—	—	—
Nephria . . .	3	3	5	2	9	2	2	2	1	2	2	1	—	—	—	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diabetes . . .	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . .	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	1	—	2	1	3	3	4	4	2	3	—	1	—	—	—	—
Paramenia . . .	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	1	2	—	2	2	—	1	2	—	—	1	1	—	—	—	—
Childbirth . . .	19	12	8	2	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	2	2	5	4	2	3	1	2	1	1	2	—	—	—	—	—
Bone Disease . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Rheumatism . . .	—	—	2	2	1	—	1	4	9	4	1	—	—	—	—	—
Joint Disease . . .	1	2	—	—	1	2	—	—	1	2	—	—	—	—	—	—
Carbuncle . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Intemperance . . .	—	1	5	4	3	3	2	2	—	—	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Poison . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	1	2	1	—	2	4	2	1	3	—	3	—	—	—	—	—
Hanging, etc. . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Suffocation . . .	—	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—
Drowning . . .	1	1	2	—	2	2	—	—	—	1	—	—	—	—	—	—
Fracture and Contusion . . .	—	1	2	3	2	5	1	2	1	2	1	3	—	—	—	—
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	—	—	—	—	—	1	3	—	2	—	—	—	—	—	—	—
Not specified . . .	1	5	7	4	5	5	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	20303	1829	608	925	1065	566	450	319	883	531	623	709	615
SPECIFIED CAUSES	19768	1588	566	892	1036	552	439	314	854	517	615	697	610
I. Zymotic Class	3565	169	146	268	430	305	306	208	521	202	135	114	94
II. Diseases of Uncertain Seat	796	15	1	5	5	4	5	1	7	9	5	4	12
III. Tubercular Class	2596	42	63	121	166	69	39	36	140	116	261	351	287
IV. Brain and Nervous System	1903	91	61	62	53	22	16	17	52	79	54	22	29
V. Organs of Circulation	1345	4	3	5	—	1	2	1	5	12	25	32	22
VI. Respiratory Organs	3043	248	144	262	199	87	36	22	53	29	42	48	39
VII. Organs of Digestion	1495	146	78	123	112	29	18	11	19	18	27	31	30
VIII. Urinary Organs	406	2	—	2	3	2	1	5	7	8	7	14	10
IX. Organs of Generation	187	—	—	—	—	—	—	—	—	1	9	20	29
X. Organs of Locomotion	114	—	—	—	1	2	—	4	6	8	7	2	2
XI. Skin, etc.	24	1	—	1	4	1	1	—	2	—	—	—	1
XII. Malformation	76	64	3	1	4	—	—	1	2	—	—	—	1
XIII. Premature Debility	839	756	50	33	—	—	—	—	—	—	—	—	—
XIV. Atrophy	93	—	—	—	32	11	2	—	4	2	2	2	2
XV. Age	2526	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	17	3	1	—	1	—	—	—	—	—	—	1	—
XVII. Violent Deaths	743	47	16	9	26	19	13	8	36	33	41	56	52
I. Small-pox	13	1	—	—	—	1	—	—	1	—	—	2	1
Measles	157	4	7	20	45	23	17	6	23	4	1	4	2
Scarlatina	1102	7	13	63	132	155	153	117	293	93	24	17	12
Diphtheria	269	7	4	8	28	31	41	25	67	18	12	5	1
Hooping-cough	296	34	33	70	79	32	23	11	10	3	—	—	—
Croup	224	9	9	17	48	40	38	24	33	3	—	—	1
Thrush	9	6	—	1	1	—	—	—	1	—	—	—	—
Diarrhoea	424	47	52	67	60	11	5	2	7	2	3	2	3
Dysentery	55	5	6	—	2	—	—	1	1	—	1	—	2
Cholera	32	3	4	3	5	1	—	—	—	—	—	3	—
Influenza	79	4	—	6	1	2	4	—	—	—	1	—	—
Purpura	14	1	—	—	3	—	—	—	2	—	—	1	1
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	4	—	—	—	1	—	3	—	—	—	—	—	—
Typhus	107	—	1	1	6	2	5	3	14	10	15	4	6
Enteric Fever	395	1	—	5	7	6	10	16	53	55	61	42	29
Relapsing Fever	3	—	—	—	—	—	—	—	—	—	—	—	1
Simple Continued Fever	28	—	2	—	4	1	1	1	3	1	—	3	2
Infantile Remittent	15	1	2	1	4	—	4	—	3	—	—	—	—
Metria	108	—	—	—	—	—	—	—	—	—	8	20	26
Rheumatic Fever	57	—	—	—	—	—	—	1	9	9	6	6	3
Erysipelas	116	29	3	4	1	—	1	—	1	1	3	5	3
Pyæmia	24	2	1	—	—	—	1	—	—	2	—	—	1
Syphilis	25	7	8	2	2	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	7	1	1	—	1	—	—	1	—	—	—	—	—
II. Hæmorrhage	35	4	—	—	—	1	1	—	2	2	—	—	4
Dropsy	129	1	—	—	2	—	1	—	1	2	1	1	1
Abscess	47	4	—	2	1	2	2	1	3	3	3	1	4
Ulcer	18	1	1	—	—	—	1	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	45	5	—	2	1	1	—	—	—	2	—	—	—
Cancer	514	—	—	1	1	—	—	—	1	—	1	2	3
Gout	5	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	182	4	4	9	12	5	7	4	13	21	20	21	15
Tabes Mesenterica	196	17	20	18	42	19	3	6	25	10	6	5	10
Phthisis	1878	3	12	12	22	21	7	7	44	85	235	325	262
Hydrocephalus	340	18	27	82	90	24	22	19	58	—	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES. (*Continued.*)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	210	4	14	17	14	8	9	4	26	50	22	6	2
Apoplexy	461	4	3	8	11	3	2	4	8	5	7	3	5
Paralysis	653	2	—	—	—	—	1	—	1	2	2	2	7
Delirium Tremens	10	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	3	—	—	—	—	—	—	1	—	—	—	—	—
Epilepsy	77	1	3	1	2	2	1	2	1	9	5	2	7
Tetanus	18	6	1	—	1	—	—	—	1	2	—	—	2
Insanity	16	1	—	—	—	—	—	—	—	—	—	—	2
Convulsions	174	70	34	33	20	5	1	5	6	—	—	—	—
Brain Disease	281	3	6	3	5	4	2	1	9	11	18	9	4
V. Pericarditis	32	—	—	1	—	—	—	—	4	—	3	1	2
Aneurism	25	—	—	—	—	—	—	—	—	—	—	1	—
Heart Disease	1288	4	3	4	—	1	2	1	1	12	22	30	20
VI. Laryngitis	37	4	1	5	3	1	1	2	2	2	—	1	—
Bronchitis	1920	198	120	213	152	56	24	13	24	10	12	9	8
Pleurisy	88	2	2	1	3	3	—	1	4	2	2	5	7
Pneumonia	786	41	19	43	38	26	11	6	20	15	26	30	21
Asthma	152	—	—	—	1	—	—	—	1	—	—	—	1
Lung Disease	60	3	2	—	2	1	—	—	2	—	2	3	2
VII. Teething	145	—	12	59	66	8	—	—	—	—	—	—	—
Quinsey	23	3	4	2	2	2	1	—	—	1	2	—	—
Gastritis	77	8	3	4	2	2	2	—	1	—	1	—	—
Enteritis	248	60	32	32	19	10	6	5	5	5	3	8	4
Peritonitis	148	15	2	6	2	2	1	2	5	3	7	10	11
Ascites	17	—	—	—	—	—	1	—	—	—	1	1	1
Ulceration of Intestines	73	1	1	—	—	—	2	—	1	1	2	2	3
Hernia	41	3	1	1	—	—	—	—	1	—	1	—	1
Ileus	97	4	4	1	2	—	—	—	2	2	1	4	2
Intussusception	16	—	2	3	1	—	2	—	—	—	2	—	—
Stricture of Intestines	11	—	—	—	—	—	—	—	—	—	1	1	—
Stomach Disease	240	16	16	12	15	3	3	1	2	4	2	1	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	78	8	—	—	1	—	—	—	1	1	2	—	1
Jaundice	54	25	1	1	—	1	—	—	1	—	—	2	—
Liver Disease	218	3	—	2	1	1	—	2	—	1	2	2	4
Spleen Disease	9	—	—	—	1	—	—	1	—	—	—	—	—
VIII. Nephritis	34	—	—	1	1	1	—	1	4	1	—	1	1
Nephria	102	—	—	1	—	—	1	2	2	2	2	9	2
Addison's Disease	3	—	—	—	—	—	—	—	—	—	1	—	—
Ischuria	32	—	—	—	—	1	—	—	—	—	—	—	—
Diabetes	29	—	—	—	—	—	—	—	1	2	3	2	2
Stone	36	—	—	—	1	—	—	—	—	—	—	—	—
Cystitis	36	1	—	—	—	—	—	—	—	—	—	1	2
Stricture of Urethra	6	—	—	—	—	—	—	1	—	—	—	—	—
Kidney Disease	128	1	—	—	1	—	—	1	—	3	1	1	3
IX. Paramenia	4	—	—	—	—	—	—	—	—	—	1	1	—
Ovarian Dropsy	21	—	—	—	—	—	—	—	—	—	2	—	—
Childbirth	124	—	—	—	—	—	—	—	—	—	5	19	24
Organs of Generation	38	—	—	—	—	—	—	—	—	1	1	—	5
X. Bone Disease	17	—	—	—	1	1	—	—	1	3	—	2	1
Rheumatism	58	—	—	—	—	—	—	1	1	1	—	—	—
Joint Disease	39	—	—	—	—	1	—	3	4	4	7	—	1
XI. Carbuncle	9	—	—	—	2	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	—	—	1	—	—	—	—	—	—	1
Skin Disease	11	1	—	1	2	—	1	—	2	—	—	—	—
XVII. Intemperance	39	—	—	—	—	—	—	—	—	—	—	—	2
Privation	3	—	—	—	—	—	2	—	—	—	—	—	—
Want of Breast Milk	19	16	3	—	—	—	—	—	—	—	—	—	—
Neglect	1	—	—	—	—	—	—	—	—	—	—	—	—
Cold	27	—	1	—	—	—	—	—	—	—	1	1	—
Poison	11	—	—	—	—	1	—	—	—	—	2	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	61	—	—	2	14	9	6	4	10	2	—	—	—
Hanging, etc.	23	—	—	—	—	—	—	—	—	1	—	1	2
Suffocation	67	26	10	5	1	—	—	1	1	—	4	3	3
Drowning	182	—	—	—	8	7	2	1	10	11	15	30	17
Fracture and Contusion	229	—	1	1	2	1	3	1	8	15	14	19	23
Gunshot Wounds	11	—	—	—	—	—	—	—	1	1	—	—	1
Cuts and Stabs	18	1	—	—	—	1	—	—	1	1	—	—	1
Other Violent Causes	52	4	1	1	1	—	—	1	5	2	4	2	3
Not specified	535	241	42	33	29	14	11	5	29	14	8	12	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1875.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	6	3	2	2	1	5	1	4	1	2	2	1	-	-	-
Apoplexy	3	11	13	9	28	39	40	54	59	63	51	21	5	1	-	1
Paralysis	8	13	19	13	20	40	53	82	118	140	80	37	13	-	-	-
Delirium Tremens	2	-	3	2	-	1	-	1	1	-	-	-	-	-	-	-
Chorea	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Epilepsy	4	4	3	3	4	4	3	3	9	2	1	-	-	1	-	-
Tetanus	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-
Insanity	1	-	1	1	3	1	-	-	1	1	-	1	-	-	-	-
Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Disease	10	9	13	10	14	21	19	30	27	28	17	6	-	2	-	-
Pericarditis	1	4	1	2	-	1	1	7	1	2	1	-	-	-	-	-
Aneurism	-	2	1	3	4	1	6	2	4	1	-	-	-	-	-	-
Heart Disease	30	44	40	53	63	99	141	178	217	185	94	32	11	1	-	-
Laryngitis	1	1	-	2	1	2	-	3	1	4	-	-	-	-	-	-
Bronchitis	10	22	23	39	38	57	104	132	223	201	155	59	11	5	1	1
Pleurisy	6	1	4	5	6	5	9	4	10	5	1	-	-	-	-	-
Pneumonia	31	31	40	45	42	48	62	45	53	41	37	11	3	1	-	-
Asthma	2	1	7	9	7	15	18	27	24	24	8	6	-	1	-	-
Lung Disease	1	2	3	5	5	6	6	7	3	4	1	-	-	-	-	-
Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quinsey	-	-	1	1	-	1	-	2	1	-	-	-	-	-	-	-
Gastritis	3	1	3	4	3	12	5	5	9	6	3	-	-	-	-	-
Enteritis	6	6	2	6	7	5	4	9	5	3	2	3	-	1	-	-
Peritonitis	5	9	12	4	10	5	10	5	13	4	2	2	1	-	-	-
Ascites	-	-	-	1	-	1	1	2	3	1	4	-	-	-	-	-
Ulceration of Intestines	2	3	4	8	6	5	8	8	7	7	2	-	-	-	-	-
Hernia	-	2	-	3	-	4	3	7	6	3	3	2	-	-	-	-
Ileus	1	3	2	4	9	6	4	10	14	12	5	4	1	-	-	-
Intussusception	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	3	3	1	2	-	-	-	-	-	-
Stomach Disease	4	7	6	16	10	19	18	24	28	15	13	2	-	-	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	2	2	6	4	16	5	7	5	7	7	2	-	1	-	-	-
Jaundice	1	-	-	-	-	2	2	-	7	5	3	3	-	-	-	-
Liver Disease	2	11	10	17	23	20	26	28	41	14	5	3	-	-	-	-
Spleen Disease	2	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-
Nephritis	2	-	1	-	-	-	5	3	6	4	2	-	-	-	-	-
Nephria	1	9	9	4	8	11	11	10	9	3	6	-	-	-	-	-
Addison's Disease	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	1	1	-	1	1	3	3	6	6	4	4	1	-	-	-
Diabetes	3	3	-	3	3	4	1	1	-	1	-	-	-	-	-	-
Stone	-	-	-	1	-	2	4	3	6	10	4	5	-	-	-	-
Cystitis	-	1	1	-	-	2	2	2	9	6	5	3	1	-	-	-
Stricture of Urethra	1	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-
Kidney Disease	-	3	9	5	4	9	6	15	20	17	21	8	-	-	-	-
Paramenia	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	1	1	3	2	4	1	-	1	4	1	1	-	-	-	-	-
Childbirth	26	33	14	2	1	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	3	4	4	4	2	2	4	2	3	1	1	1	-	-	-	-
Bone Disease	1	1	1	1	2	-	2	-	-	-	-	-	-	-	-	-
Rheumatism	2	1	1	2	1	4	6	9	10	12	6	1	-	-	-	-
Joint Disease	2	1	2	2	1	2	3	4	1	-	1	-	-	-	-	-
Carbuncle	-	-	-	1	-	1	1	-	2	1	1	-	-	-	-	-
Phlegmon	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Skin Disease	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
Intemperance	1	7	5	3	7	5	4	1	2	2	-	-	-	-	-	-
Privation	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cold	1	1	2	2	5	4	2	3	1	2	-	1	-	-	-	-
Poison	-	1	3	2	-	1	-	-	-	-	1	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	-	-	2	-	1	-	1	5	2	1	2	-	-	-	-
Hanging, etc.	-	5	1	-	4	1	3	2	1	-	2	-	-	-	-	-
Suffocation	1	2	1	1	-	1	3	-	3	1	-	-	-	-	-	-
Drowning	10	3	12	14	10	4	10	7	1	5	-	-	-	-	-	5
Fracture and Contusion	16	12	10	21	10	13	8	14	13	7	7	6	4	-	-	-
Gunshot Wounds	1	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	2	1	1	-	4	1	1	2	1	-	-	-	-	-	-
Other Violent Causes	1	3	5	2	4	4	-	1	4	1	2	1	-	-	-	-
Not specified	5	14	10	15	28	18	-	-	-	-	-	-	-	-	-	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	9925	1006	337	530	565	282	217	161	456	282	308	367	300
SPECIFIED CAUSES	9638	863	320	512	547	273	213	161	443	271	304	359	298
I. Zymotic Class	1693	80	76	140	222	143	153	106	263	106	67	44	31
II. Diseases of Uncertain Seat	322	6	1	4	2	3	1	—	5	4	3	2	7
III. Tubercular Class	1299	26	36	77	93	34	18	24	73	53	120	182	143
IV. Brain and Nervous System	961	55	38	33	32	13	6	6	27	41	23	13	15
V. Organs of Circulation	657	1	2	1	—	1	1	—	5	8	14	14	9
VI. Respiratory Organs	1532	142	83	163	103	46	19	10	26	13	19	29	23
VII. Organs of Digestion	784	83	45	66	54	18	10	4	8	10	13	14	11
VIII. Urinary Organs	270	—	—	1	3	2	—	4	3	3	3	5	7
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	57	—	—	—	—	1	—	3	5	5	5	2	1
XI. Skin, etc.	17	1	—	1	4	—	1	—	—	—	—	—	—
XII. Malformation	45	37	3	—	2	—	—	1	2	—	—	—	—
XIII. Premature Debility	454	407	26	21	—	—	—	—	—	—	—	—	—
XIV. Atrophy	32	—	—	—	16	4	1	—	—	1	1	—	2
XV. Age	967	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	10	1	—	—	1	—	—	—	—	—	—	1	—
XVII. Violent Deaths	538	24	10	5	15	8	3	3	26	27	36	53	49
I. Small-pox	8	1	—	—	—	—	—	—	—	—	—	2	—
Measles	88	3	6	7	25	14	10	3	13	3	—	2	1
Scarlatina	558	2	9	36	69	73	80	59	152	49	12	5	3
Diphtheria	130	3	2	4	16	13	21	13	31	11	8	2	—
Whooping-cough	128	15	10	31	37	16	10	7	2	—	—	—	—
Croup	118	5	5	7	30	17	20	12	17	3	—	—	1
Thrush	5	3	—	—	1	—	—	—	1	—	—	—	—
Diarrhoea	205	23	28	44	30	5	3	—	4	—	3	1	2
Dysentery	26	1	3	—	2	—	—	1	1	—	—	—	—
Cholera	19	—	4	3	2	1	—	—	—	—	—	1	—
Influenza	27	1	—	4	1	1	1	—	—	—	1	—	—
Purpura	9	1	—	—	2	—	—	—	2	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	49	—	1	—	1	—	2	2	4	5	10	1	3
Enteric Fever	201	1	—	2	4	3	3	6	29	27	30	25	14
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	10	—	—	—	—	—	—	1	2	1	—	1	1
Infantile Remittent	4	1	—	—	1	—	1	—	1	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	21	—	—	—	—	—	—	1	4	5	1	2	2
Erysipelas	53	13	1	1	—	—	1	—	—	—	2	2	3
Pyæmia	15	1	1	—	—	—	1	—	—	1	—	—	1
Syphilis	14	5	6	1	—	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	3	1	—	—	1	—	—	1	—	—	—	—	—
II. Hæmorrhage	17	1	—	—	—	1	—	—	1	1	—	—	4
Dropsy	47	1	—	—	1	—	1	—	1	—	—	1	1
Abscess	24	3	—	1	—	1	—	—	2	2	3	—	1
Ulcer	4	—	1	—	—	—	—	—	—	—	—	—	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	27	1	—	2	1	1	—	—	—	1	—	—	—
Cancer	197	—	—	1	—	—	—	—	1	—	—	1	1
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	99	4	3	6	7	4	2	1	9	13	8	12	8
Tabes Mesenterica	113	12	14	13	24	8	2	5	17	4	3	2	5
Phthisis	904	1	7	6	14	10	5	6	18	36	109	168	130
Hydrocephalus	183	9	12	52	48	12	9	12	29	—	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	117	1	8	8	9	5	3	3	12	26	12	3	2
Apoplexy	225	3	1	4	5	1	—	1	4	2	1	2	3
Paralysis	295	2	—	—	—	—	1	—	—	2	—	1	3
Delirium Tremens	5	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	45	1	3	—	2	1	1	1	1	5	4	1	3
Tetanus	13	5	1	—	1	—	—	—	1	1	—	—	1
Insanity	7	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	100	40	20	20	13	3	—	1	3	—	—	—	—
Brain Disease	154	3	5	1	2	3	1	—	6	5	6	6	3
V. Pericarditis	16	—	—	—	—	—	—	—	4	—	—	—	2
Aneurism	11	—	—	—	—	—	—	—	—	—	—	1	—
Heart Disease	630	1	2	1	—	1	1	—	1	8	14	13	7
VI. Laryngitis	21	3	1	—	3	1	1	1	—	1	—	—	—
Bronchitis	922	110	72	134	77	29	12	6	11	4	3	6	6
Pleurisy	54	2	1	—	2	3	—	—	4	—	2	3	3
Pneumonia	437	24	8	29	20	12	6	3	10	8	14	19	12
Asthma	71	—	—	—	—	—	—	—	1	—	—	—	—
Lung Disease	27	3	1	—	1	1	—	—	—	—	—	1	2
VII. Teething	83	—	9	35	33	6	—	—	—	—	—	—	—
Quinsey	14	1	4	1	2	1	1	—	—	1	1	—	—
Gastritis	32	3	1	2	1	1	—	—	—	—	—	—	—
Enteritis	124	36	17	12	8	6	4	1	3	2	1	3	1
Peritonitis	74	10	2	5	1	1	1	1	2	2	2	5	2
Ascites	6	—	—	—	—	—	1	—	—	—	—	—	—
Ulceration of Intestines	41	—	—	—	—	—	1	—	1	1	—	—	2
Hernia	22	3	1	1	—	—	—	—	1	—	1	—	—
Ileus	61	2	4	—	—	—	—	—	—	2	1	3	2
Intussusception	9	—	1	1	—	—	1	—	—	—	2	—	—
Stricture of Intestines	8	—	—	—	—	—	—	—	—	—	1	—	—
Stomach Disease	118	6	6	8	9	2	1	—	1	1	2	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	36	4	—	—	—	—	—	—	—	1	2	—	1
Jaundice	32	16	—	—	—	—	—	—	—	—	—	2	—
Liver Disease	120	2	—	1	—	1	—	1	—	—	—	1	2
Spleen Disease	4	—	—	—	—	—	—	1	—	—	—	—	—
VIII. Nephritis	20	—	—	—	1	1	—	—	2	—	—	—	1
Nephria	51	—	—	1	—	—	—	2	1	1	1	3	2
Addison's Disease	3	—	—	—	—	—	—	—	—	—	1	—	—
Ischuria	28	—	—	—	—	1	—	—	—	—	—	—	—
Diabetes	15	—	—	—	—	—	—	—	—	—	1	2	2
Stone	32	—	—	—	1	—	—	—	—	—	—	—	—
Cystitis	26	—	—	—	—	—	—	—	—	—	—	—	2
Stricture of Urethra	5	—	—	—	—	—	—	1	—	—	—	—	—
Kidney Disease	90	—	—	—	1	—	—	1	—	2	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	9	—	—	—	—	—	—	—	1	3	—	2	—
Rheumatism	26	—	—	—	—	—	—	1	—	—	—	—	—
Joint Disease	22	—	—	—	—	1	—	2	4	2	5	—	1
XI. Carbuncle	7	—	—	—	2	—	—	—	—	—	—	—	—
Phlegmon	2	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	8	1	—	1	2	—	1	—	—	—	—	—	—
XVII. Intemperance	28	—	—	—	—	—	—	—	—	—	—	—	2
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	9	8	1	—	—	—	—	—	—	—	—	—	—
Neglect	1	—	—	—	—	—	—	—	—	—	—	—	—
Cold	20	—	1	—	—	—	—	—	—	—	1	1	—
Poison	6	—	—	—	—	—	—	—	—	—	1	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	21	—	—	1	6	4	1	1	4	1	—	—	—
Hanging, etc.	17	—	—	—	—	—	—	—	—	1	—	—	1
Suffocation	42	12	6	3	1	—	—	1	—	—	2	3	3
Drowning	154	—	—	—	6	3	1	—	10	11	15	28	16
Fracture and Contusion	183	—	1	—	1	1	1	—	8	11	14	19	22
Gunshot Wounds	9	—	—	—	—	—	—	—	—	1	1	—	1
Cuts and Stabs	9	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	39	4	1	1	1	—	—	1	4	2	2	2	3
Not specified	287	—	17	18	18	9	4	—	13	11	4	8	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	10378	823	271	395	500	284	233	158	427	249	315	342	315
SPECIFIED CAUSES	10130	725	246	380	489	279	226	153	411	246	311	338	312
I. Zymotic Class	1872	89	70	128	208	162	153	102	258	96	68	70	63
II. Diseases of Uncertain Seat	474	9	—	1	3	1	4	1	2	5	2	2	5
III. Tubercular Class	1297	16	27	44	73	35	21	12	67	63	141	169	144
IV. Brain and Nervous System	942	36	23	29	21	9	10	11	25	38	31	9	14
V. Organs of Circulation	688	3	1	4	—	—	1	1	—	4	11	18	13
VI. Respiratory Organs	1511	106	61	99	96	41	17	12	27	16	23	19	16
VII. Organs of Digestion	711	63	33	57	58	11	8	7	11	8	14	17	19
VIII. Urinary Organs	136	2	—	1	—	—	1	1	4	5	4	9	3
IX. Organs of Generation	187	—	—	—	—	—	—	—	—	1	9	20	29
X. Organs of Locomotion	57	—	—	—	1	1	—	1	1	3	2	—	1
XI. Skin, etc.	7	—	—	—	—	1	—	—	2	—	—	—	1
XII. Malformation	31	27	—	1	2	—	—	—	—	—	—	—	1
XIII. Premature Debility	385	349	24	12	—	—	—	—	—	—	—	—	—
XIV. Atrophy	61	—	—	—	16	7	1	—	4	1	1	2	—
XV. Age	1559	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	7	2	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	205	23	6	4	11	11	10	5	10	6	5	3	3
I. Small-pox	5	—	—	—	—	1	—	—	1	—	—	—	1
Measles	69	1	1	13	20	9	7	3	10	1	1	2	1
Scarlatina	544	5	4	27	63	82	73	58	141	44	12	12	9
Diphtheria	139	4	2	4	12	18	20	12	36	7	4	3	1
Hooping-cough	168	19	23	39	42	16	13	4	8	3	—	—	—
Croup	106	4	4	10	18	23	18	12	16	—	—	—	—
Thrush	4	3	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa	219	24	24	23	30	6	2	2	3	2	—	1	1
Dysentery	29	4	3	—	—	—	—	—	—	—	1	—	2
Cholera	13	3	—	—	3	—	—	—	—	—	—	2	—
Influenza	52	3	—	2	—	1	3	—	—	—	—	—	—
Purpura	5	—	—	—	1	—	—	—	—	—	—	1	1
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	4	—	—	—	1	—	3	—	—	—	—	—	—
Typhus	58	—	—	1	5	2	3	1	10	5	5	3	3
Enteric Fever	194	—	—	3	3	3	7	10	24	28	31	17	15
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	—	—	1
Simple Continued Fever	18	—	2	—	4	1	1	—	1	—	—	2	1
Infantile Remittent	11	—	2	1	3	—	3	—	2	—	—	—	—
Metria	108	—	—	—	—	—	—	—	—	—	8	20	26
Rheumatic Fever	36	—	—	—	—	—	—	—	5	4	5	4	1
Erysipelas	63	16	2	3	1	—	—	—	1	1	1	3	—
Pyæmia	9	1	—	—	—	—	—	—	—	1	—	—	—
Syphilis	11	2	2	1	2	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	4	—	1	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	18	3	—	—	—	—	1	—	1	1	—	—	—
Dropsy	82	—	—	—	1	—	—	—	—	2	1	—	—
Abscess	23	1	—	1	1	1	2	1	1	1	—	1	3
Ulcer	14	1	—	—	—	—	1	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	18	4	—	—	—	—	—	—	—	1	—	—	—
Cancer	317	—	—	—	1	—	—	—	—	—	1	1	2
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	83	—	1	3	5	1	5	3	4	8	12	9	7
Tabes Mesenterica	83	5	6	5	18	11	1	1	8	6	3	3	5
Phthisis	974	2	5	6	8	11	2	1	26	49	126	157	132
Hydrocephalus	157	9	15	30	42	12	13	7	29	—	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1875.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	285	298	309	287	320	372	471	610	831	870	736	442	163	61	9	2
SPECIFIED CAUSES . .	282	292	305	278	301	361	471	610	831	870	736	442	163	61	9	2
Zymotic Class . . .	53	41	38	19	27	16	33	35	45	39	40	16	1	1	—	1
Uncertain Seat . . .	12	16	26	43	41	53	54	53	48	46	26	15	3	2	1	—
Tubercular Class . .	110	84	79	64	39	30	29	25	13	7	—	3	1	1	—	—
Brain, etc.	9	18	28	18	35	60	57	85	128	122	77	34	12	3	—	—
Heart, etc.	20	30	26	28	35	52	79	87	109	97	45	18	5	1	—	—
Respiratory Organs .	21	25	32	49	41	63	89	127	172	171	127	47	9	4	—	1
Digestive Organs . .	17	19	27	33	45	45	38	54	56	37	23	7	3	1	—	—
Urinary Organs . . .	2	10	12	4	9	12	12	11	17	6	6	4	1	—	—	—
Generative Organs . .	30	39	21	9	7	3	4	3	7	2	2	1	—	—	—	—
Locomotive Organs .	2	2	3	5	3	2	5	9	6	6	3	1	—	—	—	—
Skin	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	5	1	5	2	7	9	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	57	114	216	325	379	288	124	48	8	—
Sudden Deaths . . .	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	1	6	8	4	11	14	12	7	13	12	8	8	4	—	—	—
Small-pox	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	3	7	2	1	—	—	—	1	—	—	—	—	—	—	—	—
Diphtheria	4	4	1	2	2	1	—	1	1	—	—	—	—	—	—	—
Hooping-cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Croup	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	3	1	1	1	3	4	5	13	19	21	20	10	—	—	—	—
Dysentery	—	1	1	—	—	1	3	2	3	4	2	1	1	—	—	—
Cholera	1	—	1	—	—	2	—	1	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	1	5	7	10	4	12	3	—	1	—	—
Purpura	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	2	—	3	2	3	1	1	2	2	2	2	—	—	—	—	—
Enteric Fever	13	3	6	4	8	3	5	3	4	3	1	—	—	—	—	—
Relapsing Fever . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever .	—	—	1	—	—	—	4	—	1	—	—	—	—	—	—	—
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	21	19	14	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . .	—	2	2	5	1	—	4	—	2	—	—	1	—	—	—	—
Erysipelas	2	2	4	4	4	3	4	4	2	3	2	1	—	—	—	—
Pyæmia	2	1	1	—	2	—	—	—	1	—	—	—	—	—	—	—
Syphilis	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. .	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Hæmorrhage	3	1	2	—	1	—	1	—	2	2	—	—	—	—	—	—
Dropsy	—	2	2	2	3	9	5	13	17	16	3	6	—	—	—	—
Abscess	2	—	1	1	1	—	1	2	—	1	—	1	—	—	—	—
Ulcer	—	—	—	—	—	1	4	3	—	—	4	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	3	1	4	3	1	1	—	—
Cancer	7	13	21	40	36	43	42	34	26	26	15	5	2	1	1	—
Gout	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Scrofula	5	2	5	2	3	2	3	1	1	1	—	—	—	—	—	—
Tabes Mesenterica . .	3	2	1	2	1	—	—	1	1	—	—	—	—	—	—	—
Phthisis	102	80	73	60	35	28	26	23	11	6	—	3	1	1	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	93	3	6	9	5	3	6	1	14	24	10	3	—
Apoplexy	236	1	2	4	6	2	2	3	4	3	6	1	2
Paralysis	358	—	—	—	—	—	—	—	1	—	2	1	4
Delirium Tremens	5	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	3	—	—	—	—	—	—	1	—	—	—	—	—
Epilepsy	32	—	—	1	—	1	—	1	—	4	1	1	4
Tetanus	5	1	—	—	—	—	—	—	—	1	—	—	1
Insanity	9	1	—	—	—	—	—	—	—	—	—	—	2
Convulsions	74	30	14	13	7	2	1	4	3	—	—	—	—
Brain Disease	127	—	1	2	3	1	1	1	3	6	12	3	1
V. Pericarditis	16	—	—	1	—	—	—	—	—	—	3	1	—
Aneurism	14	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	658	3	1	3	—	—	1	1	—	4	8	17	13
VI. Laryngitis	16	1	—	5	—	—	—	1	2	1	—	1	—
Bronchitis	998	88	48	79	75	27	12	7	13	6	9	3	2
Pleurisy	34	—	1	1	1	—	—	1	—	2	—	2	4
Pneumonia	349	17	11	14	18	14	5	3	10	7	12	11	9
Asthma	81	—	—	—	1	—	—	—	—	—	—	—	1
Lung Disease	33	—	1	—	1	—	—	—	2	—	2	2	—
VII. Teething	62	—	3	24	33	2	—	—	—	—	—	—	—
Quinsey	9	2	—	1	—	1	—	—	—	—	1	—	—
Gastritis	45	5	2	2	1	1	2	—	1	—	1	—	—
Enteritis	124	24	15	20	11	4	2	4	2	3	2	5	3
Peritonitis	74	5	—	1	1	1	—	1	3	1	5	5	9
Ascites	11	—	—	—	—	—	—	—	—	—	1	1	1
Ulceration of Intestines	32	1	1	—	—	—	1	—	—	—	2	2	1
Hernia	19	—	—	—	—	—	—	—	—	—	—	—	1
Ileus	36	2	—	1	2	—	—	—	2	—	—	1	—
Intussusception	7	—	1	2	1	—	1	—	—	—	—	—	—
Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	1	—
Stomach Disease	122	10	10	4	6	1	2	1	1	3	—	1	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	42	4	—	—	1	—	—	—	1	—	—	—	—
Jaundice	22	9	1	1	—	1	—	—	1	—	—	—	—
Liver Disease	98	1	—	1	1	—	—	1	—	1	2	1	2
Spleen Disease	5	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis	14	—	—	1	—	—	—	1	2	1	—	1	—
Nephria	51	—	—	—	—	—	1	—	1	1	1	6	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	4	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	14	—	—	—	—	—	—	—	1	2	2	—	—
Stone	4	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	10	1	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	38	1	—	—	—	—	—	—	—	1	1	1	3
IX. Paramenia	4	—	—	—	—	—	—	—	—	—	1	1	—
Ovarian Dropsy	21	—	—	—	—	—	—	—	—	—	2	—	—
Childbirth	124	—	—	—	—	—	—	—	—	—	5	19	24
Organs of Generation	38	—	—	—	—	—	—	—	—	1	1	—	5
X. Bone Disease	8	—	—	—	1	1	—	—	—	—	—	—	1
Rheumatism	32	—	—	—	—	—	—	—	1	1	—	—	—
Joint Disease	17	—	—	—	—	—	—	1	—	2	2	—	—
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	2	—	—	—	—	1	—	—	—	—	—	—	1
Skin Disease	3	—	—	—	—	—	—	—	2	—	—	—	—
XVII. Intemperance	11	—	—	—	—	—	—	—	—	—	—	—	—
Privation	3	—	—	—	—	—	2	—	—	—	—	—	—
Want of Breast Milk	10	8	2	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	7	—	—	—	—	—	—	—	—	—	—	—	—
Poison	5	—	—	—	—	1	—	—	—	—	1	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	40	—	—	1	8	5	5	3	6	1	—	—	—
Hanging, etc.	6	—	—	—	—	—	—	—	—	—	—	1	1
Suffocation	25	14	4	2	—	—	—	—	1	—	2	—	—
Drowning	28	—	—	—	2	4	1	1	—	—	—	2	1
Fracture and Contusion	46	—	—	1	1	—	2	1	—	4	—	—	1
Gunshot Wounds	2	—	—	—	—	—	—	—	1	—	—	—	—
Cuts and Stabs	9	1	—	—	—	1	—	—	1	1	—	—	—
Other Violent Causes	13	—	—	—	—	—	—	—	1	—	2	—	—
Not specified	248	98	25	15	11	5	7	5	16	3	4	4	3

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
ALL CAUSES	2394	191	62	79	91	62	35	24	91	51	73	85	66
SPECIFIED CAUSES	2094	98	42	66	75	54	32	22	75	38	65	72	54
I. Zymotic Class	380	17	20	37	52	31	21	17	41	21	20	12	7
II. Diseases of Uncertain Seat	89	1	—	—	—	2	—	—	1	—	—	1	—
III. Tubercular Class	217	2	—	3	8	3	1	1	11	3	28	36	27
IV. Brain and Nervous System	109	11	2	1	1	3	2	—	3	5	5	2	4
V. Organs of Circulation	76	—	—	—	—	—	—	—	1	1	—	2	3
VI. Respiratory Organs	256	21	12	17	8	10	5	2	5	5	—	4	2
VII. Organs of Digestion	120	6	2	7	5	2	1	1	4	—	4	1	3
VIII. Urinary Organs	29	—	—	—	—	—	—	—	1	—	—	1	1
IX. Organs of Generation	31	—	—	—	—	—	—	—	—	—	—	5	3
X. Organs of Locomotion	20	—	—	—	—	—	—	—	—	—	1	—	1
XI. Skin, etc.	3	—	3	—	—	—	—	—	—	—	—	—	—
XII. Malformation	5	3	—	1	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	36	33	3	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	11	—	—	—	—	—	—	—	—	—	1	2	—
XV. Age	637	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	75	4	—	—	1	3	2	1	7	3	6	6	3
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	31	—	—	7	5	2	—	—	10	1	3	—	—
Scarlatina	25	—	—	—	2	4	3	1	9	3	2	—	—
Diphtheria	14	1	—	—	3	1	—	3	4	2	—	—	—
Hooping-cough	79	5	7	24	21	5	9	5	2	1	—	—	—
Croup	75	8	10	4	17	14	8	3	10	1	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	13	1	1	1	2	—	—	—	—	—	—	—	—
Dysentery	3	—	—	—	1	—	—	—	—	—	—	—	—
Cholera	2	—	—	—	—	—	—	1	—	—	—	—	1
Influenza	18	2	1	—	1	—	—	—	—	1	—	—	—
Purpura	2	—	—	—	—	—	—	—	—	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	60	—	—	—	—	2	1	1	5	5	10	5	2
Enteric Fever	30	—	—	—	—	2	—	2	—	5	1	3	2
Relapsing Fever	3	—	—	—	—	—	—	—	—	—	2	—	1
Simple Continued Fever	2	—	—	—	—	—	—	—	—	—	—	1	—
Infantile Remittent	2	—	1	1	—	—	—	—	—	—	—	—	—
Metria	4	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever	6	—	—	—	—	—	—	—	1	2	2	1	—
Erysipelas	8	—	—	—	—	—	—	1	—	—	—	—	—
Pyæmia	2	—	—	—	—	—	—	—	—	—	—	1	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	29	—	—	—	—	1	—	—	1	—	—	—	—
Abscess	7	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	46	—	—	—	—	1	—	—	—	—	—	1	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	14	1	—	—	—	—	—	—	—	1	1	2	2
Tabes Mesenterica	7	—	—	1	2	—	—	—	4	—	—	—	—
Phthisis	190	—	—	1	4	2	1	1	6	2	27	34	25
Hydrocephalus	6	1	—	1	2	1	—	—	1	—	—	—	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1875.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	9	—	—	—	—	—	1	—	2	2	1	1	1
Apoplexy	13	—	—	1	—	—	—	—	—	—	1	—	—
Paralysis	41	—	—	—	—	—	—	—	—	1	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	9	—	—	—	—	—	—	—	—	1	1	—	1
Tetanus	6	5	—	—	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	12	6	2	—	1	2	1	—	—	—	—	—	—
Brain Disease	15	—	—	—	—	1	—	—	1	1	1	1	2
V. Pericarditis	5	—	—	—	—	—	—	—	—	1	—	1	—
Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	68	—	—	—	—	—	—	—	1	—	—	1	3
VI. Laryngitis	4	—	—	—	—	1	—	—	1	—	—	—	—
Bronchitis	141	16	11	12	7	6	2	1	2	5	—	1	—
Pleurisy	17	4	—	2	—	1	1	—	—	—	—	—	—
Pneumonia	49	1	1	3	1	2	2	1	2	—	—	3	2
Asthma	40	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	5	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	5	—	—	2	1	2	—	—	—	—	—	—	—
Quinsey	5	1	—	—	2	—	—	1	—	—	—	—	—
Gastritis	6	—	—	—	—	—	—	—	1	—	—	—	1
Enteritis	19	1	1	3	—	—	—	—	1	—	2	1	—
Peritonitis	9	—	—	1	—	—	—	—	—	—	—	—	1
Ascites	1	—	—	—	—	—	1	—	—	—	—	—	—
Ulceration of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	2	—	1	—	—	—	—	—	—	—	—	—	—
Ileus	10	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	26	2	—	—	1	—	—	—	1	—	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	8	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	8	2	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	17	—	—	—	1	—	—	—	1	—	2	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	1	—
Nephria	10	—	—	—	—	—	—	—	1	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	4	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	1
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	6	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	4	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	23	—	—	—	—	—	—	—	—	—	—	4	2
Organs of Generation	3	—	—	—	—	—	—	—	—	—	—	1	—
X. Bone Disease	1	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatism	16	—	—	—	—	—	—	—	—	—	—	—	1
Joint Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	3	—	3	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	3	—	—	—	1	1	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	7	—	—	—	—	2	—	1	1	—	1	1	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	2	—	—	—	—	—	—	—	—	—	—	—
Drowning	49	—	—	—	—	—	2	—	5	2	4	4	3
Fracture and Contusion	9	—	—	—	—	—	—	—	1	1	—	1	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	3	2	—	—	—	—	—	—	—	—	1	—	—
Not specified	300	93	20	13	16	8	3	2	16	13	8	13	12

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Apoplexy . . .	—	—	1	2	1	1	1	2	—	1	2	—	—	—	—	—
Paralysis . . .	—	2	1	3	—	—	3	5	5	11	5	4	1	—	—	—
Delirium Tremens . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	—	—	—	1	—	1	—	1	1	2	—	—	—	—	—	—
Tetanus . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Insanity . . .	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	—	—	2	—	1	2	1	1	—	—	—	—	1	—	—	—
Pericarditis . . .	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Aneurism . . .	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—
Heart Disease . . .	2	2	1	6	4	8	7	12	9	5	4	2	1	—	—	—
Laryngitis . . .	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . .	2	—	2	2	1	7	8	17	16	11	9	—	2	1	—	—
Pleurisy . . .	1	1	—	1	1	—	—	—	4	1	—	—	—	—	—	—
Pneumonia . . .	2	3	5	3	1	3	3	4	6	1	—	—	—	—	—	—
Asthma . . .	—	1	1	5	3	3	4	5	7	5	4	1	—	1	—	—
Lung Disease . . .	—	—	—	—	—	—	1	1	1	1	1	—	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	—	—	1	—	—	1	1	—	1	—	—	—	—	—	—
Enteritis . . .	3	—	—	1	1	1	—	1	1	1	—	1	—	—	—	—
Peritonitis . . .	—	1	—	—	—	1	2	—	2	1	—	—	—	—	—	—
Ascites . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . .	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Hernia . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Ileus . . .	—	1	1	—	—	—	2	1	2	3	—	—	—	—	—	—
Intussusception . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . .	—	—	—	1	4	6	4	4	2	—	—	—	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	—	—	1	2	1	—	—	1	2	—	—	1	—	—	—	—
Jaundice . . .	—	1	2	—	—	1	—	—	—	2	—	—	—	—	—	—
Liver Disease . . .	1	1	—	1	—	—	2	3	2	2	—	1	—	—	—	—
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . .	2	—	1	1	—	1	1	—	2	1	—	—	—	—	—	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—
Diabetes . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Stone . . .	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—
Cystitis . . .	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	2	—	—	—	1	—	—	1	—	1	—	1	—	—	—	—
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	1	—	1	—	1	—	—	1	—	—	—	—	—	—
Childbirth . . .	4	7	5	—	1	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism . . .	—	—	3	1	1	—	2	1	3	4	—	—	—	—	—	—
Joint Disease . . .	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Poison . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Hanging, etc. . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Suffocation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . .	5	9	3	1	—	1	4	1	—	—	—	—	—	—	—	5
Fracture and Contusion . . .	1	1	—	1	—	—	—	—	—	1	—	—	2	—	—	—
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not specified . . .	19	9	12	11	10	22	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1116	108	32	47	42	30	16	9	45	22	38	43	39
SPECIFIED CAUSES	969	55	21	37	35	25	15	7	36	18	35	37	33
I. Zymotic Class	166	8	9	18	24	13	9	7	21	9	12	5	3
II. Diseases of Uncertain Seat	37	—	—	—	—	1	—	—	—	—	—	—	—
III. Tubercular Class	113	1	—	2	3	2	1	—	5	—	12	20	17
IV. Brain and Nervous System	55	6	—	1	—	2	1	—	—	4	2	2	3
V. Organs of Circulation	40	—	—	—	—	—	—	—	1	1	—	1	1
VI. Respiratory Organs	130	16	7	11	4	4	2	—	2	1	—	2	2
VII. Organs of Digestion	64	1	2	5	3	—	—	—	2	—	2	—	2
VIII. Urinary Organs	19	—	—	—	—	—	—	—	1	—	—	—	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	8	—	—	—	—	—	—	—	—	—	1	—	1
XI. Skin, etc.	2	—	2	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	20	19	1	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	5	—	—	—	—	—	—	—	—	—	1	2	—
XV. Age	249	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	60	3	—	—	1	3	2	—	4	3	5	5	3
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	14	—	—	2	1	2	—	—	5	1	3	—	—
Scarlatina	14	—	—	—	1	3	2	—	5	1	2	—	—
Diphtheria	4	1	—	—	1	1	—	1	—	—	—	—	—
Hooping-cough	39	2	4	12	11	2	4	3	1	—	—	—	—
Croup	32	3	4	2	9	4	2	1	6	1	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	4	—	—	1	1	—	—	—	—	—	—	—	—
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	1
Influenza	8	2	1	—	—	—	—	—	—	1	—	—	—
Purpura	2	—	—	—	—	—	—	—	—	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	27	—	—	—	—	—	1	1	3	2	4	2	1
Enteric Fever	11	—	—	—	—	1	—	1	—	3	1	1	—
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	1
Simple Continued Fever	1	—	—	—	—	—	—	—	—	—	—	1	—
Infantile Remittent	1	—	—	1	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	—	—	—	—	1	—	2	—	—
Erysipelas	3	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	6	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	5	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	22	—	—	—	—	1	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	5	—	—	—	—	—	—	—	—	—	—	1	1
Tabes Mesenterica	3	—	—	—	—	—	—	—	3	—	—	—	—
Phthisis	100	—	—	1	2	1	1	—	1	—	12	19	16
Hydrocephalus	5	1	—	1	1	1	—	—	1	—	—	—	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—MALES.

[illegible]

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	—	—	—	—	—	1	—	—	2	—	1	1
Apoplexy	6	—	—	1	—	—	—	—	—	—	—	—	—
Paralysis	19	—	—	—	—	—	—	—	—	1	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	6	—	—	—	—	—	—	—	—	—	1	—	1
Tetanus	4	4	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	3	2	—	—	—	1	—	—	—	—	—	—	—
Brain Disease	9	—	—	—	—	1	—	—	—	1	—	1	1
V Pericarditis	2	—	—	—	—	—	—	—	—	1	—	1	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	36	—	—	—	—	—	—	—	1	—	—	—	1
VI Laryngitis	2	—	—	—	—	1	—	—	—	—	—	—	—
Bronchitis	64	11	6	8	4	2	1	—	—	1	—	—	—
Pleurisy	15	4	—	2	—	1	1	—	—	—	—	—	—
Pneumonia	30	1	1	1	—	—	—	—	2	—	—	2	2
Asthma	17	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	1	—	—	1	—	—	—	—	—	—	—	—	—
Quinsey	2	—	—	—	2	—	—	—	—	—	—	—	—
Gastritis	4	—	—	—	—	—	—	—	—	—	—	—	1
Enteritis	9	—	1	2	—	—	—	—	—	—	1	—	—
Peritonitis	6	—	—	1	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	1	—	—	—	—	—	—	—	—	—	—
Ileus	7	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	14	—	—	—	1	—	—	—	1	—	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	6	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	10	—	—	—	—	—	—	—	1	—	1	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	6	—	—	—	—	—	—	—	1	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	4	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	1
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	1	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatism	5	—	—	—	—	—	—	—	—	—	—	—	1
Joint Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	—	2	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	1	1	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	—	—	2	—	—	—	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	2	—	—	—	—	—	—	—	—	—	—	—
Drowning	44	—	—	—	—	—	2	—	4	2	4	4	3
Fracture and Contusion	6	—	—	—	—	—	—	—	—	1	—	1	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	1	—	—	—	—	—	—	—	—	1	—	—
Not specified	147	53	11	10	7	5	1	2	9	4	3	6	6

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1278	83	30	32	49	32	19	15	46	29	35	42	27
SPECIFIED CAUSES	1125	43	21	29	40	29	17	15	39	20	30	35	21
I. Zymotic Class	214	9	11	19	28	18	12	10	20	12	8	7	4
II. Diseases of Uncertain Seat	52	1	—	—	—	1	—	—	1	—	—	1	—
III. Tubercular Class	104	1	—	1	5	1	—	1	6	3	16	16	10
IV. Brain and Nervous System	54	5	2	—	1	1	1	—	3	1	3	—	1
V. Organs of Circulation	36	—	—	—	—	—	—	—	—	—	—	1	2
VI. Respiratory Organs	126	5	5	6	4	6	3	2	3	4	—	2	—
VII. Organs of Digestion	56	5	—	2	2	2	1	1	2	—	2	1	1
VIII. Urinary Organs	10	—	—	—	—	—	—	—	—	—	—	1	—
IX. Organs of Generation	31	—	—	—	—	—	—	—	—	—	—	5	3
X. Organs of Locomotion	12	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	4	2	—	1	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	16	14	2	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	—	—	—	—	—	—	—	—	—	—	—
XV. Age	388	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	15	1	—	—	—	—	—	1	3	—	1	1	—
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	17	—	—	5	4	—	—	—	5	—	—	—	—
Scarlatina	11	—	—	—	1	1	1	1	4	2	—	—	—
Diphtheria	10	—	—	—	2	—	—	2	4	2	—	—	—
Hooping-cough	40	3	3	12	10	3	5	2	1	1	—	—	—
Croup	43	5	6	2	8	10	6	2	4	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	9	1	1	—	1	—	—	—	—	—	—	—	—
Dysentery	3	—	—	—	1	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	1	—	—	—	—	—
Influenza	10	—	—	—	1	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	33	—	—	—	—	2	—	—	2	3	6	3	1
Enteric Fever	19	—	—	—	—	1	—	1	—	2	—	2	2
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	2	—	—
Simple Continued Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	1	—	1	—	—	—	—	—	—	—	—	—	—
Metria	4	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever	3	—	—	—	—	—	—	—	—	2	—	1	—
Erysipelas	5	—	—	—	—	—	—	1	—	—	—	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	1	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	23	—	—	—	—	1	—	—	1	—	—	—	—
Abscess	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	24	—	—	—	—	—	—	—	—	—	—	1	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	9	1	—	—	—	—	—	—	—	1	1	1	1
Tabes Mesenterica	4	—	—	1	2	—	—	—	1	—	—	—	—
Phthisis	90	—	—	—	2	1	—	1	5	2	15	15	9
Hydrocephalus	1	—	—	—	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1875.—FEMALES.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	51	32	46	49	38	38	63	73	102	92	130	77	31	14	1	2	
SPECIFIED CAUSES . .	38	27	38	42	31	25	63	73	102	92	130	77	31	14	1	2	
Zymotic Class . . .	7	3	6	9	1	4	4	5	5	4	3	4	1	-	-	-	
Uncertain Seat . . .	2	-	3	4	5	6	7	8	1	4	4	2	1	-	-	1	
Tubercular Class	16	6	6	6	7	1	2	-	-	-	-	-	-	-	-	-	
Brain, etc.	-	2	4	5	1	3	1	4	3	5	5	2	1	-	-	-	
Heart, etc.	1	2	1	5	3	3	4	6	6	-	2	-	-	-	-	-	
Respiratory Organs .	2	1	5	6	4	4	10	18	17	8	8	1	-	2	-	-	
Digestive Organs . .	3	3	2	3	4	3	4	7	4	1	-	3	-	-	-	-	
Urinary Organs . . .	2	-	2	1	1	-	-	-	2	-	-	1	-	-	-	-	
Generative Organs . .	5	8	6	-	2	-	1	-	-	1	-	-	-	-	-	-	
Locomotive Organs .	-	-	2	1	1	-	2	1	3	2	-	-	-	-	-	-	
Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	27	24	60	66	107	64	27	12	1	-	
Sudden Deaths . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths . . .	-	2	-	-	-	-	1	-	1	1	1	-	1	-	-	1	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	
Scarlatina	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hooping-cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	1	1	1	-	1	-	-	1	-	-	1	-	-	-	-	-	
Dysentery	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	1	-	1	-	2	1	1	-	2	1	-	-	-	
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	2	1	2	2	-	2	2	1	2	1	1	-	-	-	-	-	
Enteric Fever	1	1	2	3	-	1	1	-	-	2	-	-	-	-	-	-	
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Cont. Fever . .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infantile Remittent .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	-	-	2	2	3	1	2	5	-	1	-	2	1	-	-	-	
Dropsy	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer	2	-	1	2	2	4	5	3	-	2	1	-	-	-	-	1	
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
Tabes Mesenterica . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	16	6	4	5	6	1	2	-	-	-	-	-	-	-	-	-	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1875.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	—	—	—	—	—	—	—	2	—	1	—	—
Apoplexy	7	—	—	—	—	—	—	—	—	—	1	—	—
Paralysis	22	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	—	—	—	—	—	—	—	1	—	—	—
Tetanus	2	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	9	4	2	—	1	1	1	—	—	—	—	—	—
Brain Disease	6	—	—	—	—	—	—	—	1	—	1	—	1
V. Pericarditis	3	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	32	—	—	—	—	—	—	—	—	—	—	1	2
VI. Laryngitis	2	—	—	—	—	—	—	—	1	—	—	—	—
Bronchitis	77	5	5	4	3	4	1	1	2	4	—	1	—
Pleurisy	2	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	19	—	—	2	1	2	2	1	—	—	—	1	—
Asthma	23	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	4	—	—	1	1	2	—	—	—	—	—	—	—
Quinsey	3	1	—	—	—	—	—	1	—	—	—	—	—
Gastritis	2	—	—	—	—	—	—	—	1	—	—	—	—
Enteritis	10	1	—	1	—	—	—	—	1	—	1	1	—
Peritonitis	3	—	—	—	—	—	—	—	—	—	—	—	1
Ascites	1	—	—	—	—	—	1	—	—	—	—	—	—
Ulceration of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	12	2	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	6	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	7	—	—	—	1	—	—	—	—	—	1	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	1	—
Nephria	4	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	4	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	23	—	—	—	—	—	—	—	—	—	—	4	2
Organs of Generation	3	—	—	—	—	—	—	—	—	—	—	1	—
X. Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	11	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	—	—	—	1	1	—	1	1	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	5	—	—	—	—	—	—	—	1	—	—	—	—
Fracture and Contusion	3	—	—	—	—	—	—	—	1	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	1	—	—	—	—	—	—	—	—	—	—	—
Not specified	153	40	9	3	9	3	2	—	7	9	5	7	6

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1875.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Apoplexy . . .	-	-	1	1	1	1	-	-	-	1	1	-	-	-	-	-
Paralysis . . .	-	2	1	3	-	-	-	2	3	4	4	2	1	-	-	-
Delirium Tremens . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy . . .	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Tetanus . . .	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Insanity . . .	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Disease . . .	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
Pericarditis . . .	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Aneurism . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Heart Disease . . .	1	1	1	5	3	3	4	5	4	-	2	-	-	-	-	-
Laryngitis . . .	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis . . .	1	-	2	2	1	2	5	12	10	5	6	-	-	1	-	-
Pleurisy . . .	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
Pneumonia . . .	1	1	2	1	-	-	1	2	1	1	-	-	-	-	-	-
Asthma . . .	-	-	1	3	2	2	3	3	4	1	2	1	-	1	-	-
Lung Disease . . .	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
Teething . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quinsey . . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Gastritis . . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis . . .	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Peritonitis . . .	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Ascites . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestines . . .	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hernia . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Pleur . . .	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Intussusception . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease . . .	-	-	-	1	3	2	1	3	-	-	-	-	-	-	-	-
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . .	-	-	1	1	1	-	-	1	1	-	-	1	-	-	-	-
Jaundice . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liver Disease . . .	-	1	-	-	-	-	1	1	1	-	-	1	-	-	-	-
Spleen Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephria . . .	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-
Addison's Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stone . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis . . .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease . . .	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . . .	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
Childbirth . . .	4	7	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation . . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bone Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism . . .	-	-	2	-	1	-	2	1	3	2	-	-	-	-	-	-
Joint Disease . . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Carbuncle . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Poison . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hanging, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning . . .	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Fracture and Contusion . . .	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Gunshot Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not specified . . .	13	5	8	7	7	13	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15384	1433	611	1344	1866	851	507	375	901	386	544	635	535
SPECIFIED CAUSES	15297	1404	604	1334	1854	847	506	372	897	386	543	634	535
I. Zymotic Class	3269	189	171	431	685	370	258	194	351	81	75	95	72
II. Diseases of Uncertain Seat	408	10	6	9	6	10	4	3	18	6	11	6	8
III. Tubercular Class	2802	36	59	181	249	151	94	77	245	132	290	316	212
IV. Brain and Nervous System	1336	125	53	105	149	48	26	17	68	51	33	23	25
V. Organs of Circulation	590	1	—	—	3	—	4	—	9	24	19	23	33
VI. Respiratory Organs	3701	203	195	411	557	211	89	56	119	28	35	64	79
VII. Organs of Digestion	975	129	57	136	155	32	9	8	32	17	23	22	25
VIII. Urinary Organs	210	—	1	1	5	2	4	6	10	7	12	13	12
IX. Organs of Generation	120	1	—	—	—	1	—	—	—	—	5	20	17
X. Organs of Locomotion	93	1	—	—	1	5	3	1	12	17	15	4	5
XI. Skin, etc.	10	3	—	—	2	—	—	1	—	—	—	—	—
XII. Malformation	38	33	2	1	—	1	—	1	—	—	—	—	—
XIII. Premature Debility	707	628	38	41	—	—	—	—	—	—	—	—	—
XIV. Atrophy	98	—	—	—	29	10	6	5	8	5	3	1	2
XV. Age	339	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	30	2	4	—	—	—	—	—	1	—	—	—	1
XVII. Violent Deaths	571	43	18	18	13	6	9	3	24	18	22	47	44
I. Small-pox	2	—	—	2	—	—	—	—	—	—	—	—	—
Measles	344	6	6	64	153	40	26	18	26	2	1	—	1
Scarlatina	732	2	9	39	108	127	112	87	180	33	11	11	6
Diphtheria	109	5	2	12	22	25	15	12	11	1	1	—	—
Hooping-cough	717	24	59	157	216	105	62	41	52	1	—	—	—
Croup	160	6	5	21	53	29	20	10	16	—	—	—	—
Thrush	3	3	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	489	92	74	108	92	20	3	6	10	4	3	5	3
Dysentery	21	1	1	3	3	1	—	—	—	—	—	—	1
Cholera	11	—	1	1	—	1	—	—	—	—	1	1	1
Influenza	8	1	—	—	—	—	—	1	1	1	—	—	1
Purpura	13	2	—	—	1	1	1	—	—	1	—	—	2
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	4	—	—	—	1	1	1	—	—	—	1	—	—
Typhus	96	—	—	—	1	3	—	—	6	5	7	11	11
Enteric Fever	284	—	4	7	17	11	14	11	32	29	39	45	28
Relapsing Fever	1	—	—	—	—	—	1	—	—	—	—	—	—
Simple Continued Fever	16	1	—	—	4	1	1	—	4	1	—	1	—
Infantile Remittent	21	—	—	1	3	4	1	5	7	—	—	—	—
Metria	54	—	—	—	—	—	—	—	—	—	2	15	13
Rheumatic Fever	20	—	—	—	1	—	—	1	—	2	4	2	2
Erysipelas	80	18	5	6	3	1	—	1	3	—	2	1	1
Pyæmia	22	3	—	—	1	—	1	—	1	1	2	2	—
Syphilis	53	25	5	7	4	—	—	—	—	—	1	1	2
Noma	3	—	—	—	1	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	6	—	—	3	1	—	—	1	1	—	—	—	—
II. Hæmorrhage	11	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	108	5	—	1	3	9	3	2	9	2	4	2	3
Abscess	42	—	5	6	3	—	1	1	5	2	4	—	4
Ulcer	18	1	—	1	—	—	—	—	2	1	—	—	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	19	1	—	1	—	—	—	—	—	—	—	1	—
Cancer	208	2	1	—	—	1	—	—	2	1	3	3	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	142	1	3	7	17	19	8	8	22	15	17	13	2
Tabes Mesenterica	300	15	10	43	80	38	22	15	45	14	9	4	1
Phthisis	1973	9	10	34	68	45	29	33	124	103	264	299	209
Hydrocephalus	387	11	36	97	84	49	35	21	54	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1875.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	223	6	14	30	45	10	11	6	24	29	14	6	5
Apoplexy	285	5	5	18	15	10	5	5	11	5	5	2	6
Paralysis	263	1	—	—	2	—	—	1	—	2	3	3	5
Delirium Tremens	10	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	2	—	—	—	1	—	—	—	—	1	—	—	—
Epilepsy	41	1	—	—	2	—	—	—	1	3	7	6	1
Tetanus	5	1	—	—	—	—	—	—	—	1	—	1	—
Insanity	16	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	295	107	31	45	69	21	7	3	12	—	—	—	—
Brain Disease	196	4	3	12	15	7	3	2	20	10	4	4	6
V. Pericarditis	17	—	—	—	—	—	—	—	2	3	2	1	3
Aneurism	21	—	—	—	—	—	—	—	—	—	—	—	2
Heart Disease	552	1	—	—	3	—	4	—	7	21	17	22	28
VI. Laryngitis	36	1	1	5	3	2	4	2	1	—	—	3	—
Bronchitis	2587	141	155	307	408	165	58	37	69	14	14	22	44
Pleurisy	34	—	—	—	1	—	1	1	4	—	2	7	4
Pneumonia	885	49	38	95	137	38	24	16	41	12	16	29	28
Asthma	76	—	—	—	1	—	—	—	1	—	—	—	—
Lung Disease	83	12	1	4	7	6	2	—	3	2	3	3	3
VII. Teething	220	—	15	85	111	9	—	—	—	—	—	—	—
Quinsey	9	2	1	1	2	1	—	—	1	—	—	—	—
Gastritis	36	6	2	6	5	1	1	—	3	2	—	2	1
Enteritis	237	72	23	32	27	12	3	6	13	4	4	6	4
Peritonitis	61	2	—	—	1	1	—	1	4	5	9	1	7
Ascites	10	—	—	—	1	—	—	—	—	1	—	1	—
Ulceration of Intestines	19	1	—	2	1	—	—	—	—	—	2	1	—
Hernia	20	—	—	—	—	—	—	—	—	1	1	1	1
Ileus	26	9	2	1	—	—	—	—	1	—	1	2	1
Intussusception	8	—	3	—	—	—	—	—	1	—	—	1	1
Stricture of Intestines	4	—	—	—	—	—	—	—	—	—	—	1	—
Stomach Disease	117	19	11	6	5	5	3	—	5	1	1	1	5
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	49	4	—	—	—	1	1	1	—	—	2	1	2
Jaundice	19	9	—	1	—	—	—	—	—	—	—	1	—
Liver Disease	137	5	—	2	1	2	1	—	4	3	3	1	3
Spleen Disease	3	—	—	—	—	—	—	—	—	—	—	2	—
VIII. Nephritis	28	—	—	1	2	—	2	1	6	1	1	—	1
Nephria	79	—	—	—	1	—	1	2	1	4	4	4	5
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	6	—	1	—	—	—	—	—	—	—	2	—	1
Diabetes	13	—	—	—	—	—	—	—	—	1	1	2	1
Stone	7	—	—	—	—	—	—	1	—	—	1	1	1
Cystitis	7	—	—	—	—	—	—	—	1	—	1	1	—
Stricture of Urethra	2	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	68	—	—	—	2	2	1	2	2	1	2	5	3
IX. Paramenia	3	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	8	—	—	—	—	—	—	—	—	—	1	1	—
Childbirth	92	—	—	—	—	—	—	—	—	—	4	18	16
Organs of Generation	17	1	—	—	—	1	—	—	—	—	—	1	1
X. Bone Disease	20	1	—	—	—	2	—	—	1	5	7	1	—
Rheumatism	33	—	—	—	—	1	—	—	2	2	3	1	2
Joint Disease	40	—	—	—	1	2	3	1	9	10	5	2	3
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	8	3	—	—	2	—	—	1	—	—	—	—	—
XVII. Intemperance	56	—	—	—	—	—	—	—	—	—	1	1	—
Privation	3	—	—	—	—	—	—	—	—	—	1	—	1
Want of Breast Milk	34	16	8	10	—	—	—	—	—	—	—	—	—
Neglect	2	1	1	—	—	—	—	—	—	—	—	—	—
Cold	5	1	—	—	—	—	—	—	—	—	—	—	—
Poison	6	—	—	—	—	—	—	—	—	—	—	1	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	40	1	—	2	5	5	4	—	5	1	1	4	4
Hanging, &c.	9	—	—	—	—	—	—	—	—	—	1	1	1
Suffocation	66	22	8	3	3	—	—	—	3	—	—	1	4
Drowning	92	—	1	2	4	—	—	—	3	5	3	12	8
Fracture and Contusion	190	1	—	1	1	—	4	2	9	7	10	19	20
Gunshot Wounds	3	—	—	—	—	—	—	—	—	—	—	1	1
Cuts and Stabs	9	—	—	—	—	—	—	—	—	2	1	—	—
Other Violent Causes	55	1	—	—	—	1	1	1	4	3	4	7	5
Not specified	87	29	7	10	12	4	1	3	4	—	1	1	—

CAUSES of DEATH in GLASGOW, a different Periods of Life, in 1875.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	7649	786	354	723	984	441	258	177	451	174	278	308	242
SPECIFIED CAUSES	7610	774	349	716	981	438	257	177	448	174	277	308	242
I. Zymotic Class	1580	102	96	212	358	180	122	78	152	28	42	41	33
II. Diseases of Uncertain Seat	157	7	3	4	—	7	2	—	10	4	10	1	4
III. Tubercular Class	1343	17	30	118	119	76	47	43	136	55	137	145	80
IV. Brain and Nervous System	716	78	35	65	85	28	14	12	46	24	16	9	14
V. Organs of Circulation	283	1	—	—	—	—	3	—	4	9	8	10	17
VI. Respiratory Organs	1914	121	119	216	313	120	52	29	52	13	14	38	43
VII. Organs of Digestion	466	58	32	68	82	18	5	5	17	8	16	11	6
VIII. Urinary Organs	122	—	1	—	3	1	3	4	6	5	4	9	7
IX. Organs of Generation	1	1	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	43	1	—	—	—	3	—	1	8	11	7	1	3
XI. Skin, etc.	8	3	—	—	1	—	—	—	—	—	—	—	—
XII. Malformation	25	21	2	—	—	1	—	1	—	—	—	—	—
XIII. Premature Debility	380	338	18	24	—	—	—	—	—	—	—	—	—
XIV. Atrophy	44	—	—	—	15	2	5	3	5	3	2	—	1
XV. Age	111	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	15	—	2	—	—	—	—	—	1	—	—	—	1
XVII. Violent Deaths	402	26	11	9	5	2	4	1	11	14	21	43	33
I. Small-pox	2	—	—	2	—	—	—	—	—	—	—	—	—
Measles	169	2	4	34	81	21	14	7	6	—	—	—	—
Scarlatina	348	1	6	25	61	62	46	35	83	12	8	4	2
Diphtheria	66	4	2	7	17	16	6	5	6	—	1	—	—
Whooping-cough	322	11	31	68	104	40	29	17	22	—	—	—	—
Croup	87	4	3	9	30	15	12	4	10	—	—	—	—
Thrush	3	3	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	243	49	41	52	45	14	2	3	5	1	2	4	1
Dysentery	10	1	—	2	1	1	—	—	—	—	—	—	—
Cholera	7	—	1	—	—	—	—	—	—	—	1	1	1
Influenza	6	1	—	—	—	—	—	—	1	1	—	—	1
Purpura	9	2	—	—	1	—	1	—	—	1	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	1	—	1	—	—	—	—	—	—
Typhus	52	—	—	—	1	1	—	—	2	2	4	8	10
Enteric Fever	135	—	3	3	7	6	9	3	13	9	21	21	15
Relapsing Fever	1	—	—	—	—	—	1	—	—	—	—	—	—
Simple Continued Fever	6	—	—	—	3	—	—	—	—	1	—	—	—
Infantile Remittent	11	—	—	1	—	3	1	3	3	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	12	—	—	—	1	—	—	—	—	—	2	1	2
Erysipelas	47	8	4	3	2	1	—	1	1	—	1	1	—
Pyæmia	13	1	—	—	—	—	—	—	—	1	2	1	—
Syphilis	25	15	1	3	3	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	3	—	—	3	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	8	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	44	4	—	—	—	6	1	—	5	1	3	—	3
Abscess	20	—	2	3	—	—	1	—	3	1	4	—	1
Ulcer	8	—	—	—	—	—	—	—	2	1	—	—	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	10	1	—	1	—	—	—	—	—	—	—	1	—
Cancer	65	1	1	—	—	1	—	—	—	1	3	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	74	1	3	2	6	8	4	5	14	7	8	9	2
Tabes Mesenterica	166	6	5	30	41	21	13	10	27	7	3	2	—
Phthisis	892	4	8	20	31	21	12	20	63	41	126	134	78
Hydrocephalus	211	6	14	66	41	26	18	8	32	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1875.—MALES. (Continued).

DISEASES.	ALL AGES.	MALES.										
		AGE UNDER										30
		MONTHS.			2	3	4	5	10	15	20	
		3	6	12								
IV. Cephalitis	124	3	8	17	26	8	5	4	11	15	8	3
Apoplexy	141	5	3	11	6	5	3	3	9	3	3	2
Paralysis	122	1	—	—	1	—	—	1	—	1	—	5
Delirium Tremens	10	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	19	1	—	—	2	—	—	—	1	1	3	2
Tetanus	3	1	—	—	—	—	—	—	—	1	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—
Convulsions	183	64	22	29	41	10	5	2	10	—	—	—
Brain Disease	113	3	2	8	9	5	1	2	15	3	2	3
V. Pericarditis	9	—	—	—	—	—	—	—	—	2	—	3
Aneurism	15	—	—	—	—	—	—	—	—	—	—	2
Heart Disease	259	1	—	—	—	—	3	—	4	7	8	12
VI. Laryngitis	15	1	—	3	1	2	1	—	—	—	—	—
Bronchitis	1242	80	96	165	218	95	31	20	33	6	6	19
Pleurisy	23	—	—	—	—	—	1	1	2	—	1	3
Pneumonia	548	33	22	47	89	20	17	8	16	6	7	21
Asthma	46	—	—	—	1	—	—	—	—	—	—	—
Lung Disease	40	7	1	1	4	3	2	—	1	1	—	—
VII. Teething	118	—	8	41	63	6	—	—	—	—	—	—
Quinsey	4	—	1	1	1	1	—	—	—	—	—	—
Gastritis	20	2	1	3	1	1	1	—	3	—	—	2
Enteritis	111	33	13	16	11	6	1	3	7	2	3	1
Peritonitis	23	1	—	—	1	—	—	1	2	3	5	—
Ascites	4	—	—	—	1	—	—	—	—	—	—	1
Ulceration of Intestines	10	—	—	1	1	—	—	—	—	—	2	1
Hernia	11	—	—	—	1	—	—	—	—	1	1	1
Ileus	15	6	—	1	—	—	—	—	1	—	1	1
Intussusception	5	—	3	—	—	—	—	—	—	—	—	1
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	45	10	6	2	2	2	1	—	2	—	1	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	22	—	—	—	—	1	1	1	—	—	2	1
Jaundice	9	4	—	1	—	—	—	—	—	—	—	—
Liver Disease	65	2	—	2	—	1	1	—	2	2	1	2
Spleen Disease	2	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	16	—	—	—	1	—	1	—	3	1	1	1
Nephria	43	—	—	—	1	—	1	1	—	2	1	3
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	5	—	1	—	—	—	—	—	—	—	1	1
Diabetes	7	—	—	—	—	—	—	—	—	1	—	1
Stone	6	—	—	—	—	—	—	1	—	—	—	1
Cystitis	7	—	—	—	—	—	—	—	1	—	1	—
Stricture of Urethra	2	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	36	—	—	—	1	1	1	2	2	1	—	3
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	1	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	9	1	—	—	—	1	—	—	1	3	3	—
Rheumatism	11	—	—	—	—	—	—	—	1	2	2	—
Joint Disease	23	—	—	—	—	2	—	1	6	6	2	3
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	6	3	—	—	1	—	—	—	—	—	—	—
XVII. Intemperance	34	—	—	—	—	—	—	—	—	—	1	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	19	8	7	4	—	—	—	—	—	—	—	—
Neglect	2	1	1	—	—	—	—	—	—	—	—	—
Cold	2	1	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	17	1	—	1	1	2	3	—	—	—	1	4
Hanging, etc.	7	—	—	—	—	—	—	—	—	—	1	1
Suffocation	35	14	2	2	2	—	—	—	1	—	—	3
Drowning	81	—	1	2	1	—	—	—	3	5	3	12
Fracture and Contusion	151	1	—	—	1	—	1	1	7	5	10	18
Gunshot Wounds	3	—	—	—	—	—	—	—	—	—	—	1
Cuts and Stabs	7	—	—	—	—	—	—	—	—	1	1	—
Other Violent Causes	40	—	—	—	—	—	—	—	—	3	4	6
Not specified	39	12	5	7	3	3	1	—	3	—	1	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1875.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	1	4	2	1	2	1	1	—	—	1	—	—	—	—	—	—
Apoplexy . . .	2	4	8	7	10	12	17	7	10	7	—	2	—	—	—	—
Paralysis . . .	2	6	7	9	10	7	18	21	16	8	6	2	1	—	—	—
Delirium Tremens . . .	2	1	2	—	3	—	—	1	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	1	2	2	—	2	—	1	1	—	—	—	—	—	—	—	—
Tetanus . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	4	4	5	3	7	5	5	14	8	3	—	—	—	—	—	—
Pericarditis . . .	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . .	1	3	3	1	4	—	—	1	—	—	—	—	—	—	—	—
Heart Disease . . .	20	19	21	24	25	26	30	24	16	5	3	1	—	—	—	—
Laryngitis . . .	—	2	1	1	1	—	—	1	—	—	—	—	—	—	—	—
Bronchitis . . .	20	27	43	52	51	70	66	55	48	23	8	—	1	—	—	—
Pleurisy . . .	2	—	—	1	1	2	—	1	—	1	—	—	—	—	—	—
Pneumonia . . .	31	34	48	29	30	21	23	11	6	6	3	—	—	—	—	—
Asthma . . .	3	5	1	7	7	4	7	3	7	1	—	—	—	—	—	—
Lung Disease . . .	4	4	2	2	3	2	1	—	1	—	—	—	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis . . .	2	2	1	3	1	3	—	—	—	1	1	—	—	—	—	—
Peritonitis . . .	2	2	—	1	1	1	3	—	—	—	—	—	—	—	—	—
Ascites . . .	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . .	—	—	—	1	2	1	1	—	—	—	—	—	—	—	—	—
Hernia . . .	—	—	2	1	1	—	—	1	1	—	—	—	—	—	—	—
Ileus . . .	1	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—
Intussusception . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Stomach Disease . . .	1	1	—	3	5	3	1	3	—	—	—	—	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	1	3	2	3	1	2	2	—	—	2	—	—	—	—	—	—
Jaundice . . .	—	—	—	1	—	—	2	—	1	—	—	—	—	—	—	—
Liver Disease . . .	1	7	7	7	4	9	6	4	5	1	—	—	—	—	—	—
Spleen Disease . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Nephritis . . .	1	—	—	1	1	1	1	2	1	—	—	—	—	—	—	—
Nephria . . .	6	4	5	6	5	4	—	2	—	—	—	—	—	—	—	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Diabetes . . .	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—
Stone . . .	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . .	—	—	—	—	—	1	—	1	—	2	—	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Kidney Disease . . .	3	2	2	2	2	1	4	—	4	2	2	—	—	—	—	—
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism . . .	—	—	—	1	—	2	2	1	—	—	—	—	—	—	—	—
Joint Disease . . .	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle . . .	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Intemperance . . .	7	5	3	5	4	2	3	2	1	1	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hanging, etc. . .	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . .	1	—	—	3	2	1	1	—	1	1	—	—	—	—	—	—
Drowning . . .	9	7	9	6	6	5	4	1	1	—	—	—	—	—	—	—
Fracture and Contusion . . .	11	15	14	8	8	8	12	6	5	2	2	—	—	—	—	1
Gunshot Wounds . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	1	—	—	1	—	2	—	1	—	—	—	—	—	—	—
Other Violent Causes . . .	3	3	5	1	5	1	3	—	—	1	—	—	—	—	—	—
Not specified . . .	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1875.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	7735	647	257	621	882	410	249	198	450	212	266	327	293
SPECIFIED CAUSES	7687	630	255	618	873	409	249	195	449	212	266	326	293
I. Zymotic Class	1689	87	75	219	327	190	136	116	199	53	33	54	39
II. Diseases of Uncertain Seat	251	3	3	5	6	3	2	3	8	2	1	5	4
III. Tubercular Class	1459	19	29	63	130	75	47	34	109	77	153	171	132
IV. Brain and Nervous System	620	47	18	40	64	20	12	5	22	27	17	14	11
V. Organs of Circulation	307	—	—	—	3	—	1	—	5	15	11	13	16
VI. Respiratory Organs	1787	82	76	195	244	91	37	27	67	15	21	26	36
VII. Organs of Digestion	509	71	25	68	73	14	4	3	15	9	7	11	19
VIII. Urinary Organs	88	—	—	1	2	1	1	2	4	2	8	4	5
IX. Organs of Generation	119	—	—	—	—	1	—	—	—	—	5	20	17
X. Organs of Locomotion	50	—	—	—	1	2	3	—	4	6	8	3	2
XI. Skin, etc.	2	—	—	—	1	—	—	1	—	—	—	—	—
XII. Malformation	13	12	—	1	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	327	290	20	17	—	—	—	—	—	—	—	—	—
XIV. Atrophy	54	—	—	—	14	8	1	2	3	2	1	1	1
XV. Age	228	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	15	2	2	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	169	17	7	9	8	4	5	2	13	4	1	4	11
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	175	4	2	30	72	19	12	11	20	2	1	—	1
Scarlatina	384	1	3	14	47	65	66	52	97	21	3	7	4
Diphtheria	43	1	—	5	5	9	9	7	5	1	—	—	—
Hooping-cough	395	13	28	89	112	65	33	24	30	1	—	—	—
Croup	73	2	2	12	23	14	8	6	6	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	246	43	33	56	47	6	1	3	5	3	1	1	2
Dysentery	11	—	1	1	2	—	—	—	—	—	—	—	1
Cholera	4	—	—	1	—	1	—	—	—	—	—	—	—
Influenza	2	—	—	—	—	—	—	1	—	—	—	—	—
Purpura	4	—	—	—	—	1	—	—	—	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	1	—	—	—	—	1	—	—
Typhus	44	—	—	—	—	2	—	—	4	3	3	3	1
Enteric Fever	149	—	1	4	10	5	5	8	19	20	18	24	13
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	10	1	—	—	1	1	1	—	4	—	—	1	—
Infantile Remittent	10	—	—	—	3	1	—	2	4	—	—	—	—
Metria	54	—	—	—	—	—	—	—	—	—	2	15	13
Rheumatic Fever	8	—	—	—	—	—	—	1	—	2	2	1	—
Erysipelas	33	10	1	3	1	—	—	—	2	—	1	—	1
Pyæmia	9	2	—	—	1	—	1	—	1	—	—	1	—
Syphilis	28	10	4	4	1	—	—	—	—	—	1	1	2
Noma	2	—	—	—	1	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	3	—	—	—	1	—	—	1	1	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	64	1	—	1	3	3	2	2	4	1	1	2	—
Abscess	22	—	3	3	3	—	—	1	2	1	—	—	3
Ulcer	10	1	—	1	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	9	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	143	1	—	—	—	—	—	—	2	—	—	3	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	68	—	—	5	11	11	4	3	8	8	9	4	—
Tabes Mesenterica	134	9	5	13	39	17	9	5	18	7	6	2	1
Phthisis	1081	5	2	14	37	24	17	13	61	62	138	165	131
Hydrocephalus	176	5	22	31	43	23	17	13	22	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1875.—FEMALES.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	293	276	315	261	319	309	357	254	229	146	100	40	18	5	-	1	
SPECIFIED CAUSES . .	291	274	313	259	318	307	357	254	229	146	100	40	18	5	-	1	
Zymotic Class . . .	30	20	20	15	14	14	17	12	8	4	3	2	2	-	-	-	
Uncertain Seat . . .	11	12	26	27	29	26	28	14	15	10	5	2	1	-	-	-	
Tubercular Class . .	117	98	80	44	42	18	12	6	1	1	1	-	-	-	-	-	
Brain, etc.	14	20	22	27	31	43	48	38	40	28	11	1	-	-	-	-	
Heart, etc.	16	18	22	24	22	37	38	26	21	9	8	1	-	-	-	1	
Respiratory Organs .	39	58	83	79	115	116	125	98	86	37	22	8	4	-	-	-	
Digestive Organs . .	20	10	19	21	27	30	27	13	13	7	1	2	-	-	-	-	
Urinary Organs . . .	7	4	6	10	3	7	7	4	7	-	3	-	-	-	-	-	
Generative Organs . .	25	26	11	2	6	1	2	1	1	-	1	-	-	-	-	-	
Locomotive Organs .	-	2	3	3	1	2	4	3	1	-	1	1	-	-	-	-	
Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	-	-	6	1	6	8	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	35	35	30	46	44	22	11	5	-	-	
Sudden Deaths . . .	-	1	2	-	7	-	-	-	1	-	-	-	-	-	-	-	
Violent Deaths . . .	12	5	13	6	15	5	14	4	5	4	-	1	-	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	-	3	3	2	2	5	8	10	4	4	1	2	1	-	-	-	
Dysentery	-	-	-	1	-	-	1	1	1	-	1	-	1	-	-	-	
Cholera	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Purpura	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	3	4	5	6	6	1	3	-	-	-	-	-	-	-	-	-	
Enteric Fever	10	2	1	1	4	2	2	-	-	-	-	-	-	-	-	-	
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Cont. Fever . .	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Infantile Remittent .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	10	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever . . .	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	-	2	1	2	-	4	1	-	3	-	1	-	-	-	-	-	
Pyæmia	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Syphilis	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	
Dropsy	1	-	5	3	5	7	10	5	2	4	2	-	-	-	-	-	
Abscess	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
Ulcer	-	1	1	1	-	2	-	1	2	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	-	-	-	1	1	-	1	1	1	1	1	2	-	-	-	-	
Cancer	9	10	18	21	21	15	17	7	10	5	2	-	1	-	-	-	
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	
Tabes Mesenterica . .	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	116	97	77	42	42	17	12	6	1	1	1	-	-	-	-	-	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1875.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	99	3	6	13	19	2	6	2	13	14	6	3	2
Apoplexy	144	—	2	7	9	5	2	2	2	2	2	—	4
Paralysis	141	—	—	—	1	—	—	—	—	1	3	3	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	2	—	—	—	1	—	—	—	—	1	—	—	—
Epilepsy	22	—	—	—	—	—	—	—	—	2	4	4	1
Tetanus	2	—	—	—	—	—	—	—	—	—	—	1	—
Insanity	15	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	112	43	9	16	28	11	2	1	2	—	—	—	—
Brain Disease	83	1	1	4	6	2	2	—	5	7	2	2	3
V. Pericarditis	8	—	—	—	—	—	—	—	2	1	2	1	—
Aneurism	6	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	293	—	—	—	3	—	1	—	3	14	9	12	16
VI. Laryngitis	21	—	1	2	2	—	3	2	1	—	—	2	—
Bronchitis	1345	61	59	142	190	70	27	17	36	8	8	13	25
Pleurisy	11	—	—	—	1	—	—	—	2	—	1	—	1
Pneumonia	337	16	16	48	48	18	7	8	25	6	9	9	7
Asthma	30	—	—	—	—	—	—	—	1	—	—	—	—
Lung Disease	43	5	—	3	3	3	—	—	2	1	3	2	3
VII. Teething	102	—	7	44	48	3	—	—	—	—	—	—	—
Quinsey	5	2	—	—	1	—	—	—	1	—	—	—	—
Gastritis	16	4	1	3	4	—	—	—	—	2	—	—	1
Enteritis	126	39	10	16	16	6	2	3	6	2	1	5	3
Peritonitis	38	1	—	—	—	1	—	—	2	2	4	1	7
Ascites	6	—	—	—	—	—	—	—	—	1	—	—	—
Ulceration of Intestines	9	1	—	1	—	—	—	—	—	—	—	—	—
Hernia	9	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	11	3	2	—	—	—	—	—	—	—	—	1	1
Intussusception	3	—	—	—	—	—	—	—	1	—	—	1	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	1	—
Stomach Disease	72	9	5	4	3	3	2	—	3	1	—	—	4
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	27	4	—	—	—	—	—	—	—	—	—	—	2
Jaundice	10	5	—	—	—	—	—	—	—	—	—	1	—
Liver Disease	72	3	—	—	1	1	—	—	2	1	2	—	1
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	1	—
VIII. Nephritis	12	—	—	1	1	—	1	1	3	—	—	—	—
Nephria	36	—	—	—	—	—	—	1	1	2	3	1	3
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	1	—	—
Diabetes	6	—	—	—	—	—	—	—	—	—	1	1	—
Stone	1	—	—	—	—	—	—	—	—	—	1	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	32	—	—	—	1	1	—	—	—	—	2	2	2
IX. Paramenia	3	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	8	—	—	—	—	—	—	—	—	—	1	1	—
Childbirth	92	—	—	—	—	—	—	—	—	—	4	18	16
Organs of Generation	16	—	—	—	—	1	—	—	—	—	—	1	1
X. Bone Disease	11	—	—	—	—	1	—	—	—	2	4	1	—
Rheumatism	22	—	—	—	—	1	—	—	1	—	1	1	2
Joint Disease	17	—	—	—	1	—	3	—	3	4	3	1	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	—	—	—	1	—	—	1	—	—	—	—	—
XVII. Intemperance	22	—	—	—	—	—	—	—	—	—	—	1	—
Privation	3	—	—	—	—	—	—	—	—	—	1	—	1
Want of Breast Milk	15	8	1	6	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	3	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	—	—	—	—	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	23	—	—	1	4	3	1	—	5	1	—	—	2
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	31	8	6	1	1	—	—	—	2	—	—	—	1
Drowning	11	—	—	—	3	—	—	—	—	—	—	—	3
Fracture and Contusion	39	—	—	1	—	—	3	1	2	2	—	1	4
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	—	—	—	—	—	—	—	—	1	—	—	—
Other Violent Causes	15	1	—	—	—	1	1	1	4	—	—	1	—
Not specified ¹	48	17	2	3	9	1	—	3	1	—	—	1	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	5044	430	194	347	436	235	168	141	295	96	149	143	171
SPECIFIED CAUSES	5039	428	193	347	436	235	168	140	295	96	149	143	171
I. Zymotic Class	1191	53	63	136	189	139	98	91	186	45	27	12	29
II. Diseases of Uncertain Seat	209	2	1	1	4	—	1	1	6	2	2	4	8
III. Tubercular Class	726	15	22	44	75	26	29	22	38	12	62	61	64
IV. Brain and Nervous System	515	22	15	36	35	12	12	7	20	10	9	5	10
V. Organs of Circulation	381	1	2	1	1	—	—	1	4	5	12	11	9
VI. Respiratory Organs	941	68	59	98	94	43	16	13	15	4	9	11	19
VII. Organs of Digestion	285	33	11	19	25	6	3	1	7	4	6	10	7
VIII. Urinary Organs	106	1	—	—	2	2	3	1	9	2	8	8	6
IX. Organs of Generation	38	—	—	—	—	—	—	—	—	—	1	10	7
X. Organs of Locomotion	52	1	—	—	—	—	3	—	5	10	8	2	2
XI. Skin, etc.	3	—	—	1	—	—	—	—	—	—	—	—	—
XII. Malformation	32	29	2	1	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	187	171	11	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy	17	—	—	—	6	1	2	1	—	—	—	—	—
XV. Age	166	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	1	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	187	31	6	5	5	6	1	2	5	2	5	9	10
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	22	—	1	2	9	5	1	1	2	—	1	—	—
Scarlatina	510	1	3	19	57	76	72	66	152	31	15	4	8
Diphtheria	72	—	2	6	16	8	8	9	14	2	3	—	—
Hooping-cough	193	12	15	56	58	31	9	5	6	—	1	—	—
Croup	54	2	3	13	15	9	3	5	3	1	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	145	22	24	32	25	3	2	1	2	4	—	1	—
Dysentery	9	—	1	2	1	—	—	—	—	—	—	—	—
Cholera	7	2	3	1	—	1	—	—	—	—	—	—	—
Influenza	9	—	—	1	2	—	—	—	—	—	—	—	1
Purpura	4	—	—	1	—	—	—	—	—	—	—	—	2
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	27	—	—	—	—	—	1	—	1	2	—	1	2
Enteric Fever	41	—	—	—	2	3	—	2	3	4	4	1	6
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	1	—	—	—	—	—	—	1	—	—	—	—	—
Infantile Remittent	5	—	1	—	1	2	1	—	—	—	—	—	—
Metria	17	—	—	—	—	—	—	—	—	—	—	1	5
Rheumatic Fever	14	—	—	—	—	—	—	1	2	1	2	1	3
Erysipelas	19	1	2	2	—	—	—	—	—	—	—	—	—
Pyæmia	9	2	—	—	—	—	—	—	1	—	1	1	2
Syphilis	31	10	8	1	3	1	1	—	—	—	—	2	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	10	—	—	—	—	—	—	—	1	—	—	—	1
Abscess	23	—	1	—	3	—	—	—	3	2	1	2	2
Ulcer	4	1	—	—	—	—	—	—	1	—	—	—	—
Fistula	2	—	—	—	—	—	—	—	—	—	1	1	—
Mortification	14	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	150	—	—	1	1	—	1	1	1	—	—	1	4
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	37	1	2	3	4	—	2	2	9	—	7	4	—
Tabes Mesenterica	74	10	7	11	21	6	5	2	5	3	1	—	1
Phthisis	451	—	1	2	2	1	1	2	8	9	54	57	63
Hydrocephalus	164	4	12	28	48	19	21	16	16	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1875.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	81	1	3	17	17	6	4	3	6	5	2	3	2
Apoplexy	118	—	—	2	2	1	1	2	1	1	1	1	3
Paralysis	138	—	—	—	—	—	1	—	—	—	1	—	—
Delirium Tremens	6	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	2	—	—	—	—	—	1	1	—	—	—	—	—
Epilepsy	22	—	—	—	—	—	—	—	—	2	—	—	2
Tetanus	2	1	—	—	1	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	68	20	9	13	12	2	3	1	8	—	—	—	—
Brain Disease	78	—	3	4	3	3	2	—	5	2	5	1	3
V. Pericarditis	9	—	—	1	—	—	—	1	1	—	2	—	—
Aneurism	20	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	352	1	2	—	1	—	—	—	3	5	10	11	9
VI. Laryngitis	9	1	—	1	1	2	—	—	1	—	—	—	1
Bronchitis	603	54	46	74	65	25	9	6	12	2	5	1	1
Pleurisy	24	—	—	1	1	1	—	—	—	—	1	1	2
Pneumonia	258	10	11	20	26	15	6	7	2	2	3	8	13
Asthma	13	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	34	3	2	2	1	—	1	—	—	—	—	1	1
VII. Teething	32	—	3	14	15	—	—	—	—	—	—	—	—
Quinsey	7	2	1	—	—	2	—	—	—	—	—	—	—
Gastritis	8	2	—	—	1	—	—	—	—	—	—	1	—
Enteritis	25	7	1	1	4	4	—	—	1	2	—	—	—
Peritonitis	29	3	2	1	1	—	1	1	1	—	3	3	2
Ascites	2	—	—	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	22	—	—	—	—	—	1	—	—	—	3	3	—
Hernia	10	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	17	2	—	—	1	—	—	—	1	—	—	1	—
Intussusception	5	1	1	1	—	—	—	—	1	—	—	—	—
Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	55	11	3	2	3	—	—	—	2	1	—	—	4
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	5	—	—	—	—	—	—	—	—	—	—	1	—
Jaundice	11	2	—	—	—	—	—	—	—	—	—	1	—
Liver Disease	53	3	—	—	—	—	1	—	—	1	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	14	—	—	—	1	—	1	—	5	1	1	1	1
Nephria	47	—	—	—	1	2	1	1	3	—	5	6	4
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes	8	—	—	—	—	—	—	—	—	1	1	1	—
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	7	—	—	—	—	—	—	—	—	—	1	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	21	1	—	—	—	—	1	—	—	—	—	—	1
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	9	—	—	—	—	—	—	—	—	—	—	2	1
Childbirth	27	—	—	—	—	—	—	—	—	—	1	8	6
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	16	—	—	—	—	—	2	—	1	2	2	—	1
Rheumatism	10	—	—	—	—	—	—	—	—	—	1	—	—
Joint Disease	26	1	—	—	—	—	1	—	4	8	5	2	1
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
XVII. Intemperance	28	—	—	—	—	—	—	—	—	—	—	—	—
Privation	1	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	12	9	1	2	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold.	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	1	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	12	—	—	1	1	3	1	1	2	—	—	—	1
Hanging, etc.	3	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	29	18	5	1	—	1	—	—	—	—	—	—	—
Drowning	3	1	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	75	—	—	—	2	—	—	—	3	1	4	7	8
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	—	—	—	—	—	—	—	—	1	1	—	—
Other Violent Causes	16	3	—	1	—	2	—	1	—	—	—	2	1
Not specified	5	2	1	—	—	—	—	1	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1875.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Jcephalitis . . .	3	1	2	—	—	3	3	—	—	—	—	—	—	—	—	—
Apoplexy. . . .	1	2	4	7	7	9	13	19	17	17	5	1	1	—	—	—
Paralysis	—	4	3	5	4	14	22	18	26	18	17	4	1	—	—	—
Delirium Tremens . .	1	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	6	1	2	4	2	1	—	—	—	1	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	4	—	2	3	4	4	6	5	6	9	2	2	—	—	—	—
Pericarditis	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	—
Aneurism	1	5	4	2	2	2	2	—	1	1	—	—	—	—	—	—
Heart Disease . . .	16	16	27	28	33	37	41	41	32	25	10	4	—	—	—	—
Laryngitis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	2	5	12	13	30	29	42	38	62	35	18	13	3	1	—	—
Pleurisy	2	1	2	2	1	1	4	—	3	—	1	—	—	—	—	—
Pneumonia	14	9	12	8	11	18	20	12	12	9	2	7	—	1	—	—
Asthma	1	1	1	—	3	1	—	3	1	1	—	—	—	—	—	—
Lung Disease	2	1	1	7	1	—	4	3	3	1	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Gastritis	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—
Enteritis	1	—	—	—	1	—	1	—	2	—	—	—	—	—	—	—
Peritonitis	1	2	1	1	2	—	1	3	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Ulceration of Intestines	—	1	1	4	1	1	2	1	2	1	1	—	—	—	—	—
Hernia	—	—	1	3	—	2	—	2	—	1	1	—	—	—	—	—
Ileus	—	1	1	1	1	3	2	—	—	2	1	—	—	—	—	—
Intussusception . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Stomach Disease . . .	1	2	4	1	3	3	2	5	6	—	1	—	1	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	1	—	1	1	—	1	1	1	2	—	—	—	—	—
Liver Disease	1	4	1	5	5	8	11	5	3	—	3	1	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—
Nephria	3	2	5	3	5	3	—	1	—	1	1	—	—	—	—	—
Addison's Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	2	—	1	2	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	2	—	—	2	1	—	—	—	—	—	—
Cystitis	—	1	1	—	—	—	—	—	2	2	—	—	—	—	—	—
Stricture of Urethra .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	3	1	4	—	—	—	1	4	2	2	—	1	—	—	—	—
Paramenia	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	1	—	1	1	—	3	—	—	—	—	—	—	—	—	—	—
Childbirth	8	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Bone Disease	1	1	3	2	1	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	1	1	—	2	1	2	1	—	—	1	—	—	—
Joint Disease	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	6	5	6	2	4	1	2	1	—	—	1	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Hanging, etc.	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
Drowning	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Fracture and Contusion	6	5	4	6	6	5	8	2	2	3	2	—	1	—	—	—
Gunshot Wounds . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	1	—	1	1	—	1	—	1	—	1	—	—	—	—	—
Not specified	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1875.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2487	248	103	178	243	122	98	71	149	53	68	68	80
SPECIFIED CAUSES	2484	246	103	178	243	122	98	70	149	53	68	68	80
I. Zymotic Class	594	38	29	67	99	67	50	52	92	23	10	5	12
II. Diseases of Uncertain Seat	84	2	-	-	1	-	1	-	2	2	2	3	2
III. Tubercular Class	406	9	16	25	47	17	20	12	23	7	23	32	28
IV. Brain and Nervous System	259	14	8	18	17	5	7	1	10	7	8	4	4
V. Organs of Circulation	187	-	2	-	1	-	-	1	1	2	6	4	5
VI. Respiratory Organs	445	40	32	51	53	24	9	2	8	-	6	6	12
VII. Organs of Digestion	129	20	7	11	16	3	2	-	3	1	3	1	4
VIII. Urinary Organs	60	1	-	-	1	1	3	1	5	1	2	4	3
IX. Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Organs of Locomotion	29	1	-	-	-	-	3	-	2	8	3	1	1
XI. Skin, etc.	2	-	-	1	-	-	-	-	-	-	-	-	-
XII. Malformation	15	14	1	-	-	-	-	-	-	-	-	-	-
XIII. Premature Debility	99	92	5	2	-	-	-	-	-	-	-	-	-
XIV. Atrophy	13	-	-	-	5	1	2	-	-	-	-	-	-
XV. Age	43	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	2	1	-	-	-	-	-	-	-	-	-	-	-
XVII. Violent Deaths	117	14	3	3	3	4	1	1	3	2	5	8	9
I. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	11	-	1	2	7	1	-	-	-	-	-	-	-
Scarlatina	261	1	2	12	30	37	36	39	74	15	6	3	3
Diphtheria	35	-	1	4	5	5	3	5	8	1	2	-	-
Hooping-cough	92	7	5	23	31	14	4	4	4	-	-	-	-
Croup	31	2	-	8	8	4	3	3	2	1	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	67	16	11	12	13	2	1	-	2	-	-	1	-
Dysentery	5	-	1	1	1	-	-	-	-	-	-	-	-
Cholera	4	1	2	1	-	-	-	-	-	-	-	-	-
Influenza	1	-	-	1	-	-	-	-	-	-	-	-	-
Purpura	2	-	-	1	-	-	-	-	-	-	-	-	1
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	14	-	-	-	-	-	1	-	-	2	-	-	1
Enteric Fever	20	-	-	-	2	2	-	1	1	3	2	-	2
Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile Remittent	3	-	1	-	-	1	1	-	-	-	-	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	7	-	-	-	-	-	-	-	1	1	-	-	3
Erysipelas	14	-	1	2	-	-	-	-	-	-	-	-	-
Pyæmia	6	2	-	-	-	-	-	-	-	-	-	1	2
Syphilis	20	9	4	-	2	1	1	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	1	1	-	-	-	-	-	-	-	-	-	-	-
Dropsy	3	-	-	-	-	-	-	-	-	-	-	-	-
Abscess	12	-	-	-	1	-	-	-	-	2	1	1	1
Ulcer	2	1	-	-	-	-	-	-	1	-	-	-	-
Fistula	2	-	-	-	-	-	-	-	-	-	1	1	-
Mortification	5	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	58	-	-	-	-	-	1	-	1	-	-	1	1
Gout	1	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	23	1	2	2	2	-	1	1	7	-	2	2	-
Tabes Mesenterica	43	5	5	7	13	3	4	1	3	2	-	-	-
Phthisis	239	-	1	2	-	1	1	2	4	5	21	30	28
Hydrocephalus	101	3	8	14	32	13	14	8	9	-	-	-	-

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1875.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	41	1	—	8	9	1	3	1	5	3	2	2	2
Apoplexy	52	—	—	1	—	1	—	—	1	—	—	1	—
Paralysis	65	—	—	—	—	—	—	—	—	—	1	—	—
Delirium Tremens	5	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	1	—	—	—	—	—	—
Epilepsy	12	—	—	—	—	—	—	—	—	2	—	—	1
Tetanus	2	1	—	—	1	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	35	12	6	6	5	1	2	—	3	—	—	—	—
Brain Disease	46	—	2	3	2	2	1	—	1	2	5	1	1
V. Pericarditis	5	—	—	—	—	—	—	1	1	—	1	—	—
Aneurism	14	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	168	—	2	—	1	—	—	—	—	2	5	4	5
VI. Laryngitis	4	—	—	1	—	2	—	—	—	—	—	—	—
Bronchitis	271	31	23	38	39	12	7	1	7	—	2	1	1
Pleurisy	11	—	—	1	—	—	—	—	—	—	1	1	1
Pneumonia	138	7	8	9	14	10	2	1	1	—	3	4	9
Asthma	5	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	16	2	1	2	—	—	—	—	—	—	—	—	1
VII. Teething	19	—	2	8	9	—	—	—	—	—	—	—	—
Quinsey	4	1	1	—	—	1	—	—	—	—	—	—	—
Gastritis	2	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis	10	4	1	—	2	2	—	—	—	—	—	—	—
Peritonitis	10	1	1	1	1	—	1	—	1	—	2	—	—
Ascites	1	—	—	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	5	—	—	—	—	—	—	—	—	—	1	1	—
Hernia	7	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	5	—	—	—	1	—	—	—	—	—	—	—	—
Intussusception	4	1	1	1	—	—	—	—	1	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	24	7	1	1	3	—	—	—	—	—	—	—	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	7	2	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	27	3	—	—	—	—	1	—	—	1	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	4	—	—	—	—	—	1	—	2	—	—	—	—
Nephria	28	—	—	—	1	1	1	1	2	—	1	4	3
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes	3	—	—	—	—	—	—	—	—	1	—	—	—
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	5	—	—	—	—	—	—	—	—	—	1	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	12	1	—	—	—	—	1	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	9	—	—	—	—	—	2	—	—	1	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	18	1	—	—	—	—	1	—	2	7	3	1	1
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
XVII. Intemperance	12	—	—	—	—	—	—	—	—	—	—	—	—
Privation	1	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	7	5	1	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	1	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	6	—	—	1	—	2	1	—	1	—	—	—	1
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	11	5	2	1	—	1	—	—	—	—	—	—	—
Drowning	2	1	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	59	—	—	—	1	—	—	—	2	1	4	7	7
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	3	—	—	—	—	—	—	—	—	1	1	—	—
Other Violent Causes	11	3	—	—	—	1	—	1	—	—	—	1	1
Not specified	3	2	—	—	—	—	—	1	—	—	—	—	—

CAUSES of DEATH in EDINBURGH at different Periods of Life, in 1875.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2557	182	91	169	193	113	70	70	146	43	81	75	91
SPECIFIED CAUSES	2555	182	90	169	193	113	70	70	146	43	81	75	91
I. Zymotic Class	597	15	34	69	90	72	48	39	94	22	17	7	17
II. Diseases of Uncertain Seat	125	—	1	1	3	—	—	1	4	—	—	1	6
III. Tubercular Class	320	6	6	19	28	9	9	10	15	5	39	29	36
IV. Brain and Nervous System	256	8	7	18	18	7	5	6	10	3	1	1	6
V. Organs of Circulation	194	1	—	1	—	—	—	—	3	3	6	7	4
VI. Respiratory Organs	496	28	27	47	41	19	7	11	7	4	3	5	7
VII. Organs of Digestion	156	13	4	8	9	3	1	1	4	3	3	9	3
VIII. Urinary Organs	46	—	—	—	1	1	—	—	4	1	6	4	3
IX. Organs of Generation	38	—	—	—	—	—	—	—	—	—	1	10	7
X. Organs of Locomotion	23	—	—	—	—	—	—	—	3	2	5	1	1
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	17	15	1	1	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	88	79	6	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	4	—	—	—	1	—	—	1	—	—	—	—	—
XV. Age	123	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	70	17	3	2	2	2	—	1	2	—	—	1	1
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	11	—	—	—	2	4	1	1	2	—	1	—	—
Scarlatina	249	—	1	7	27	39	36	27	78	16	9	1	5
Diphtheria	37	—	1	2	11	3	5	4	6	1	1	—	—
Hooping-cough	101	5	10	33	27	17	5	1	2	—	1	—	—
Croup	23	—	3	5	7	5	—	2	1	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	78	6	13	20	12	1	1	1	—	4	—	—	—
Dysentery	4	—	—	1	—	—	—	—	—	—	—	—	—
Cholera	3	1	1	—	—	1	—	—	—	—	—	—	—
Influenza	3	—	—	—	2	—	—	—	—	—	—	—	1
Purpura	2	—	—	—	—	—	—	—	—	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	13	—	—	—	—	—	—	—	1	—	—	1	1
Enteric Fever	21	—	—	—	—	1	—	1	2	1	2	1	4
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	1	—	—	—	—	—	—	1	—	—	—	—	—
Infantile Remittent	2	—	—	—	1	1	—	—	—	—	—	—	—
Metria	17	—	—	—	—	—	—	—	—	—	—	1	5
Rheumatic Fever	7	—	—	—	—	—	—	1	1	—	2	1	—
Erysipelas	5	1	1	—	—	—	—	—	—	—	—	—	—
Pyæmia	3	—	—	—	—	—	—	—	1	—	1	—	—
Syphilis	11	1	4	1	1	—	—	—	—	—	—	2	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	7	—	—	—	—	—	—	—	1	—	—	—	1
Abscess	11	—	1	—	2	—	—	—	3	—	—	1	1
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	9	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	92	—	—	1	1	—	—	1	—	—	—	—	3
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	14	—	—	1	2	—	1	1	2	—	5	2	—
Tabes Mesenterica	31	5	2	4	8	3	1	1	2	1	1	—	1
Phthisis	212	—	—	—	2	—	—	—	4	4	33	27	35
Hydrocephalus	63	1	4	14	16	6	7	8	7	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1875.—FEMALES

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . .	87	75	87	74	100	115	148	126	150	117	84	51	16	3	-	-	
SPECIFIED CAUSES .	87	74	87	74	100	115	148	126	150	117	84	51	16	3	-	-	
Zymotic Class . .	11	12	9	2	7	7	6	5	4	5	5	-	-	-	-	-	
Uncertain Seat . .	3	2	6	10	21	14	12	14	10	9	6	1	-	-	-	-	
Tubercular Class .	33	15	23	10	11	7	7	3	-	-	-	-	-	-	-	-	
Brain, etc. . . .	2	8	5	11	9	16	25	22	27	23	15	2	1	-	-	-	
Heart, etc. . . .	10	8	9	16	18	21	21	23	17	17	7	2	-	-	-	-	
Respiratory Organs .	7	13	13	13	15	30	45	38	52	32	11	16	3	2	-	-	
Digestive Organs .	5	7	9	8	10	11	16	9	9	2	7	1	1	-	-	-	
Urinary Organs . .	2	2	5	-	4	2	1	4	3	2	-	1	-	-	-	-	
Generative Organs .	9	4	2	1	-	3	-	-	-	-	1	-	-	-	-	-	
Locomotive Organs .	-	-	2	2	-	-	3	-	2	1	-	-	1	-	-	-	
Skin	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Malformation . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	5	4	23	24	29	28	9	1	-	-	
Sudden Deaths . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths . .	4	3	3	1	5	3	7	4	3	2	3	-	1	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Diphtheria	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Whooping-cough . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	1	-	3	1	1	2	5	1	-	3	3	-	-	-	-	-	
Dysentery	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-	
Purpura	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	2	3	-	1	2	1	-	1	-	-	-	-	-	-	-	-	
Enteric Fever . . .	1	2	1	-	1	1	1	1	1	-	-	-	-	-	-	-	
Relapsing Fever . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infantile Remittent .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	5	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever . .	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	
Pyæmia	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Dropsy	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	
Abscess	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
Ulcer	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Mortification . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	2	1	5	10	20	12	11	10	8	4	1	1	-	-	-	-	
Gout	-	-	-	-	-	-	-	1	-	4	3	1	-	-	-	-	
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tabes Mesenterica . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	32	15	22	10	11	7	7	3	-	-	-	-	-	-	-	-	
Hydrocephalus . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1875.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	1	2	—	—	3	2	—	—	—	—	—	—	—	—	—
Apoplexy	—	1	2	4	4	6	8	10	9	8	3	—	—	—	—	—
Paralysis	—	2	1	3	2	4	13	9	15	10	10	2	1	—	—	—
Delirium Tremens	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	4	—	1	1	1	1	—	—	—	1	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	2	—	—	2	2	2	1	3	3	5	1	—	—	—	—	—
Pericarditis	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Aneurism	—	—	—	2	—	—	2	—	1	1	—	—	—	—	—	—
Heart Disease	10	8	9	14	18	20	19	23	16	15	7	2	—	—	—	—
Laryngitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	1	4	7	5	9	20	31	25	42	25	10	11	3	1	—	—
Pleurisy	2	1	1	—	—	1	2	—	2	—	1	—	—	—	—	—
Pneumonia	3	6	5	5	2	8	10	9	6	5	—	5	—	1	—	—
Asthma	—	—	—	—	3	1	—	2	—	1	—	—	—	—	—	—
Lung Disease	1	1	—	3	1	—	2	2	2	1	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Enteritis	1	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—
Peritonitis	1	1	1	1	1	—	1	3	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Ulceration of Intestines	—	1	1	2	1	1	2	1	1	1	1	—	—	—	—	—
Hernia	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	1	1	2	2	—	—	1	1	—	—	—	—	—
Intussusception	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Stomach Disease	1	2	3	1	1	2	2	3	3	—	1	—	1	—	—	—
Pancreas Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—
Liver Disease	1	1	1	2	3	4	7	2	1	—	3	1	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Nephria	2	1	1	—	3	2	—	1	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	1	2	—	—	—	—	2	1	1	—	1	—	—	—	—
Paramenia	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	—	1	1	—	3	—	—	—	—	—	—	—	—	—	—
Childbirth	8	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Bone Disease	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	1	—	—	2	—	2	1	—	—	1	—	—	—
Joint Disease	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	3	2	3	—	3	1	2	1	—	—	1	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Fracture and Contusion	—	—	—	1	1	1	3	1	2	2	1	—	1	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Not specified	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	3305	436	169	237	279	150	77	61	142	88	108	113	106
SPECIFIED CAUSES	3299	432	169	237	279	150	77	61	142	88	108	113	106
I. Zymotic Class	605	57	56	75	108	66	33	27	58	18	19	11	10
II. Diseases of Uncertain Seat	108	3	—	1	—	2	—	2	6	3	1	1	3
III. Tubercular Class	532	6	13	23	36	21	14	6	20	27	54	69	50
IV. Brain and Nervous System	304	39	16	28	15	8	7	4	20	8	4	1	5
V. Organs of Circulation	177	1	—	—	—	—	—	—	2	5	4	7	9
VI. Respiratory Organs	807	88	53	83	96	35	15	16	15	9	8	11	14
VII. Organs of Digestion	160	14	7	19	16	8	1	3	2	2	5	3	3
VIII. Urinary Organs	54	1	1	1	1	1	4	—	5	1	2	1	2
IX. Organs of Generation	27	—	—	—	—	—	—	—	—	—	1	3	7
X. Organs of Locomotion	21	—	—	—	—	—	—	1	7	5	3	—	—
XI. Skin, etc.	3	—	1	—	1	—	—	—	—	—	—	—	—
XII. Malformation	17	14	3	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	213	196	10	7	—	—	—	—	—	—	—	—	—
XIV. Atrophy	23	—	—	—	3	4	1	—	—	1	—	—	—
XV. Age	131	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	113	13	8	—	3	5	2	2	7	9	7	6	3
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	4	—	—	1	—	2	1	—	—	—	—	—	—
Scarlatina	129	—	2	4	17	23	20	15	36	6	4	1	1
Diphtheria	19	1	—	1	3	5	1	2	5	—	—	—	—
Hooping-cough	142	13	11	33	47	19	7	5	6	1	—	—	—
Croup	16	1	2	2	4	4	2	—	1	—	—	—	—
Thrush	3	3	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	177	28	36	31	36	10	1	4	2	1	2	—	2
Dysentery	2	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	1	—	—	—	—	—	—	—	—	—	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	1	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	14	—	—	—	—	—	—	—	—	—	1	2	1
Enteric Fever	41	—	—	—	—	1	1	1	6	8	10	4	2
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	2	—	—	—	—	1	—	—	1	—	—	—	—
Metria	9	—	—	—	—	—	—	—	—	—	1	4	1
Rheumatic Fever	12	—	—	—	—	—	—	—	1	2	1	—	2
Erysipelas	10	3	—	1	1	—	—	—	—	—	—	—	—
Pyæmia	2	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	17	6	3	2	—	1	—	—	—	—	—	—	1
Noma	1	—	1	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	—	—	1	—	—	—	—	—	—	—	—	1
Dropsy	26	1	—	—	—	1	—	2	3	2	1	—	1
Abscess	10	2	—	—	—	—	—	—	3	—	—	—	1
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	—	—	—	—	1	—	—	—	1	—	1	—
Cancer	60	—	—	—	—	—	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	21	—	2	2	1	1	1	1	1	5	2	1	2
Tabes Mesenterica	35	3	5	4	9	7	1	1	4	—	—	—	—
Phthisis	408	1	1	2	6	5	3	—	10	22	52	68	48
Hydrocephalus	68	2	5	15	20	8	9	4	5	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1875.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1621	253	107	126	143	66	42	34	78	43	52	49	42
SPECIFIED CAUSES	1620	252	107	126	143	66	42	34	78	43	52	49	42
I. Zymotic Class	315	34	36	40	59	29	18	14	31	7	11	3	5
II. Diseases of Uncertain Seat	41	3	—	—	—	1	—	1	3	—	1	1	2
III. Tubercular Class	248	4	10	13	18	11	8	4	14	11	18	30	23
IV. Brain and Nervous System	163	31	9	16	9	4	4	2	10	4	1	1	3
V. Organs of Circulation	79	1	—	—	—	—	—	—	1	1	2	1	1
VI. Respiratory Organs	392	48	34	43	45	17	7	9	6	7	6	7	4
VII. Organs of Digestion	70	5	4	8	7	3	1	2	1	1	4	2	—
VIII. Urinary Organs	32	1	1	1	1	—	2	—	5	1	1	—	2
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	11	—	—	—	—	—	—	—	3	3	2	—	—
XI. Skin, etc.	2	—	1	—	1	—	—	—	—	—	—	—	—
XII. Malformation	11	9	2	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	118	107	6	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy	7	—	—	—	1	—	1	—	—	—	—	—	—
XV. Age	47	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	81	9	3	—	2	1	1	2	4	8	6	4	2
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	2	—	—	1	—	1	—	—	—	—	—	—	—
Scarlatina	72	—	2	2	11	9	11	11	20	3	3	—	—
Diphtheria	9	—	—	1	1	2	—	1	3	—	—	—	—
Hooping-cough	81	6	10	19	27	9	4	1	5	—	—	—	—
Croup	7	1	1	1	2	—	1	—	1	—	—	—	—
Thrush	3	3	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	87	17	19	15	17	5	1	1	—	1	1	—	1
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	1	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	6	—	—	—	—	—	—	—	—	—	—	1	1
Enteric Fever	20	—	—	—	—	1	1	—	2	2	6	2	1
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	—	1	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	8	—	—	—	—	—	—	—	—	1	1	—	2
Erysipelas	4	1	—	—	1	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	11	6	2	1	—	1	—	—	—	—	—	—	—
Noma	1	—	1	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	—	—	—	—	1
Dropsy	10	1	—	—	—	1	—	1	2	—	1	—	—
Abscess	7	2	—	—	—	—	—	—	1	—	—	—	1
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	18	—	—	—	—	—	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	13	—	1	—	—	1	1	1	—	5	2	—	1
Tabes Mesenterica	20	2	5	2	3	3	—	1	3	—	—	—	—
Phthisis	174	—	—	1	5	3	1	—	8	6	16	30	22
Hydrocephalus	41	2	4	10	10	4	6	2	3	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1875.—FEMALES.

DISEASES,	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1684	183	62	111	136	84	35	27	64	45	56	64	64
SPECIFIED CAUSES	1679	180	62	111	136	84	35	27	64	45	56	64	64
I. Zymotic Class	290	23	20	35	49	37	15	13	27	11	8	8	5
II. Diseases of Uncertain Seat	67	—	—	1	—	1	—	1	3	3	—	—	1
III. Tubercular Class	284	2	3	10	18	10	6	2	6	16	36	39	27
IV. Brain and Nervous System	141	8	7	12	6	4	3	2	10	4	3	—	2
V. Organs of Circulation	98	—	—	—	—	—	—	—	1	4	2	6	8
VI. Respiratory Organs	415	40	19	40	51	18	8	7	9	2	2	4	10
VII. Organs of Digestion	90	9	3	11	9	5	—	1	1	1	1	1	3
VIII. Urinary Organs	22	—	—	—	—	1	2	—	—	—	1	1	—
IX. Organs of Generation	27	—	—	—	—	—	—	—	—	—	1	3	7
X. Organs of Locomotion	10	—	—	—	—	—	—	1	4	2	1	—	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	6	5	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	95	89	4	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	16	—	—	—	2	4	—	—	—	1	—	—	—
XV. Age	84	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	32	4	5	—	1	4	1	—	3	1	1	2	1
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	2	—	—	—	—	1	1	—	—	—	—	—	—
Scarlatina	57	—	—	2	6	14	9	4	16	3	1	1	1
Diphtheria	10	1	—	—	2	3	1	1	2	—	—	—	—
Hooping-cough	61	7	1	14	20	10	3	4	1	1	—	—	—
Croup	9	—	1	1	2	4	1	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	90	11	17	16	19	5	—	3	2	—	1	—	1
Dysentery	2	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	1	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	8	—	—	—	—	—	—	—	—	—	1	1	—
Enteric Fever	21	—	—	—	—	—	—	1	4	6	4	2	1
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	—	—	—	—	—	—	—	—	—
Metria	9	—	—	—	—	—	—	—	1	—	1	4	1
Rheumatic Fever	4	—	—	—	—	—	—	—	1	1	—	—	—
Erysipelas	6	2	—	1	—	—	—	—	—	—	—	—	—
Pyæmia	2	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	6	—	1	1	—	—	—	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	1	—	—	—	—	—	—	—	—	—
Dropsy	16	—	—	—	—	—	—	1	1	2	—	—	1
Abscess	3	—	—	—	—	—	—	—	2	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	5	—	—	—	—	1	—	—	—	1	—	—	—
Cancer	42	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	8	—	1	2	1	—	—	—	1	—	—	1	1
Tabes Mesenterica	15	1	—	2	6	4	1	—	1	—	—	—	—
Phthisis	234	1	1	1	1	2	2	—	2	16	36	38	26
Hydrocephalus	27	—	1	5	10	4	3	2	2	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1875.—FEMALES

[illegible]

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1875,—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2011	213	92	135	129	47	32	18	64	51	68	79	62
SPECIFIED CAUSES	2006	211	90	135	129	47	32	18	64	51	68	79	62
I. Zymotic Class	315	30	28	45	48	25	13	9	22	6	12	10	7
II. Diseases of Uncertain Seat	91	—	1	1	1	—	—	—	—	—	—	—	1
III. Tubercular Class	322	2	10	19	21	4	8	7	14	21	28	40	29
IV. Brain and Nervous System	222	19	9	10	3	4	5	1	11	7	4	5	4
V. Organs of Circulation	128	—	—	—	—	—	—	—	—	4	4	6	1
VI. Respiratory Organs	415	45	24	41	38	10	4	—	6	4	7	9	7
VII. Organs of Digestion	130	15	2	14	11	1	—	1	3	5	1	2	7
VIII. Urinary Organs	44	—	—	—	1	—	—	—	1	—	2	2	2
IX. Organs of Generation	20	—	—	—	—	—	—	—	—	—	4	3	2
X. Organs of Locomotion	22	—	—	—	—	1	—	—	2	2	1	2	1
XI. Skin, etc.	5	—	—	2	1	1	—	—	—	—	—	—	—
XII. Malformation	10	8	1	—	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	98	83	12	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	—	—	—	3	—	1	—	—	—	—	—	—
XV. Age	122	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	54	9	3	—	1	1	1	—	5	2	5	—	1
I. Small-pox	25	2	2	—	1	—	—	—	—	1	5	3	3
Measles	1	—	—	—	—	—	—	—	—	—	—	1	—
Scarlatina	19	—	1	3	4	3	1	1	2	3	—	1	—
Diphtheria	21	—	—	2	4	4	3	1	4	2	1	—	—
Hooping-cough	85	2	10	23	29	10	4	2	5	—	—	—	—
Croup	24	—	1	4	4	5	3	5	2	—	—	—	—
Thrush	6	4	1	1	—	—	—	—	—	—	—	—	—
Diarrhoea	63	15	13	10	6	1	—	—	—	—	—	1	—
Dysentery	2	1	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	6	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	4	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	29	—	—	1	—	2	2	—	7	—	6	1	—
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	1
Simple Continued Fever	1	—	—	—	—	—	—	—	1	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	6	—	—	—	—	—	—	—	—	—	—	3	—
Rheumatic Fever	6	—	—	—	—	—	—	—	—	—	—	—	3
Erysipelas	9	2	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	7	4	—	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	11	—	1	—	—	—	—	—	—	—	—	—	—
Abscess	6	—	—	—	1	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	9	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	63	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	23	—	1	—	—	2	—	1	3	3	2	3	1
Tabes Mesenterica	12	—	1	1	5	—	1	1	—	1	1	1	—
Phthisis	226	—	1	1	1	—	2	—	3	17	25	36	28
Hydrocephalus	61	2	7	17	15	2	5	5	8	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . .	71	67	69	77	72	83	117	129	120	101	60	38	15	2	—	—
SPECIFIED CAUSES .	71	67	68	77	72	83	117	129	120	101	60	38	15	2	—	—
Zymotic Class . .	9	4	3	10	1	4	2	7	10	6	3	1	—	—	—	—
Uncertain Seat . .	2	4	6	9	13	9	9	8	13	8	2	3	1	—	—	—
Tubercular Class .	20	27	22	7	12	13	8	3	4	3	—	—	—	—	—	—
Brain, etc. . . .	10	5	9	10	12	11	16	24	20	11	10	1	1	—	—	—
Heart, etc. . . .	10	8	8	8	8	14	15	13	13	8	4	4	—	—	—	—
Respiratory Organs .	4	5	8	15	15	14	35	44	33	27	12	6	2	—	—	—
Digestive Organs .	5	7	5	6	3	7	11	13	6	4	1	—	—	—	—	—
Urinary Organs . .	3	2	2	2	3	5	5	4	3	5	1	1	—	—	—	—
Generative Organs .	1	2	1	4	2	—	—	—	1	—	—	—	—	—	—	—
Locomotive Organs .	3	2	—	1	—	2	1	—	1	1	1	1	—	—	—	—
Skin	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	11	12	14	25	26	21	11	2	—	—
Sudden Deaths . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . .	3	—	4	5	1	3	4	1	2	3	—	—	—	—	—	—
Small-pox	3	1	—	3	—	—	—	—	—	1	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	—	—	—	2	—	2	1	2	5	4	1	—	—	—	—	—
Dysentery	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	2	2	1	1	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever . . .	3	2	1	1	—	2	—	—	1	—	—	—	—	—	—	—
Relapsing Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . .	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	1	—	—	1	2	1	—	1	1	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Dropsy	—	—	—	1	—	1	2	3	1	—	1	1	—	—	—	—
Abscess	—	1	1	—	2	—	—	—	—	1	—	—	—	—	—	—
Ulcer	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	—	—	—	1	—	—	—	—	—	4	1	1	1	—	—	—
Gout	2	3	5	7	11	7	6	5	12	3	—	1	—	—	—	—
Scrofula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica .	—	3	2	—	—	—	—	—	—	2	—	—	—	—	—	—
Phthisis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrocephalus . . .	20	24	20	7	12	13	8	3	4	1	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—
Apoplexy	1	3	4	2	6	1	3	9	5	5	6	—	—	—	—	—
Paralysis	3	2	1	1	2	4	7	7	11	5	3	1	1	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	3	2	2	—	2	1	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	4	—	1	3	1	4	4	6	3	1	1	—	—	—	—	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
Heart Disease	9	8	8	7	8	14	14	13	12	8	4	4	—	—	—	—
Laryngitis	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Bronchitis	1	3	5	12	11	7	30	29	30	22	11	6	2	—	—	—
Pleurisy	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Pneumonia	2	2	2	2	3	4	3	9	2	2	1	—	—	—	—	—
Asthma	—	—	1	—	1	2	1	4	1	3	—	—	—	—	—	—
Lung Disease	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—
Enteritis	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—
Peritonitis	—	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—
Ascites	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Hernia	1	—	—	1	—	1	1	—	1	—	—	—	—	—	—	—
Ileus	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Intussusception	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Stomach Disease	1	—	1	2	—	3	3	1	1	1	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Jaundice	—	—	1	1	—	—	2	1	—	—	—	—	—	—	—	—
Liver Disease	1	2	1	—	1	—	2	2	2	2	1	—	—	—	—	—
Spleen Disease	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Nephritis	—	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—
Nephria	2	1	—	1	1	2	1	—	—	1	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—
Cystitis	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	1	1	1	1	—	1	2	2	1	1	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	4	2	—	—	—	1	—	—	—	—	—	—	—
Bone Disease	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	2	1	—	—	1	1	1	—	—	—	—
Joint Disease	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Drowning	1	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—
Fracture and Contusion	—	—	4	1	—	1	3	—	2	1	—	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Not specified	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1875.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	929	124	53	71	57	22	17	9	32	28	34	34	22
SPECIFIED CAUSES	926	122	53	71	57	22	17	9	32	28	34	34	22
I. Zymotic Class	148	21	15	24	19	12	5	2	11	3	6	3	1
II. Diseases of Uncertain Seat	39	—	1	—	1	—	—	—	—	—	—	—	—
III. Tubercular Class	139	1	6	7	9	3	6	5	7	11	11	19	12
IV. Brain and Nervous System	111	9	5	4	1	2	2	1	4	4	2	3	3
V. Organs of Circulation	53	—	—	—	—	—	—	—	—	2	3	3	—
VI. Respiratory Organs	198	30	18	23	20	2	3	—	—	1	5	3	1
VII. Organs of Digestion	58	6	2	9	3	1	—	1	2	4	1	2	2
VIII. Urinary Organs	29	—	—	—	1	—	—	—	1	—	2	1	2
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	14	—	—	—	—	1	—	—	2	1	1	—	—
XI. Skin, etc.	4	—	—	2	1	1	—	—	—	—	—	—	—
XII. Malformation	7	6	—	—	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	47	42	3	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	1	—	—	—	1	—	—	—	—	—	—	—	—
XV. Age	37	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	41	7	3	—	—	—	1	—	5	2	3	—	1
I. Small-pox	16	2	2	—	1	—	—	—	—	—	3	1	1
Measles	1	—	—	—	—	—	—	—	—	—	—	1	—
Scarlatina	6	—	1	1	—	2	—	—	1	1	—	—	—
Diphtheria	11	—	—	—	2	3	1	1	2	2	—	—	—
Hooping-cough	34	1	3	12	11	3	2	—	2	—	—	—	—
Croup	12	—	1	2	3	3	1	1	1	—	—	—	—
Thrush	3	3	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	33	9	8	8	2	—	—	—	—	—	—	—	—
Dysentery	2	1	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	3	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	4	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	14	—	—	1	—	1	1	—	3	—	3	1	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	1	—	—	—	—	—	—	—	1	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	1	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	5	4	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	6	—	1	—	—	—	—	—	—	—	—	—	—
Abscess	3	—	—	—	1	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	27	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	11	—	1	—	—	2	—	—	2	1	2	1	—
Tabes Mesenterica	6	—	1	—	3	—	1	—	—	1	—	—	—
Phthisis	95	—	1	—	1	—	2	—	3	9	9	18	12
Hydrocephalus	27	1	3	7	5	1	3	5	2	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1875.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1082	89	39	64	72	25	15	9	32	23	34	45	40
SPECIFIED CAUSES	1080	89	37	64	72	25	15	9	32	23	34	45	40
I. Zymotic Class	167	9	13	21	29	13	8	7	11	3	6	7	6
II. Diseases of Uncertain Seat	52	—	—	1	—	—	—	—	—	—	—	—	1
III. Tubercular Class	183	1	4	12	12	1	2	2	7	10	17	21	17
IV. Brain and Nervous System	111	10	4	6	2	2	3	—	7	3	2	2	1
V. Organs of Circulation	75	—	—	—	—	—	—	—	—	2	1	3	1
VI. Respiratory Organs	217	15	6	18	18	8	1	—	6	3	2	6	6
VII. Organs of Digestion	72	9	—	5	8	—	—	—	1	1	—	—	5
VIII. Urinary Organs	15	—	—	—	—	—	—	—	—	—	—	1	—
IX. Organs of Generation	20	—	—	—	—	—	—	—	—	—	4	3	2
X. Organs of Locomotion	8	—	—	—	—	—	—	—	—	1	—	2	1
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	3	2	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	51	41	9	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	7	—	—	—	2	—	1	—	—	—	—	—	—
XV. Age	85	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	13	2	—	—	1	1	—	—	—	—	2	—	—
I. Small-pox	9	—	—	—	—	—	—	—	—	1	2	2	2
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	13	—	—	2	4	1	1	1	1	2	—	1	—
Diphtheria	10	—	—	2	2	1	2	—	2	—	1	—	—
Whooping-cough	51	1	7	11	18	7	2	2	3	—	—	—	—
Croup	12	—	—	2	1	2	2	4	1	—	—	—	—
Thrush	3	1	1	1	—	—	—	—	—	—	—	—	—
Diarrhoea	30	6	5	2	4	1	—	—	—	—	—	1	—
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	3	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	15	—	—	—	—	1	1	—	4	—	3	—	—
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	6	—	—	—	—	—	—	—	—	—	—	3	—
Rheumatic Fever	6	—	—	—	—	—	—	—	—	—	—	—	3
Erysipelas	6	1	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	2	—	—	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	5	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	3	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	36	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	12	—	—	—	—	—	—	1	1	2	—	2	1
Tabes Mesenterica	6	—	—	1	2	—	—	1	—	—	1	1	—
Phthisis	131	—	—	1	—	—	—	—	—	8	16	18	16
Hydrocephalus	34	1	4	10	10	1	2	—	6	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1875.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . .	41	43	34	37	43	44	70	74	78	58	40	20	11	2	-	-
SPECIFIED CAUSES .	41	43	34	37	43	44	70	74	78	58	40	20	11	2	-	-
Zymotic Class . .	4	3	2	4	1	4	2	1	7	4	1	1	-	-	-	-
Uncertain Seat . .	1	2	3	5	7	5	4	3	10	4	2	3	1	-	-	-
Tubercular Class .	14	20	13	4	7	6	7	1	3	2	-	-	-	-	-	-
Brain, etc. . . .	5	2	5	3	8	3	9	12	10	7	3	1	1	-	-	-
Heart, etc. . . .	5	5	3	4	4	10	10	9	9	5	3	1	-	-	-	-
Respiratory Organs .	2	1	3	7	8	7	21	29	23	17	8	2	-	-	-	-
Digestive Organs .	5	4	2	3	3	5	6	7	5	2	1	-	-	-	-	-
Urinary Organs . .	2	2	1	1	1	1	1	2	-	3	-	-	-	-	-	-
Generative Organs .	1	2	1	4	2	-	-	-	1	-	-	-	-	-	-	-
Locomotive Organs .	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malformation . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Debility .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrophy	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Age	-	-	-	-	-	-	8	10	8	14	22	12	9	2	-	-
Sudden Deaths . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths . .	-	-	1	1	-	1	2	-	2	-	-	-	-	-	-	-
Small-pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping-cough . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa	-	-	-	2	-	2	1	-	3	3	-	-	-	-	-	-
Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever . . .	1	2	-	-	-	2	-	-	1	-	-	-	-	-	-	-
Relapsing Fever . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile Remittent .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever . .	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	1	-	-	1	-	1	-	1	1	-	-	-	-
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dropsy	-	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-
Abscess	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	-	-	-	1	-	-	-	-	-	2	1	1	1	-	-	-
Cancer	1	1	2	3	6	5	3	2	9	2	-	1	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula	-	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tabes Mesenterica . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis	14	17	12	4	7	6	7	1	3	1	-	-	-	-	-	-
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1875.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2180	202	81	204	292	160	87	50	141	56	62	64	63
SPECIFIED CAUSES	2157	191	79	203	290	160	86	50	138	56	62	64	62
I. Zymotic Class	580	19	14	77	132	82	40	25	69	12	19	17	7
II. Diseases of Uncertain Seat	64	1	—	1	1	2	1	2	4	4	3	1	1
III. Tubercular Class	340	7	6	22	35	19	16	7	26	18	28	24	26
IV. Brain and Nervous System	192	17	8	8	11	9	10	6	9	7	3	3	2
V. Organs of Circulation	101	—	—	—	—	—	—	—	—	2	—	3	6
VI. Respiratory Organs	403	28	25	60	76	35	13	9	16	6	3	5	7
VII. Organs of Digestion	129	15	10	24	24	9	3	—	3	3	—	3	1
VIII. Urinary Organs	25	—	—	—	—	—	—	—	—	1	—	1	1
IX. Organs of Generation	10	—	—	—	—	—	—	—	—	—	—	2	1
X. Organs of Locomotion	18	1	—	1	—	—	—	1	2	2	1	—	1
XI. Skin, etc.	4	—	—	—	—	2	—	—	—	—	—	—	—
XII. Malformation	5	3	1	—	—	—	1	—	—	—	—	—	—
XIII. Premature Debility	110	90	11	9	—	—	—	—	—	—	—	—	—
XIV. Atrophy	34	—	—	—	11	1	2	—	7	—	1	—	1
XV. Age	61	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	2	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	79	10	2	1	—	1	—	—	2	1	4	5	8
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	89	—	1	21	26	20	5	7	9	—	—	—	—
Scarlatina	81	1	—	6	11	17	13	3	23	3	2	2	—
Diphtheria	23	—	—	2	3	6	5	—	3	3	—	—	—
Hooping-cough	143	7	5	31	53	21	10	7	9	—	—	—	—
Croup	22	—	—	5	3	7	2	2	3	—	—	—	—
Thrush	2	—	—	1	1	—	—	—	—	—	—	—	—
Diarrhœa	71	8	6	10	24	1	2	2	—	—	—	1	—
Dysentery	1	—	—	—	1	—	—	—	—	—	—	—	—
Cholera	7	—	—	—	3	—	—	—	—	—	—	1	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	1	—
Purpura	3	—	—	—	—	—	—	1	—	—	—	2	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	35	—	—	—	—	—	1	—	3	2	5	2	2
Enteric Fever	77	—	—	—	6	8	2	3	17	4	12	8	4
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	6	—	—	—	—	1	—	—	1	—	—	—	—
Infantile Remittent	1	1	—	—	—	—	—	—	—	—	—	—	—
Metria	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	6	—	1	—	—	—	—	—	—	—	—	—	—
Pyæmia	2	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	6	2	1	1	—	—	—	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	2	—	—	—	1	1	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	1	—	—	—
Dropsy	25	1	—	—	1	1	—	2	4	1	1	1	—
Abscess	5	—	—	1	—	—	—	—	—	1	—	—	—
Ulcer	1	—	—	—	—	—	1	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	8	—	—	—	—	1	—	—	—	—	1	—	—
Cancer	23	—	—	—	—	—	—	—	—	1	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	31	1	1	3	9	5	3	2	4	1	1	—	1
Tabes Mesenterica	23	—	1	2	6	6	4	1	1	—	—	—	—
Phthisis	243	3	1	6	8	4	5	2	17	17	27	24	25
Hydrocephalus	43	3	3	11	12	4	4	2	4	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1875.—BOTH SEXES. (Continued).

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	22	1	1	3	3	1	1	3	3	5	—	—	—
Apoplexy	39	—	—	—	—	—	1	—	—	1	3	—	—
Paralysis	46	—	—	—	—	—	—	—	—	—	—	1	1
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	9	—	—	—	1	—	—	—	1	1	—	1	1
Tetanus	2	1	—	—	—	—	—	—	1	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	31	13	4	3	3	2	4	1	1	—	—	—	—
Brain Disease	39	2	3	2	4	6	4	2	3	—	—	1	—
V. Pericarditis	1	—	—	—	—	—	—	—	—	1	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	99	—	—	—	—	—	—	—	—	1	—	3	6
VI. Laryngitis	3	—	—	—	—	—	—	—	—	1	—	—	—
Bronchitis	266	22	20	40	57	25	8	5	11	1	—	—	1
Pleurisy	2	—	—	—	—	—	—	—	—	—	—	1	—
Pneumonia	95	6	3	15	10	7	3	2	3	3	3	3	6
Asthma	6	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	31	—	2	5	9	3	2	2	2	1	—	1	—
VII. Teething	45	—	—	15	22	6	1	—	1	—	—	—	—
Quinsey	2	—	1	—	—	—	1	—	—	—	—	—	—
Gastritis	5	—	1	—	—	—	1	—	—	—	—	—	—
Enteritis	32	10	5	9	—	3	—	—	1	—	—	—	—
Peritonitis	6	—	1	—	—	—	—	—	—	1	—	3	—
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	4	—	1	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	—	—	1	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	11	—	—	—	1	—	—	—	1	1	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	1	—	—	—	—	—	—	—	—	—	—
Jaundice	4	3	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	12	2	—	—	—	—	—	—	—	1	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	10	—	—	—	—	—	—	—	—	—	—	1	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	8	—	—	—	—	—	—	—	—	1	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	9	—	—	—	—	—	—	—	—	—	—	2	1
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	1	—	—	—	—	—	—	—	—	1	—	—	—
Rheumatism	10	—	—	—	—	—	—	—	1	—	—	—	1
Joint Disease	7	1	—	1	—	—	—	1	1	1	1	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	—	—	—	2	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	13	—	—	—	—	—	—	—	—	—	—	1	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	7	5	2	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	1
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	10	5	—	1	—	1	—	—	—	—	—	2	—
Drowning	15	—	—	—	—	—	—	—	1	—	—	—	2
Fracture and Contusion	25	—	—	—	—	—	—	—	1	1	4	2	3
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	4	—	—	—	—	—	—	—	—	—	—	—	—
Not specified	23	11	2	1	2	—	1	—	3	—	—	—	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1364	106	44	91	130	55	42	24	71	40	62	57	27
SPECIFIED CAUSES	1358	101	44	90	130	55	42	24	71	40	62	57	27
I. Zymotic Class	262	15	9	28	49	31	19	14	27	12	11	10	5
II. Diseases of Uncertain Seat	54	—	—	—	1	—	—	—	—	1	—	4	—
III. Tubercular Class	217	2	10	12	16	10	8	6	12	15	37	24	12
IV. Brain and Nervous System	145	7	5	5	10	3	3	—	10	4	1	3	—
V. Organs of Circulation	47	—	1	—	1	—	—	1	—	2	1	1	1
VI. Respiratory Organs	268	10	7	24	35	7	10	2	9	1	6	7	1
VII. Organs of Digestion	103	13	6	12	11	—	1	1	5	2	3	2	3
VIII. Urinary Organs	12	—	—	—	—	—	—	—	—	—	—	1	—
IX. Organs of Generation	13	—	—	—	—	—	—	—	—	—	2	2	2
X. Organs of Locomotion	11	—	—	—	—	1	1	—	1	1	—	—	—
XI. Skin, etc.	2	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	61	47	5	9	—	—	—	—	—	—	—	—	—
XIV. Atrophy	18	—	—	—	7	2	—	—	3	—	—	—	1
XV. Age	107	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	36	4	1	—	—	1	—	—	4	2	1	3	2
I. Small-pox	13	—	—	—	—	1	—	—	—	3	4	4	1
Measles	65	—	2	11	27	11	7	2	4	1	—	—	—
Scarlatina	42	—	—	—	5	11	5	7	12	2	—	—	—
Diphtheria	3	—	—	—	1	—	—	—	1	—	—	1	—
Hooping-cough	16	1	1	5	5	1	1	2	—	—	—	—	—
Croup	12	—	—	1	3	2	5	1	—	—	—	—	—
Thrush	4	1	2	—	—	1	—	—	—	—	—	—	—
Diarrhoea	43	8	2	10	6	—	—	—	2	—	—	—	—
Dysentery	4	—	—	1	1	—	—	—	—	—	—	—	—
Cholera	2	—	—	—	—	1	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	—	—	1	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	9	—	—	—	—	—	—	—	—	1	1	—	1
Enteric Fever	26	1	—	—	—	1	1	1	3	3	5	5	2
Relapsing Fever	1	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever	3	—	—	—	—	—	—	—	2	1	—	—	—
Infantile Remittent	5	—	—	—	—	1	—	1	3	—	—	—	—
Metria	2	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	1
Erysipelas	5	2	—	—	—	1	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	4	2	2	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	17	—	—	—	1	—	—	—	—	—	—	1	—
Abscess	8	—	—	—	—	—	—	—	—	1	—	2	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	26	—	—	—	—	—	—	—	—	—	—	1	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	1	1	—	1	1	—	1	1	—	—
Tabes Mesenterica	8	—	1	1	1	2	1	1	1	—	—	—	—
Phthisis	154	—	—	1	3	3	1	3	5	14	36	24	12
Hydrocephalus	48	2	9	9	11	5	5	1	6	—	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . .	39	52	53	43	63	42	86	55	67	58	40	13	4	—	—	—	
SPECIFIED CAUSES .	39	52	53	43	63	42	86	55	67	58	40	13	4	—	—	—	
Zymotic Class . .	5	4	4	1	2	1	2	1	4	6	1	1	—	—	—	—	
Uncertain Seat . .	—	1	3	7	8	1	9	7	3	6	3	—	—	—	—	—	
Tabercular Class .	12	16	11	7	4	1	—	1	1	—	—	—	—	—	—	—	
Brain, etc. . . .	4	8	7	8	14	5	20	10	10	5	3	—	—	—	—	—	
Heart, etc. . . .	4	2	2	1	5	7	4	5	6	3	—	—	—	—	—	—	
Respiratory Organs .	4	10	14	9	21	18	29	13	12	9	7	2	1	—	—	—	
Digestive Organs .	3	4	8	3	4	5	6	5	2	2	2	—	—	—	—	—	
Urinary Organs . .	1	3	1	1	—	1	1	—	2	1	—	—	—	—	—	—	
Generative Organs .	4	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Locomotive Organs .	—	—	1	2	—	1	2	1	—	—	—	—	—	—	—	—	
Skin	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	1	—	—	3	1	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	10	8	26	26	24	10	3	—	—	—	
Sudden Deaths . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths . .	2	1	1	4	2	1	3	3	1	—	—	—	—	—	—	—	
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hooping-cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	2	—	—	—	2	—	1	1	1	6	1	1	—	—	—	—	
Dysentery	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Purpura	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	1	3	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
Enteric Fever . .	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Relapsing Fever .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas . . .	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	—	—	1	3	2	—	4	—	1	4	—	—	—	—	—	—	
Abscess	—	1	—	1	—	—	—	1	1	—	1	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification . .	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	
Cancer	—	—	2	3	6	1	5	5	1	1	1	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	12	16	10	7	4	1	—	1	1	—	—	—	—	—	—	—	
Hydrocephalus . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1875.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
Apoplexy . . .	2	—	2	2	5	3	5	2	3	—	—	—	—	—	—	—
Paralysis . . .	1	2	3	2	6	1	13	6	7	4	2	—	—	—	—	—
Delirium Tremens . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	—	4	1	3	1	—	1	2	—	1	1	—	—	—	—	—
Pericarditis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . .	3	2	2	1	5	7	4	5	6	3	—	—	—	—	—	—
Laryngitis . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . .	3	6	10	7	15	15	21	10	12	9	6	2	1	—	—	—
Pleurisy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia . . .	1	4	3	—	4	2	5	2	—	—	1	—	—	—	—	—
Asthma . . .	—	—	1	1	2	1	3	—	—	—	—	—	—	—	—	—
Lung Disease . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis . . .	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—
Peritonitis . . .	—	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—
Ascites . . .	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . .	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Hernia . . .	—	—	—	—	1	1	1	1	—	1	1	—	—	—	—	—
Ileus . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Intussusception . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	—	1	1	1	—	—	1	1	2	—	1	—	—	—	—	—
Jaundice . . .	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Liver Disease . . .	3	—	2	—	1	—	2	2	—	—	—	—	—	—	—	—
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . .	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Nephria . . .	—	1	1	—	—	1	—	—	1	—	—	—	—	—	—	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . .	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Bone Disease . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism . . .	—	—	—	2	—	1	2	1	—	—	—	—	—	—	—	—
Joint Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . .	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . .	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Drowning . . .	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion . . .	—	—	—	1	1	1	2	2	—	—	—	—	—	—	—	—
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not specified . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1060	120	63	84	104	50	29	25	51	14	16	30	31
SPECIFIED CAUSES	1058	120	63	84	104	50	29	25	51	14	15	30	31
I. Zymotic Class	240	24	21	28	41	25	18	15	23	3	3	5	6
II. Diseases of Uncertain Seat	47	2	—	—	1	—	1	—	2	—	—	1	—
III. Tubercular Class	153	6	11	9	17	9	3	5	10	5	7	16	13
IV. Brain and Nervous System	91	7	4	5	7	3	3	—	2	1	—	—	3
V. Organs of Circulation	58	—	—	—	1	—	—	—	2	—	1	1	1
VI. Respiratory Organs	230	21	14	27	28	11	1	2	9	2	1	1	5
VII. Organs of Digestion	69	8	6	6	5	1	—	1	1	1	—	3	1
VIII. Urinary Organs	10	—	—	—	—	—	1	—	—	1	—	—	—
IX. Organs of Generation	4	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	5	—	1	1	—	—	—	—	—	—	1	1	—
XI. Skin, etc.	3	—	—	—	1	—	—	—	—	—	—	—	—
XII. Malformation	2	1	—	—	—	—	1	—	—	—	—	—	—
XIII. Premature Debility	64	51	5	8	—	—	—	—	—	—	—	—	—
XIV. Atrophy	9	—	—	—	2	—	—	1	2	—	—	—	—
XV. Age	34	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	37	—	1	—	1	1	1	1	—	1	2	2	2
I. Small-pox	1	—	1	—	—	—	—	—	—	—	—	—	—
Measles	1	—	—	—	1	—	—	—	—	—	—	—	—
Scarlatina	65	—	1	3	9	11	9	9	17	1	3	2	—
Diphtheria	6	—	—	2	—	1	—	1	1	1	—	—	—
Hooping-cough	32	3	6	9	10	4	—	—	—	—	—	—	—
Croup	37	2	2	2	10	7	7	3	4	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	47	16	9	9	8	1	—	—	—	—	—	—	—
Dysentery	6	—	1	—	—	—	—	—	—	—	—	—	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	16	—	—	—	2	—	1	1	—	1	—	1	2
Enteric Fever	10	—	—	—	—	1	1	1	—	—	—	1	2
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	—	—	—	—	1	—	—	—	—
Metria	3	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	5	2	—	—	—	—	—	—	—	—	—	1	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	6	1	1	2	1	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	1	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	—	—	—	1	—	—	—	—	—	—	—	—
Dropsy	14	—	—	—	—	—	1	—	2	—	—	—	—
Abscess	4	1	—	—	—	—	—	—	—	—	—	—	—
Ulcer	3	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	5	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	15	—	—	—	—	—	—	—	—	—	—	1	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	9	—	1	1	1	3	1	2	—	—	—	—	—
Tabes Mesenterica	21	2	8	1	4	2	—	—	3	1	—	—	—
Phthisis	84	1	—	—	—	—	—	—	1	4	7	16	13
Hydrocephalus	39	3	2	7	12	4	2	3	6	—	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1875.—BOTH SEXES. (Continued.)

[illegible]

CAUSES of DEATH in PERTH, at different Periods of Life, in 1875.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	635	59	22	35	42	21	17	8	23	11	8	26	18
SPECIFIED CAUSES	630	58	21	35	41	21	17	8	23	11	8	26	18
I. Zymotic Class	105	7	5	13	16	9	10	6	14	2	2	1	1
II. Diseases of Uncertain Seat	26	—	—	—	—	—	—	—	—	—	—	—	1
III. Tubercular Class	91	—	—	4	5	4	2	—	4	2	4	19	10
IV. Brain and Nervous System	56	—	—	1	4	1	3	—	1	1	—	—	—
V. Organs of Circulation	51	2	—	1	—	—	—	—	—	—	1	1	—
VI. Respiratory Organs	98	8	6	7	10	4	1	2	2	1	1	1	1
VII. Organs of Digestion	40	2	2	5	3	1	—	—	—	—	—	—	1
VIII. Urinary Organs	16	—	—	—	—	1	—	—	—	—	—	1	1
IX. Organs of Generation	5	—	—	—	—	—	—	—	—	—	—	1	1
X. Organs of Locomotion	6	—	—	—	1	—	—	—	—	2	—	—	—
XI. Skin, etc.	1	—	—	—	—	1	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	48	36	8	4	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	—	—	2	—	1	—	1	1	—	1	—
XV. Age	60	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	20	2	—	—	—	—	—	—	1	2	—	1	2
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	15	—	1	5	6	1	1	—	1	—	—	—	—
Scarlatina	18	—	—	—	2	5	3	2	5	1	—	—	—
Diphtheria	8	—	—	—	—	—	2	1	4	1	—	—	—
Hooping-cough	6	—	1	1	2	—	1	1	—	—	—	—	—
Croup	11	—	1	1	3	1	2	2	1	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	24	3	2	5	2	2	1	—	1	—	—	—	—
Dysentery	3	2	—	1	—	—	—	—	—	—	—	—	—
Cholera	1	1	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	10	—	—	—	—	—	—	—	2	—	1	—	—
Enteric Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	1	—
Simple Continued Fever	1	—	—	—	1	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	1	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	1	—	—
Erysipelas	3	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	3	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	2	—	—	—	—	—	—	—	—	—	—	—	1
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	19	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	4	—	—	1	1	—	1	—	—	—	1	—	—
Tabes Mesenterica	11	—	—	1	3	2	—	—	4	—	—	—	1
Phthisis	70	—	—	—	—	—	—	—	—	2	3	19	9
Hydrocephalus	6	—	—	2	1	2	1	—	—	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1875.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.										
		AGE UNDER										30
		MONTHS.			2	3	4	5	10	15	20	
		3	6	12								
IV. Cephalitis	5	—	—	—	—	1	2	—	—	1	—	—
Apoplexy	16	—	—	—	—	—	—	—	—	—	—	—
Paralysis	22	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	—	—	1	3	—	1	—	—	—	—	—
Brain Disease	8	—	—	—	1	—	—	—	1	—	—	—
V. Pericarditis	2	—	—	—	—	—	—	—	—	—	—	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	47	2	—	1	—	—	—	—	—	—	1	1
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	65	7	4	6	8	3	—	1	2	—	—	—
Pleurisy	3	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	26	1	2	1	2	1	1	1	—	1	1	1
Asthma	4	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	10	—	1	5	3	1	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	3	2	—	—	—	—	—	—	—	—	—	—
Peritonitis	4	—	—	—	—	—	—	—	—	—	—	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . .	1	—	—	—	—	—	—	—	—	—	—	—
Hernia	3	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . .	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	—	1	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	9	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	1	—	—	—	—	—	—
Nephria	6	—	—	—	—	—	—	—	—	—	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . .	1	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	—	—	—	—	1	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	4	—	—	—	—	—	—	—	—	—	1	1
Organs of Generation . . .	1	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	2	—	—	—	1	—	—	—	—	1	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	2	—	—	—	—	—	—	—	—	1	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	1	—	—	—	—	—	—
XVII. Intemperance	4	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	2	2	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion . .	8	—	—	—	—	—	—	—	1	—	1	2
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	1	—	—
Other Violent Causes . . .	3	—	—	—	—	—	—	—	—	1	—	—
Not specified	5	1	1	—	1	—	—	—	—	—	—	—

TABLE showing the Distribution of DEATHS according to MONTHS, or the influence of SEASON on the MORTALITY.

		DEATHS in 1875.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
MEAN TEMPERATURE in 1875		39°·7	36°·3	40°·0	46°·5	51°·7	54°·0	57°·1	58°·1	54°·4	47°·0	39°·2	38°·9	46°·9
SCOTLAND		9316	7493	8307	6902	6383	6233	6121	6188	5741	5723	6366	7012	81785
1	PRINCIPAL TOWN DISTRICTS	3563	2736	3023	2565	2400	2509	2339	2394	2137	2146	2466	2680	30958
2	LARGE TOWN DISTRICTS	1167	909	986	851	800	686	787	753	648	669	747	827	9830
3	SMALL TOWN DISTRICTS	2089	1636	1894	1521	1379	1347	1415	1416	1361	1323	1412	1501	18294
4	MAINLAND-RURAL DISTRICTS	2213	1984	2131	1744	1616	1519	1453	1460	1439	1403	1556	1773	20291
5	INSULAR-RURAL DISTRICTS	284	228	273	221	188	172	127	165	156	182	185	231	2412
DIVISIONS.														
1	NORTHERN	216	197	234	201	172	162	172	169	159	191	181	204	2258
2	NORTH-WESTERN	394	352	396	296	261	206	194	211	225	236	257	301	3329
3	NORTH-EASTERN	708	696	780	611	581	497	501	502	477	477	525	604	6959
4	EAST-MIDLAND	1462	1186	1266	996	928	908	930	921	852	871	934	1030	12284
5	WEST-MIDLAND	686	502	625	503	446	464	426	469	438	438	502	535	6034
6	SOUTH-WESTERN	4161	3160	3540	3048	2801	2727	2705	2698	2417	2373	2694	2988	35312
7	SOUTH-EASTERN	1230	987	1046	865	832	867	861	868	856	785	917	957	11071
8	SOUTHERN	459	413	420	382	362	402	332	350	317	352	356	393	4538
COUNTIES.														
I. NORTHERN.														
1	Shetland	50	48	62	35	36	25	36	34	28	44	44	43	485
2	Orkney	60	46	45	53	42	44	37	45	46	35	44	61	558
3	Caithness	75	56	78	72	66	69	72	66	57	70	59	63	803
4	Sutherland	31	47	49	41	28	24	27	24	28	42	34	37	412
II. NORTH-WESTERN.														
5	Ross and Cromarty	245	202	207	157	132	111	96	100	112	107	120	135	1724
6	Inverness	149	150	189	139	129	95	98	111	113	129	137	166	1605
III. NORTH-EASTERN.														
7	Nairn	32	27	21	13	12	5	11	13	2	13	7	15	171
8	Elgin (or Moray)	73	92	86	69	62	58	56	42	43	53	52	71	757
9	Banff	91	96	127	99	80	82	79	62	67	54	69	70	976
10	Aberdeen	448	419	500	368	366	310	312	330	312	314	348	405	4432
11	Kincardine	64	62	46	62	61	42	43	55	53	43	49	43	623
IV. EAST-MIDLAND.														
12	Forfar	664	546	563	437	425	430	451	427	373	435	441	453	5645
13	Perth	319	236	282	205	201	204	195	169	202	158	180	241	2592
14	Fife	400	343	366	286	263	237	242	273	231	230	267	272	3410
15	Kinross	20	15	15	18	9	16	10	14	—	9	11	19	156
16	Clackmannan	59	46	40	50	30	21	32	38	46	39	35	45	481
V. WEST-MIDLAND.														
17	Stirling	254	200	245	190	196	181	162	185	175	162	178	222	2350
18	Dumbarton	222	139	150	138	110	107	124	129	108	126	155	130	1638
19	Argyll	182	140	183	132	111	143	96	122	117	105	122	148	1601
20	Bute	28	23	47	43	29	33	44	33	38	45	47	35	445
VI. SOUTH-WESTERN.														
21	Renfrew	626	449	515	448	446	443	450	506	454	517	518	471	5843
22	Ayr	605	476	530	441	420	367	346	339	324	349	379	433	5009
23	Lanark	2930	2235	2495	2159	1935	1917	1909	1853	1639	1507	1797	2084	24460
VII. SOUTH-EASTERN.														
24	Linlithgow	105	71	74	55	56	76	74	72	56	70	69	76	854
25	Edinburgh	908	725	772	669	634	651	607	618	621	578	700	714	8197
26	Haddington	93	71	68	47	47	54	55	61	60	48	47	47	698
27	Berwick	56	67	72	47	47	33	63	66	66	41	51	55	664
28	Peebles	24	14	25	15	10	23	16	26	22	18	24	25	242
29	Selkirk	44	39	35	32	38	30	46	25	31	30	26	40	416
VIII. SOUTHERN.														
30	Roxburgh	98	93	90	89	72	100	92	98	82	88	92	86	1080
31	Dumfries	178	153	165	162	146	154	115	134	122	144	132	163	1768
32	Kirkcudbright	81	88	74	68	71	79	63	67	58	72	61	79	861
33	Wigtown	102	79	91	63	73	69	62	51	55	48	71	65	829

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars, do not correspond with those given in the foregoing tables.

CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES
BY AN ASTERISK (*).

No.	Districts.	Component Parts (Parishes).
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldshay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
59b	Carnoch	Parts of Contin, Fodderty, and Urray.
71b	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
86b	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155b	Glenrinnnes	Parts of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
217	Logie Coldstone and Cromar	Logie Coldstone, and part of Glenmuick, &c.
222b	Millbren	Parts of Fyvie and Monquhitter.
227a	New Machar	New Machar, and part of Udney.
227b	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237b	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249b	Ythan Wells	Parts of Auchterless and Fergie.
272	Arbroath	Arbroath, and part of St Vigean.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
328b	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld and Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally
355a	Fortingall	Parts of Fortingall and Weem.
355b	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386a	Muthill	Muthill, and part of Ardoch. [Kinloch, and Rattray.
386b	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394b	Strathfillan	Part of Killin.
394c	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
424	Dunfermline	Parts of Dunfermline and Inverkeithing.
432	Inverkeithing	Parts of Inverkeithing and Dunfermline.
442	Kirkcaldy and Abbotshall	Kirkcaldy, Abbotshall, and part of Kinghorn.
481b	Grangemouth	Parts of Bothkennar, Falkirk, and Polmont.
490	Stirling	Stirling, and small part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, etc.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishail.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, etc., and Inishail.
526	Lochgilthead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishail. [Knapdale.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South
536	Bowmore (or Kilarrow)	Part of Kilarrow and Kilmeny.
542	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
543	Kilmeny	Part of Kilarrow and Kilmeny.
545	Kinlochspelve	Part of Torosay.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian and Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew (2 and 3) Rest of Abbey.
573	Paisley	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
626b	Calderhead	Parts of Cambusnetlan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canonsgate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698b	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774a	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
776b	Ladhope	Part of Melrose.
787b	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813b	Brydekirk	Parts of Annan, Cummertrees, and Hoddum.
853b	Wanlockhead	Part of Sanquhar.
857b	Bargrennan	Parts of Minnigaff (Kirkeudbright) and of Penninghame (Wigtown)
862	Corssockbridge	Parts of Balmacellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, or *parts thereof*, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie - - - -	* Fortrose.	
130	Drainie - - - -	- - - -	* Lossiemouth.
164	Rathven - - - -	- - - -	* Buckie.
167	Seafield - - - -	Cullen.	
211	Kinnellar - - - -	Kintore.	
213	Kintore - - - -	Inverurie.	
251 ¹	Banchory-Devenick - -	Aberdeen.	
253	Benholm - - - -	Inverbervie.	
255	Dunnottar - - - -	- - - -	Stonehaven.
258 ¹	Fetteresso - - - -	- - - -	Do.
262	Kinneff, etc. - - - -	Inverbervie.	
274	Barry - - - -	- - - -	Carnoustie.
280	Craig - - - -	Montrose.	
282 ⁴	St Andrews (Dundee) -	- - - -	Broughty-Ferry.
310	Monifieth - - - -	- - - -	Do.
316	Panbride - - - -	- - - -	Carnoustie.
371	Lecropt - - - -	- - - -	Bridge of Allan.
374	Logie - - - -	Stirling,	Do.
385	Muckhart - - - -	- - - -	Dollar.
386 ^a	Muthill - - - -	- - - -	Crieff.
389	Ratray - - - -	- - - -	Blairgowrie.
400	Abdie - - - -	- - - -	Suburban of Newburgh.
405	Auchterderran - - - -	- - - -	Lochgelly.
408	Ballingry - - - -	- - - -	Do.
427	Elie - - - -	- - - -	Suburban of Earlsferry.
436	Kilconquhar - - - -	* Earlsferry,	Do.
438	Kilrenny - - - -	Anstruther-Easter.	
456	Scoonie - - - -	- - - -	* Leven.
459	Wemyss - - - -	- - - -	Buckhaven.
466	Clackmannan - - - -	- - - -	Alloa.
475	Campsie - - - -	- - - -	* Lennoxtown.
478	Dunipace - - - -	- - - -	Denny.
488	St Ninians - - - -	- - - -	Bannockburn.
493	Bonhill - - - -	- - - -	* Alexandria
494	Cardross - - - -	- - - -	* Renton.
500	New or East Kilpatrick -	- - - -	* Milngavie.
503	Row - - - -	- - - -	* Helensburgh.
523	Kilmore and Kilbride -	* Oban.	
559 ¹	Abbey - - - -	Paisley.	
559 ²	Do. (Landward), - - -	- - - -	Barrhead.
560	Cathcart - - - -	- - - -	{ Busby.
562	Eastwood - - - -	- - - -	{ Crosshill (Suburban of Glasgow)
564	Greenock, East - - - -	Port-Glasgow.	* Pollockshaws and Thornliebank.
571	Mearns - - - -	- - - -	Busby.
576 ¹	Old Ardrossan - - - -	- - - -	Saltcoats.
577	Auchinleck - - - -	- - - -	Cumnock.
593	Galston - - - -	- - - -	Newmilns.
597	Kilmarnock - - - -	- - - -	Hurlford.
603	Loudoun - - - -	- - - -	Galston and Newmilns.
611	Riccarton - - - -	Kilmarnock,	Hurlford.
613	Sorn - - - -	- - - -	* Catrine.
615	Stevenston - - - -	- - - -	Saltcoats.
621	Avondale - - - -	- - - -	* Strathaven.
622 ²	Shettleston - - - -	- - - -	Tollcross.
625 ¹	Bothwell - - - -	- - - -	* Bellshill.
625 ²	Holytown - - - -	- - - -	Calderbank.
628	Cambusnethan - - - -	- - - -	* Newmains and Wishaw.
639	Dalziel - - - -	- - - -	Motherwell.
643	East Kilbride - - - -	- - - -	Busby.
646 ¹	Govan Church - - - -	- - - -	Suburban of Glasgow.
646 ²	Partick - - - -	- - - -	{ Hillhead, Whiteinch, and Suburban
647	Hamilton - - - -	- - - -	{ of Glasgow.
651 ²	New Monkland (Landward)	- - - -	Larkhall and Motherwell.
652	Old Monkland	- - - -	Suburban of Airdrie.
	(1) Western District -	- - - -	Bailliestone, and Tollcross.
	(2) Middle District -	- - - -	Coatbridge and Rosehall.
	(3) Eastern District -	- - - -	Do. do. and Calderbank.
654	Rutherglen - - - -	- - - -	Cambuslang.
664	Carriden - - - -	- - - -	Bo'ness.
673 ²	Fauldhouse - - - -	- - - -	* Crofthead.
689	Inveresk - - - -	* Musselburgh.	
691	Lasswade - - - -	- - - -	Penicuik.
727	Ayton - - - -	- - - -	Eyemouth.
776 ^b	Ladhope - - - -	Galashiels.	
810	Wilton - - - -	Hawick.	
813 ^b	Brydekirk - - - -	Annan.	
863	Crossmichael - - - -	- - - -	Castle-Douglas.
868	Kells - - - -	* New Galloway.	
869	Kelton - - - -	- - - -	Castle-Douglas.
876	Minnigaff - - - -	- - - -	Newton-Stewart.
880	Terregles - - - -	Dumfries.	
882	Troqueer - - - -	Do.	
895	Penninghame - - - -	- - - -	Newton-Stewart.

* The asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.**

Abbey, . . . 559	Baldernock, . . . 471	Buckhaven, . . . 459	Corsock-Bridge, . . . 862	Dolphington, . . . 640
Abbey St Bath- ans, . . . 726	Balfron, . . . 472	Buittle, . . . 859	Corstorphine, . . . 678	Dores, . . . 90
Abbotshall, . . . 899	Ballachulish & Corran of Ard- gour, . . . 506	Bunkle and Preston, . . . 728	Cortachy & Clova . . . 278	Dornoch (Suth- erland), . . . 47
Abdie, . . . 400	Ballantrae, . . . 579	Burntisland, . . . 411	Coull, . . . 182	Dornock (Dum- fries), . . . 819
Abercorn, . . . 661	Ballingry, . . . 408	Burra & Quarff, . . . 1	Coupar-Angus, . . . 279	Douglas, . . . 641
Aberdalgie, . . . 323	Balmaclellan, . . . 856	Cabrach, . . . 177	Covington and Thankerton, . . . 634	Dowally, . . . 344
Aberdeen, . . . 168	Balmaghie, . . . 857	Cadder, . . . 626	Coylton, . . . 583	Drainie, . . . 130
Aberdour (Aber- deen), . . . 169	Balmerino, . . . 409	Caddonfoot, . . . 774	Craig, . . . 280	Dreghorn, . . . 589
Aberdour (Fife), . . . 401	Balquhider, . . . 331	Cairney, . . . 178	Craigie, . . . 584	Dron, . . . 345
Aberfeldy, . . . 324	Banchory-Deve- nick, . . . 251	Calderhead, . . . 626	Craighish, . . . 508	Drumblade, . . . 188
Aberfoyle, . . . 325	Banchory-Ter- nan, . . . 252	Callender, . . . 336	Crail, . . . 417	Drumelzier, . . . 759
Aberlady, . . . 702	Banff, . . . 147	Calton, . . . 644	Crailing, . . . 786	Drumoak, . . . 189
Aberlemno, . . . 269	Bannockburn, . . . 488	Cambuslang, . . . 627	Cramond, . . . 679	Dryfesdale, . . . 820
Aberlour, . . . 145	Bargrennan, . . . 857	Cambusnethan, . . . 628	Cranshaws, . . . 734	Drymen, . . . 477
Abernethy, . . . 326	Barony, . . . 622	Cameron, . . . 412	Cranston, . . . 680	Duddingston, . . . 684
Abernethy and Kincardine, . . . 90	Barr, . . . 580	Camlachie, . . . 644	Crathie and Braemar, . . . 183	Duffus, . . . 131
Abernyte, . . . 327	Barra (Inver- ness), . . . 108	Campbeltown, . . . 507	Crawford, . . . 635	Duirinish, . . . 110
Aboyne, . . . 170	Barrhead, . . . 572	Campsie, . . . 475	Crawfordjohn, . . . 636	Dull, . . . 346
Aharacle, . . . 505	Barrhill, . . . 582	Canisbay, . . . 35	Creich (Fife), . . . 418	Dumbarton, . . . 496
Airdrie, . . . 651	Barry (Forfar), . . . 274	Canonbie, . . . 814	Crichton, . . . 681	Dumfries, . . . 821
Airlie, . . . 270	Barvas, . . . 86	Canongate, . . . 685	Criech (Suther- land), . . . 46	Dun, . . . 281
Airth, . . . 469	Bathgate, . . . 662	Caputh, . . . 337	Crieff, . . . 342	Dunbar, . . . 706
Alford, . . . 171	Beath (Fife), . . . 410	Cardross, . . . 494	Crimond, . . . 184	Dunbarney, . . . 347
Alloa, . . . 465	Bedrule, . . . 782	Careston, . . . 277	Cromarty, . . . 61	Dunblane, . . . 348
Alness, . . . 57	Beith (Ayr), . . . 581	Cargill, . . . 338	Cromdale and Advie, . . . 128	Dunbog, . . . 423
Alva (Stirling), . . . 470	Belhelvie, . . . 174	Carlawerock, . . . 815	Crossmichael, . . . 863	Dundee, . . . 282
Alvah (Banff), . . . 146	Bellie, . . . 126	Carloway, . . . 86	Croy & Dalcross, . . . 94	Dundonald, . . . 590
Alves, . . . 125	Benbecula, . . . 118	Carluke, . . . 629	Cruden, . . . 185	Dunfermline, . . . 424
Alvie, . . . 90	Bendochy, . . . 332	Carmichael, . . . 630	Cullen, . . . 150	Dunino, . . . 425
Alyth, . . . 328	Benholm, . . . 253	Carmunnock, . . . 631	Culross, . . . 343	Dunipace, . . . 478
Ancrum, . . . 780	Bernera, . . . 111	Carmylie, . . . 276	Culsamond, . . . 186	Dunkeld, . . . 349
Anderston, . . . 644	Bervie, . . . 254	Carnbee, . . . 413	Culter, . . . 637	Dunlop, . . . 591
Annan, . . . 812	Biggar, . . . 623	Carnoch (Ross), . . . 595	Cults, . . . 419	Dunnet, . . . 36
Anstruther-E., . . . 402	Birnie, . . . 127	Carnock (Fife), . . . 414	Cumbar, . . . 495	Dunnichen, . . . 283
Anstruther-W., . . . 403	Birsay, . . . 13	Carnwath, . . . 632	Cumbraes, . . . 552	Dunning, . . . 350
Anwoth, . . . 855	Birse, . . . 175	Carriden, . . . 664	Cumlodden and Minard, . . . 509	Dunnottar, . . . 255
Appin, . . . 525	Blackford, . . . 333	Carrington, . . . 675	Cummertrees, . . . 817	Dunoon & Kil- mun, . . . 510
Applecross, . . . 58	Blackfrfars, . . . 644	Carsphairn, . . . 860	Cupar, . . . 420	Dunrossness, . . . 3
Applegarth, . . . 813	Blair-Athol, . . . 334	Carstairs, . . . 633	Currie, . . . 682	Dunscore, . . . 822
Arbirlot, . . . 271	Blairgowrie, . . . 335	Castleton, . . . 784	Daily, . . . 585	Dunse, . . . 735
Arbroath, . . . 272	Blantyre, . . . 624	Cathcart, . . . 560	Dairsie, . . . 421	Dunshire, . . . 642
Arbuthnott, . . . 250	Blythwood, . . . 644	Cavers, . . . 785	Dalavich, . . . 517	Durness, . . . 48
Ardchattan, . . . 504	Boharm, . . . 128	Cawdor, . . . 122	Dalbeattie, . . . 864	Duror, . . . 525
Ardelach, . . . 120	Boisdale, . . . 118	Ceres, . . . 415	Dalgetty, . . . 422	Durris, . . . 256
Ardersier, . . . 91	Bolskine, . . . 92	Channelkirk, . . . 729	Dalkeith, . . . 683	Durrisdeer, . . . 823
Ardnamurchan, . . . 505	Bolton, . . . 704	Chapel-of-Gari- och, . . . 179	Dallas, . . . 129	Duthil, . . . 96
Ardoch, . . . 328	Bonar, . . . 46	Chirnside, . . . 730	Dalmellington, . . . 586	Dyce, . . . 190
Ardrossan, . . . 576	Bonhill, . . . 493	Clackmannan, . . . 466	Dalmeny, . . . 665	Dyke, . . . 133
Arisaig, . . . 505	Borgue, . . . 858	Clatt, . . . 180	Dalry (Ayr), . . . 587	Dysart, . . . 426
Armadales, . . . 662	Bo'ness, . . . 663	Cleish, . . . 460	Dalry (Kirkeud- bright), . . . 865	Eaglesham, . . . 561
Arngask, . . . 404	Borthwick, . . . 674	Closeburn, . . . 816	Dalrymple, . . . 588	Earlsferry, . . . 436
Arrochar, . . . 492	Bothkennar, . . . 473	Clunie (Perth), . . . 339	Dalserf, . . . 638	Earlston, . . . 736
Ashkirk, . . . 781	Bothwell, . . . 625	Cluny (Aberd'n), . . . 181	Dalton, . . . 818	Eassie & Nevay, . . . 284
Assynt, . . . 44	Botriphnie, . . . 148	Clyne, . . . 45	Dalziel, . . . 639	East Kilbride, . . . 643
Athelstaneford, . . . 703	Bourtie, . . . 176	Cockburnspath, . . . 731	Daviot, . . . 187	Eastwood, . . . 562
Auchindoir, . . . 172	Bowden, . . . 783	Cockpen, . . . 676	Davot & Dun- lichity, . . . 95	Eccles, . . . 737
Auchinleck, . . . 577	Bower, . . . 34	Coigach, . . . 75	Deerness, . . . 14	Ecclesmachan, . . . 666
Auchterarder, . . . 329	Bowmore, . . . 536	Coldingham, . . . 732	Delting, . . . 6	Echt, . . . 191
Auchterderran, . . . 405	Boyndie, . . . 149	Coldstream, . . . 733	Denny, . . . 476	Eckford, . . . 787
Auchtergaven, . . . 330	Bracadale, . . . 109	Colinton, . . . 677	Deskford, . . . 152	Eday & Pharay, . . . 15
Auchterhouse, . . . 273	Brechin, . . . 275	Coll, . . . 551	Dingwall, . . . 62	Edderton, . . . 63
Auchterless, . . . 173	Bressay, . . . 1	Collace, . . . 340	Dirleton, . . . 705	Eddlestone, . . . 760
Auchtermuchty, . . . 406	Bridgeton, . . . 644	Collessie, . . . 416	Dollar, . . . 467	Eddrachillis, . . . 49
Auchtertool, . . . 407	Brodie, . . . 553	Colmonell, . . . 582		Edgerston, . . . 787
Auldearn, . . . 121	Broughton, . . . 758	Colonsay, . . . 539		Edinburgh, . . . 685
Avoch, . . . 59	Brydekirk, . . . 813	Colvend, . . . 861		Edinkillie, . . . 134
Avondale, . . . 621	Buchanan, . . . 474	Comrie, . . . 341		Ednam, . . . 788
Ayr, . . . 578		Contin, . . . 60		Edrom, . . . 738
Ayton, . . . 727		Cookney, . . . 258		

* The actual number of Districts is 1028—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place compound names in the order in which they are pronounced.

Edzell,	285	Glenbucket,	200	Jedburgh,	792	Kinclaven,	365	Langholm,	839
Elgin,	135	Glencairn,	826	Johnstone		Kinfauns,	366	Langton,	747
Elie,	427	Glencoe and		(Dumfries),	832	Kingartha,	555	Larbert,	485
Ellon,	192	Ballachulish,	525	Johnstone (Ren-		King-Edward,	210	Largo,	443
Enzie,	152	Glencross,	687	frew),	559	Kinghorn,	439	Largs,	602
Errol,	351	Glendevon,	358	Jura,	539	Kinglassie,	440	Larkhall,	638
Erskine,	563	Glenelg,	97			Kingoldrum,	295	Lasswade,	69
Eskdalemuir,	824	Glengarry,	99			Kingsbarns,	441	Latheron,	38
Ettrick,	774	Glenholm,	761	Keig,	205	Kingussie, &c.,	102	Lauder,	748
Evie & Rendall,	16	Glenisla,	290	Keir,	833	Kinloch,	372	Laurencekirk,	263
Ewes,	825	Glenlivat,	157	Keith,	159	Kinlochbervie,	49	Leadhills,	635
Eyemouth,	739	Glenmoriston,	107	Keith-hall,	206	Kinlochluichart,	71	Lecropt,	371
		Glenmuick, Tul-		Kells,	868	Kinloch-Ran-		Legerwood,	749
Fair Isle,	3	lich, &c.,	201	Kelso,	793	noch,	367	Leith,	692
Fala & Soutra,	686	Glenorchy,	512	Kelton,	869	Kinlochspelve,	545	Leochel-Cush-	
Falkirk,	479	Glenrinn,	155	Kelvin,	644	Kinloss,	138	nie,	214
Falkland,	428	Glenshee,	370	Kemback,	433	Kinnauld,	368	Lerwick,	5
Farnell,	286	Glenshiel,	67	Kemnay,	207	Kinneff and		Leslie (Aberd'n),	215
Farr,	50	Golspie,	51	Kenmore,	360	Catterline,	262	Leslie (Fife),	444
Fauldhouse,	673	Gorbals,	644	Kennoway,	434	Kinnell,	296	Lesmahagow,	649
Fearn (Forfar),	287	Gordon,	742	Kettins,	294	Kinnellar,	211	Leswalt,	891
Fearn (Ross),	64	Gourock,	567	Kettle,	435	Kinnethmont,	212	Lethendy,	372
Fenwick,	592	Govan Church,	646	Kilbarchan,	568	Kinnettles,	297	Lethnot and	
Ferry-Port-on-		Graitney (or		Kilberry,	516	Kinning Park,	644	Navar,	300
Craig,	429	Gretna),	827	Kilbirnie,	596	Kinnoull,	369	Leuchars,	445
Fetlar,	4	Grange,	156	Kilbrandon and		Kinross,	462	Libberton (Lan-	
Fettercairn,	257	Grangemouth,	481	Kilchattan,	515	Kintail,	72	ark),	650
Fetteresso,	258	Greenlaw,	743	Kilbride,	553	Kintore,	213	Liberton (Edin.)	693
Findo-Gask,	352	Greenock,	564	Kilbucho, &c.,	763	Kippen,	484	Liff, Benzie, &	
Fintray (Aber-		Guthrie	291	Kilcalmonell,	516	Kirkbean,	870	Invergowrie,	301
deen),	193			Kilchoman,	540	Kirkcaldy and		Lilliesleaf,	795
Fintry (Stirling),	480	Haddington,	709	Kilchrenan,	517	Abotshall,	442	Linlithgow,	668
Firth & Stennes,	17	Halfmorton,	828	Kilconquhar,	436	Kirkcolm,	887	Linton,	796
Flisk,	430	Halkirk,	37	Kildalton,	541	Kirkconnel,	834	Lintrathen,	302
Flotta,	32	Hamilton,	647	Kildonan,	52	Kirkcowan,	888	Lismore,	525
Fodderty,	65	Harray,	18	Kildrummy,	208	Kirkcudbright,	871	Little Dunkeld,	373
Fogo,	740	Harris,	111	Kilfinan,	518	Kirkden,	298	Livingstone,	669
Fordoun,	259	Harwick,	789	Kilfinichen and		Kirkgunzeon,	872	Lochaber,	99
Fordyce,	153	Heriot,	688	Kilvickeon,	542	Kirkhill,	103	Lochalsh,	74
Forfar,	288	Hobkirk,	790	Killeen and		Kirkhope,	776	Lochbroom,	75
Forgan,	431	Hoddum,	829	Kilchenzie,	519	Kirkinner,	889	Lochcarron,	76
Forgandenny,	353	Holm & Paplay,	19	Killearn,	482	Kirkintilloch,	498	Lochee,	282
Forglen,	154	Holytown,	625	Kilearnan,	68	Kirkliston,	667	Lochgilphhead,	526
Forgue,	194	Holywood,	830	Killin,	361	Kirkmabreck,	873	Lochgoilhead,	527
Forres,	137	Houston and		Kilmadock,	362	Kirkmahoe,	835	Lochlee,	303
Fort-Augustus		Killellan,	565	Kilmalcolm,	569	Kirkmaiden,	890	Lochmaben,	840
(or Abertarf),	92	Howmore,	118	Kilmallie,	520	Kirkmichael		Lochranza,	556
Forteviot,	354	Hownam,	791	Kilmany (Fife),	437	(Ayr),	600	Lochrutton,	875
Fortingall,	355	Hoy & Graemsay,	20	Kilmarnock,	597	Kirkmichael		Lochs,	87
Fortrose,	80	Humbie,	710	Kilmarnock,	497	(Banff),	160	Lochwinnoch,	570
Foss,	355	Hume,	744	Kilmartin,	521	Kirkmichael		Logie (Fife),	446
Fossaway and		Huntly,	202	Kilmaurs,	598	(Dumfries),	836	Logie (Perth),	374
Tulliebole,	461	Hutchesontown,	644	Kilmelford,	524	Kirkmichael		Logiealmond,	375
Foula,	12	Hutton (Ber-		Kilmeny (Ar-		(Perth,	370	Logie-Buchan,	216
Foulden,	741	wick),	745	gyll,	543	Kirknewton and		Logie-Coldstone	
Foveran,	195	Hutton (Dumf.)	831	Kilmodan,	522	East-Calder,	690	and Cromar,	217
Fowlis-Easter,	356			Kilmonivaig,	99	Kirkoswald,	601	Logie-Easter,	77
Fowlis-Wester,	357	Inch (Wigtown),	886	Kilmorack,	100	Kirkpatrick-		Logie-Pert,	304
Fraserburgh,	196	Inchinnan,	566	Kilmore & Kil-		Durham,	874	Logierait,	376
Fyvie,	197	Inchture,	359	bride,	523	Kirkpatrick-		Longforgan,	377
		Innerleithen,	762	Kilmorich,	527	Fleming,	837	Longformacus,	750
Gairloch,	66	Innerwick (Had.)	711	Kilmory,	554	Kirkpatrick-		Longside,	218
Galashiels,	775	Innerwick, in		Kilmuir,	112	Juxta,	838	Lonmay,	219
Galston,	593	Glenlyon,	355a	Kilmuir-Easter,	69	Kirkton (As-		Loth,	54
Gamrie,	155	Insch (Aberd'n),	203	Kilmun,	510	synt),	44	Loudoun,	603
Gargunnoch,	481	Inverallan,	128	Kilninian and		Kirkton (Farr),	50	Lumphanan,	220
Gartly,	198	Inveraray,	513	Kilmore,	544	Kirktown (Rox-		Lunan,	305
Garvald,	707	Inverarity,	292	Kilniver,	524	burgh),	794	Lundie,	306
Garvock,	260	Inveravon,	157	Kilrenny,	438	Kirkurd,	764	Lunnasting,	7
Gigha,	537	Inverchaolain,	514	Kilspindie,	363	Kirkwall & St Ola	21	Luss,	499
Girthon,	866	Inveresk,	689	Kilsyth,	483	Kirriemuir,	299	Lyne,	765
Girvan,	594	Inverkeillor,	293	Kiltarlity,	101	Knockando,	139		
Gladsmuir,	708	Inverkeithing,	432	Kiltearn,	70	Knockbain,	73	Madderty,	378
Glamis,	289	Inverkeithny,	158	Kilwinning,	599	Knoydart,	97	Mains,	307
Glasgow,	644	Inverkip,	567	Kincardine				Makerston,	797
Glass,	199	Inverness,	98	(Perth),	364	Ladhope,	776	Manor,	766
Glassary,	511	Inverurie,	204	Kincardine		Ladykirk,	746	Markinch,	447
Glasserton,	885	Iona,	538	(Ross),	71	Laggan,	104	Marnock,	161
Glassford,	645	Irongray,	867	Kincardine		Laing,	53	Maryculter,	264
Glenbervie,	261	Irvine,	595	O'Neil,	209	Lanark,	648	Maryhill,	622

Marykirk, .	265	Nigg (Ross),	78	Redgorton,	390	Skene,	238	Tongue,	56
Marytown, .	308	North Berwick,	713	Renfrew,	575	Skipness,	531	Torosay,	550
Mauchline,	604	North Bute,	557	Rerrick,	879	Skirling,	769	Torphichen,	671
Maxton,	798	North Knapdale,	530	Rescobie,	317	Slains,	239	Torryburn,	458
Maybole, .	605	North Leith,	692	Resolis,	79	Slamannan,	489	Torthorwald,	850
Mearns,	571	Northmavine,	8	Rhynd,	391	Sleat,	115	Tough,	244
Megget, .	765	North Morar,	97	Rhynie,	237	Smailholm,	805	Towie,	245
Meikle, .	379	North Ronald-		Riccarton,	611	Small Isles,	116	Tradeston,	644
Melrose, .	799	shay,	22	Roberton,	777	Snizort,	117	Tranent,	722
Menmuir,	309	North Uist,	113	Rogart,	55	Sorbie,	897	Traquair,	771
Merton,	751	North Yell,	4	Rosehall,	46	Sorn,	613	Trinity-Gask,	393
Methlic,	221			Rosemarkie,	80	Southdean,	806	Troon,	590
Methven,	380	Oa,	546	Roseneath,	502	Southend,	532	Troqueer,	882
Mid-Calder,	694	Oathlaw,	315	Rosskeen,	81	South Knapdale,	533	Tulliallan,	397
Middlebie,	841	Oban,	523	Rothies,	141	South Leith,	692	Tullynessle and	
Midmar,	222	Ochiltree,	609	Rothiesay,	558	South Ronald-		Forbes,	246
Mid & S. Yell,	6	Old Ardrossan,	576	Rothiemay,	165	shay & Burray	29	Tundergarth,	851
Millbren,	222	Old Cumnock,	610	Rothiemurchus,	96	South Uist,	118	Turriff,	247
Milton,	644	Old Deer,	228	Rousay and		Speymouth,	143	Tweedsmuir,	772
Minnigaff,	876	Oldhamstocks,	714	Egilsay,	24	Spott,	720	Twynholm,	883
Minto,	800	Old, or West,		Row,	503	Sprouston,	807	Tynron,	852
Mochrum,	892	Kilpatrick,	501	Roxburgh,	803	Stair,	614	Tyree,	551
Moffat,	842	Old Luce,	894	Rutherglen,	654	Stenschooll,	112	Tyrie,	248
Moneydie,	381	Old Machar,	168	Ruthven,	318	Stenton,	721		
Monifieth,	310	Old Meldrum,	229	Ruthwell,	846	Stevenston,	615		
Monikie,	311	Old Monkland,	652			Stewarton,	616	Udny,	249
Monimail,	448	Olrig,	39	Saddell,	531	Stirling,	490	Uig,	89
Monkton and		Ordiquhill,	163	St Andrew		Stitchell,	808	Unst,	11
Prestwick,	606	Ormiston,	715	(Dundee),	282	Stobhill,	698	Uphall,	672
Monquhitter,	223	Orphir,	23	St Andrew		Stobo,	770	Urquhart (El-	
Montrose,	312	Orwell,	463	(Edinburgh),	685	Stoer,	44	gin),	144
Monymusk,	224	Oxnam,	802	St Andrews		Stonehouse,	656	Urquhart (In-	
Monzie (Perth),	382	Oyne,	230	(Orkney),	25	Stoneykirk,	898	verness),	107
Monzievaird,	383			St Andrews-		Stornoway,	88	Urquhart and	
Moonzie (Fife),	449	Paisley,	573	Lhanbryde,	142	Stow,	699	Logie-Wester,	84
Mordington,	752	Panbride,	316	St Andrews and		Stracathro,	320	Urr,	884
Morebattle,	801	Papa-Stour,	12	St Leonards		Strachan,	268	Urray,	85
Morham,	712	Papa-Westray,	33	(Fife),	453	Strachur,	534		
Mortlach,	162	Partick,	646	St Boswells,	804	Straiton,	617	Walls (Shetland),	12
Morton,	843	Parton,	878	St Clement,	282	Stralachlan,	534	Walls (Orkney),	32
Morvern,	528	Peebles,	768	St Cyrus,	267	Stranraer,	899	Walston,	658
Moulin,	384	Pencaitland,	716	St Fergus,	166	Strath,	119	Wamphray,	853
Mousewald,	844	Penicuik,	697	St George,	685	Strathblane,	491	Wandell and	
Moy and Dala-		Penninghame,	895	St Giles,	685	Strathdon,	240	Lamington,	659
rossie,	105	Penpont,	845	St Kilda,	111	Strathfillan,	394	Wanlockhead,	853
Muckairn,	529	Persie,	386	St Madoes,	392	Strathmartin,	307	Watten,	42
Muckart,	385	Perth,	387	St Mary,	282	Strathmiglo,	457	Weem,	398
Muiravonside,	486	Peterculter,	231	St Martins,	393	Strathoykel,	71	Wemyss,	459
Muirkirk,	607	Peterhead,	232	St Monance (or		Strathy,	50	West Calder,	701
Murroes,	313	Pettinain,	653	Abercrombie),	454	Strichen,	241	Westerkirk,	854
Musselburgh,	689	Petty,	106	St Mungo,	847	Stromness,	30	West Kilbride,	620
Muthill,	386	Pitsligo,	233	St Nicholas,	168	Stronsay,	31	West Linton,	773
		Pittenweem,	452	St Ninians,	488	Sunart,	505	Westray,	33
Nairn,	123	Polmont,	487	St Peter,	282	Swinton,	755	Westruther,	756
Neilston,	572	Polwarth,	754	St Quivox, &c.,	612	Symington (Ayr)	618	Whalsay and	
Nenthorn,	753	Port-Glasgow,	574	St Rollox,	644	Symington		Skerries,	7
Nesting,	7	Port of Menteith,	388	St Vigean,	319	(Lanark),	657	Whitburn,	673
New Abbey,	877	Portlethen,	251	Salen (Argyll),	548			Whitekirk and	
New Ardrossan,	576	Portmoak,	464	Saline (Fife),	455	Tain,	82	Tynninghame,	723
Newbattle,	695	Portnahaven,	547	Salton,	719	Tannadice,	321	Whiteness and	
Newburgh,	450	Portobello,	684	Sanday,	26	Tarbat,	83	Weisdale,	10
Newburn,	451	Portpatrick,	896	Sandness,	12	Tarbert,	535	Whithorn,	900
New Byth,	210	Portree,	114	Sandsting and		Tarbolton,	619	Whitsome,	757
New Cumnock,	608	Portsoy,	153	Aithsting,	9	Tarland,	242	Whittinghame,	724
New Deer,	225	Premnay,	234	Sandwick,	27	Tarves,	243	Wick,	43
New Galloway,	868	Prestonkirk,	717	Sandwick & Cun-		Tealing,	322	Wigtown,	901
Newhills,	226	Prestonpans,	718	ingsburgh,	3	Temple,	700	Wilton,	810
Newington,	685			Sanquhar,	848	Tenandry,	394	Wiston and Ro-	
New Kilpatrick,	500	Queensferry,	670	Savoch,	237	Terregles,	880	berton,	660
Newlands,	767			Scone,	394	Teviothead,	809		
New Luce,	893	Raasay,	114	Scoonie,	456	Thurso,	41	Yarrow,	779
New Machar,	227	Rafford,	140	Scourie,	49	Tibbermore,	395	Yester (or Gif-	
New Monkland,	651	Rathen,	235	Seafeld,	167	Tillicoultry,	468	ford),	725
New Pitsligo,	227	Ratho,	698	Selkirk,	778	Tingwall,	10	Yetholm,	811
New Spynie,	136	Rathven,	164	Shapinshay,	28	Tinwald,	849	Ythan Wells	249
Newton,	696	Ratray,	389	Shettleston,	622	Tobermory,	549		
Newtyle,	314	Rayne,	236	Shieldaig,	58	Tomintoul,	160		
Nigg (Kincard.),	266	Reay,	40	Shotts,	655	Tongland,	881		

EDINBURGH: PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.

